

Q1/

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

</head>

<body>

  <h1>

    A Nested List

  </h1>

  <p>Lists can be nested (list inside list) :</p>

  <ul>

    <li>apples</li>

    <li>pears</li>

    <li>berries

      <ul>

        <li>blueberries</li>

        <li>strawberries</li>

        <li>kiwi fruits</li>

      </ul>

    </li>

    <li>citrus

      <ul>

        <li>limes</li>
```

```
        <li>oranges</li>
        <li>grapefruits</li>
    </ul>
</li>
<li>bananas</li>
<li>melons
    <ul>
        <li>honeydew melons</li>
        <li>watermelons</li>
        <li>rock melons</li>
    </ul>
</li>

</ul>

</body>
</html>
```

Q2/

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
```

```
<style type="text/css">
th,td{
    padding: 7px;

}
</style>
</head>
<body>
<table style=" border-collapse: collapse;" border="1">
    <tr>
        <th>No.</th>
        <th>Full name</th>
        <th>Position</th>
        <th>Salary</th>
        <th>Type</th>
    </tr>
    <tr>
        <td>1</td>
        <td>bill gates</td>
        <td>founder microsoft</td>
        <td>$1000</td>
        <td rowspan="4">company founder</td>
    </tr>
    <tr>
        <td>2</td>
        <td>steve jobs</td>
        <td>founder apple</td>
        <td>$1200</td>
```

```
</tr>
<tr>
  <td>3</td>
  <td>larry page</td>
  <td>founder google</td>
  <td>$1100</td>
</tr>
<tr>
  <td>4</td>
  <td>mark zuckerberg</td>
  <td>founder facebook</td>
  <td>$1300</td>
</tr>
<tr>
  <td colspan="3">total expense:</td>
  <td>$4600</td>
</tr>
</table>
</body>
</html>
```