



PRODUCT GUIDE

Find your milking
machine now!



www.kpsotomotiv.com

CLASSIC TYPE SINGLE MILKING



KT-K01-A001

€

ALUMINUM DRY

KT-Y01-A001

€

ALUMINUM REGULAR OILY

KT-T01-A001

€

ALUMINUM TURBO OILY

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum gүгүм, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gomak'dır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gomak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
1 x 10 ~ 12	0,55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	100 x 57 x 82 cm	50 Kg

CLASSIC TYPE DOUBLE MILKING



KC-K01-A001

€

ALUMINUM DRY

KC-Y01-A001

€

ALUMINUM REGULAR OILY


KC-T01-A001

€

ALUMINUM TURBO OILY

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum gүгүм, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gomak'dır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gomak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0,55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	100 x 57 x 82 cm	55 Kg

CLASSIC TYPE DOUBLE MILKING WITH GASOLINE ENGINE



KCBM-K01-A001

€

ALUMINUM DRY

KCBM-Y01-A001

€

ALUMINUM REGULAR OILY

KCBM-T01-A001


€

ALUMINUM TURBO OILY



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsil olup, alüminyum gülüm, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gammak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gammak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	100 x 112 x 82 cm	65 Kg

CLASSIC TYPE DOUBLE MILKING DOUBLE BUCKET



KCC-K01-A001

€

ALUMINUM DRY

KCC-Y01-A001

€

ALUMINUM REGULAR OILY

KCC-T01-A001

€

ALUMINUM TURBO OILY



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsili olup, alüminyum gülüm, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gammak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gammak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	100 x 110 x 82 cm	70 Kg


CLASSIC TYPE DOUBLE MILKING

KC-K02-A001	€
ALUMINUM DRY	
KC-Y02-A001	€
ALUMINUM REGULAR OILY	
KC-T02-A001	€
ALUMINUM TURBO OILY	



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsili olup, alüminyum güğüm, kuşuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Garnak'dır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	100 x 57 x 82 cm	51 Kg




CLASSIC TYPE QUAD. MILKING



KCD-K02-A001	€
ALUMINUM DRY	
KCD-Y02-A001	€
ALUMINUM REGULAR OILY	
KCD-T02-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsili olup, alüminyum güğüm, kuşuk meme lastiklidir.
- Kullanılan elektrik motora stok durumuna göre Volt veya Garnak'dır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
4 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	100 x 57 x 82 cm	60 Kg

CLASSIC TYPE QUAD. MILKING WITH GASOLINE ENGINE



KCBM-K02-A001	€
ALUMINUM DRY	
KCBM-Y02-A001	€
ALUMINUM REGULAR OILY	
KCBM-T02-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum güğüm, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gamak'dır.
- Fiyatlarla KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gamak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
4 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	100 x 110 x 110 cm	70 Kg

CLASSIC TYPE QUAD. MILKING DOUBLE BUCKET



KCD-K02-A001	€
ALUMINUM DRY	
KCD-Y02-A001	€
ALUMINUM REGULAR OILY	
KCD-T02-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum güğüm, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gamak'dır.
- Fiyatlarla KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gamak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
4 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	100 x 110 x 82 cm	75 Kg

CLASSIC TYPE DOUBLE MILKING

KC-K03-A001	€
ALUMINUM DRY	
KC-Y03-A001	€
ALUMINUM REGULAR OILY	
KC-T03-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €


Silicone Breast Price Difference : €



30 L



X2
Sütüm/Milkking



Güç/Power 0,55 KW
220 V / 50 Hz



160 cc ~ 200 cc

Pneumatische

- Resim temsilii olup, alüminyum gübüm, kauçuk meme lastiğilidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Garnak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnak according to the stock status.
- Shipping excluded.



CLASSIC TYPE QUAD. MILKING

KCD-K03-A001	€
ALUMINUM DRY	
KCD-Y03-A001	€
ALUMINUM REGULAR OILY	
KCD-T03-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



40 L



X4
Sütüm/Milkking



Güç/Power 0,55 KW
220 V / 50 Hz



80 mm

- Resim temsilii olup, alüminyum gübüm, kauçuk meme lastiğilidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Garnak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnak according to the stock status.
- Shipping excluded.



TEMPO TYPE SINGLE MILKING

TT-K01-A001	€
ALUMINUM DRY	
TC-Y01-A001	€
ALUMINUM REGULAR OILY	



Stainless Bucket Price Difference : €


Silicone Breast Price Difference : €



40 L



**X1
Sajım/Milking**



**Güç/Power 0,55 KW
220 V / 50 Hz**



70 mm



200 cc

- Resim temsili olup, alüminyum göğüm, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gernak'dır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gernak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
1 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	110 x 78 x 50 cm	45 Kg



TEMPO TYPE DOUBLE MILKING

TC-K01-A001	€
ALUMINUM DRY	
TC-Y01-A001	€
ALUMINUM REGULAR OILY	



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



40 L



**X2
Sajım/Milking**



**Güç/Power 0,55 KW
220 V / 50 Hz**



70 mm



200 cc

- Resim temsili olup, alüminyum göğüm, kauçuk meme lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Gernak'dır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gernak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	110 x 78 x 50 cm	50 Kg

MINI TYPE SINGLE MILKING



MT-K01-A001

€

ALUMINUM DRY

MT-Y01-A001

€

ALUMINUM REGULAR OILY



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum gүгүм, kauçuk meme lastiklidir.
- Kullanlan elektrik motora stok durumuna göre Volt veya Gernak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gernak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölüler Dimensions	Ağırlık Weight
1 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pneumatički 60 - 40	110 x 78 x 50 cm	45 Kg

MINI TYPE DOUBLE MILKING



MT-K02-A001

€

ALUMINUM DRY

MT-Y02-A001


€

ALUMINUM REGULAR OILY



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum gүгүм, kauçuk meme lastiklidir.
- Kullanlan elektrik motora stok durumuna göre Volt veya Gernak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Gernak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pneumatički 90 - 120	102 x 86 x 50 cm	48 Kg

MINI TYPE DOUBLE MILKING

MT-K03-A001	€
ALUMINUM DRY	
MT-Y03-A001	€
ALUMINUM REGULAR OILY	



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum göğüm, kauçuk meme lastiklidir.
- Kullanılan elektrik moturu stok durumuna göre Volt veya Garnak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
2 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	102 x 86 x 50 cm	48 Kg

TEMPO LUX TYPE DOUBLE MILKING

MY-K01-A001	€
ALUMINUM DRY	
MY-Y01-A001	€
ALUMINUM REGULAR OILY	



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsilii olup, alüminyum göğüm, kauçuk meme lastiklidir.
- Kullanılan elektrik moturu stok durumuna göre Volt veya Garnak'dır.
- Fiyatlara KDV dahil, nakliye hariçdir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnak according to the stock status.
- Shipping excluded.

Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debisi Pump Flow	Pençe Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
1 x 10 ~ 12	0.55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 60 - 40	102 x 86 x 50 cm	42 Kg

TEMPO LUX TYPE DOUBLE MILKING

MY-K02-A001	€
ALUMINUM DRY	
MY-Y02-A001	€
ALUMINUM REGULAR OILY	



Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



- Resim temsil olup, alüminyum gümüş, kauçuk mente lastiklidir.
- Kullanılan elektrik motoru stok durumuna göre Volt veya Garnet'tır.
- Fiyatlara KDV dahil, nakliye hariçtir.
- It is a picture representation, it has an aluminum bucket and a rubber liner.
- The electric motor used is Volt or Garnet according to the stock status.
- Shipping excluded.

Sajım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debeti Pump Flow	Pence Modeli Claw Type	Pulsatör Pulsator	Ölçüler Dimensions	Ağırlık Weight
2x10 ~ 12	0,55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	102x86x50 cm	48 Kg

AUTOMATIC DRINKING BOWLS



SQUEEZING MACHINES



PRODUCT SPECIFICATIONS

On Tulsan Squeezing Machines, all necessary parts are produced from stainless steel in compliance with the food legislation.

- Using, disassembling and cleaning of this machine is quite easy.

TWO SIEVES



..... €



TECHNICAL DETAILS

Stock Code	YMSM-100001
Dimensions	800 x 600 x 650 mm
Motor Power	2,2 Kw
Tomato Squeezing Capacity	1200 Kg/Saat
Grape Squeezing Capacity	800 Kg/Saat
Pepper Squeezing Capacity	320 Kg/Saat
Weight	54 kg



SQUEEZING MACHINES

PRODUCT SPECIFICATIONS

On Tulsan Squeezing Machines, all necessary parts are produced from stainless steel in compliance with the food legislation.

- Using, disassembling and cleaning of this machine is quite easy.

TWO SIEVES



..... €



TECHNICAL DETAILS

Stock Code	YMSM-100002
Dimensions	800 x 600 x 650 mm
Motor Power	2,2 Kw
Tomato Squeezing Capacity	1200 Kg/Saat
Grape Squeezing Capacity	800 Kg/Saat
Pepper Squeezing Capacity	320 Kg/Saat
Weight	54 kg



MILLS MACHINE



PRODUCT SPECIFICATIONS

With Tulsan mills machine you can crash wheat, barley, maize, vetch, bean, fodder beet ext. According to your demand. You can adjust the size of the grain with the given sieves.

- Effective corn and fodder beet crashing.
- Durable and affordable.
- Blades are coupled to the motor shaft providing high efficiency.
- 220 and 380 volt models are available on your request.



..... €

TECHNICAL DETAILS

Stock Code	YKIR-100003
Height	1300 mm
Width	580 mm
Length	930 mm
Motor Power - rpm	3 Kw - 1600 rpm
Loading Width	520 x 390 mm
Weight	72 kg



SAP-SAMAN PARÇALAMA MAKİNASI

PRODUCT SPECIFICATIONS

The new Tulsan Shredder Machine with special motor impresses all users with their unique cutting power. The ingenious combination of an extremely powerful electric motor and additional gear system places them in a performance class that provides more cutting start up than conventional impact shredders. To accelerate filling, Tulsan has developed an innovative design with a larger inlet.



..... €

TECHNICAL DETAILS

Stock Code	SAPS-100006
Volume	115 L
Width	900 mm
Motor Power	3 Kw
Height	1600 mm
Loading Width	340 x 360 mm
Weight	74 kg

REDUCTION SYSTEM WATER PUMPS



ŞANZIMANLI REDÜKTÖRLÜ TİP
SINGLE STAGE TYPE



ŞANZIMANLI ÇİFT KADENELİ TİP
MULTI STAGE TYPE

STOK KODU STOCK CODE	GİRİŞ/ÇIKIŞ INLET/OUTLET	GÜC (Hp) POWER (Hp)	DEVİR (d/dk) ROTATION (rpm)	KAPASİTE / CAPACITY				FİYAT PRICE
				DAMLAMA DİKEY DASMA (m) VERTICAL DISCHARGE	HACİM (m³) VOLUME	SALMASULAMA DİKEY(m) VERTICAL DISCHARGE	HACİM (m³) VOLUME	
SPMF-104315	4" x 3"	45	540-750	75	90	40	180	€
SPMF-104415	4" x 4"	60	540-750	75	120	40	210	€
SPMF-105415	5" x 4"	70	540-750	80	240	50	350	€
SPMF-105515	5" x 5"	80	540-750	70	260	50	380	€
SPMF-106515	6" x 5"	100	540-750	75	320	50	430	€
SPMF-106615	6" x 6"	100	540-750	70	380	50	450	€
SPKMF-104315	4" x 3"	45	540-750	75	100	40	180	€
SPKMF-104415	4" x 4"	60	540-750	75	140	50	350	€
SPKMF-105415	5" x 4"	70	540-750	80	240	50	350	€
SPKMF-105515	5" x 5"	80	540-750	70	260	50	380	€

PUMP - TRACTOR COMPATIBILITY CHART

1/6 TİP POMPA / 1/6 TYPE PUMP

BAŞAK
FIAT
FORD-STEYR
JOHN DEERE
LANDINI
NEW HOLLAND
ANADOLU TRAKTÖR
HEMA
FENDT
VALTRA

1/5 TİP POMPA / 1/5 TYPE PUMP

BAŞAK LS
CASE
KUBATA
HATTAT
HEMA
MASSEY FERGUSON
SAME
TÜRK TRAKTÖR
ENTER
FARMTRAK
LEYLAND
TÜMOSAN

FIXED SYSTEM MILKING (COW)

STOCK CODE	PRODUCT TYPE	MILKING	BUCKET TYPE	LINER TYPE	OWER VACUUM	PRICE
SS01-A001	FIXED TYPE MILKING MACHINE	SINGLE MILKING	ALUMINUM	RUBBER	230 L/d-0,75 KW	€
SS01-A002	FIXED TYPE MILKING MACHINE	SINGLE MILKING	ALUMINUM	SILICONE	230 L/d-0,75 KW	€
SS01-P001	FIXED TYPE MILKING MACHINE	SINGLE MILKING	STAINLESS STEEL	RUBBER	230 L/d-0,75 KW	€
SS01-P002	FIXED TYPE MILKING MACHINE	SINGLE MILKING	STAINLESS STEEL	SILICONE	230 L/d-0,75 KW	€

STOCK CODE	PRODUCT TYPE	MILKING	BUCKET TYPE	LINER TYPE	OWER VACUUM	PRICE
SS01-A001	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	ALUMINUM	RUBBER	230 L/d-0,75 KW	€
SS01-A002	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	ALUMINUM	SILICONE	230 L/d-0,75 KW	€
SS01-P001	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	STAINLESS STEEL	RUBBER	230 L/d-0,75 KW	€
SS01-P002	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	STAINLESS STEEL	SILICONE	230 L/d-0,75 KW	€

VACUUM PUMP



VACUUM PUMP 230 L/min

..... €



VACUUM PUMP 450 L/min

..... €

DOUGH MIXERS



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 17 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100010
Power	0.5 Hp - 0.37 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	10 Kg
Dimensions	750 x 600 x 400 mm
Weight	31 Kg

DOUGH MIXERS



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 30 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100025
Power	1.0 Hp - 0.75 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	25 Kg
Dimensions	800 x 900 x 550 mm
Weight	85 Kg

DOUGH MIXERS

35 Kg

..... €



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 42 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100010
Power	1.5 Hp - 1.10 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	35 Kg
Dimensions	850 x 950 x 650 mm
Weight	89 Kg

DOUGH MIXERS

50 Kg

..... €



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 66 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100050
Power	1.5 Hp - 1.10 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	50 Kg
Dimensions	660x1010x1000 mm
Weight	150 Kg

CLASSIC TYPE QUAD. MILKING WITH GASOLINE ENGINE



KCBM-K03-A001	€
ALUMINUM DRY	
KCBM-Y03-A001	€
ALUMINUM REGULAR OILY	
KCBM-T03-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



40 L	X4 Sajım/Milking	Benzin Motorlu Gasoline Engine	Güç/Power 0,55 KW 220 V / 50 Hz	80 mm	<ul style="list-style-type: none"> Resim temsili olup, alüminyum gügüm, kauçuk meme lastiklidir. Kullandılan elektrik motoru stok durumuna göre Volt veya Garnak'dır. Fiyatlara KDV dahil, nakliye hariçdir. It is a picture representation, it has an aluminum bucket and a rubber liner. The electric motor used is Volt or Garnak according to the stock status. Shipping excluded. 			
Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pence Modeli Claw Type	Pulsatör Pulsator	Ölüler Dimensions	Ağırlık Weight	
4 x 10 ~ 12	0,55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	100 x 110 x 110 cm	70 Kg	



CLASSIC TYPE QUAD. MILKING DOUBLE BUCKET

KCD-K03-A001	€
ALUMINUM DRY	
KCD-Y03-A001	€
ALUMINUM REGULAR OILY	
KCD-T03-A001	€
ALUMINUM TURBO OILY	

Stainless Bucket Price Difference : €

Silicone Breast Price Difference : €



30 L	X4 Sajım/Milking	Benzin Motorlu Gasoline Engine	Güç/Power 0,55 KW 220 V / 50 Hz	80 mm	<ul style="list-style-type: none"> Resim temsili olup, alüminyum gügüm, kauçuk meme lastiklidir. Kullandılan elektrik motoru stok durumuna göre Volt veya Garnak'dır. Fiyatlara KDV dahil, nakliye hariçdir. It is a picture representation, it has an aluminum bucket and a rubber liner. The electric motor used is Volt or Garnak according to the stock status. Shipping excluded. 			
Sağım Kapasitesi Milking Capacity	Motor Gücü Motor Power	Tank Kapasitesi Tank Capacity	Pompa Debişi Pump Flow	Pence Modeli Claw Type	Pulsatör Pulsator	Ölüler Dimensions	Ağırlık Weight	
4 x 10 ~ 12	0,55 kW	22 L	220-240 ±5%	160 cc ~ 200 cc	Pnömatik 90 - 120	100 x 110 x 82 cm	75 Kg	

REDUCTION SYSTEM WATER PUMPS



ŞANZIMANLI REDÜKTÖRLÜ TİP
SINGLE STAGE TYPE



ŞANZIMANLI ÇIFT KADENELİ TİP
MULTI STAGE TYPE

STOK KODU STOCK CODE	GİRİŞ/ÇIKIŞ INLET/OUTLET	GÜC (Hp) POWER (Hp)	DEVİR (d/dk) ROTATION (rpm)	KAPASİTE / CAPACITY				FİYAT PRICE
				DAMLAMA DİKEY BASMA (m) VERTICAL DISCHARGE	HACİM (m³) VOLUME	SALMASULAMA DİKEY (m) VERTICAL DISCHARGE	HACİM (m³) VOLUME	
REDÜKTÖRLÜ TİP SINGLE STAGE TYPE	SPMF-104315	4" x 3"	45	540-750	75	90	40	180
	SPMF-104415	4" x 4"	60	540-750	75	120	40	210
	SPMF-105415	5" x 4"	70	540-750	80	240	50	350
	SPMF-105515	5" x 5"	80	540-750	70	260	50	380
	SPMF-106515	6" x 5"	100	540-750	75	320	50	430
	SPMF-106615	6" x 6"	100	540-750	70	380	50	450
ÇIFT KADENELİ TİP MULTI STAGE TYPE	SPKMF-104315	4" x 3"	45	540-750	75	100	40	180
	SPKMF-104415	4" x 4"	60	540-750	75	140	50	350
	SPKMF-105415	5" x 4"	70	540-750	80	240	50	350
	SPKMF-105515	5" x 5"	80	540-750	70	260	50	380

PUMP - TRACTOR COMPATIBILITY CHART

1/6 TİP POMPA / 1/6 TYPE PUMP

BAŞAK
FIAT
FORD-STEYR
JOHN DEERE
LANDINI
NEW HOLLAND
ANADOLU TRAKTÖR
HEMA
FENDT
VALTRA

1/5 TİP POMPA / 1/5 TYPE PUMP

BAŞAK LS
CASE
KUBATA
HATTAT
HEMA
MASSEY FERGUSON
SAME
TÜRK TRAKTÖR
ENTER
FARMTRAK
LEYLAND
TÜMOSAN

FIXED SYSTEM MILKING (COW)

STOCK CODE	PRODUCT TYPE	MILKING	BUCKET TYPE	LINER TYPE	OWER VACUUM	PRICE
SS01-A001	FIXED TYPE MILKING MACHINE	SINGLE MILKING	ALUMINUM	RUBBER	230 L/d-0,75 KW	€
SS01-A002	FIXED TYPE MILKING MACHINE	SINGLE MILKING	ALUMINUM	SILICONE	230 L/d-0,75 KW	€
SS01-P001	FIXED TYPE MILKING MACHINE	SINGLE MILKING	STAINLESS STEEL	RUBBER	230 L/d-0,75 KW	€
SS01-P002	FIXED TYPE MILKING MACHINE	SINGLE MILKING	STAINLESS STEEL	SILICONE	230 L/d-0,75 KW	€

STOCK CODE	PRODUCT TYPE	MILKING	BUCKET TYPE	LINER TYPE	OWER VACUUM	PRICE
SS01-A001	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	ALUMINUM	RUBBER	230 L/d-0,75 KW	€
SS01-A002	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	ALUMINUM	SILICONE	230 L/d-0,75 KW	€
SS01-P001	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	STAINLESS STEEL	RUBBER	230 L/d-0,75 KW	€
SS01-P002	FIXED TYPE MILKING MACHINE	DOUBLE MILKING	STAINLESS STEEL	SILICONE	230 L/d-0,75 KW	€

VACUUM PUMP

 TULSAN VACUUM PUMP 230 L/min	 TULSAN VACUUM PUMP 450 L/min
..... € €

DOUGH MIXERS



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 17 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100010
Power	0.5 Hp - 0.37 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	10 Kg
Dimensions	750 x 600 x 400 mm
Weight	31 Kg

DOUGH MIXERS



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 30 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100025
Power	1.0 Hp - 0.75 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	25 Kg
Dimensions	800 x 900 x 550 mm
Weight	85 Kg

DOUGH MIXERS

35 Kg

..... €



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 42 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100010
Power	1.5 Hp - 1.10 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	35 Kg
Dimensions	850 x 950 x 650 mm
Weight	89 Kg

DOUGH MIXERS

50 Kg

..... €



PRODUCT SPECIFICATIONS

- Stainless bowl
- Stainless trunk
- Panel control
- The volume of the bowl is 66 L
- Trunk speed 44 rpm
- Ease of operating and maintenance

TECHNICAL DETAILS

Stock Code	HYOG-100050
Power	1.5 Hp - 1.10 KW
Voltage	AC 220 - 380 V
Max. Dough Capacity	50 Kg
Dimensions	660x1010x1000 mm
Weight	150 Kg

MILK COOLING TANKS

100 - 300 L



You can store and protect the milk healthily milked with TULSAN Cooler tanks. TULSAN Cooler tanks are manufactured with 304 stainless steel and produced by using the highly qualified evaporator and cooling units. It helps the tank to be washed effectively with demountable stainless butterfly valve. You can find more information about TULSAN Cooling tank models at section Milking Systems and Components.

- STAR-100400 Four Loading cells & Electronic indicator €
- SYAZ-100000 Printer €

TECHNICAL SPECIFICATIONS							
Stock Code	Weight	Capacity	Power	Width	Length	Height	Price
CTE-100100	90	100	0.5 Hp / 220 W	90	180	60	€
CTE-100200	130	200	0.5 Hp / 220 W	90	180	85	€
CTE-100300	150	300	1 Hp / 220 W	90	180	110	€

MILK COOLING TANKS

500 - 2000 L



You can store and protect the milk healthily milked with TULSAN Cooler tanks. TULSAN Cooler tanks are manufactured with 304 stainless steel and produced by using the highly qualified evaporator and cooling units. It helps the tank to be washed effectively with demountable stainless butterfly valve. You can find more information about TULSAN Cooling tank models at section Milking Systems and Components.

- STAR-100400 Four Loading cells & Electronic indicator €
- SYAZ-100000 Printer €

TECHNICAL SPECIFICATIONS

Stock Code	Weight	Capacity	Power	Width	Length	Height	Price
CTE-100500	185	500	1.5 Hp / 220 W	125	200	105	€
CTE-101000	280	1000	3 Hp / 380 W	150	230	120	€
CTE-101500	360	1500	4 Hp / 380 W	150	230	150	€
CTE-102000	450	2000	5 HP / 380 W	160	250	165	€

MILK COOLING TANKS

2000 - 8000 L



TECHNICAL SPECIFICATIONS

Stock Code	Weight	Capacity	Power	Width	Length	Height	Price
CTE-102001	570	2000	5 Hp / 380 W	145	400	185	00.€
CTE-103000	690	3000	10 Hp / 380 W	155	400	190	00.€
CTE-104000	790	4000	12 Hp / 380 W	175	400	210	00.€
CTE-105000	910	5000	14 Hp / 380 W	175	450	210	00.€
CTE-106000	1050	6000	18 Hp / 380 W	190	450	225	00.€
CTE-108000	1360	8000	24 Hp / 380 W	190	460	230	00.€

MODERN LASER TECHNOLOGY

Her soğutma tankının kalbi olan evaparator üstün lazer teknolojisi ile kaynaklanmıştır. Evaparatorün özel tasarım, onun tanka montajı, kullanılan malzemelerin uygun seçilmesi, elmas kalıplar vs. bütün bunlar enerji kaybını en aza indirmek, sıfır soğutucu sızıntısı ve sütün ısısının buzlanmayı önlemek üzere hızlı şekilde dağıtılması için yapılmıştır.

SPRAYING HOSE



Stock Code	Inner Diameter	Operating Pressure	Weight	Length	Price
HT-000001	5/16"	8	90	90	50 00.€
HT-000002	5/16"	8	90	180	100 00.€




Stock Code	Inner Diameter	Operating Pressure	Weight	Length	Price
HT-000003	3/8"	10	90	11,5	50 00.€
HT-000004	3/8"	10	90	230	100 00.€




SPARE PARTS

Stock Code	PRODUCT TYPE	PRICE	MODEL
TS-001003	40 L STAINLESS BUCKET	0000..€	
TS-001029	30 L STAINLESS BUCKET	0000..€	
TS-001010	20 L STAINLESS BUCKET	0000..€	
TS-001004	40 L STAINLESS BUCKET WITH COVER	0000..€	
TS-001007	30 L STAINLESS BUCKET WITH COVER	0000..€	
TS-001011	20 L STAINLESS BUCKET WITH COVER	0000..€	
TS-001001	40 L ALUMINIUM BUCKET	0000..€	
TS-001005	30 L ALUMINIUM BUCKET	0000..€	
TS-001008	20 L ALUMINIUM BUCKET	0000..€	
TS-001002	40 L ALUMINIUM BUCKET WITH COVER	0000..€	
TS-001006	30 L ALUMINIUM BUCKET WITH COVER	0000..€	
TS-001009	20 L ALUMINIUM BUCKET WITH COVER	0000..€	
TS-001013	STAINLESS MANUEL MILK METER	0000..€	
TS-001012	ALUMINIUM MANUEL MILK METER	0000..€	

TS-001023	30 L BUCKET COVER STAINLESS FIX SYSTEM	0000..€	
TS-001019	BUCKET COVER TRANSPARENT 210 mm	0000..€	
TS-001015	BUCKET COVER TRANSPARENT 180 mm	0000..€	
TS-001016	BUCKET COVER TRANSPARENT 180 mm	0000..€	
TS-001022	BUCKET COVER RUBBER 225 mm	0000..€	
TS-001021	BUCKET COVER RUBBER 217 mm	0000..€	
TS-001018	BUCKET COVER RUBBER 210 mm	0000..€	
TS-001014	BUCKET COVER RUBBER 180 mm	0000..€	
TS-001020	GASKET OF BUCKET COVER TRANS. 210 mm	0000..€	
TS-001017	GASKET OF BUCKET COVER TRANS. 180 mm	0000..€	
TS-000001	LONG LINER 26 mm	0000..€	
TS-000002	LONG LINER SILICONE 26 mm	0000..€	
TS-000003	SHORT LINER 25 mm	0000..€	
TS-000004	SHORT LINER SILICONE 25 mm	0000..€	
TS-000005	LINER FOR SHEEPS 18,50 mm	0000..€	

TS-000006	LINER FOR SHEEPS SILICONE18,50 mm		0000..€	
TS-000007	LINER FOR GOATS 18,50 mm		0000..€	
TS-000008	LINER FOR GOATS SILICONE18,50 mm		0000..€	
TS-000150	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000151	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000149	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000009	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000010	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000023	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000024	TEAT CUP SHELL FOR COWS (RING)		0000..€	
TS-000011	TEAT CUP SHELL SS		0000..€	
TS-000013	TEAT CUP SHELL SS (HALF TYPE)		0000..€	
TS-000018	END OF TEAT CUP SHELL		0000..€	
TS-000025	END OF TEAT CUP SHELL		0000..€	
TS-000026	TEAT CUP SHELL SS		0000..€	

TS-000027	TEAT CUP SHELL FOR COW (TRANS.)	0000..€	
TS-000012	TEAT CUP SHELL SS (480 gr)	0000..€	
TS-000014	TEAT CUP SHELL FOR SHEEP (TRANS.)	0000..€	
TS-000015	TEAT CUP SHELL FOR GOAT (TRANS.)	0000..€	
TS-000016	TEAT CUP SHELL FOR SHEEP (TRANS.)	0000..€	
TS-000017	TEAT CUP SHELL FOR GOAT (TRANS.)	0000..€	
TS-000019	SIGHT GLASSES	0000..€	
TS-000200	PULSATATOR (BLUE)	0000..€	
TS-000201	PULSATATOR (RED)	0000..€	
TS-000202	PULSATATOR (BLACK)	0000..€	
TS-000203	PULSATATOR PLUS (BLUE)	0000..€	
TS-000204	PULSATATOR PLUS (RED)	0000..€	
TS-000205	PULSATATOR PLUS (TRANSPARENT)	0000..€	
TS-000206	PULSATATOR PLUS (BLUE)	0000..€	
TS-000207	PULSATATOR PLUS (RED)	0000..€	

TS-000208	PULSATOR PLUS (TRANSPARENT)	0000..€	
TS-000209	PULSATOR PLUS (BLUE)	0000..€	
TS-000210	PULSATOR PLUS (RED)	0000..€	
TS-000211	PULSATOR PLUS (TRANSPARENT)	0000..€	
TS-000218	PULSATOR (GREEN)	0000..€	
TS-000219	PULSATOR (RED)	0000..€	
TS-000220	PULSATOR (BLUE)	0000..€	
TS-000221 TS-000222	PULSATOR (GREEN) 	0000..€	
TS-000223 TS-000224	PULSATOR (RED) 	0000..€	
TS-000225 TS-000226	PULSATOR (BLUE) 	0000..€	
TS-000212	PULSATOR REPAIR KIT	0000..€	
TS-000213	SMALL DIAPHRAGM FOR PULSATOR	0000..€	
TS-000214	BIG DIAPHRAGM FOR PULSATOR	0000..€	
TS-000215	PULSATOR ADAPTOR	0000..€	
TS-000216	BUSHING FOR PULSATOR 13 mm	0000..€	

TS-000217	BUSHING FOR PULSATOR 15 mm	0000..€	
TS-000100	MILKING CLAW	0000..€	
TS-000101	CLAW BOTTOM BOWL COMPLETE	0000..€	
TS-000102	CLAW BOWL EMPTY	0000..€	
TS-000103	CLAW UPPER BODY	0000..€	
TS-000104	CLAW GASKET	0000..€	
TS-000105	AIR DISTRIBUTOR OF CLAW	0000..€	
TS-000106	SHUT OFF VALVE SET OF CLAW	0000..€	
TS-000107	SHUT OFF VALVE OF CLAW	0000..€	
TS-000108	SHUT OFF VALVE GASKET OF CLAW	0000..€	
TS-000109	MILKING CLAW	0000..€	
TS-000110	CLAW BOTTOM BOWL COMPLETE	0000..€	
TS-000111	CLAW BOWL EMPTY	0000..€	
TS-000112	CLAW UPPER BODY	0000..€	
TS-000113	CLAW GASKET	0000..€	

TS-000114	AIR DISTRIBUTOR OF CLAW		0000..€	
TS-000115	SHUT OFF VALVE SET OF CLAW		0000..€	
TS-000116	SHUT OFF VALVE OF CLAW		0000..€	
TS-000117	SHUT OFF VALVE GASKET OF CLAW		0000..€	
TS-000118	CLAW VALVE PIN		0000..€	
TS-000119	MILKING CLAW		0000..€	
TS-000120	CLAW BOTTOM BOWL COMPLETE		0000..€	
TS-000121	CLAW BOWL EMPTY		0000..€	
TS-000122	CLAW UPPER BODY		0000..€	
TS-000123	CLAW GASKET		0000..€	
TS-000124	AIR DISTRIBUTOR OF CLAW		0000..€	
TS-000125	SHUT OFF VALVE SET OF CLAW		0000..€	
TS-000126	SHUT OFF VALVE OF CLAW		0000..€	
TS-000127	CLAW BOTTOM BOWL NUT		0000..€	
TS-000128	CLAW MOLDER		0000..€	

TS-000130	SHUT OFF VALVE GASKET OF CLAW		0000..€	
TS-000131	CLAW VALVE PIN		0000..€	
TS-000549	MILKING CLAW		0000..€	
TS-000570	CLAW BOTTOM BOWL COMPLETE		0000..€	
TS-000132	MILKING CLAW		0000..€	
TS-000133	CLAW FOR BOTTOM BOWL COMP.		0000..€	
TS-000134	CLAW BOTTOM BOWL EMPTY		0000..€	
TS-000135	CLAW UPPER BODY		0000..€	
TS-000136	CLAW GASKET		0000..€	
TS-000137	SHUT OFF VALVE SET OF CLAW		0000..€	
TS-000138	SHUT OFF VALVE SET OF CLAW		0000..€	
TS-000139	SHUT OFF VALVE GASKET OF CLAW		0000..€	
TS-000140	CLAW FOR VALVE PIN		0000..€	
TS-000141	M.CLU.S. VALVE FOR GOAT & SHEEP		0000..€	
TS-000300	RUBBER LINERS & STAINLESS SHELLS		0000..€	



TS-000301	SILICONE LINERS & STAINLESS SHELLS	0000..€	
TS-000302 TS-000303	RUBBER LINERS & RING SHELLS RED SHELLS - BLUE SHELLS	0000..€	
TS-000304 TS-000305	SILICONE LINERS & RING SHELLS RED SHELLS - BLUE SHELLS	0000..€	
TS-000306	RUBBER LINERS & PLASTIC SHELLS	0000..€	
TS-000309	SILICONE LINERS & PLASTIC SHELLS	0000..€	
TS-000336	RUBBER LINERS & STAINLESS SHELLS	0000..€	
TS-000335	SILICONE LINERS & STAINLESS SHELLS	0000..€	
TS-000310	RUBBER LINERS & STAINLESS SHELLS	0000..€	
TS-000311	SILICONE LINERS & STAINLESS SHELLS	0000..€	
TS-000312 TS-000313	RUBBER LINERS & RING SHELLS RED SHELLS - BLUE SHELLS	0000..€	
TS-000314 TS-000315	SILICONE LINERS & RING SHELLS RED SHELLS - BLUE SHELLS	0000..€	
TS-000316	RUBBER LINERS & PLASTIC SHELLS	0000..€	
TS-000318	SILICONE LINERS & PLASTIC SHELLS	0000..€	
TS-000320	RUBBER LINERS & STAINLESS SHELLS	0000..€	
TS-000321	SILICONE LINERS & STAINLESS SHELLS	0000..€	

TS-000322 TS-000323	RUBBER LINERS & RING SHELLS RED SHELLS - BLUE SHELLS	0000..€	
TS-000324 TS-000325	SILICONE LINERS & RING SHELLS RED SHELLS - BLUE SHELLS	0000..€	
TS-000326	RUBBER LINERS & PLASTIC SHELLS	0000..€	
TS-000328	SILICONE LINERS & PLASTIC SHELLS	0000..€	
TS-000330	MILKING CLUSTER RUBBER LINERS AUTO VALVE	0000..€	
TS-000331	MILKING CLUSTER SILICONE LINERS AUTO VALVE	0000..€	
TS-000332	MILKING CLUSTER RUBBER LINERS AUTO VALVE	0000..€	
TS-000333	MILKING CLUSTER SILICONE LINERS AUTO VALVE	0000..€	
TS-000400	COMPLETE VACUUM PUMP DRY	0000..€	
TS-000402	COMPLETE VACUUM PUMP OILY	0000..€	
TS-000404	COMPLETE VACUUM PUMP TURBO	0000..€	
TS-000401	COMPLETE VACUUM PUMP DRY	0000..€	
TS-000403	COMPLETE VACUUM PUMP OILY	0000..€	
TS-000405	COMPLETE VACUUM PUMP TURBO	0000..€	
TS-000406	COMPLETE VACUUM PUMP DRY	0000..€	

TS-000408	COMPLETE VACUUM PUMP OILY		0000..€	
TS-000410	COMPLETE VACUUM PUMP TURBO		0000..€	
TS-000407	COMPLETE VACUUM PUMP DRY		0000..€	
TS-000409	COMPLETE VACUUM PUMP OILY		0000..€	
TS-000411	COMPLETE VACUUM PUMP TURBO		0000..€	
TS-000412	COMPLETE VACUUM PUMP DRY		0000..€	
TS-000414	COMPLETE VACUUM PUMP OILY		0000..€	
TS-000416	COMPLETE VACUUM PUMP TURBO		0000..€	
TS-000413	COMPLETE VACUUM PUMP DRY		0000..€	
TS-000415	COMPLETE VACUUM PUMP OILY		0000..€	
TS-000417	ELECTRIC MOTOR		0000..€	
TS-000418	ELECTRIC MOTOR		0000..€	
TS-000419	ELECTRIC MOTOR		0000..€	
TS-000420	ELECTRIC MOTOR		0000..€	
TS-000421	ELECTRIC MOTOR		0000..€	

TS-000422	VACUUM PUMP BODY 70 mm DRY	0000..€	
TS-000423	VACUUM PUMP ROTOR 70 mm	0000..€	
TS-000424	VACUUM PUMP ADAPTOR 70 mm	0000..€	
TS-000425	VACUUM PUMP FRO. COVER 70 mm DRY	0000..€	
TS-000426	VACUUM PUMP 70 mm DRY	0000..€	
TS-000427	VACUUM PUMP BODY 70 mm OILY	0000..€	
TS-000428	VACUUM PUMP FRO. COVER 70 mm OILY	0000..€	
TS-000429	VACUUM PUMP 70 mm OILY	0000..€	
TS-000430	VACUUM PUMP BODY 80 mm DRY	0000..€	
TS-000431	VACUUM PUMP ROTOR 80 mm	0000..€	
TS-000432	VACUUM PUMP ADAPTOR 80 mm	0000..€	
TS-000433	VACUUM PUMP FRO. COVER 80 mm DRY	0000..€	
TS-000434	VACUUM PUMP 80 mm DRY	0000..€	
TS-000435	VACUUM PUMP BODY 80 mm OILY	0000..€	
TS-000436	VACUUM PUMP FRO. COVER 80 mm OILY	0000..€	

TS-000437	VACUUM PUMP 80 mm OILY	0000..€	
TS-000438	VACUUM PUMP BODY 85 mm OILY	0000..€	
TS-000439	VACUUM PUMP ROTOR 85 mm OILY	0000..€	
TS-000440	VACUUM PUMP ADAPTOR 85 mm OILY	0000..€	
TS-000441	VACUUM PUMP FRO. COVER 85 mm OILY	0000..€	
TS-000442	VACUUM PUMP 85 mm OILY	0000..€	
TS-000443	VACUUM PUMP BODY 85 mm DRY	0000..€	
TS-000444	VACUUM PUMP ROTOR 85 mm	0000..€	
TS-000445	VACUUM PUMP ADAPTOR 85 mm	0000..€	
TS-000446	VACUUM PUMP FRO. COVER 85 mm DRY	0000..€	
TS-000447	VACUUM PUMP 85 mm DRY	0000..€	
TS-000448	VACUUM PUMP BODY 85 mm OILY	0000..€	
TS-000449	VACUUM PUMP FRO. COVER 85 mm OILY	0000..€	
TS-000450	VACUUM PUMP 85 mm OILY	0000..€	
TS-000451	FIBER PALLET (4 PCS.) 4.90x43x70 mm	0000..€	

TS-000452	FIBER PALLET (4 PCS.) 4.90x41x85 mm	0000..€	
TS-000453	FIBER PALLET (4 PCS.) 4.90x43x80 mm	0000..€	
TS-000454	FIBER PALLET (4 PCS.) 6.00x46x70 mm	0000..€	
TS-000548	GRAPHITE PALLET (4 PCS.) 4.90x40x46 mm	0000..€	
TS-000547	GRAPHITE PALLET (4 PCS.) 4.90x40x65.5 mm	0000..€	
TS-000572	GRAPHITE PALLET (4 PCS.) 4.90x41x70 mm	0000..€	
TS-000554	GRAPHITE PALLET (4 PCS.) 5x43x70 mm	0000..€	
TS-000455	GRAPHITE PALLET (4 PCS.) 4.90x43x70 mm	0000..€	
TS-000456	GRAPHITE PALLET (4 PCS.) 4.90x41x75 mm	0000..€	
TS-000457	GRAPHITE PALLET (4 PCS.) 4.90x43x80 mm	0000..€	
TS-000458	GRAPHITE PALLET (4 PCS.) 6.00x46x70 mm	0000..€	
TS-000459	GRAPHITE PALLET (4 PCS.) 4.90x41x85 mm	0000..€	
TS-000460	MUFFLER	0000..€	
TS-000461	MUFFLER	0000..€	
TS-000462	CHECK VALVE SET	0000..€	

TS-000463	BEARING OF VACUUM PUMP	0000..€	
TS-000464	60 MF 400 V CONDANSATOR	0000..€	
TS-000465	233-288 MF CONDANSATOR 220 V	0000..€	
TS-000466	END CUP FOR CHASSIS LEG 28 mm	0000..€	
TS-000467	END CUP FOR CHASSIS LEG 32 mm	0000..€	
TS-000468	CHASSIS PLUG TEMPO TYPE (BLUE) 73 mm	0000..€	
TS-000469	CHASSIS PLUG CLASSIC TYPE (BLACK) 73 mm	0000..€	
TS-000470	CHASSIS PLUG MINI TYPE	0000..€	
TS-000471	CLASSIC TYPE CHASSIS ANTENNA PLUG	0000..€	
TS-000472	RUBBER HANDLE (BLUE)	0000..€	
TS-000473	RUBBER HANDLE (BLACK)	0000..€	
TS-000474	SMALL WHEEL (BLUE) 250x50x20	0000..€	
TS-000475	SMALL WHEEL (RED) 250x50x20	0000..€	
TS-000476	SMALL WHEEL (BLACK) 250x50x20	0000..€	
TS-000477	BIG WHEEL (RED) 300x60x20	0000..€	

TS-000478	BIG WHEEL (BLACK) 300x60x20	0000..€	
TS-000479	1/2 VALVE (RED)	0000..€	
TS-000480	METAL VALVE	0000..€	
TS-000483	ROTATING WHEEL 125x40 mm	0000..€	
TS-000484	CHASSIS PLUG WITH REGULATOR 76 mm	0000..€	
TS-000485	TEMPO LUX TYPE CHASSIS PLUG	0000..€	
TS-000486	VACUUM TANK FIXED TYPE 18 L	0000..€	
TS-000487	VACUUM TANK OIL-DRY TYPE 18 L	0000..€	
TS-000488	VACUUM TANK TURBO TYPE 18 L	0000..€	
TS-000489	VACUUM TANK COVER	0000..€	
TS-000490	VACUUM TANK COVER	0000..€	
TS-000491	VACUUM TANK COVER	0000..€	
TS-000492	GASKET OF VACUUM TANK COVER	0000..€	
TS-000493	GASKET OF VACUUM TANK COVER	0000..€	
TS-000494	GRAIN PLUG FOR VACUUM TANK	0000..€	

TS-000495	VACUUM REGULATOR (BLACK)	0000..€	
TS-000546	VACUUM REGULATOR (BLUE)	0000..€	
TS-000496	OIL INDICATOR FOR TURBO VACUUM TANK	0000..€	
TS-000497	Y SHAPED FITTING BIG	0000..€	
TS-000498	Y SHAPED FITTING SMALL	0000..€	
TS-000499	FEEDING BOTTLE (COMPLETE)	0000..€	
TS-000500	FEEDING BOTTLE CAP (RED)	0000..€	
TS-000501	CALF NIPPLE	0000..€	
TS-000502	ANTI KICK BAR	0000..€	
TS-000503	BLIND STOPPER FOR LINER	0000..€	
TS-000504	CLEANING BRUSH FOR TUBES	0000..€	
TS-000505	CLEANING BRUSH FOR LINERS	0000..€	
TS-000506	CLEANING BRUSH SET	0000..€	
TS-000507	TUBE CLIPS (BLUE)	0000..€	
TS-000508	TUBE CLIPS (RED)	0000..€	

TS-000509	BLIND STOPPER FOR BUCKET COVER	0000..€	
TS-000510	HOOK PLUG (RED)	0000..€	
TS-000511	HOOK PLUG (BLUE)	0000..€	
TS-000512	VACUUMMETER	0000..€	
TS-000513	BLIND STOPPER FOR PULSATATOR OUTPUT	0000..€	
TS-000514	LUBRICATOR	0000..€	
TS-000515	LUBRICATOR TANK (TRANSPARENT)	0000..€	
TS-000516	WASTE OIL TANK COVER	0000..€	
TS-000517	LOWER BODY OF LUBRICATOR	0000..€	
TS-000518	UPPER BODY OF LUBRICATOR	0000..€	
TS-000519	LUBRICATOR SET (PLASTIC)	0000..€	
TS-000520	LUBRICATOR GASKET	0000..€	
TS-000521	LUBRICATOR ADJUSTMENT SCREW	0000..€	
TS-000552	T FIXING FOR VACUUMMETER	0000..€	
TS-000600	CONNEX. FIXING FOR AIR HOSE 16 mm	0000..€	

TS-000601	CONNEC. FIXING FOR AIR HOSE 19 mm	0000..€	
TS-000602	L - BEARING	0000..€	
TS-000522	1/2 ELBOW	0000..€	
TS-000523	3/4 ELBOW	0000..€	
TS-000524	5x8 mm LUBRICATOR TUBE 1 m	0000..€	
TS-000525	SHORT MILK TUBE 10x6.5x133 mm	0000..€	
TS-000526	LONG MILK TUBE 16x8x177.5 mm	0000..€	
TS-000527	SHORT MILK TUBE SILICONE 10x6.5x133 mm	0000..€	
TS-000528	LONG MILK TUBE SILICONE 16x8x177.5 mm	0000..€	
TS-000529	14x22 mm SINGLE MILK TUBE 2.3 m	0000..€	
TS-000530	14x22 mm SINGLE MILK TUBE 50 m	0000..€	
TS-000553	14x22+7.14 mm TRIPLE MILK TUBE 50 m	0000..€	
TS-000531	14x22 mm SINGLE MILK TUBE SILICONE 2.3 m	0000..€	
TS-000533	SHORT AIR TUBE 13.5x7x218 mm	0000..€	
TS-000534	7x14 mm PULS. TUBE 2.3 m BLUE	0000..€	

TS-000535	7x14 mm PULS. TUBE 2.3 m RED	0000..€	
TS-000536	7x14 mm PULS. TUBE 50 m BLUE	0000..€	
TS-000537	7x14 mm PULS. TUBE 50 m RED	0000..€	
TS-000538	MUFFLER TUBE 50 cm	0000..€	
TS-000539	VACUUMMETER TUBE	0000..€	
TS-000540	1" BLACK MACHINE TUBE 55 SH 1 m	0000..€	
TS-000541	1/2" BLACK MACHINE TUBE 55 SH 1 m	0000..€	
TS-000542	3/4" BLACK MACHINE TUBE 55 SH 1 m	0000..€	
TS-000800	TULSAN DISINFECT SOLUTIONS 1 L	0000..€	
TS-000801	TULSAN DISINFECT SOLUTIONS 5 L	0000..€	
TS-000802	TULSAN DISINFECT SOLUTIONS 20 L	0000..€	

MILLS MACHINE SPARE PARTS

Stock Code	PRODUCT TYPE	PRICE	MODEL
TY-000001	YEM KIRMA MAKİNESİ KAPAK FİTİLİ	0000..€	
TY-000002	YEM KIRMA MAKİNESİ KAPAK KELEBEĞİ M12	0000..€	

TY-000003	YEM KIRMA MAKİNESİ AYAR KELEBEĞİ M10	0000..€	
TY-000004	YEM KIRMA MAKİNESİ BİÇAĞI	0000..€	
TY-000005	YEM KIRMA MAKİNESİ ELEK 3 mm	0000..€	
TY-000006	YEM KIRMA MAKİNESİ ELEK 4 mm	0000..€	
TY-000007	YEM KIRMA MAKİNESİ ELEK 7 mm	0000..€	
TY-000008	YEM KIRMA MAKİNESİ MOTOR APARATI	0000..€	
TY-000009	YEM KIRMA MAKİNESİ BORU TAPASI	0000..€	
TY-000011	YEM KIRMA PANCAR BİÇAĞI	0000..€	
TY-000012	YEM KIRMA BİÇAK APARATI	0000..€	
TY-000013	3x2.50 mm 3 m FİŞLİ KABLO	0000..€	
TY-000014	YEM KIRMA BİÇAK SABİT. PULU (KARE)	0000..€	
TS-000469	YEM KIRMA KAPAĞI 73 mm	0000..€	
TY-000015	YEM KIRMA MAK. MOTORU MONOFAZE VOLT	0000..€	
TY-000016	YEM KIRMA MAK. MOTORU TRİFAZE VOLT	0000..€	
TY-000017	YEM EZME MAK. MOTORU MONOFAZE GAMAK	0000..€	

TY-000018	YEM EZME MAK. MOTORU TRİFAZE GAMAK	0000..€	
-----------	------------------------------------	---------	---

REDUCTION SYSTEM WATER PUMPS SPARE PARTS

Stock Code	PRODUCT TYPE	PRICE	MODEL
TP-000001	3" GÖVDE	0000..€	
TP-000002	4" GÖVDE	0000..€	
TP-000003	5" GÖVDE	0000..€	
TP-000004	6" GÖVDE	0000..€	
TP-000005	ŞANZIMAN KUTUSU KOMPLE	0000..€	
TP-000006	6306 RULMAN KAPAĞI ÖN	0000..€	
TP-000007	6308 RULMAN KAPAĞI ARKA	0000..€	
TP-000008	30305 RULMAN KAPAĞI	0000..€	
TP-000009	SALMASTRA SIKIŞTIRMA GLENİ	0000..€	
TP-000010	2.5" FAN	0000..€	
TP-000011	3" FAN	0000..€	
TP-000012	4" FAN	0000..€	

TP-000013	5" FAN	0000..€	
TP-000014	FAN TAŞI	0000..€	
TP-000015	ALÜMİNYUM YAĞ SAVURUCU	0000..€	
TP-000016	3" ALICI	0000..€	
TP-000017	4" ALICI	0000..€	
TP-000018	5" ALICI	0000..€	
TP-000019	6" ALICI	0000..€	
TP-000020	3" PİK DEVE BOYNU	0000..€	
TP-000021	4" PİK DEVE BOYNU	0000..€	
TP-000022	5" PİK DEVE BOYNU	0000..€	
TP-000023	6" PİK DEVE BOYNU	0000..€	
TP-000055	3" ÇELİK DEVE BOYNU	0000..€	
TP-000056	4" ÇELİK DEVE BOYNU	0000..€	
TP-000057	5" ÇELİK DEVE BOYNU	0000..€	
TP-000058	6" ÇELİK DEVE BOYNU	0000..€	

TP-000024	KÜÇÜK DİŞLİ 1/5	0000..€	
TP-000025	KÜÇÜK DİŞLİ 1/6	0000..€	
TP-000026	BÜYÜK DİŞLİ 1/5	0000..€	
TP-000027	BÜYÜK DİŞLİ 1/6	0000..€	
TP-000028	KÜÇÜK DİŞLİ MİLİ	0000..€	
TP-000029	BÜYÜK DİŞLİ MİLİ	0000..€	
TP-000054	KADEMELİ KÜÇÜK DİŞLİ MİLİ	0000..€	
TP-000050	KADEMELİ KAPAK SARISI	0000..€	
TP-000053	KADEMELİ FAN SARISI	0000..€	
TP-000033	YAĞ GÖSTERGESİ	0000..€	
TP-000034	YAĞ DOLUM TAPASI	0000..€	
TP-000035	SU DOLUM TAPASI	0000..€	
TP-000036	TAŞ CONTASI	0000..€	
TP-000037	ÖN KAPAK KEÇESİ	0000..€	
TP-000038	ARKA KAPAK KEÇESİ	0000..€	

TP-000039	POMPA ŞASESİ	0000..€	
TP-000041	3" DEVE BOYNU FLANŞI	0000..€	
TP-000042	4" DEVE BOYNU FLANŞI	0000..€	
TP-000043	5" DEVE BOYNU FLANŞI	0000..€	
TP-000044	6" DEVE BOYNU FLANŞI	0000..€	
TP-000045	3" ALICI CONTASI	0000..€	
TP-000046	4" ALICI CONTASI	0000..€	
TP-000047	5" ALICI CONTASI	0000..€	
TP-000048	6" ALICI CONTASI	0000..€	
TP-000049	SAMA STRA FİTİLİ 25 cm	0000..€	
TP-000051	POMPA KADEMELİ GÖVDE ve KAPAK	0000..€	
TP-000052	REVİZÖR ALÜMİNYUM KADEMELİ	0000..€	
TP-000030	6306 RULMAN	0000..€	
TP-000031	6308 RULMAN	0000..€	
TP-000032	30305 RULMAN	0000..€	

