

JERUSALEM COLLEGE OF ENGINEERING

(AN AUTONOMOUS INSTITUTION)

Approved by AICTE, New Delhi | Affiliated to Anna University, Chennai

Accredited by NBA, New Delhi and Accredited by NAAC with 'A' Grade

Velachery Main Road, Narayanapuram, Pallikaranai, Chennai - 600100

DEPARTMENT OF ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING

Course Code / Name:	JAL2007 — Storage Technologies
Regulation:	2023
Year / Semester / Branch:	III / V / Artificial Intelligence & Machine Learning
Unit No. / Title:	Unit I — Storage Systems
Question Ref:	Part B — Question No. 4 (16 Marks, BTL: K2, CO: CO1)

UNIVERSITY MODEL EXAMINATION ANSWER KEY

THIRD PLATFORM TECHNOLOGIES & INFRASTRUCTURE

Abstract: This document serves as a comprehensive, model exam answer guide for the Third Platform Technologies, structured specifically in accordance with the 2023 Regulation syllabus of Anna University and Jerusalem College of Engineering. It provides an in-depth deconstruction of the four major pillars—Cloud Computing, Big Data Analytics, Social Networking, and Mobile Computing—and explores the characteristics of Third Platform infrastructure and the imperatives that drive enterprise digital transformation. Detailed comparisons, real-world case studies, and structural rating visualizations are included to deliver a high-scoring, academic-grade reference.

Prepared By:

Scrutinized By:

Approved By:

Course Faculty

Course Coordinator

Head of Department (AI & ML)

TABLE OF CONTENTS

1. Introduction to Storage Systems & Third Platform Evolution	Page 2
1.1 What is a Computing Platform? / 1.2 What is the Third Platform?	Page 2
1.3 Chronological Evolution of Computing Platforms	Page 2
2. The Four Pillars of the Third Platform	Page 3
2.1-2.4 Individual Pillars / 2.5 Synergy & Multi-Pillar Case Analysis (Uber)	Page 3
3. Cloud Computing Characteristics & Service Models	Page 4
3.1 Five Essential Characteristics (NIST) / 3.2 Service Models (IaaS/PaaS/SaaS)	Page 4
4. Third Platform Infrastructure & Cloud Deployment Models	Page 5
4.1 Infrastructure Characteristics / 4.2 Deployment Models / 4.3 Factors Matrix Table	Page 5
5. Imperatives for Transformation & Selection Framework	Page 6
5.1 Strategic Imperatives / 5.2 Enterprise Selection Framework & Comparison Chart	Page 6

1. INTRODUCTION TO STORAGE SYSTEMS & THIRD PLATFORM EVOLUTION

1.1 What is a Computing Platform?

In modern information storage architecture, a **computing platform** is defined as the cohesive integration of physical hardware, operating systems, networking, storage, and software environments required to develop and execute applications [99]. In early computing, platforms were tightly coupled to proprietary physical servers located on-premises.

1.2 Introduction to Third Platform Technologies

The **Third Platform** refers to the modern digital technology environment that enables organizations to deliver highly scalable, flexible, and connected services over the internet on-demand [100]. Driven by the absolute convergence of cloud computing, big data analytics, social networking, and mobile computing, the Third Platform operates as a software-defined, highly parallelized ecosystem designed to handle explosive, multi-structured data growth [17, 100].

1.3 Chronological Evolution of Computing Platforms

Computing platform architectures have transitioned through key technological eras to support expanding enterprise demands [2, 11]:

- **Mainframe Era (1950s–1970s):** Large, highly centralized computers (e.g., IBM 360) where many users shared a single system through connected terminals. Batched processing dominated [88, 89].
- **Minicomputer Era (1960s–1980s):** Enabled by microprocessors, which shrunk system sizes. Structures like the DEC PDP-11 brought interactive computing to smaller organizations and decentralized physical hardware [89].
- **Personal Computer (PC) Era (1970s–1990s):** Microprocessors put dedicated computing directly on desktops. This era was dominated by GUIs and local client-server architectures, where clients request and servers process data [89, 90].
- **Internet & Web Era (1990s–2000s):** Connected personal computers globally via the World Wide Web, transitioning systems to global web nodes and giving rise to web applications and distributed information platforms [90].
- **Mobile Computing Era (2000s–2010s):** Transformed computing into portable, on-the-go tools (smartphones and tablets) with cellular connectivity and vast application ecosystems, making computing a constant extension of daily life [91].
- **Cloud & AI Era (2010s–Present):** Shifted local compute and storage to elastic virtualized services over the internet (AWS, Azure, GCP). Emphasizes scalable software-defined data centers, machine learning pipelines, and smart edge devices [91, 92].

2. THE FOUR PILLARS OF THE THIRD PLATFORM

The Third Platform is anchored on the complete convergence of four major technologies working in synergy to provide real-time collaboration, global mobility, massive scalability, and automated intelligence [100]:

2.1 Cloud Computing: Foundational Infrastructure & Resource Pooling

Cloud computing serves as the underlying backbone, providing scalable, virtualized computing resources, databases, networks, and multi-tier storage over the internet [102, 110]. By renting storage and compute from cloud providers, organizations avoid high upfront capital expenditures (physical space, servers, storage disks, cooling, IT personnel) [101]. Cloud computing delivers immediate cost reductions, automated backups, and instant resource scaling [102].

2.2 Big Data & Analytics: Converting Raw Data Into Actionable Intelligence

With enterprise data volumes skyrocketing, Big Data Analytics has become crucial to process datasets characterized by high volume, velocity, and variety [15]. It identifies core trends and relationships within massive unstructured datasets (images, videos, social media posts, PDFs) which constitute approximately 80% of all organizational information [15, 82, 83].

2.3 Mobile Computing: Continuous On-The-Go Wireless Access

Mobile computing allows users and applications to interact with storage systems and computing resources while moving between physical locations [16]. Utilizing laptops, smartphones, and tablets backed by cellular or Wi-Fi networks, it guarantees uninterrupted connectivity and supports flexible, remote enterprise operations [16].

2.4 Social Networking: Real-Time Communication & Interactive Collaboration

Social networking refers to interactive online platforms that allow individuals and businesses to establish direct, instant communication channels [16]. It enables real-time collaboration, allowing the sharing of text, multimedia, and documents, turning linear corporate communication into dynamic collaborative networks [16].

2.5 Multi-Pillar Convergence: Case Analysis (Uber Cab Booking)

The power of the Third Platform is fully realized when these pillars are fused into a unified experience, as demonstrated by booking a ride through Uber [100]:

- **Mobile Computing:** The rider initiates the booking on-the-go using a mobile device over cellular networks [100].
- **Cloud Computing:** The transaction, mapping services, and driver-matching logic are hosted on elastic cloud infrastructure [100].
- **Big Data Analytics:** Analytics tools evaluate historical traffic data and real-time driver density to calculate dynamic pricing and optimal routes [100].
- **Social Networking:** The application integrates social collaboration, allowing riders to share status and ETA details [101].

Academic Note: Mapping a single real-world transaction like Uber to all four pillars is a standard requirement for 16-mark Part B questions in university examinations. It demonstrates high-level understanding (K2 level) of multi-pillar technology convergence.

3. CLOUD COMPUTING CHARACTERISTICS & SERVICE MODELS

3.1 Five Essential Characteristics of Cloud Computing (NIST Model)

According to the National Institute of Standards and Technology (NIST), cloud systems must possess five defining characteristics that differentiate them from traditional physical hardware setups [104]:

- **On-Demand Self-Service:** Users can provision computing resources (servers, storage volumes) automatically and instantly whenever needed, without requiring human contact with the service provider [104, 105].
- **Broad Network Access:** Services are available over the internet and can be accessed using standard thin or thick client devices (laptops, mobile phones, tablets, desktops), supporting distributed tasks [105, 106].
- **Resource Pooling:** Provider resources are pooled to serve multiple customers using a Multi-Tenant Model. Physical hardware (servers, storage arrays) is dynamically shared, while customer data remains strictly isolated and secure [106, 107].
- **Rapid Elasticity:** Storage, memory, and compute capacity can scale up and down automatically to match workload demands. For example, during e-commerce festivals, capacity instantly expands to support traffic spikes and shrinks afterward [107, 108].
- **Measured Service:** Resource consumption is continuously monitored and charged under a Pay-As-You-Go model. Users pay strictly for resources utilized (e.g., storage capacity in GB, CPU hours, network bandwidth) [108, 109].

3.2 Major Cloud Service Models (IaaS, PaaS, SaaS)

Cloud service models establish the exact division of management and execution responsibilities between the cloud service provider and the enterprise customer [124]. These are split into three models [2, 14]:

Service Model	Resources Provided & Examples	Division of Responsibilities
Infrastructure as a Service (IaaS)	Provides virtualized basic infrastructure: Virtual Machines (VMs), block and object storage, network switches, load balancers, and firewalls [124, 125]. <i>Examples: AWS EC2, Azure VMs.</i>	Customer: Operating system, application code, database, security configuration, and data. Provider: Physical servers, storage hardware, physical network, and hypervisor layer [124, 125].
Platform as a Service (PaaS)	Provides a managed development, database, and execution environment. Developers deploy code directly [124, 126]. <i>Examples: Google App Engine, Heroku.</i>	Customer: Application code and data. Provider: Manages physical servers, storage, networking, OS patching, database management systems, and middleware [124, 125].
Software as a Service (SaaS)	Delivers complete, fully developed application software over the internet, accessed via web browsers on a subscription basis [124, 126]. <i>Examples: Google Workspace, Office 365, Salesforce.</i>	Customer: Accesses and consumes the application. Provider: Fully manages the entire physical and logical stack including servers, code, databases, and security [124, 125].

4. THIRD PLATFORM INFRASTRUCTURE & CLOUD DEPLOYMENT MODELS

4.1 Major Characteristics of Third Platform Infrastructure

To support modern data-driven workloads, Third Platform infrastructure relies on three core design traits [17]:

- **Scalable and Flexible:** Resources can be dynamically scaled up or down on-demand based on performance metrics [17, 86, 87].
- **Highly Connected:** Features native, unified support for mobile users, social platforms, and distributed cloud services [17].
- **Data-Driven and Intelligent:** Embeds automated performance analysis, Big Data analytics, and storage automation [17].

4.2 Detailed Analysis of Cloud Deployment Models

Cloud deployment models determine who owns, manages, and can access the underlying cloud infrastructure [111, 127]:

- **Public Cloud:** Managed entirely by a third-party provider (AWS, Azure, Google Cloud) and shared publicly over the internet under a Pay-As-You-Go model. Highly cost-effective and scalable, but presents lower customization and security concerns [112, 113, 127].
- **Private Cloud:** Dedicated exclusively to a single organization. Protected by powerful firewalls and managed under direct supervision of the internal IT department. Offers elite security and support for legacy custom structures, but incurs high capital costs [114, 115, 128].
- **Hybrid Cloud:** Bridges public and private cloud models via a proprietary software layer, allowing data and applications to move between them. Offers ultimate flexibility—keeping critical assets secure in private systems while bursting non-sensitive tasks to the public cloud during spikes [116, 117, 129].
- **Community Cloud:** Collaborative infrastructure shared by multiple organizations with common compliance or research concerns (e.g., academic institutions sharing research platforms). Reduces cost through shared ownership but limits individual scalability [118, 120, 130].
- **Multi-Cloud Strategy:** Involves using multiple public cloud providers simultaneously (e.g., AWS for storage and Azure for directories) to leverage best-of-breed features and guarantee high resilience [120, 121].

4.3 Comparative Matrix Table of Deployment Factors

Factor	Public Cloud	Private Cloud	Community Cloud	Hybrid Cloud
Initial Setup	Easy [123]	Complex [123]	Complex [123]	Complex [123]
Scalability	High [123]	High [123]	Fixed [123]	High [123]
Cost-Comparison	Cost-Effective [123]	Costly [123]	Distributed [123]	In-Between [123]
Reliability	Low [123]	Low [123]	High [123]	High [123]
Data Security	Low [123]	High [123]	High [123]	High [123]
Data Privacy	Low [123]	High [123]	High [123]	High [123]

5. IMPERATIVES FOR TRANSFORMATION & SELECTION FRAMEWORK

5.1 Strategic Imperatives for Third Platform Transformation

To remain competitive in modern digital landscapes, organizations must modernize their IT architectures and business processes under two core imperatives [18]:

- **Cloud Adoption:** Organizations must transition from localized hardware to flexible, highly scalable cloud infrastructure to accommodate unpredictable workloads and ensure data availability [18, 102].
- **Data-Driven Decision-Making:** Deploying high-throughput Big Data analytics is mandatory to mine critical business intelligence and actionable trends from rapidly growing, unstructured corporate datasets [18].

5.2 Enterprise Selection Framework & Decision Factors

Choosing the correct cloud deployment model depends on a multi-attribute analysis of five critical factors [122]:

- **Cost:** Sizing upfront capital expenditure (CapEx) against recurring operational expenditure (OpEx) budgets [122].
- **Scalability:** Predicting current traffic and defining future rapid scaling requirements [122].
- **Ease of Use:** Evaluating internal technical expertise to operate complex, distributed environments [123].
- **Compliance:** Complying with strict legal or industry data regulations (e.g., HIPAA, GDPR) that dictate physical storage [123].
- **Privacy:** Classifying data to determine what can be run publicly and what requires physical, firewalled isolation [123].




Figure 5.1: Attribute Rating Grid of Cloud Deployment Models across Core Decision Criteria.

Conclusion & Summary: In conclusion, Third Platform technologies—cloud, big data, social, and mobile—have fundamentally redefined storage systems and data center architectures [100]. Successfully transitioning requires a clear understanding of NIST characteristics, service responsibilities, and deployment trade-offs [104, 111, 124]. By adopting a hybrid or multi-cloud strategy, modern organizations can balance cost, security, and scalability to achieve sustainable digital transformation [116, 117, 120].