

JERUSALEM COLLEGE OF ENGINEERING, CHENNAI

END SEMESTER EXAMINATIONS - NOVEMBER / DECEMBER 2025

COURSE NAME: TIME SERIES ANALYSIS AND FORECASTING (JAL2521)

UNIT II — STATISTICS BACKGROUND FOR FORECASTING (PART B)

QUESTION 8: IMPORTANCE OF MONITORING THE PERFORMANCE OF A FORECASTING MODEL

(Full Syllabus-Compliant Model Answer — 16 Marks)

1.0 INTRODUCTION TO FORECASTING MODEL LIFECYCLE AND MONITORING MANDATE

In business, industry, and governmental decision-making, forecasting models are the vital engines that transform raw historical data into strategic forward-looking intelligence. Once a time series forecasting model (such as ARIMA, exponential smoothing, or regression-based frameworks) is developed and rigorously validated, it is deployed into production. At this stage, generating timely forecasts on a rolling basis becomes a routine operational activity. However, the deployment of a model does not represent the end of the forecasting process; rather, it marks the beginning of the most critical long-term phase: **Performance Monitoring**.

A foundational truth of statistical forecasting is that **no model remains highly accurate forever**. Regardless of how perfectly a model was fitted to historical training data, its accuracy inevitably degrades over time. In a production environment, the streams of actual observations (y_t) must be continuously reconciled with the predicted values generated by the model. *Model performance monitoring* is the systematic process of continuously calculating, aggregating, and evaluating out-of-sample forecast errors over time. The primary objective is to detect model deterioration as quickly as possible, ensuring that faulty forecasts do not lead to costly operational failures or flawed strategic decisions.

Crucial Academic Principle: A high-quality model-fitting stage with low training residuals does not guarantee robust future forecasts. Monitoring acts as an active safeguard, constantly verifying if the model generalizes well to real-world, unseen data points beyond the observed historical range.

2.0 CORE REASONS FOR MODEL PERFORMANCE DETERIORATION

2.1 Evolution of Internal Inertial Forces

Time series models are structured to capture and replicate the internal inertial forces that drive a physical or business system. For instance, in demand forecasting, a model captures the prevailing growth trend, repetitive seasonality, and cyclical movements. Over time, these internal dynamics can naturally evolve. The structural rate of change may accelerate or decelerate, or the amplitude of seasonal fluctuations may shift. If the model contains static parameters, it will fail to track these shifts, resulting in a systematic increase in forecast errors. This represents *concept drift*, where the statistical relationship between the time index and the response variable changes.

2.2 External Events and Macroeconomic Shocks

Forecasting models operate under the fundamental assumption that the future will resemble the past. However, external events can cause immediate, profound structural breaks in the series. Examples of these external factors include:

- **Market Entrants:** New competitors entering the market can permanently depress a company's sales levels.
- **Regulatory Changes:** Sudden governmental policy shifts, tariffs, or public health mandates can alter demand curves overnight.
- **Economic Shocks:** Inflationary spikes, interest rate changes, or sudden recessions break historical consumption cycles.
- **Pandemics/Natural Crises:** Events like the COVID-19 pandemic completely break baseline patterns, making historical trends temporarily obsolete.

2.3 Increase in Process Variance

A third common driver of deterioration is an increase in the underlying process variability. This represents an escalation in the irreducible noise component (e_t) of the time series. If a process becomes inherently more volatile, the model's confidence intervals must widen, and the point forecasts will naturally exhibit higher absolute deviations. Without active monitoring, the forecasting system will continue to operate under the illusion of historical tight bounds, leaving inventory or pricing systems highly exposed to sudden unexpected swings.

The Importance of Performance Monitoring Summary:

Monitoring acts as a diagnostic thermometer. It does not prevent external shocks or internal drift, but it provides immediate, quantifiable alerts that the model is no longer synchronized with the real-world system, prompting technical professionals to intervene before financial damage occurs.

3.0 MATHEMATICAL FORMULATION OF FORECAST ERRORS AND ACCURACY METRICS

3.1 Forecast Values vs. Fitted Values & residuals vs. Forecast Errors

A critical distinction must be drawn between *model fitting* and *forecasting*. A **fitted value** ($\hat{y}_t$) is an estimate of y_t calculated within the observed historical data range ($t = 1, 2, \dots, T$) using a model. A **forecast value** ($\hat{y}_{t+h}$) is an estimated future value beyond the observed data range. Consequently, a **residual error** is the difference between the actual historical observation and its fitted value ($e_t = y_t - \hat{y}_t$). In contrast, a **forecast error** is the difference between an actual future observation and its forecast, defined for a lead time (lag) h as:

$$e_t(h) = y_t - \hat{y}_t(t - h)$$

3.2 Lead-1 Forecast and Lead-1 Forecast Error

For ongoing monitoring, technical professionals focus heavily on **one-step-ahead (lead-1) forecasts**. A lead-1 forecast is the prediction of the observation in period t , made exactly one period prior ($\hat{y}_t(t-1)$). The resulting **lead-1 forecast error** is expressed as:

$$e_t(1) = y_t - \hat{y}_t(t - 1)$$

3.3 Statistical Measures of Forecast Accuracy

To quantify overall performance, lead-1 forecast errors are aggregated over a testing window of size n . The four primary metrics utilized in time series modeling are detailed in the table below:

Metric	Abbr.	Mathematical Formula	Operational Significance
Mean Error	ME	$ME = (1/n) * \sum e_t(1)$	Identifies systematic bias. If ME is significantly different from 0, the model is consistently overpredicting or underpredicting.
Mean Absolute Error	MAE / MAD	$MAE = (1/n) * \sum e_t(1) $	Measures the average error magnitude. It is highly robust and expressed directly in the same units as the time series data.
Mean Squared Error	MSE	$MSE = (1/n) * \sum [e_t(1)]^2$	Penalizes large errors heavily due to squaring. Critical in scenarios where minor mistakes are tolerable but major outliers are catastrophic.
Mean Absolute Percentage Error	MAPE	$MAPE = (100/n) * \sum e_t(1) / y_t $	Normalizes errors as a percentage of actual values. Vital for comparing model performance across series with entirely different scales.

4.0 MONITORING METHODOLOGY: THE SHEWHART CONTROL CHART FOR FORECAST ERRORS

4.1 Concept and Statistical Underpinnings

The most effective and computationally efficient method to routinely monitor forecasting performance is the **Shewhart Control Chart**. Originally designed for industrial quality control, it is applied directly to the stream of lead-1 forecast errors ($e_t(1)$). If the forecasting model is fully adequate, the forecast errors should behave like a **white noise process**: they should have a mean close to zero, constant variance, exhibit no systematic autocorrelation, and be approximately normally distributed. A Shewhart control chart plots these forecast errors over time against pre-calculated statistical bounds.

4.2 Structural Components of the Control Chart

The control chart consists of three horizontal reference lines:

- **Center Line (CL):** Represents the target mean of the forecast errors, which is mathematically zero for an unbiased, well-calibrated forecasting model.
- **Upper Control Limit (UCL):** The maximum acceptable positive forecast error, typically set at $+3\sigma$ (where σ is the standard deviation of historical forecast errors).
- **Lower Control Limit (LCL):** The minimum acceptable negative forecast error, set at -3σ .

The interval between LCL and UCL represents the *stable region* where variation in forecast errors is purely random (common cause variation).




Figure 4.1: Shewhart Control Chart illustrating stable in-control errors (periods 1-11), an extreme outlier spike (period 12), and an out-of-control upward trend drift (periods 19-25).

5.0 INTERPRETATION OF CONTROL CHARTS AND OUT-OF-CONTROL SIGNALS

5.1 Errors Within Control Limits (In-Control State)

When forecast errors fluctuate randomly within the UCL and LCL bounds, the model is deemed *in-control*. This indicates that the errors are white noise and that the model is successfully capturing the underlying dynamics of the system. In this state, no intervention is required, and the current parameters should be maintained.

5.2 Out-of-Control Signals and Structural Failures

An out-of-control signal indicates that the errors are no longer random, and the underlying process has shifted or the model has broken down. Three key visual patterns on the control chart alert technicians to specific types of model failure:

1. **Points Outside Control Limits:** A single point plotted above the UCL or below the LCL represents *abnormal variation*. This indicates a sudden, extreme shock, a data-recording error, or a temporary outlier that requires immediate investigation (as seen in Figure 4.1 at period 12).
2. **Systematic Upward or Downward Trends:** A continuous sequence of points drifting steadily towards either limit indicates a **systematic bias** in the forecasting model. This suggests that the process mean has shifted or that there is an uncaptured trend in the residuals (as seen in Figure 4.1 from periods 19 to 25).
3. **Runs of Points on One Side of CL:** A consecutive sequence of 7 or 8 points plotted entirely on one side of the Center Line (all positive or all negative) indicates a *shift in the process mean*. The errors are no longer zero-mean, proving the model is now biased.

Crucial SPC Interpretation Rules:

- **Single Point Violation:** Investigate immediately. It may be a random black-swan event, but it often signifies a permanent structural shift.
- **Drifts and Trends:** Indicate slow, insidious parameter deterioration. This is the classic signal that the model requires immediate parameter updating or complete recalibration.

6.0 THE CLOSED-LOOP MODEL MANAGEMENT PROCESS & REFERENCES

6.1 Operational Step-by-Step Flow

To translate monitoring theory into business value, organizations must implement a closed-loop operational workflow. This continuous lifecycle consists of eight sequential steps:

1. **Build Forecasting Model:** Fit the initial parameters to historical data (e.g., ARIMA or regression).
2. **Generate Forecasts:** Issue point predictions and confidence intervals for future horizons.
3. **Calculate Forecast Errors:** As actual values are observed, compute lead-1 errors ($e_t(1)$).
4. **Evaluate Accuracy:** Calculate rolling aggregates of error magnitude (MAE, MSE, MAPE).
5. **Compare Competing Models:** Perform split-sample cross-validation to find optimal model fits.
6. **Select Best Model:** Deploy the model with the minimum out-of-sample forecast error.
7. **Monitor Forecast Errors:** Continuous plotting of $e_t(1)$ on Shewhart Control Charts.
8. **Detect Model Deterioration:** Upon trigger of out-of-control signals, immediately initiate refitting, re-parameterization, or model-selection routines.

6.2 Conclusion

In summary, monitoring the performance of a forecasting model is a non-negotiable operational requirement. Without a robust, control-chart-driven monitoring framework, organizations are blind to parameter decay and concept drift. By systematically monitoring lead-1 errors, technical professionals ensure the ongoing integrity of their forecasting engines, maintaining reliable, data-driven decision support systems over long horizons.

REFERENCES

1. **Jerusalem College of Engineering, Chennai (An Autonomous Institution):** Department of Artificial Intelligence and Machine Learning, Regulation 2023, Question Bank for JAL2521 - Time Series Analysis and Forecasting (Unit I - Unit III).
2. **Montgomery, D. C., Jennings, C. L., & Kulahci, M. (2015):** *Introduction to Time Series Analysis and Forecasting*. John Wiley & Sons. (Core statistical background for control charts and error monitoring).
3. **Anna University, Chennai:** End Semester Examination Syllabus and University Question Papers for Time Series Analysis and Forecasting (JAL1603 / JAL2521).