



Peano Cookbook

www.peano-framework.org

Dr. rer. nat. Tobias Weinzierl

September 10, 2015

1 Preamble

Peano is an open source C++ solver framework. It is based upon the fact that spacetrees, a generalisation of the classical octree concept, yield a cascade of adaptive Cartesian grids. Consequently, any spacetree traversal is equivalent to an element-wise traversal of the hierarchy of the adaptive Cartesian grids. The software Peano realises such a grid traversal and storage algorithm, and it provides hook-in points for applications performing per-element, per-vertex, and so forth operations on the grid. It also provides interfaces for dynamic load balancing, sophisticated geometry representations, and other features. Some properties are enlisted below.

Peano is currently available in its third generation. The development of the original set of Peano codes started around 2002. 2005-2009, we merged these codes into one Peano kernel (2nd generation). In 2009, I started a complete reimplementaion of the kernel with special emphasis on reusability, application-independent design and the support for rapid prototyping. This third generation of the code is subject of the present cookbook.

Dependencies and prerequisites

Peano is plain C++ code and depends only on MPI and Intel's TBB or OpenMP if you want to run it with distributed or shared memory support. There are no further dependencies or libraries required. C++ 11 is used. GCC 4.2 and Intel 12 should be sufficient to follow all examples presented in this document. If you intend to use Peano, we provide a small Java tool to facilitate rapid prototyping and to get rid of writing glue code. This Peano Development Toolkit (PDT) is pure Java and uses DaStGen. While we provide the PDT's sources, there's also a jar file available that comprises all required Java libraries and runs stand alone. To be able to use DaStGen—we use this tool frequently throughout the cookbook—you need a recently new Java version.

Who should read this document

This cookbook is written similar to a tutorial in a hands-on style. Therefore, it also contains lots of source code snippets. If you read through a chapter, you should immediately be able to reprogramm the presented details in your code and use the ideas.

Therefore, this cookbook is written for people that have a decent programming background as well as scientific computing knowledge. Some background in the particular application area's algorithms for some chapters also is required. If you

read about the particle handling in Peano, e.g., the text requires you to know at least some basics such as linked-cell methods. The text does not discuss mathematical, numerical or algorithmic background. It is a cookbook after all.

What is contained in this document

This book covers a variety of problems I have tackled with Peano when I wrote scientific papers. There is no overall read thread through the document. I recommend to start reading some chapters and then jump into chapters that are of particular interest. Whenever something comes to my mind that should be added, I will add it. If you feel something is urgently missing and deserves a chapter or things remain unclear, please write me an email and I'll see whether I can provide some additional text or extend the cookbook.

September 10, 2015
Tobias Weinzierl

Contents

1	Preamble	i
2	Quickstart	1
2.1	Download and install	1
2.1.1	Download the archives from the website	1
2.1.2	Access the repository directly	2
2.1.3	Prepare your own project	2

2 Quickstart

2.1 Download and install

To start work with Peano, you need at least two things.

1. The Peano source code. Today, the source code consists of two important directories. The `peano` directory holds the actual Peano code. An additional `tarch` directory holds Peano's technical architecture.
2. The Peano Development Toolkit (PDT). The PDT is a small Java archive. It takes away the cumbersome work to write lots of glue code, i.e. empty interface implementations, default routines, . . . , so we use it quite frequently.

For advanced features, you might want to use some **toolboxes**. A toolbox in Peano is a small collection of files that you store in a directory and adopt all pathes accordingly. From a user's point of view, when we use the term toolbox we actually mean this directory with all its content.

Historic remark: Originally, we hoped that Peano's technical architecture (`tarch`) might become of value for several projects, i.e. project appreciate that they do not have to re-develop things such as logging, writing of output files, writing support for OpenMP and TBB, and so forth. To the best of our knowledge, the `tarch` however is not really used by someone else, so we cannot really claim that it is independent of Peano. Nevertheless, we try to keep it separate and not to add anything AMR or grid-specific to the `tarch`.

There are two ways to get hold of Peano's sources and tools. You either *download the archives from the website* or you *access the repository directly*. Both variants are fine. We recommend to access the repository directly.

2.1.1 Download the archives from the website

If you don't want to download Peano's whole archive, simply to Peano's webpage <http://www.peano-framework.org> and grab the files

- `peano.tar.gz` and
- `pdt.jar`

from there. If you do so, please skip the first two lines from the script before. Otherwise, load down the important files with `wget`. Independent of which variant you follow, please unpack the `peano.tar.gz` archive. It holds all required C++ sources.

```
> wget http://sourceforge.net/projects/peano/files/peano.tar.gz
> wget http://sourceforge.net/projects/peano/files/pdt.jar
> tar -xzf peano.tar.gz
```

There's a couple of helper files that we use IN the cookbook. They are not necessarily required for each Peano project, but for our examples here they are very useful. So, please create an additional directory `usrtemplates` and grap these files

```
> mkdir usrtemplates
> cd usrtemplates
> wget http://sourceforge.net/projects/peano/files/ \
usrtemplates/VTKMultilevelGridVisualiserImplementation.template
> wget http://sourceforge.net/projects/peano/files/ \
usrtemplates/VTKMultilevelGridVisualiserHeader.template
> wget http://sourceforge.net/projects/peano/files/ \
usrtemplates/VTKGridVisualiserImplementation.template
> wget http://sourceforge.net/projects/peano/files/ \
usrtemplates/VTKGridVisualiserHeader.template
> wget http://sourceforge.net/projects/peano/files/ \
usrtemplates/VTK2dTreeVisualiserImplementation.template
> wget http://sourceforge.net/projects/peano/files/ \
usrtemplates/VTK2dTreeVisualiserHeader.template
```

2.1.2 Access the repository directly

Instead of a manual download, you might also decide to download a copy of the whole Peano repository. This also has the advantage that you can do a simple `svn update` anytime later throughout your development to immediately obtain all kernel modifications.

```
> svn checkout http://svn.code.sf.net/p/peano/code/trunk peano
```

Your directory structure will be slightly different than in the example above, but this way you can be sure you grabbed everything that has been released for Peano through the webpage ever.

The archive `pdt.jar` will be contained in `pdt`, while the two source folders will be held by `src`. The directory `usrtemplates` is contained in `pdt`.

2.1.3 Prepare your own project

From hereon, we recommend that you do not make any changes within Peano repositories but use your own directory for your particular project. We call this project

from hereon `myproject`. Within `myproject`, we will need to access the directories `peano` and `tarch`. It is most convenient to create symbolic links to these files. Alternatively, you also might want to copy files around or adopt makefiles, scripts, and so forth. I'm too lazy to do so and rely on OS links.

```
> mkdir myproject
> cd myproject
> ln -s ../../mydownloads/peano peano
> ln -s ../../mydownloads/tarch tarch
> ls
peano  tarch
```