AIOracle Whitepaper

Let the Real World Be Verifiable by Code

We are not merely moving data; we are generating on-chain usable physical facts.

Foundation / Entity	Trusted Network Foundation | HK BWS Holding Group Ltd., Co
Primary Chain	EVM
Core Sectors	Agriculture / Logistics / New Energy
Token	AIOracle Token ($AIO)
Version	Whitepaper Draft v3.0

Executive Summary

AIOracle is a trusted infrastructure network at the intersection of DePIN, AI, and RWA. Its strategic role is to solve the last-mile trust problem of real-world assets: while many RWA frameworks can tokenize claims, they still struggle to prove whether the underlying physical state is authentic at the source. AIOracle addresses that bottleneck by combining hardware DID, secure-device signing, trusted execution, validator consensus, and AI-assisted verification into one end-to-end system that turns physical states into on-chain usable facts.

AIOracle is not merely moving data. It is building a trusted digital-twin layer for the real world so that every kilowatt-hour, every shipment, and every ton of agricultural output can obtain a tamper-resistant on-chain birth certificate. This allows smart contracts, enterprise systems, insurers, lenders, and RWA protocols to interact with physical assets through verifiable data rather than unverifiable declarations.

From a tokenomics perspective, AIOracle Token ($AIO) is designed as the economic trust anchor of the network. The token supports staking, settlement, governance, and ecosystem incentives, while service demand can be routed through an internal data-credit mechanism (IDC) that converts fiat or stablecoin payments into underlying $AIO demand. This whitepaper explains the full framework covering token utility, tokenomics, presale structure, governance, roadmap, risk disclosure, and strategic conclusion, and shows how AIOracle plans to close the loop from trusted data generation to revenue, buyback, and long-term network value.

In institutional terms, AIOracle should be understood not as a single oracle product, but as a trust-root infrastructure stack for asset digitization, machine-verifiable compliance, and programmable finance across agriculture, logistics, new energy, and permissioned health-data scenarios.From a financing and deployment perspective, AIOracle follows a multi-chain structure in which Ethereum acts as the long-term value and governance layer, BNB Chain / Polygon serves as the transaction and growth layer, and Solana is reserved as the high-performance data and RWA issuance layer.

Abstract

This whitepaper presents the overall design framework of AIOracle, a trusted network intended to transform real-world states into on-chain usable physical facts. It covers the utility of $AIO, token distribution and release logic, the presale structure, governance design, the 2026–2028 roadmap, and multi-dimensional technical, commercial, regulatory, and network risk disclosures. AIOracle differentiates itself by going beyond traditional data relay: it combines device trust, data validation, AI-computation quality control, node incentives, and programmable finance into a complete verifiable loop from the physical world to on-chain state.

Disclaimer

This document is provided for informational disclosure, technical explanation, and ecosystem communication only. It does not constitute investment advice, legal advice, a financial commitment, a guarantee of returns, or an offering document under any securities law. Statements in this whitepaper regarding product plans, tokenomics, presale arrangements, roadmap milestones, cross-chain expansion, commercial deployment, buyback-and-burn mechanisms, capital-market planning, or industry-standard participation are forward-looking in nature and may be adjusted, delayed, or cancelled due to technical evolution, governance decisions, legal and regulatory developments, market conditions, partnership progress, or other uncertainties. Any person or entity participating in the AIOracle ecosystem, holding or using $AIO, operating nodes, joining the presale, or adopting related services should independently assess the associated risks and obtain professional legal, financial, tax, or regulatory advice where appropriate.

10. Multi-Chain Issuance Architecture and Capital-Market Pathway

10.1 Design Principles

For a financing-oriented infrastructure project, chain selection is not merely a technical decision. It is a combined decision about trust, liquidity, operating cost, investor recognizability, and future capital-market narrative. Because AIOracle serves high-frequency data sectors such as agriculture, logistics, new energy, and permissioned health-data flows, it must simultaneously satisfy three objectives: an institutionally recognizable value anchor, a low-cost operational layer for presale and daily usage, and a high-throughput expansion layer for data-intensive and RWA-oriented applications.

10.2 Three-Layer Chain Strategy

AIOracle therefore adopts a layered multi-chain strategy rather than forcing all functions onto a single chain. The point is not chain maximalism, but sustainable balance among credibility, cost efficiency, and throughput.

Layer	Recommended Chain	Primary Function
Value and Governance Layer	Ethereum	Canonical token, governance execution, institutional trust anchor, capital-market narrative
Transaction and Growth Layer	BNB Chain / Polygon	Presale, liquidity pools, node staking, routine settlement, user interaction
High-Performance Data Layer	Solana	High-frequency data submission, RWA revenue-right mapping, real-time settlement, high-throughput applications

10.3 Canonical Token and Cross-Chain Mapping

To avoid liquidity fragmentation and governance ambiguity, AIOracle should follow a single-sovereign-asset principle with multi-chain representations. In practical terms, Ethereum can serve as the long-term canonical chain of record, while BNB Chain / Polygon and Solana carry liquidity and application-layer versions of $AIO. The basic flow is straightforward: lock on Ethereum -> mint on the destination chain; burn on the destination chain -> unlock on Ethereum. This preserves supply consistency and makes treasury, governance, and investor communication cleaner.

10.4 Initial Issuance and TGE Path

During the early commercialization and community-growth phase, AIOracle is better served by launching presale and initial liquidity on BNB Chain or Polygon, where gas costs are lower and retail interaction is simpler. Once core contracts are audited, the Console MVP is online, and treasury multisig governance is in place, the protocol can establish its canonical governance and value layer on Ethereum. Solana can then be added later when higher-frequency data and RWA issuance workflows justify a dedicated performance layer.

10.5 Parameter Selection Logic

From both a product and financing perspective, the current design choice of a 10 billion token supply with 9 decimals is reasonable. It preserves broad distribution capacity, improves readability relative to 18-decimal formats, and remains compatible with ecosystems where 9-decimal practice is common. At the same time, AIOracle should avoid writing every high-frequency device event fully on-chain. A production-

grade model should rely on batch settlement, Merkle-root commitments, and off-chain metering with on-chain proofs so that growth in device volume does not make operating costs structurally prohibitive.

10.6 Bridging and Risk Controls

A multi-chain structure expands commercial reach but also introduces bridge, message-consistency, and asset-security risk. AIOracle's cross-chain control principles should therefore include phased bridge whitelisting, per-transaction and daily minting limits, emergency pause capability, verifiable reserve accounting, multisig treasury control, and independent audits of bridge-facing contracts and treasury logic. For institutional reviewers, the key question is not whether the protocol can bridge, but whether it remains auditable, risk-bounded, and recoverable after bridging is enabled.

11. Token Utility

11.1 Token Positioning

AIOracle Token ($AIO) is the native utility token of the AIOracle network. It supports trusted data infrastructure, AI oracle services, node incentives, governance participation, and ecosystem expansion.

11.2 Core Utilities

Node Staking: $AIO serves as the primary staking asset for Device Gateway, Validator, Oracle/Execution, and AI Service nodes.
Node Rewards and Settlement: It rewards nodes providing AI inference, data cleaning, validation, attestation, and execution services.
Payment for AI Oracle Services: It functions as the settlement asset for trusted data requests, risk scoring, lifecycle verification, and AI result delivery.
Governance Participation: Holders may participate in parameter updates, treasury decisions, slashing-rule refinement, and protocol upgrades.
Ecosystem Coordination: It aligns hardware deployment, data pipelines, scenario onboarding, and partner incentives across the network.

11.3 Sources of Demand

Demand is expected to come from node staking, service payments, governance participation, and ecosystem coordination. In addition, AIOracle may introduce an Internal Data Credit (IDC) layer under which enterprise users pay in fiat or stablecoins while the protocol converts service consumption into underlying $AIO demand. This design lowers onboarding friction for enterprises without weakening token utility.

11.4 Long-Term Value Logic

The long-term value of $AIO should be grounded in network service value rather than market narrative alone. More devices create more trusted data; more trusted data creates more AI verification requests; more requests create more service revenue; and more service revenue can support treasury growth, node income transition, and buyback-and-burn mechanisms. The intended result is a flywheel in which network usage, not speculation alone, becomes the main driver of token demand.

11.5 IDC Settlement Layer

To improve enterprise usability, AIOracle may abstract protocol complexity through IDC. Users purchase services in fiat or stablecoins, while the backend converts settlement demand into $AIO. This creates a more rigid linkage between real service usage and token demand, while preserving a familiar purchasing experience for non-crypto counterparties.

12. Tokenomics

12.1 Basic Parameters

Token Name: AIOracle Token

Token Symbol: $AIO

Total Supply: 10,000,000,000

Decimals: 9

12.2 Allocation

- Node Rewards: 40%

- Ecosystem & Treasury: 15%

- Team: 15%

- Presale: 10%

- Liquidity: 10%

- Market & Advisors: 10%

12.3 Release Framework

The Node Rewards pool follows a halving-style emission curve every 24 months; Ecosystem & Treasury vests linearly over 48 months; Team has a 12-month cliff followed by 36 months linear vesting; Presale unlocks 15% at TGE and vests the remainder over 12 months; Liquidity is 100% available at TGE; Market & Advisors unlocks 10% at TGE and vests the remainder over 24 months.

12.4 TGE Framework

The estimated effective circulating supply at TGE is expected to be around 10%, subject to liquidity deployment, market support arrangements, and the actual unlock structure.

12.5 Node Incentive Formula

$$R_{node,i} = \frac{W_i \cdot S_i \cdot Q_i}{\sum_{j=1}^{N}(W_j \cdot S_j \cdot Q_j)} \cdot R_{total}$$

Where W_i is verified workload, S_i is staking weight, Q_i is the quality factor, and R_{total} is the total epoch reward. This formulation makes rewards sensitive not only to computational contribution but also to correctness, uptime, and economic alignment.

12.5.1 Expanded Reward Logic

For financing-grade presentation, the production model should be understood as an expanded reward function rather than a raw task counter:

$$R_{node,i} = \frac{W_i^* \cdot S_i^* \cdot Q_i \cdot A_i}{\sum_{j=1}^{N}(W_j^* \cdot S_j^* \cdot Q_j \cdot A_j)} \cdot R_{epoch}$$

Here W_i^* is quality-adjusted workload, S_i^* is non-linear stake weight, Q_i is the consensus-quality factor, A_i is an availability and compliance multiplier, and R_{epoch} is the epoch reward pool. This form preserves intuitive simplicity while making anti-collusion, anti-spam, and long-term alignment easier to express.

12.5.2 Workload Coefficient W_i^*

Workload should not be counted as raw request volume alone. In production, AIOracle can model workload as a weighted sum across task classes: device collection, validation, and AI-service execution each receive distinct coefficients based on economic value and verification burden. A representative formulation is：

$$W_i^* = \sum_k \left(n_{i,k} \cdot \alpha_k \cdot c_k \cdot g(v_{i,k}) \right)$$

where α_k is the task-type coefficient, c_k is the complexity weight, and $g(v_{i,k})$ is a diminishing-return function.

This matters because not all work has the same security value. A validator resolving high-risk state proofs for energy-revenue mapping should carry more weight than repetitive low-value pings, and an AI Service Node running protected inference should not be rewarded identically to a simple relay task.

To reduce wash-volume and Sybil-style task inflation, the workload term should incorporate marginal-utility decay. In practice, repeated low-information tasks, duplicate submissions, or traffic from correlated identities can receive progressively lower incremental reward weight after a threshold is reached.

12.5.3 Stake Weight S_i^* and Time Alignment

Staking should improve security without creating an oligarchic reward structure. For that reason, a sub-linear approach such as：

$$S_i^* = \sqrt{Stake_Amount(i)}$$

is preferable to a purely linear stake multiplier. It continues to reward economic commitment, but it reduces the ability of a small number of very large holders to dominate reward share.
A time-weighted lock factor may be added to strengthen long-horizon alignment. One practical design is：

$$S_i^* = \sqrt{Stake_i} \cdot \left(1 + \lambda \cdot \min\left(\frac{L_i}{L_{ref}}, 1 \right) \right)$$

where lambda controls the maximum lock bonus and Lref is the reference lock period. This encourages nodes to commit capital for stability rather than short-term extraction.

12.5.4 Quality Factor Q_i and Deviation Penalty

Q_i is the core honesty variable in the model. It should reflect both current-epoch agreement with consensus and accumulated reputation from prior epochs. A representative structure is：

$$Q_i = H_i^{\beta} \cdot \exp\left(-\gamma \cdot \max\left(0, \frac{|x_i - \mu|}{\sigma} - \tau \right) \right)$$

where H_i is historical reputation,

x_i is the node output,

μ is the network reference value,

σ is the scenario tolerance band,

τ is the free-deviation threshold, and γ controls how quickly rewards collapse once deviation becomes economically suspicious.

Under this design, small and explainable divergence can remain tolerable in probabilistic AI tasks, while large unexplained deviation decays rewards non-linearly. This is economically important: colluding nodes should not merely earn less; they should face a steep drop in reward entitlement before slashing is even triggered.

12.5.5 Challenge Period, Fishermen, and Slashing

Reward settlement should not be fully instantaneous. After provisional results are accepted, the network can maintain a challenge period during which Fishermen, validators, or designated replay services may request random audits, recomputation, or evidence disclosure. Nodes that survive the challenge period receive normal settlement. Nodes that fail quality review can face downgrade, delayed payout, or direct stake reduction.

A severe-fault path may route a portion of slashed stake to the treasury and another portion to the successful challenger. This closes the game-theoretic loop: honest review becomes economically rewarded, while dishonest output becomes expensive even when an attacker attempts partial collusion.

12.5.6 Design Implication

The design objective is to reward diligence, capital commitment, and - most importantly - honesty. In other words, AIOracle is not trying to maximize raw machine throughput. It is trying to maximize verifiable work per unit of economic trust. This makes the token economy better suited to RWA and enterprise settings, where the cost of a false physical fact can exceed the value of the computation itself.

12.5.7 Investor-Friendly Interpretation

For non-technical readers, the node can be understood as a digital notary rather than a generic miner. A node earns more when it processes more real work, commits more aligned stake, and maintains higher truthfulness over time. Unlike traditional PoW-style extraction, the long-term earnings logic is linked to trusted data demand from agriculture, logistics, new energy, and health-related services rather than to token price volatility alone.

12.6 Quality Factor and Anti-Sybil Logic

Quality Factor should act as the network's primary truth-weighting mechanism rather than as a cosmetic score. In production, Q_i should combine current-epoch agreement with reference outputs, historical reputation, challenge outcomes, uptime, and scenario-specific tolerance bands. Deterministic tasks may use tighter thresholds, while probabilistic AI tasks can allow bounded deviation before rewards decay materially.

Anti-Sybil logic is implemented by making low-quality scale economically inefficient. Repeated traffic from correlated identities, duplicate submissions, or low-information task bursts should receive diminishing workload credit; meanwhile, stake requirements, Device DID / operator binding, challenge-period review, and reputation carry-over make it difficult for an attacker to split one weak economic position into many superficially active nodes. The intended result is that truthful, persistent service compounds over time, while spammy or collusive behavior experiences lower marginal reward and a higher probability of slashing.

12.7 Three-Layer Verification Framework

The framework can be read as a three-layer chain of trust. At the device layer, Device DID, secure elements, hardware signatures, and controlled onboarding procedures establish source authenticity and make it harder to inject forged telemetry at the edge. At the processing layer, sensitive inference, scoring, and scenario logic

are executed inside TEE-enabled or otherwise verifiable compute environments so that results can be audited, challenged, or selectively recomputed.

At the network layer, validator comparison, quality scoring, staking, and slashing transform raw outputs into financeable state proofs. This final layer is what allows AIOracle to serve lender-, insurer-, and compliance-oriented RWA use cases: the network is not only transmitting data, but converting device events, AI interpretation, and dispute-aware settlement into machine-verifiable evidence with economic accountability.

12.8 Revenue Transition and Value Capture

$$B_{AIO} = \frac{\alpha \cdot R_{service}}{P_{AIO}}$$

The long-term objective is to move node income gradually from protocol emissions toward AI request fees, trusted data service fees, and scenario-based revenue. To strengthen value capture, AIOracle may allocate a defined share of net protocol service fees - for example, 20 percent, subject to governance approval - to secondary-market buyback and burn. Combined with IDC-based service settlement, this framework is designed to connect real commercial usage, token demand, and supply reduction more directly.

12.9 Trusted Data Lifecycle

A typical AIOracle data lifecycle may be summarized as:

device measurement -> secure signing -> gateway preprocessing -> validator cross-check -> trusted execution / AI inference -> consensus confirmation -> on-chain publication -> API or smart-contract consumption -> service settlement and revenue attribution.

Presenting the lifecycle explicitly helps show that AIOracle is not a loose collection of components, but a closed trust pipeline.

13. Presale

13.1 Role of the Presale

The presale provides early-stage capital support for product development, trusted data infrastructure deployment, node-network bootstrapping, market education, and ecosystem partnerships.

13.2 Allocation

The Presale allocation is 10% of total supply.

13.3 Pricing Framework

- Seed Round: $0.001

- Private Round: $0.0035

- Public Sale / IDO: $0.01

Earlier rounds enjoy lower entry prices, but participants also bear longer lock-up periods, lower liquidity, and higher execution risk.

13.4 Unlock Structure

15% unlocks at TGE and the remaining 85% vests linearly over 12 months.

13.5 Strategic Meaning

The presale is part of early network construction and platform activation, not merely a fundraising event.

14. Governance Framework

14.1 Positioning

AIOracle adopts a multi-layer governance model combining foundation-led coordination, protocol governance, and community participation in order to balance security, technical evolution, commercialization, and long-term sustainability.

14.2 Governance Participants

- Trusted Network Foundation
- HK BWS Holding Group Ltd., Co
- Node participants
- $AIO holders and community

14.3 Governance Principles

Security first, progressive decentralization, reputation- and contribution-aware participation, and long-term value alignment.

14.4 Governance Scope

Protocol parameters, ecosystem resource allocation, technical upgrades, and governance-structure evolution.

14.5 Proposal and Voting

Governance may distinguish between general proposals, major proposals, and high-risk technical proposals.

14.6 Emergency Governance

Limited emergency controls may be used under extreme conditions such as contract exploits, bridge incidents, or large-scale false-data submission.

14.7 Treasury Governance

Treasury resources should prioritize network growth, infrastructure security, and onboarding of high-value scenarios.

14.8 Evolution Path

The governance system is expected to evolve from foundation-led coordination toward more on-chain governance, delegated voting, and reputation-weighted participation.

15. Roadmap

15.1 Overall Logic

The roadmap is structured around trusted data infrastructure, sector-scale deployment, the transition from emission-driven incentives toward service-driven node economics, and capital-market readiness with industry-standard influence.

15.2 2026 Q2

Complete the Presale, connect 1,000 cross-industry hardware devices, deploy the first nodes, launch the $AIO liquidity pool, activate the first trusted data pipeline, and open the first structured node-recruitment campaign for hardware integrators, regional operators, and validator candidates.

15.3 2026 Q2-Q4

Connect 15MW of photovoltaic infrastructure and 50,000 health-related devices, standardize onboarding for agriculture, logistics, and new energy, launch AI inference, data cleaning, risk scoring, and settlement services, and complete the main 2026 node recruitment plan across pilot sectors. The operational target is to recruit and certify the first wave of Device Gateway Nodes, Validator Nodes, and AI Service Nodes with clear regional deployment and quality-control criteria.

15.3A 2026 Node Recruitment Priorities

Recruitment in 2026 should focus on three categories:

(1) trusted hardware and systems integrators able to onboard real devices at scale;

(2) regional validator and gateway operators with stable uptime and compliance capability; and

(3) scenario-focused partners in new energy, agriculture, logistics, and health data who can convert pilot traffic into recurring service volume.

15.3B Indicative Node Tiering Framework

To improve recruitment operability, AIOracle can present a tiered node framework so that partners with different capabilities can identify a realistic entry path. The framework below is indicative and subject to governance and deployment-region requirements.

Node Type	Typical Partner	Primary Function	Stake / Hardware Profile	Primary Revenue Logic
Device Gateway Node	IoT integrator, device OEM, field operator	Device onboarding, packet signing, local filtering, buffered transmission	Lower stake threshold; secure element / gateway deployment capability	High coverage, lower unit margin, recurring device and traffic-linked rewards
Validator Node	Cloud provider, regional operator, compliance-capable infra partner	Consensus comparison, anomaly checks, reputation scoring, challenge participation	Medium stake; stable uptime, audit logs, compliance process	Validation rewards plus challenge / review incentives
AI Service Node	AI team, compute operator, data center	TEE inference, forecasting, risk scoring, decision support	Higher stake; stronger compute, TEE support, replay capacity	Higher-value service fees and scenario-specific inference rewards

15.4 2027

Expand from an EVM-first strategy toward Solana and BNB Chain, connect more than 1,000 ecosystem partners, and establish the broader AIOracle ecosystem.

15.5 2028

Begin capital-market preparation and feasibility planning related to Hong Kong and/or Nasdaq pathways, publish industry-level technical frameworks and node standards, and strengthen AIOracle's standard-setting role in oracle and trusted AI data infrastructure.

16. Risk Disclosure

16.1 Purpose

This chapter discloses, in a prudent and transparent manner, the technical, device, node, market, commercial, compliance, and governance risks that AIOracle may face.

16.2 Technical Risks

These include protocol and smart contract vulnerabilities, AI inference uncertainty, cross-chain and bridging risks, and service interruption or security incidents arising from third-party dependencies.

16.3 Data and Device Risks

These include hardware failure, false data, data pollution, privacy risk, and insufficient data-governance controls.

16.4 Node and Network Risks

These include node concentration, lazy evaluation, insufficient service quality, and imbalance in node economics.

16.5 Market and Token Risks

These include $AIO price volatility, inadequate liquidity, and tokenomics execution that may differ from current expectations.

16.6 Commercial and Ecosystem Risks

These include delays in adoption, changes in ecosystem partnerships, and stronger competition.

16.7 Legal and Regulatory Risks

Blockchain, AI, data governance, and digital-asset regulations may evolve differently across jurisdictions.

16.8 Forward-Looking Statements

Future plans described in the whitepaper are forward-looking and do not constitute guarantees of listing, returns, or specific market outcomes.

17. Conclusion

17.1 Core Proposition

AIOracle seeks to answer a foundational question: how can real-world devices, data, states, and behaviors become digital facts that are verifiable by code, consumable by protocols, and priceable by capital?

17.2 From Data Relay to Physical-Fact Generation

AIOracle's core differentiation lies not in moving data alone, but in building a verifiable framework through which data becomes physical fact that can be relied upon by smart contracts, RWA protocols, and enterprise systems.

17.3 Integrated Loop

AIOracle combines Device Nodes, Edge Gateway Nodes, Validator Nodes, Oracle / Execution Nodes, AI Service Nodes, and the $AIO economic model into one trusted operational loop.

17.4 Long-Term Vision

AIOracle aims to evolve from a single-chain oracle service into a trusted-data and AI-verification infrastructure spanning multiple chains, industries, and device networks.

17.5 Final Remark

The most valuable oracle networks of the future will not merely transmit data faster; they will establish facts more reliably. Let the real world be verifiable by code.

18. Investment Highlights

An institutional-grade financing whitepaper must explain clearly that AIOracle is not a single-purpose application. It is a composite infrastructure stack combining hardware roots of trust, trusted data transport, verifiable AI computation, and programmable settlement. In practical terms, AIOracle should be seen as the last-mile trust layer of RWA: a system built to reduce source-level fraud and convert real-world asset states into machine-verifiable inputs.

From an investment perspective, the core attraction of AIOracle is not hardware margin alone, but the possibility of connecting devices, nodes, datasets, AI models, and on-chain protocols into a service-and-settlement loop with defensible switching costs. The stronger the trust root, the higher the value of the resulting data network; and the higher the service frequency, the more credible the path from network usage to token demand, treasury strength, and long-term ecosystem defensibility.

- Combines hardware trust roots, AI inference, and protocol governance into a defensible infrastructure model
- EVM-first while preserving a path toward Solana / BNB and broader multi-chain expansion
- Agriculture, logistics, and new energy provide both real data frequency and financialization demand
- Dual engine of node incentives and service fees, enabling a transition from emissions to real revenue
- $AIO serves staking, service settlement, governance, and ecosystem incentive functions
- A layered governance model across foundation, operating entity, and node network supports both early execution and later decentralization



Figure 18-1. AIOracle financing-edition milestone overview

18.1 Technical Moat / Defensibility

$$C_{attack} = C_{hw} + C_{tee} + C_{coll} + C_{slash} + C_{rep}$$

AIOracle should not be evaluated as a conventional oracle network that merely transports external data into smart contracts. Its defensibility comes from the combination of three tightly coupled layers: hardware roots of trust, verifiable AI computation, and RWA-grade rights confirmation. This means the network is designed not only to answer whether a piece of data was delivered, but whether the underlying physical event, computational interpretation, and economic claim can be trusted as one continuous chain.

At the device layer, AIOracle binds devices, operators, and assets through Device DID, secure elements, hardware signatures, and trusted onboarding procedures. This reduces the "source forgery" problem that weakens many RWA systems, because the network does not treat a data packet as trustworthy simply because it reached an API endpoint. It attempts to establish a cryptographic and operational identity for the source itself.

At the computation layer, AIOracle extends beyond raw data relay by requiring sensitive processing, AI inference, and scenario-specific scoring to run inside TEE-enabled or otherwise verifiable execution environments. Over time, this can be complemented by proof-oriented computation attestations, challenge-response mechanisms, and selective recomputation. In practical terms, the network is building trust not only in what data says, but also in how the result was produced.

At the network and asset layer, outputs are subjected to validator comparison, quality-factor scoring, staking, and slashing logic before they are turned into financeable state proofs. This is especially important for RWA, where value depends on whether a right, revenue stream, production event, health record, or equipment state can be relied upon by lenders, insurers, marketplaces, and tokenization protocols. AIOracle therefore functions as the last-mile trust layer for RWA: it turns physical events into auditable digital evidence that can support asset pricing, financing, compliance, and programmable settlement.

Because these three layers reinforce one another, AIOracle is meaningfully harder to replicate than a standard middleware oracle. A competitor may copy API aggregation more easily than it can reproduce trusted device onboarding, verifiable computation, multi-node adjudication, and sector-specific evidence models across agriculture, logistics, new energy, and health-related data flows. This layered architecture is what gives AIOracle its technical moat and long-term strategic defensibility.

A further design principle is that the cost of attack should exceed the financeable value of the falsified data. To manipulate a high-value output, an attacker should face a compound burden: compromising hardware identity or field deployment, bypassing protected execution or recomputation checks, surviving validator disagreement, and absorbing reputation loss plus stake slashing. In a mature configuration, the economic cost of cheating should therefore rise faster than the expected gain from falsifying a bankable physical fact.

Competitive framing. Relative to a traditional API-first oracle or a connectivity-led DePIN network, AIOracle combines source authentication, verifiable computation, and financeable state proofing in a single stack. The result is a higher barrier to imitation and a more direct fit for lender-, insurer-, and compliance-oriented RWA use cases.

Dimension	Traditional API-first Oracle	DePIN-only Network	AIOracle
Source authenticity	Typically trusts the upstream API, reporter, or integration	Can prove device presence or network participation, but	Binds device, operator, and asset through Device DID, secure element, onboarding,

	endpoint.	may stop at telemetry delivery.	and hardware signature.
Logic / interpretation	Mainly transports data; limited assurance on how scenario logic was computed.	Optimized for sensing and transport, not necessarily for explainable inference.	Runs scoring, inference, and adjudication inside TEE-enabled or otherwise verifiable execution.
RWA finance readiness	Useful for price feeds, but not always sufficient for lender-, insurer-, or compliance-grade evidence.	Useful for infrastructure footprint, but not necessarily for rights confirmation.	Converts verified states into auditable state proofs that support financing, compliance, settlement, and dispute handling.
Attack economics	Attack surface centers on source compromise or operator misconduct.	Attack cost rises with device footprint, but can remain weak at adjudication and settlement layers.	Attack must overcome hardware trust, verifiable compute, validator consensus, and staking / slashing penalties together.

Table 18-1. Competitive positioning: standard oracle vs. DePIN-only network vs. AIOracle



Figure 18-2. Why AIOracle has a layered technical moat

18.2 Value Capture / Token Flywheel

$$R_{distribution} = (1 - \alpha) \cdot R_{service}$$

The value-capture design of AIOracle is intended to convert service usage into programmable token demand rather than leaving the token dependent on narrative trading alone. In a mature operating state, enterprise clients or ecosystem users may pay in fiat or stablecoins, but the internal accounting layer is denominated through IDC (Internal Data Credit) so that the underlying service meter remains standardized across sectors and jurisdictions.

This design allows the network to abstract the user-facing payment experience while preserving a consistent demand channel into $AIO. When a client purchases data-validation, AI inference, state-proof, or sector API services, the system can convert the corresponding value into IDC consumption units and then settle the backend resource requirement through $AIO demand. As a result, growth in non-crypto users does not bypass the token economy; instead, it is translated into measurable protocol-level token utility.

A defined portion of protocol service fees may then be allocated to a buyback-and-burn program, for example by routing 20% of eligible net service fees to secondary-market repurchases followed by permanent token destruction. Another portion may support node incentives, developer subsidies, and ecosystem treasury functions. This creates a flywheel in which service growth increases token demand, buyback pressure reduces effective circulating supply, stronger economics attract better nodes, higher-quality nodes improve service reliability, and improved service quality drives additional enterprise adoption.

Illustrative scenario - USD 1.0 million agricultural data-service revenue. Assume AIOracle signs an annual service agreement with an agricultural insurer and related farm operators, generating USD 1.0 million of data-request revenue across real-time device signatures and higher-value AI assessment calls.

Revenue component	Illustrative volume	Annual revenue
Device signature fees	Approx. 60 million signed sensor events	USD 600,000
AI inference / loss-adjustment requests	Approx. 100,000 high-value assessment calls	USD 400,000
Total	-	USD 1,000,000

Table 18-2. Illustrative revenue mix for a single agricultural data-service program

Value-capture path. In this scenario, the USD 1.0 million of service revenue is settled into IDC metering units, and the backend resource requirement is translated into corresponding $AIO demand. If the protocol routes 20% of eligible net service fees into buyback-and-burn, then an amount equivalent to USD 200,000 of $AIO can be repurchased and permanently destroyed, while the remaining value supports node rewards, treasury functions, and ecosystem operations.

Step	Mechanism	Illustrative value
1. IDC conversion	Fiat / stablecoin receipts are normalized into IDC consumption units.	USD 1,000,000 equivalent
2. Token-demand translation	Backend resource settlement creates corresponding $AIO demand.	USD 1,000,000 equivalent demand path
3. Buyback and burn	20% of eligible net service fees are routed to repurchase and burn.	USD 200,000 equivalent
4. Node / treasury distribution	Remaining value supports Device Gateway, Validator, AI Service nodes, and treasury.	USD 800,000 equivalent

Table 18-3. Illustrative value-capture and burn simulation

Expected effect. Even a single sector program can create visible supply-side contraction: approximately USD 200,000 equivalent of value exits circulation, scarcity of the remaining float improves, and honest nodes continue to earn from the other 80% of service economics. As more requests accumulate across agriculture, logistics, energy, and health data, the burn channel scales with revenue, creating the flywheel of business growth -> more buyback and burn -> stronger token scarcity -> better node participation -> more enterprise adoption.

Comparative logic. Token systems whose value capture relies mainly on staking demand or fee utility often remain partially narrative-driven. AIOracle is designed to go one step further by converting external fiat or stablecoin revenue into internal deflation pressure. In dispute-resolution workflows, a defined share of adjudication or challenge fees may also be routed to the burn pool, so that fraudulent behavior not only faces slashing but can also contribute to net supply reduction.



Figure 18-3. Value capture and token flywheel

19. Detailed Sector Deployment Playbooks

AIOracle does not prioritize sectors evenly. Its deployment strategy follows three filters: high data frequency, high risk value, and high financialization potential. Agriculture, logistics, and new energy rank first because they simultaneously require field devices, multi-source data, risk management, and asset-linked finance.

In health-related device scenarios, AIOracle is not positioned primarily as a consumer wearable layer. Instead, it focuses on continuous monitoring, trusted equipment records, and authorized health-data flows. This can create a highly active data stream, but the commercial path is expected to follow the primary sectors rather than precede them.

19.1 Scenario-to-Data-to-Value Matrix

In new-energy financing scenarios, the commercial case is particularly strong because generation, uptime, and equipment-state data are both frequent and finance-relevant. In an illustrative distributed-PV case, independently verified generation and uptime records could reduce monitoring frictions, improve lender confidence, and contribute to financing-cost improvements on the order of 15-20%, depending on jurisdiction, asset quality, portfolio size, and lender policy. This example should be understood as directional rather than guaranteed, but it highlights why trusted physical data can have direct balance-sheet value.

Sector	Core Data	AIOracle Outputs	Financeable Value	Pilot Program
Agriculture	Soil, weather, water quality, temperature, humidity, device status	Crop health, irrigation optimization, yield forecasting, insurance triggers	Agricultural RWA, supply-chain finance, crop insurance, production coordination	Pilot with standardized greenhouse, irrigation, or traceability deployments where sensors and device logs can be audited repeatedly.
Logistics	GPS, cold-chain temperature, motion, arrival/in-transit events	Temperature compliance, cargo disputes, route risk, timeliness verification	Cold-chain insurance, freight finance, settlement and liability allocation	Pilot with cold-chain fleets, warehouse gateways, or route-compliance programs requiring frequent event verification.
New Energy	Generation, consumption, inverter state, environmental data	Asset efficiency, uptime, fault alerts, carbon-linked measurement	Green finance, carbon assets, revenue-right mapping, equipment financing	Pilot with PV inverter OEMs, EPC operators, or distributed-energy sites where generation and uptime data can be measured continuously.
Health Devices	Sleep, vital signs, device logs, authorization events	Health scoring, care suggestions, compliance records	Permissioned health-data services, care networks, research data markets, user-authorized data monetization	Pilot with authorized chronic-care, sleep, or wellness-device programs where data rights, consent, and desensitized analytics are explicit.

19.2 Deployment Cadence

In health-related device scenarios, AIOracle emphasizes data-rights confirmation rather than indiscriminate data collection. User-generated health data should be consented, desensitized, and permissioned before being supplied to care networks, research institutions, or pharmaceutical R&D workflows. Where monetization is enabled, the economic design should allow a share of value to flow back to the user or data-right holder.

In deployment cadence, AIOracle prioritizes scenarios in which devices can be standardized, data can be verified, and demand can recur predictably. This means focusing first on sites with clear device

boundaries and frequent state changes before expanding toward larger cross-institutional environments that require deeper compliance and data-governance integration.

20. Node Reward and Security Flow Appendix

For AIOracle, node incentives are not designed to reward raw compute alone. They are designed to reward effective work that is verifiable and accepted by the network. Workload, stake, quality scores, and penalty logic must therefore function together rather than relying on task count alone.

Node security also cannot depend on one mechanism in isolation. AIOracle combines consensus-based result comparison, random audits, quality-score decay, recomputation, TEE execution, and proof-oriented verification to make low-cost opportunistic cheating structurally unattractive over time.

20.1 Reward and Security Flow



Figure 20-1. Request processing, consensus, reward, and security flow

20.2 Quality-Factor Decay Curve



Figure 20-2. Illustrative quality-score decay under consensus deviation

20.3 Additional Notes

For financing-grade review, the appendix should make clear that Q_i is not a cosmetic score. It is the mechanism that turns consensus deviation, historical reputation, and challenge outcomes into direct economic consequences. Deterministic tasks can use tighter thresholds, while predictive tasks may require wider tolerance bands and heavier historical-performance weighting.

20.4 Challenge Period and Slashing Settlement

$$Slash_i = \begin{Bmatrix} 0, Q_i \geq \theta_1 \\ \kappa_1 \bullet Stake_i, \theta_2 \leq Q_i < \theta_1 \\ \kappa_2 \bullet Stake_i, Q_i < \theta_2 \end{Bmatrix}$$

For high-value tasks, the network can finalize rewards only after a challenge window has passed. During this period, Fishermen, validators, or replay services may request sampling checks, evidence replay, or selective recomputation. If a node is found to have submitted materially misleading output, the protocol may reduce Q_i, delay settlement, or slash a portion of stake. A practical policy is to route part of the penalty to the treasury and part to the successful challenger so that honest review remains economically rational.

20.5 Trusted Data Lifecycle Flow

The lifecycle below shows how AIOracle converts a raw physical event into a financeable digital state: identity at the device edge, filtering at the gateway, consensus and challenge logic at validators, protected inference in verifiable compute, and final settlement into on-chain or enterprise-consumable evidence. This is the operational reason the protocol can serve as an RWA last-mile trust layer rather than a simple data relay.



Figure 20-3. Trusted data lifecycle from device capture to financeable state proof

In production, the calculation of Q_i may vary by task class, data distribution, model type, and scenario risk. Deterministic tasks can use tighter thresholds, while predictive tasks may require wider tolerance bands and heavier historical-performance weighting.

21. Token Release and Vesting Appendix

A formal financing whitepaper should present token allocation and vesting in a review-friendly structure. What matters to investors is not only the percentage assigned to each bucket, but also which portions are liquid at TGE, which remain under cliff restrictions, and which may form medium-term market supply pressure.

AIOracle's design principle is to keep immediate TGE supply pressure low for nodes and the team, while assigning early market function mainly to liquidity deployment and a limited presale unlock. This supports a healthier balance among price discovery, long-term node incentives, and market confidence.

21.1 Allocation Chart



Figure 21-1. Initial $AIO allocation

21.2 Vesting Timeline



Figure 21-2. AIO vesting and emission overview

21.3 Release Summary Table

Bucket	Allocation	TGE	Subsequent Release
Node Rewards	40%	0%	8-year primary release + tail
Ecosystem & Treasury	15%	0%	48-month linear vesting
Team	15%	0%	12m cliff + 36m linear vesting
Presale	10%	15%	12-month linear vesting
Liquidity	10%	100%	Available at TGE
Market & Advisors	10%	10%	24-month linear vesting

22. Governance Scope Matrix

In a financing-grade whitepaper, governance should not remain at a purely conceptual level. Readers should be able to understand which items fall under day-to-day parameter changes, which involve treasury deployment, which are high-risk security matters, and what thresholds or delay mechanisms apply to each class of action.

A matrix-based governance presentation helps investors, advisors, and partners understand that AIOracle is not a black-box foundation-controlled system, but a governance structure with explicit boundaries and an intentional decentralization path.

Governance Type	Typical Matters	Initiators	Threshold / Process
General Proposals	Docs updates, non-core parameter tuning, small grants	Foundation / team / node reps / threshold community members	Basic quorum + short review period
Major Proposals	Emission changes, major treasury deployment, strategic partnerships	Foundation / community representatives / core governance parties	Higher quorum + extended discussion period
High-Risk Technical Proposals	Contract upgrades, bridges, slashing rules	Technical committee + governance process	Audit + time delay + rollback plan
Emergency Governance	Critical exploits, collusion, bridge attacks, false-data incidents	Restricted emergency authority holders	Immediate containment + post-event disclosure and audit

22.1 Design Implication

A matrix-based governance structure makes authority boundaries, responsibility layers, and review costs explicit. In a financing-grade document, this helps external reviewers understand how AIOracle treats security, treasury deployment, and contract-governance risk institutionally.

23. Glossary and Key Terms

Because AIOracle spans blockchain, device infrastructure, AI inference, RWA, and multi-chain execution, its terminology is more complex than that of a standard token project. A formal whitepaper therefore benefits from an expanded glossary so that readers from different backgrounds can align on the meaning of key terms used throughout the document.

Term	Definition
Physical Truth	Real-world facts that become protocol-trusted inputs after device signing, validation, and traceable processing.
Device Node	The source-end node that collects, signs, and transmits raw data.
Edge Gateway Node	The edge node responsible for local aggregation, filtering, buffering, and preliminary rule handling.
Validator Node	The core node that performs validation, consensus adjudication, reputation scoring, and anomaly checks.
Execution Node	The node that publishes validated outputs to chains or external business systems.
AI Service Node	The node that performs inference, risk scoring, forecasting, and decision support on trusted data.
Device DID	A decentralized device identity used to link devices, accountable operators, and assets.
TEE	Trusted execution environment used to reduce the risk of execution-path tampering.
ZKP	Zero-knowledge proof or related verifiable-computation mechanism.
Quality Factor	The coefficient used to measure how closely node output matches the consensus result.
Presale	The early distribution stage used to support initial capital formation and network launch.
TGE	Token generation event; the key moment when the token becomes active in market circulation.
Buyback and Burn	A repurchase-and-burn mechanism supported by service-revenue feedback.
IDC / Data Credit	An internal accounting or credit unit for data and AI service consumption.
RWA	Real-world asset tokenization and the on-chain mapping of rights, revenue, state, and risk.

EVM-first	A strategy that prioritizes EVM ecosystems for initial deployment and integration.
Service Fees	Revenue generated by AI calls, data validation, state proofs, and vertical APIs.
Slashing	An economic penalty mechanism for malicious, negligent, or high-risk incorrect behavior.
Fisherman	A challenge, reporting, or recomputation-based monitoring mechanism.
Trusted Network Foundation	A key coordinating entity for AIOracle's early governance and long-term strategic development.

This glossary serves as a reader aid for the financing-edition whitepaper and may be maintained alongside the GitBook and node documentation.

24. Team, Advisors, Strategic Partners, and Organizational Structure

24.1 Core Team

Vincent.Lee is a Co-Initiator of the Hong Kong RWA Global Industry Alliance and serves as an Expert Committee Member of its Technical Committee. He is also Chairman of Hong Kong BWS Holding Group Limited. He previously served as the technical team lead for a national key research project at Dalian Maritime University. With more than 20 years of experience across artificial intelligence, blockchain, and the Internet of Things, he has led and participated in the development of multiple frontier technologies, including AI-driven intelligent oracle systems, IoT encrypted communications, and blockchain-integrated DID identity solutions. He has obtained and filed nearly 20 patents. He is the author of RWA Reshaping Financial Business Models (CITIC Press) and The Era of Intelligent Assets: RWA and the AI Wealth Revolution (Posts & Telecom Press).

Aliks Dou serves as Executive Secretary-General of the Blockchain Professional Committee of the China Communications Industry Association. He is also a Co-Initiator and Secretary-General of the Hong Kong RWA Global Industry Alliance, Executive Director of the Digital Collectibles Standards Working Group, and a principal initiator and contributing compiler of the General Standards for Digital Collectibles. He also participated in the writing of Chain Reform: China's Blockchain Mindset. He has long been committed to promoting industrial digital transformation and upgrading, and is a senior expert in blockchain and the digital economy.

Kevin has served as Executive Vice Director and Co-Secretary-General of the Blockchain Professional Committee of the China Communications Industry Association since 2016. He also serves as Co-Secretary-General of the Artificial Intelligence and Metaverse Industry Working Committee of the China Mobile Communications Association, and Co-Secretary-General of the Hong Kong RWA Global Industry Alliance. He is also a scholar in the integration of culture and technology, one of the initiators of the Chain Reform Action Plan, a specially appointed expert of the MIIT blockchain industry expert think tank, one of the first certified technology application experts and lecturers under MIIT talent evaluation, and a specially appointed expert for blockchain and metaverse applications in the expert think tanks of Zhejiang Province and Hangzhou.

24.2 Advisors

Dachao Tian is the Founder of Lianshan Capital, Deputy Director of the News Media Division of the World Blockchain Organization (WBO), Vice President of the Shanghai Blockchain Technology Application Association, Chairman of the China Digital Financial Technology Committee, and author of Understanding Blockchain Through One Book.

Aditya Kumar is a Developer Relations Engineering Lead with experience spanning ecosystem strategy at the intersection of Web3 and AI, product marketing, and go-to-market development.

Ishant Singh is a former AI product leader at OpenAI and Amazon, a startup advisor, and a repeat founder.

24.3 Strategic Partners, Guiding Institutions, and Co-Initiating Ecosystem Resources

- Hong Kong RWA Global Industry Alliance
- Blockchain Professional Committee of the China Communications Industry Association

For the financing edition, the organizations above should be understood as strategic partners, guiding institutions, and co-initiating ecosystem resources that support AIOracle's industry connectivity, policy dialogue, and market-entry leverage in the RWA, blockchain, and digital-economy landscape.

24.4 Organizational Setup and Role Allocation

For the current planning stage, AIOracle adopts a layered organizational model. A proposed Cayman foundation is intended to serve as the long-term governance and token-issuance anchor. Hong Kong BWS Holding Group Limited acts as the operating entity, commercial contracting entity, and core vehicle for technology commercialization. AIOracle Labs is planned as an independent R&D entity focused on hardware design, oracle middleware, trusted data architecture, and sector-specific solution development.

25. System Architecture, Global Deployment, and Sector Architecture

25.1 AIOracle Platform System Architecture

The diagram below summarizes the full-stack structure of the AIOracle platform: hardware-rooted physical-oracle devices on the left, middleware and chain-layer coordination in the center, and SaaS, regulatory APIs, exchanges, and user systems on the right. In architectural terms, AIOracle is designed as a bridge from trusted device events to middleware validation, chain-layer settlement, enterprise SaaS operations, and user-facing asset interaction.



Figure 25-1. AIOracle platform system architecture, showing the hardware layer, chain layer, management layer, user layer, IDC consumption layer, and sector-facing application interface.

25.2 Global Organizational and Regional Node Layout

AIOracle is intended to evolve as a globally coordinated network rather than a single-jurisdiction protocol brand. Under the current planning framework, the proposed Cayman foundation serves as the long-term top-level governance and issuance anchor; the Italy-based foundation office supports global coordination and brand governance; Hong Kong BWS Holding Group Limited acts as the main operating, contracting, and commercialization entity; and AIOracle Labs is planned as an independent R&D entity. Regional nodes are expected to be built progressively in North America, Europe, Southeast Asia, Africa, the Middle East, and China.



Figure 25-2. Global organizational layout and regional node planning for AIOracle, including the proposed Cayman foundation, Hong Kong operating entity, planned AIOracle Labs R&D unit, and multi-region node rollout.

25.3 Sector Architecture and Industry Solution Stack

AIOracle is not positioned as a generic oracle for every sector at once. It follows a vertical-solution strategy in which trusted devices, industry data pipelines, and scenario-specific APIs are packaged into financeable, compliance-aware solutions. The current priority sectors include smart agriculture, health-data services, energy management, logistics, the sharing economy, and industrial manufacturing.

Figure 25-3. Sector architecture of AIOracle, illustrating how trusted-data infrastructure can be packaged into vertical solutions across agriculture, health, energy, logistics, the sharing economy, and industrial manufacturing.

26. Commercial Model and Value Capture

26.1 Core Revenue Logic

AIOracle's commercial model is intended to be usage-driven rather than token-price-dependent. The economic objective is to build a hardware-rooted and data-metered trust network in which protocol-linked revenue grows with the number of activated devices, the frequency of trusted signatures, and the depth of sector-specific service adoption. In that sense, AIOracle is better understood as a physical-truth metering network than as a purely speculative token project.

26.2 Revenue Streams

- Hardware authorization, hardware sales or leasing, and SaaS / PaaS onboarding fees for secure gateways, modules, and network activation.
- Signature-as-a-Service fees for each trusted signed data submission, particularly in financeable and compliance-sensitive workflows such as energy reporting, cold-chain monitoring, and revenue-right settlement.
- Sector-specific premium services, including automated compliance packages, audit-ready reporting, custom API integration, and scenario-specific AI scoring.
- Over time, enterprise-facing Console subscriptions, state-proof APIs, and structured RWA service layers may become additional recurring revenue lines.

26.3 Illustrative Revenue Scenarios

The figures below are illustrative scenarios designed to demonstrate potential value-capture pathways under reasonable deployment assumptions. They are not forecasts, commitments, or guarantees, and actual results will depend on pricing, customer mix, jurisdiction, rollout speed, and retention.

Dimension	Illustrative Parameters	Illustrative Value (USDT)	Notes
Onboarding revenue	Approx. 150 inverter nodes	15,000	One-time activation fee
Signature-service revenue	Illustrative 10-minute interval signing	43,800	Potential annual metering layer
Audit / compliance service	Quarterly on-chain verification reports	12,000	Institutional compliance support
Indicative project economics	Single 15MW distributed PV deployment	Up to 70,800 gross service revenue potential	Before client-side hardware and operating cost assumptions

Table 26-1. Illustrative revenue pathway for a distributed photovoltaic deployment. Values are indicative only.

Dimension	Illustrative Parameters	Illustrative Value (USDT)	Notes
Terminal activation revenue	Approx. 500 encrypted cold-chain sensor nodes	50,000	Illustrative onboarding fee base
Dynamic signature revenue	Illustrative 5-minute temperature / route signing	105,120	High-frequency service potential
Insurance / risk API	Exception alerts and insurer-facing interface	25,000	Scenario-specific premium service
Indicative project	Single 500-vehicle cold-chain	Up to 155,120 gross	Before client-side

economics	deployment	service revenue potential	operating cost assumptions

Table 26-2. Illustrative revenue pathway for a cold-chain logistics deployment. Values are indicative only.

26.4 Value Capture and Treasury Logic

In a mature operating model, protocol-linked cash flow can be allocated through a defined treasury policy. For financing-grade presentation, a prudent formulation is that a substantial share of eligible net service fees may be used for token buyback and potential burn, subject to governance approval, treasury policy, market conditions, legal review, and operational needs. The remaining share can support technology upgrades, ecosystem expansion, node-security maintenance, and advisory / operational expenditure.

IDC (Infrastructure Data Credits) can be used as the internal consumption layer so that enterprise users pay in familiar fiat or stablecoin formats, while backend metering is translated into standardized network demand. This helps preserve token utility without forcing enterprise customers to operate directly in crypto-native settlement mode.

26.5 Competitive Monetization Logic

AIOracle's monetization rationale is that its charging right comes from tamper-resistant data generation and audit-ready physical truth, not from simple data transport. In many RWA and enterprise settings, the highest-value layer is not raw connectivity, but trustable evidence that can support financing, auditing, insurance, settlement, and dispute resolution.

27. Go-to-Market Strategy and Global Rollout Path

27.1 The Three-Stage Rocket Model

AIOracle's GTM logic can be summarized as a three-stage rocket model. Stage one is the hardware anchor: embed secure modules, gateways, or trusted device access into real industrial assets. Stage two is the data tax: each trusted signature, state proof, or verifiable event creates protocol-linked service revenue. Stage three is financial arbitrage and financialization: once reliable physical truth exists, it can support RWA issuance, better financing terms, structured compliance, and deeper capital-market integration.

27.2 Regional Rollout Path: Southeast Asia -> Middle East -> Hong Kong

Southeast Asia is the intended first commercial launch corridor, especially for distributed photovoltaic infrastructure and cold-chain logistics in markets such as Vietnam, Thailand, and Indonesia. These sectors offer both high trust deficits and visible revenue pathways. The Middle East is positioned as the second expansion corridor, where infrastructure transparency, sovereign-backed digitization, and sandbox-style regulatory engagement can strengthen institutional positioning. Hong Kong is intended as the financial and settlement hub, where AIOracle can align its RWA narrative, alliance resources, commercial contracting, and compliant fiat-to-protocol business loop.

27.3 Commercial Acquisition Strategy

- Pilot-first hardware anchoring with benchmark projects in energy, logistics, and audit-sensitive asset classes.
- Alliance node program for industrial IoT integrators, regional operators, auditors, and insurance / risk partners.
- Selective use of subsidized or discounted gateway deployment for flagship projects, with revenue recovered through subsequent signed-data usage and premium service layers.
- Conversion path from PoC to annual service contract, then to recurring API / data-signing / audit subscriptions.

27.4 Market Entry Logic

AIOracle does not aim to sell tokens directly as the primary market-entry mechanism. Instead, it seeks to solve a measurable trust deficit in the physical world and then convert that solved trust layer into recurring service revenue, institutional stickiness, and token-linked value capture.

28. Use of Proceeds and 12-Month KPI Framework

28.1 Planned Use of Proceeds

For the current financing plan, AIOracle assumes an indicative raise target of USD 2.0 million. The capital is intended to support protocol engineering, pilot hardware deployment, business development, initial liquidity support, and legal-compliance structuring.

Category	Allocation
Technology R&D	30%
Hardware Production (IoT Devices)	25%
Marketing & Business Development	20%
Liquidity	15%
Legal & Compliance	10%

Table 28-1. Indicative use of proceeds for a USD 2.0 million financing round.

28.2 12-Month KPI Framework

The KPI design below is intended to balance ambition with financing credibility. Metrics are structured around product readiness, device and node activation, customer conversion, and early protocol-linked commercial traction.

Area	Metric	Base / Target	12-Month Objective
Product & Technology	Console MVP and core protocol modules	Target	MVP online; IDC prototype and core node logic operational
Security & Readiness	External review / audit milestone	Base	At least one third-party code review, audit, or security assessment
Devices	Activated devices / sensor endpoints	Base-Target	1,500-3,000 activated endpoints
Pilot Projects	Benchmark PoCs	Target	3-5 paid or contract-conversion pilots
Nodes / Operators	Gateway / validator / AI service related operators	Base-Target	20-40 node or operator partnerships
Customers	Institutional customers / pilot counterparties	Base-Target	8-15 signed counterparties, with 3-6 converting to paid relationships
Revenue	Contracted or protocol-linked commercial value	Base-Target	USD 300,000-800,000 equivalent
Regions	Active rollout markets	Target	Two priority markets established, with Southeast Asia and Hong Kong as preferred anchors

Table 28-2. Suggested 12-month KPI framework for the financing edition.

28.3 KPI Interpretation

For investor communication, the KPI framework should be presented as an execution roadmap rather than a guaranteed outcome. A useful framing is to distinguish base case, target case, and stretch case so that the project demonstrates discipline, ambition, and scenario-awareness at the same time.