



2

Performance

91

Accessibility

75

Best Practices

91

SEO

PWA

2


## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. See [calculator](#).

▲ 0–49

■ 50–89

● 90–100



## METRICS

[Expand view](#)

### ▲ First Contentful Paint

**10.8 s**

### ▲ Speed Index

**33.4 s**

### ▲ Largest Contentful Paint

**31.9 s**

### ▲ Time to Interactive

**34.6 s**

### ▲ Total Blocking Time

**2,280 ms**

### ▲ Cumulative Layout Shift

**0.91**[View Treemap](#)Show audits relevant to: [All](#) [FCP](#) [TBT](#) [LCP](#) [CLS](#)

## OPPORTUNITIES

Opportunity

Estimated Savings

## ▲ Reduce unused JavaScript

12.76

s

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn more](#). LCP



Consider reducing, or switching, the number of [Joomla extensions](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in Chrome DevTools. You can identify the extension responsible from the URL of the script. Look out for extensions that have many scripts in the list which have a lot of red in code coverage. An extension should only enqueue a script if it is actually used on the page.

Show 3rd-party resources (2)

URL	Transfer Size	Potential Savings
...en_US/base.js (www.youtube.com)	523.9 KiB	357.6 KiB
...js/sppagebuilder.js?f53ba91... (asyxtz.com)	72.5 KiB	50.5 KiB
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	86.7 KiB	42.5 KiB
...js/bootstrap.min.js (asyxtz.com)	49.7 KiB	36.5 KiB
...js/jquery.min.js?bcd2403... (asyxtz.com)	95.6 KiB	33.1 KiB
...js/js_slider.js (asyxtz.com)	50.5 KiB	29.8 KiB
...js/owl.carousel.js (asyxtz.com)	77.5 KiB	25.3 KiB

## ▲ Eliminate render-blocking resources

10.98

s

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more](#). FCP LCP



There are a number of Joomla plugins that can help you [inline critical assets](#) or [defer less important resources](#). Beware that optimizations provided by these plugins may break features of your templates or plugins, so you will need to test these thoroughly.

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
...css/font-awesome-5.min.css?f53ba91... (asyxtz.com)	57.1 KiB	2,130 ms
...css/font-awesome-v4-shims.css?f53ba91... (asyxtz.com)	26.3 KiB	1,380 ms
...css/animate.min.css?f53ba91... (asyxtz.com)	52.4 KiB	2,280 ms

URL	Transfer Size	Potential Savings
...css/sppagebuilder.css?f53ba91... (asyxtz.com)	180.6 KiB	6,780 ms
...css/js_slider.css (asyxtz.com)	6.1 KiB	630 ms
...css/hover_effect.css (asyxtz.com)	30.8 KiB	1,530 ms
...css/style.css (asyxtz.com)	6.9 KiB	330 ms
...css/font-awesome.min.css (asyxtz.com)	21.7 KiB	930 ms
...css/jquery.minicols.css (asyxtz.com)	6.6 KiB	330 ms
...css/nivo-lightbox.css (asyxtz.com)	6.1 KiB	330 ms
...nivo-lightbox/default.css (asyxtz.com)	3.0 KiB	180 ms
...css/owl.carousel.min.css (asyxtz.com)	2.9 KiB	180 ms
...css/owl.theme.default.min.css (asyxtz.com)	1.2 KiB	180 ms
...style/custom-136.css (asyxtz.com)	2.7 KiB	180 ms
...css/bootstrap.min.css (asyxtz.com)	137.3 KiB	4,980 ms
...css/system-j3.min.css (asyxtz.com)	2.4 KiB	180 ms
...css/font-awesome.min.css (asyxtz.com)	55.1 KiB	1,980 ms
...css/fa-v4-shims.css (asyxtz.com)	17.3 KiB	780 ms
...css/template.css (asyxtz.com)	132.8 KiB	4,830 ms
...presets/default.css (asyxtz.com)	2.4 KiB	180 ms
...css/magnific-popup.css (asyxtz.com)	6.0 KiB	330 ms
/css?family=... (fonts.googleapis.com)	1.9 KiB	780 ms
...css/template.css?bcd2403... (asyxtz.com)	0.6 KiB	180 ms
...js/jquery.min.js?bcd2403... (asyxtz.com)	95.6 KiB	3,480 ms
...js/jquery-noconflict.js?bcd2403... (asyxtz.com)	0.3 KiB	180 ms
...js/jquery-migrate.min.js?bcd2403... (asyxtz.com)	10.1 KiB	480 ms
...js/jquery.parallax.js?f53ba91... (asyxtz.com)	1.1 KiB	180 ms
...js/js_slider.js (asyxtz.com)	50.5 KiB	1,830 ms
...js/stoopidSocial.js (asyxtz.com)	21.2 KiB	780 ms
...js/nivo-lightbox.min.js (asyxtz.com)	13.4 KiB	630 ms

URL	Transfer Size	Potential Savings
...js/owl.carousel.js (asyxtz.com)	77.5 KiB	2,130 ms
...js/popper.min.js (asyxtz.com)	19.0 KiB	780 ms
...js/bootstrap.min.js (asyxtz.com)	49.7 KiB	1,230 ms
...js/main.js (asyxtz.com)	11.1 KiB	480 ms
...js/jquery.magnific-popup.min.js (asyxtz.com)	20.0 KiB	630 ms
...js/core.js?bcd2403... (asyxtz.com)	8.8 KiB	330 ms

▲ Enable text compression

4.44 s

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#) [FCP](#) [LCP](#)

 You can enable text compression by enabling Gzip Page Compression in Joomla (System > Global configuration > Server).

URL	Transfer Size	Potential Savings
...css/sppagebuilder.css?f53ba91... (asyxtz.com)	180.3 KiB	153.2 KiB
...css/bootstrap.min.css (asyxtz.com)	137.1 KiB	116.6 KiB
...css/template.css (asyxtz.com)	132.6 KiB	111.4 KiB
https://asyxtz.com	98.6 KiB	85.7 KiB
...js/jquery.min.js?bcd2403... (asyxtz.com)	95.4 KiB	62.0 KiB
...js/owl.carousel.js (asyxtz.com)	77.3 KiB	60.2 KiB
...js/sppagebuilder.js?f53ba91... (asyxtz.com)	72.3 KiB	53.2 KiB
...css/animate.min.css?f53ba91... (asyxtz.com)	52.2 KiB	48.6 KiB
...css/font-awesome-5.min.css?f53ba91... (asyxtz.com)	56.9 KiB	44.5 KiB
...css/font-awesome.min.css (asyxtz.com)	54.8 KiB	42.9 KiB
...js/js_slider.js (asyxtz.com)	50.2 KiB	39.3 KiB
...js/bootstrap.min.js (asyxtz.com)	49.4 KiB	35.8 KiB
...css/hover_effect.css (asyxtz.com)	30.6 KiB	26.5 KiB
...css/font-awesome-v4-shims.css?f53ba91... (asyxtz.com)	26.1 KiB	21.9 KiB

URL	Transfer Size	Potential Savings
...css/font-awesome.min.css (asyxtz.com)	21.5 KiB	16.6 KiB
...js/stoopidSocial.js (asyxtz.com)	20.9 KiB	13.2 KiB
...css/fa-v4-shims.css (asyxtz.com)	17.0 KiB	13.2 KiB
...js/jquery.magnific-popup.min.js (asyxtz.com)	19.7 KiB	12.6 KiB
...js/popper.min.js (asyxtz.com)	18.7 KiB	12.0 KiB
...js/nivo-lightbox.min.js (asyxtz.com)	13.1 KiB	10.5 KiB
...js/main.js (asyxtz.com)	10.8 KiB	7.8 KiB
...js/jquery-migrate.min.js?bcd2403... (asyxtz.com)	9.8 KiB	5.9 KiB
...js/core.js?bcd2403... (asyxtz.com)	8.5 KiB	5.2 KiB
...css/style.css (asyxtz.com)	6.7 KiB	5.0 KiB
...css/jquery[minicols].css (asyxtz.com)	6.4 KiB	4.9 KiB
...css/nivo-lightbox.css (asyxtz.com)	5.9 KiB	4.7 KiB
...css/js_slider.css (asyxtz.com)	5.9 KiB	4.6 KiB
...css/magnific-popup.css (asyxtz.com)	5.8 KiB	4.1 KiB
...nivo-lightbox/default.css (asyxtz.com)	2.8 KiB	2.0 KiB
...style/custom-136.css (asyxtz.com)	2.5 KiB	1.9 KiB
...css/owl.carousel.min.css (asyxtz.com)	2.7 KiB	1.8 KiB
...presets/default.css (asyxtz.com)	2.2 KiB	1.6 KiB
...css/system-j3.min.css (asyxtz.com)	2.1 KiB	1.4 KiB

## ▲ Reduce unused CSS

4.17 s ▲

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn more](#). FCP LCP

Consider reducing, or switching, the number of [Joomla extensions](#) loading unused CSS in your page. To identify extensions that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
...css/sppagebuilder.css?f53ba91... (asyxtz.com)	180.6 KiB	171.8 KiB
...css/bootstrap.min.css (asyxtz.com)	137.3 KiB	134.2 KiB
...css/template.css (asyxtz.com)	132.8 KiB	123.2 KiB
...css/font-awesome-5.min.css?f53ba91... (asyxtz.com)	57.1 KiB	56.3 KiB
...css/font-awesome.min.css (asyxtz.com)	55.1 KiB	54.3 KiB
...css/animate.min.css?f53ba91... (asyxtz.com)	52.4 KiB	52.2 KiB
...9e50a907/www-player.css (www.youtube.com)	47.1 KiB	45.4 KiB
...css/hover_effect.css (asyxtz.com)	30.8 KiB	30.5 KiB
...css/font-awesome-v4-shims.css?f53ba91... (asyxtz.com)	26.3 KiB	25.1 KiB
...css/font-awesome.min.css (asyxtz.com)	21.7 KiB	21.0 KiB
.sp-page-builder .page-content #section-id-1558946021370{padding-top:0px;padding-right:0px; ... } ...	28.0 KiB	15.8 KiB
...css/fa-v4-shims.css (asyxtz.com)	17.3 KiB	11.1 KiB

### ▲ Reduce initial server response time 2.11 s

Keep the server response time for the main document short because all other requests depend on it. [Learn more](#)  


-  Templates, extensions, and server specifications all contribute to server response time. Consider finding a more optimized template, carefully selecting an optimization extension, and/or upgrading your server.

URL	Time Spent
https://asyxtz.com	2,210 ms

### ▲ Serve images in next-gen formats 2.07 s

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).

-  Consider using a [plugin](#) or service that will automatically convert your uploaded images to the optimal formats.

URL	Resource Size	Potential Savings
 <pre>div#sppb-sp-slider-1558946021385 &gt; div.sp-slider-outer-stage &gt; div#sp-slider-item-1558946021385-num-2-key &gt; div.sp-background &lt;div class="sp-background" style="background-image: url(https://asyxtz.com/images/2022/03/21/1.jpg);"&gt;</pre>	...21/1.jpg (asyxtz.com) 367.3 KiB	319.2 KiB
 <p>ASYX GROUP COMPANY LTD is a privately owned limited liability company incorporated in September 2008 with a long history of leading the way in the design and delivery of IT infrastructure and IT support services to clients across the globe.</p> <pre>&lt;section id="section-id-1647496964001" class="sppb-section" data-sppb-parallax="on" style="background-attachment: fixed;"&gt;</pre>	...asyx/imageMz.png (asyxtz.com) 310.2 KiB	238.5 KiB
 <p>Limited</p> <pre>&lt;img class="logo-image" src="/images/logo.png" alt="Asyx Group Company Limited"&gt;</pre>	/images/logo.png (asyxtz.com) 24.6 KiB	21.4 KiB
 <pre>div#sppb-sp-slider-1558946021385 &gt; div.sp-slider-outer-stage &gt; div#sp-slider-item-1558946021385-num-0-key &gt; div.sp-background &lt;div class="sp-background" style="background-image: url(https://asyxtz.com/images/asyx/camera.jpg);"&gt;</pre>	...asyx/camera.jpg (asyxtz.com) 33.7 KiB	13.2 KiB

URL	Resource Size	Potential Savings
div.itemViewBody > div.itemViewContent > div.lb_itemImageBlock > img.lazyOwl <img class="lazyOwl" src="/images/sophos.png" alt="">	/images/sophos.png (asyxtz.com) 13.4 KiB	11.6 KiB
div.itemViewBody > div.itemViewContent > div.lb_itemImageBlock > img.lazyOwl <img class="lazyOwl" src="/images/dell2.png" alt="">	/images/dell2.png (asyxtz.com) 13.6 KiB	10.6 KiB
TZNIC Domain Registrar <img class="sppb-img-responsive" src="/images/2022/04/05/tznic-accredited.png" alt="TZNIC Domain Registrar">	...05/tznic-accredited.png (asyxtz.com) 17.2 KiB	8.6 KiB

## ▲ Defer offscreen images

■ 0.83 s ▲

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more](#).



Install a [lazy-load Joomla plugin](#) that provides the ability to defer any offscreen images, or switch to a template that provides that functionality. Starting with Joomla 4.0, all new images will [automatically](#) get the `loading` attribute from the core.

URL	Resource Size	Potential Savings
 ASYX GROUP COMPANY LTD is a privately owned limited liability company incorpora... <section id="section-id-1647496964001" class="sppb-section" data-sppb-parallax="on" style="background-attachment: fixed;">	...asyx/imageMz.png (asyxtz.com) 310.2 KiB	310.2 KiB

URL	Resource Size	Potential Savings
TZNIC Domain Registrar <pre>&lt;img class="sppb-img- responsive" src="/images/2022/04/05/tznic- accredited.png" alt="TZNIC Domain Registrar"&gt;</pre> 	...05/tznic-accredited.png (asyxtz.com)	17.2 KiB
<div.slider- &gt;="" &gt;<="" &lt;img="" a="" alt="" class="lazyOwl" div="" effects="" figure.item="" hover-="" img.lazyowl="" m-hover-effect="" src="/images/dell2.png">  </div.slider->	/images/dell2.png (asyxtz.com)	13.6 KiB
<div.slider- &gt;="" &gt;<="" &lt;img="" -hover-effect="" a="" alt="" class="lazyOwl" div="" effects="" figure.item="" hover-="" img.lazyowl="" src="/images/sophos.png">  </div.slider->	/images/sophos.png (asyxtz.com)	13.4 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl	/images/hp2.png (asyxtz.com)	11.5 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl	/images/dlink.png (asyxtz.com)	10.0 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl	/images/epson.png (asyxtz.com)	9.5 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl	/images/zimbra2.png (asyxtz.com)	9.0 KiB

URL	Resource Size	Potential Savings
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl 	/images/cisco.jpg (asyxtz.com)	8.1 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl 	/images/kasp2.png (asyxtz.com)	7.5 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl 	/images/lenovo2.png (asyxtz.com)	7.4 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl 	/images/fujitsu.png (asyxtz.com)	7.3 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl 	/images/microsoft2.png (asyxtz.com)	6.0 KiB
 class="sppb-img-responsive" src="/images/2022/04/05/lanvla n.png" alt="LAN and VLANS">>	...05/lanvlan.png (asyxtz.com)	5.6 KiB
div.slider-hover-effects > a > figure.item-hover-effect > img.lazyOwl 	/images/ibm2.png (asyxtz.com)	5.1 KiB

URL	Resource Size	Potential Savings
 <pre>div.slider- hover- effects &gt; a &gt; figure.item &gt;   figure.item-hover-effect &gt; img.lazyOwl &lt;img class="lazyOwl" src="/images/canon2.jpg" alt=""&gt;</pre>	/images/canon2.jpg (asyxtz.com)	4.2 KiB 4.2 KiB
<div style="background-color: #f0f0f0; padding: 10px;"> <pre>div.slider-hover-effects &gt; a &gt;   figure.item-hover-effect &gt; img.lazyOwl     &lt;img class="lazyOwl"       src="/images/Vmware2.png"       alt=""&gt;</pre> </div>	/images/Vmware2.png (asyxtz.com)	4.0 KiB 4.0 KiB

## Efficiently encode images

0.27 s ^

Optimized images load faster and consume less cellular data. [Learn more.](#)



Consider using an [image optimization plugin](#) that compresses your images while retaining quality.

URL	Resource Size	Potential Savings
 <pre>div#sppb-sp-slider- 1558946021385 &gt;   div.sp-slider-outer-stage     &gt; div#sp-slider-item-       1558946021385-num-2-         key &gt; div.sp-background           &lt;div class="sp-background"             style="background-image:               url(&amp;lt;&amp;lt;https://asyxtz.com/images/               2022/03/21/1.jpg);"&gt;</pre>	...21/1.jpg (asyxtz.com)	367.3 KiB 249.6 KiB

## Minify JavaScript

0.15 s ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#) FCP LCP



A number of [Joomla extensions](#) can speed up your site by concatenating, minifying, and compressing your scripts. There are also templates that provide this functionality.

URL	Transfer Size	Potential Savings
<a href="https://googlechrome.github.io/lighthouse/viewer/?psiurl=https%3A%2F%2Fasyxtz.com%2F&amp;strategy=mobile&amp;category=performance&amp;categor...">https://googlechrome.github.io/lighthouse/viewer/?psiurl=https%3A%2F%2Fasyxtz.com%2F&amp;strategy=mobile&amp;category=performance&amp;categor...</a>		

URL	Transfer Size	Potential Savings
...js/owl.carousel.js (asyxtz.com)	77.5 KiB	30.0 KiB
...js/nivo-lightbox.min.js (asyxtz.com)	13.4 KiB	6.0 KiB
...js/main.js (asyxtz.com)	11.1 KiB	4.5 KiB
...js/stupidSocial.js (asyxtz.com)	21.2 KiB	4.0 KiB

These suggestions can help your page load faster. They don't directly affect the Performance score.

## DIAGNOSTICS

### ⚠ Serve static assets with an efficient cache policy — 67 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)



Read about [Browser Caching in Joomla](#).

Show 3rd-party resources (4)

URL	Cache TTL	Transfer Size
...21/1.jpg (asyxtz.com)	None	368 KiB
...asyx/imageMz.png (asyxtz.com)	None	310 KiB
...css/sppagebuilder.css?f53ba91... (asyxtz.com)	None	181 KiB
...css/bootstrap.min.css (asyxtz.com)	None	137 KiB
...css/template.css (asyxtz.com)	None	133 KiB
...fonts/fa-solid-900.woff (asyxtz.com)	None	96 KiB
...js/jquery.min.js?bcd2403... (asyxtz.com)	None	96 KiB
...fonts/fa-brands-400.woff (asyxtz.com)	None	87 KiB
...js/owl.carousel.js (asyxtz.com)	None	78 KiB
...js/sppagebuilder.js?f53ba91... (asyxtz.com)	None	73 KiB
...css/font-awesome-5.min.css?f53ba91... (asyxtz.com)	None	57 KiB
...css/font-awesome.min.css (asyxtz.com)	None	55 KiB
...css/animate.min.css?f53ba91... (asyxtz.com)	None	52 KiB

URL	Cache TTL	Transfer Size
...js/s_slider.js (asyxtz.com)	None	50 KiB
...js/bootstrap.min.js (asyxtz.com)	None	50 KiB
...asyx/DriveStrike-Device-Security.jpg (asyxtz.com)	None	44 KiB
...asyx/camera.jpg (asyxtz.com)	None	34 KiB
...css-hover_effect.css (asyxtz.com)	None	31 KiB
...css/font-awesome-v4-shims.css?f53ba91... (asyxtz.com)	None	26 KiB
/images/logo.png (asyxtz.com)	None	25 KiB
...css/font-awesome.min.css (asyxtz.com)	None	22 KiB
...js/stoopidSocial.js (asyxtz.com)	None	21 KiB
...js/jquery.magnific-popup.min.js (asyxtz.com)	None	20 KiB
...js/popper.min.js (asyxtz.com)	None	19 KiB
...05/tznic-accredited.png (asyxtz.com)	None	17 KiB
...css/fa-v4-shims.css (asyxtz.com)	None	17 KiB
...fonts/fa-regular-400.woff (asyxtz.com)	None	17 KiB
/images/dell2.png (asyxtz.com)	None	14 KiB
/images/sophos.png (asyxtz.com)	None	14 KiB
...js/nivo-lightbox.min.js (asyxtz.com)	None	13 KiB
/images/hp2.png (asyxtz.com)	None	12 KiB
...js/main.js (asyxtz.com)	None	11 KiB
/images/dlink.png (asyxtz.com)	None	10 KiB
...js/jquery-migrate.min.js?bcd2403... (asyxtz.com)	None	10 KiB
/images/epson.png (asyxtz.com)	None	10 KiB
/images/zimbra2.png (asyxtz.com)	None	9 KiB
...js/core.js?bcd2403... (asyxtz.com)	None	9 KiB
/images/cisco.jpg (asyxtz.com)	None	8 KiB
/images/kasp2.png (asyxtz.com)	None	8 KiB
/images/lenovo2.png (asyxtz.com)	None	8 KiB

URL	Cache TTL	Transfer Size
/images/fujitsu.png (asyxtz.com)	None	7 KiB
...css/style.css (asyxtz.com)	None	7 KiB
...css/jquery.minicolors.css (asyxtz.com)	None	7 KiB
/images/microsoft2.png (asyxtz.com)	None	6 KiB
...css/js_slider.css (asyxtz.com)	None	6 KiB
...css/nivo-lightbox.css (asyxtz.com)	None	6 KiB
...css/magnific-popup.css (asyxtz.com)	None	6 KiB
...05/lanvlan.png (asyxtz.com)	None	6 KiB
/images/ibm2.png (asyxtz.com)	None	5 KiB
...asyx/transparent.jpg (asyxtz.com)	None	5 KiB
/images/canon2.jpg (asyxtz.com)	None	4 KiB
/images/Vmware2.png (asyxtz.com)	None	4 KiB
...nivo-lightbox/default.css (asyxtz.com)	None	3 KiB
...css/owl.carousel.min.css (asyxtz.com)	None	3 KiB
...style/custom-136.css (asyxtz.com)	None	3 KiB
...presets/default.css (asyxtz.com)	None	2 KiB
...css/system-j3.min.css (asyxtz.com)	None	2 KiB
/images/apc.png (asyxtz.com)	None	1 KiB
...css/owl.theme.default.min.css (asyxtz.com)	None	1 KiB
...js/jquery.parallax.js?f53ba91... (asyxtz.com)	None	1 KiB
...demo/serarch-icon.svg (asyxtz.com)	None	1 KiB
...css/template.css?bcd2403... (asyxtz.com)	None	1 KiB
...js/jquery-noconflict.js?bcd2403... (asyxtz.com)	None	0 KiB
/instream/ad_status.js (static.doubleclick.net)	15 m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15 m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15 m	1 KiB
/instream/ad_status.js (static.doubleclick.net)	15 m	1 KiB

⚠ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading.

[Learn more](#) FCP LCP

Show 3rd-party resources (4)

URL	Potential Savings
...fonts/fa-regular-400.woff (asyxtz.com)	560 ms
...fonts/fa-solid-900.woff (asyxtz.com)	700 ms
...fonts/fa-brands-400.woff (asyxtz.com)	670 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	0 ms

⚠ Reduce the impact of third-party code — Third-party code blocked the main thread for 4,820 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading.

[Learn more](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
<a href="#">YouTube</a>	2,784 KiB	4,823 ms
...en_US/base.js (www.youtube.com)	2,096 KiB	2,249 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	347 KiB	2,216 ms
/embed/ttd3bLiTWpU (www.youtube.com)	26 KiB	126 ms
/embed/YR4CR4Sht3A (www.youtube.com)	25 KiB	111 ms
/embed/AgwtOHyHE8I (www.youtube.com)	25 KiB	80 ms
Other resources	265 KiB	41 ms
<a href="#">Google Fonts</a>	133 KiB	0 ms
...v18/KFOmCnqEu....woff2 (fonts.gstatic.com)	46 KiB	0 ms
...v28/memtYaGs1....woff2 (fonts.gstatic.com)	42 KiB	0 ms
...v28/memvYaGs1....woff2 (fonts.gstatic.com)	40 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
<a href="#">Other Google APIs/SDKs</a>	58 KiB	0 ms
...th/kWH5NJRn0....js (www.google.com)	58 KiB	0 ms
<a href="#">Google/Doubleclick Ads</a>	11 KiB	0 ms

- ⚠ Some third-party resources can be lazy loaded with a facade — [1 facade alternative available](#)

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more.](#) [TBT](#)

Product	Transfer Size	Main-Thread Blocking Time
YouTube Embedded Player (Video)	2,784 KiB	4,823 ms
...en_US/base.js (www.youtube.com)	2,096 KiB	2,249 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	347 KiB	2,216 ms
...9e50a907/www-player.css (www.youtube.com)	188 KiB	0 ms
...en_US/embed.js (www.youtube.com)	35 KiB	0 ms
/embed/ttd3bLiTWpU (www.youtube.com)	26 KiB	126 ms
Other resources	92 KiB	232 ms

- ⚠ Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

Show 3rd-party resources (2)

Source
...js/jquery.min.js?bcd2403...:2:41407 (asyxtz.com)
...en_US/base.js:6876:383 (www.youtube.com)
...en_US/base.js:4211:111 (www.youtube.com)

- ⚠ Image elements do not have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#) [CLS](#)


## URL


div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/epson.png (asyxtz.com)


div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/kasp2.png (asyxtz.com)


div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/epson.png (asyxtz.com)


div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/dlink.png (asyxtz.com)


div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/fujitsu.png (asyxtz.com)

div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/Vmware2.png (asyxtz.com)

div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/ibm2.png (asyxtz.com)

div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/lenovo2.png (asyxtz.com)

div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/microsoft2.png (asyxtz.com)

div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  
 /images/zimbra2.png (asyxtz.com)



div.slider-hover-effects > a >  
figure.item-hover-effect > img.lazyOwl  
 /images/canon2.jpg (asyxtz.com)

## URL

```
div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  

```



```
div.slider-hover-effects > a >  
figure.item-hover-effect > img.lazyOwl  

```

```
div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  

```

```
div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  

```

```
div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  

```



```
div.slider-hover-effects > a >  
figure.item-hover-effect > img.lazyOwl  


```

```
div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  

```

```
div.slider-hover-effects > a > figure.item-hover-effect >  
img.lazyOwl  

```



```
Asyx Group Company Limited  

```

## ▲ First Contentful Paint (3G) — 24193 ms



First Contentful Paint 3G marks the time at which the first text or image is painted while on a 3G network. [Learn more.](#)

## ▲ Minimize main-thread work — 13.3 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) [TBT]

Category	Time Spent
Script Evaluation	9,421 ms
Other	1,283 ms
Style & Layout	828 ms
Script Parsing & Compilation	601 ms
Garbage Collection	487 ms
Parse HTML & CSS	388 ms
Rendering	318 ms

### ▲ Reduce JavaScript execution time — 9.9 s



Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) [TBT]

Show 3rd-party resources (8)

URL	Total CPU	Script	Script
	Time	Evaluation	Parse
...en_US/base.js (www.youtube.com)	3,823 ms	3,145 ms	406 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	3,795 ms	3,263 ms	93 ms
https://asyxtz.com	1,252 ms	14 ms	5 ms
/embed/YR4CR4Sht3A (www.youtube.com)	757 ms	659 ms	14 ms
/embed/AgwtOHyHE8I (www.youtube.com)	721 ms	657 ms	11 ms
/embed/ttd3bLiTWpU (www.youtube.com)	679 ms	591 ms	11 ms
/embed/BWLRMBrKH_c?iv_load_policy=3&rel=1 (www.youtube.com)	651 ms	536 ms	12 ms
Unattributable	589 ms	18 ms	1 ms
...js/jquery.min.js?bcd2403... (asyxtz.com)	399 ms	272 ms	5 ms
...js/sppagebuilder.js?f53ba91... (asyxtz.com)	201 ms	139 ms	5 ms
...9e50a907/www-player.css (www.youtube.com)	142 ms	0 ms	0 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...th/kWH5NJRn0...js (www.google.com)	81 ms	68 ms	8 ms

## ⚠ Avoid enormous network payloads — Total size was 5,518 KiB ^

Large network payloads cost users real money and are highly correlated with long load times.

[Learn more.](#) LCP



Consider showing excerpts in your article categories (e.g. via the read more link), reducing the number of articles shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

Show 3rd-party resources (4)

URL	Transfer Size
...en_US/base.js (www.youtube.com)	523.9 KiB
...21/1.jpg (asyxtz.com)	367.6 KiB
...asyx/imageMz.png (asyxtz.com)	310.5 KiB
...css/sppagebuilder.css?f53ba91... (asyxtz.com)	180.6 KiB
...css/bootstrap.min.css (asyxtz.com)	137.3 KiB
...css/template.css (asyxtz.com)	132.8 KiB
https://asyxtz.com	99.2 KiB

## 🟠 Avoid an excessive DOM size — 975 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#) TBT

Statistic	Element	Value
Total DOM Elements		975
Maximum DOM Depth	div.lb_itemView > div.itemViewHeader > h2 > a <a href="/">	33


Statistic	Element	Value
Maximum Child Elements	 div.sppb-addon-content > div#jux-content-slider136 > div.owl-stage-outer > div.owl-stage <pre>&lt;div class="owl-stage" style="transform: translate3d(-660px, 0px, 0px); transition: all 0s ease 0s; width: 660px; height: 330px; position: relative; overflow: hidden; z-index: 1; "&gt;</pre>	19

## ○ Avoid chaining critical requests — 39 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more](#). FCP LCP

Maximum critical path latency: **8,820 ms**

### *Initial Navigation*



```

...css/font-awesome-5.min.css?f53ba91... (asyxtz.com) - 1,030 ms, 57.10 KiB
...js/jquery-noconflict.js?bcd2403... (asyxtz.com) - 1,330 ms, 0.27 KiB
...js/owl.carousel.js (asyxtz.com) - 4,740 ms, 77.55 KiB
...css/style.css (asyxtz.com) - 5,380 ms, 6.92 KiB
...css/font-awesome.min.css (asyxtz.com)
  ...fonts/fa-solid-900.woff (asyxtz.com) - 700 ms, 96.32 KiB
  ...fonts/fa-regular-400.woff (asyxtz.com) - 560 ms, 16.65 KiB
  ...fonts/fa-brands-400.woff (asyxtz.com) - 670 ms, 86.59 KiB
...js/popper.min.js (asyxtz.com) - 870 ms, 19.00 KiB
...css/font-awesome.min.css (asyxtz.com) - 870 ms, 21.73 KiB
...style/custom-136.css (asyxtz.com) - 3,510 ms, 2.74 KiB
...css/magnific-popup.css (asyxtz.com) - 4,610 ms, 6.02 KiB
...css/sppagebuilder.css?f53ba91... (asyxtz.com) - 5,830 ms, 180.57 KiB
...css/owl.carousel.min.css (asyxtz.com) - 4,560 ms, 2.94 KiB
...js/bootstrap.min.js (asyxtz.com) - 1,010 ms, 49.70 KiB
...js/jquery.min.js?bcd2403... (asyxtz.com) - 580 ms, 95.61 KiB

```

## >User Timing marks and measures — 15 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

Name	Type	Start Time	Duration
mark_pe	Mark	8,572.59 ms	
mark_pe	Mark	8,668.92 ms	
mark_pe	Mark	8,782.48 ms	
mark_pe	Mark	8,865.85 ms	
mark_fs	Mark	8,950.5 ms	
mark_goes	Mark	8,962.61 ms	
mark_fs	Mark	9,089.39 ms	
mark_goes	Mark	9,099.96 ms	
mark_fs	Mark	9,210.14 ms	
mark_goes	Mark	9,221.51 ms	
mark_fs	Mark	9,382.32 ms	
mark_goes	Mark	9,393.2 ms	

Name	Type	Start Time	Duration
mark_ol	Mark	10,427.91 ms	
mark_ol	Mark	10,428.58 ms	
mark_ol	Mark	10,636.29 ms	

## ○ Keep request counts low and transfer sizes small — 135 requests • 5,518 KiB ^

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	135	5,518.0 KiB
Script	38	3,003.7 KiB
Stylesheet	29	952.2 KiB
Image	28	931.8 KiB
Font	9	327.1 KiB
Document	5	200.6 KiB
Other	26	102.7 KiB
Media	0	0.0 KiB
Third-party	71	3,079.3 KiB

## ○ Largest Contentful Paint element — 1 element found ^

This is the largest contentful element painted within the viewport. [Learn More](#) [LCP]

Element
 div#sppb-sp-slider-1558946021385 > div.sp-slider-outer-stage > div#sp-slider-item-1558946021385-num-0-key > div.sp-background <div class="sp-background" style="background-image: url(<a href="https://asyxtz.com/images/asyx/camera.jpg"></a>);>

## ○ Avoid large layout shifts — 5 elements found ^

These DOM elements contribute most to the CLS of the page. [CLS](#)

Element	CLS Contribution

Element	CLS Contribution
	Our services We make your business Simple. <section id="section-id-1647496963956" class="sppb-section"> 0.438
	OFFICE EQUIPMENTS & ACCESSORIES ICT SECURITY SOFTWARE & SOLUTIONS LAN & VLAN INS... <section id="section-id-1648710543474" class="sppb-section"> 0.4
	Simple. <span class="animated-heading-after-part"> 0.031
	div.sp-column > div#sp-page-builder > div.page-content > section#section-id-1558983539366 <section id="section-id-1558983539366" class="sppb-section"> 0.024
	business <span class="animated-text-words-wrapper" style="width: 198px;"> 0.014

## ○ Avoid long main-thread tasks — 20 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.

[Learn more](#) [TBT]

Show 3rd-party resources (16)

URL	Start Time	Duration
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	35,393 ms	456 ms
...en_US/base.js (www.youtube.com)	34,240 ms	453 ms
...en_US/base.js (www.youtube.com)	33,810 ms	430 ms
...en_US/base.js (www.youtube.com)	37,565 ms	370 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	28,425 ms	363 ms

URL	Start Time	Duration
...en_US/base.js (www.youtube.com)	34,693 ms	350 ms
...en_US/base.js (www.youtube.com)	35,043 ms	350 ms
...en_US/base.js (www.youtube.com)	36,893 ms	343 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	36,085 ms	336 ms
...en_US/base.js (www.youtube.com)	37,236 ms	329 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	35,849 ms	236 ms
...www-embed-player.vflset/www-embed-player.js (www.youtube.com)	36,421 ms	206 ms
...js/sppagebuilder.js?f53ba91... (asyxtz.com)	28,148 ms	188 ms
...js/jquery.min.js?bcd2403... (asyxtz.com)	19,080 ms	148 ms
https://asyxtz.com	1,244 ms	101 ms
https://asyxtz.com	1,379 ms	94 ms
/embed/YR4CR4Sht3A (www.youtube.com)	2,839 ms	84 ms
/embed/AgwtOHyHE8I (www.youtube.com)	3,926 ms	78 ms
/embed/YR4CR4Sht3A (www.youtube.com)	2,460 ms	77 ms
...en_US/base.js (www.youtube.com)	27,107 ms	76 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

## PASSED AUDITS (14)

[Hide](#)

### ● Properly size images — Potential savings of 4 KiB


[^](#)

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)



Consider using a [responsive images plugin](#) to use responsive images in your content.

URL	Resource Size	Potential Savings

URL	Resource Size	Potential Savings
 Asyx Group Company Limited <pre>&lt;img class="logo-image" src="/images/logo.png" alt="Asyx Group Company Limited"&gt;</pre>	/images/logo.png (asyxtz.com) 24.6 KiB	4.5 KiB

#### ● Minify CSS — Potential savings of 8 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn more](#). FCP LCP



A number of [Joomla extensions](#) can speed up your site by concatenating, minifying, and compressing your css styles. There are also templates that provide this functionality.

URL	Transfer Size	Potential Savings
...css/hover_effect.css (asyxtz.com)	30.8 KiB	5.0 KiB
...css/style.css (asyxtz.com)	6.9 KiB	2.5 KiB

#### ● Preconnect to required origins ^

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more](#). FCP LCP

#### ● Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn more](#). FCP LCP

#### ○ Preload key requests ^

Consider using `` to prioritize fetching resources that are currently requested later in page load. [Learn more](#). FCP LCP

#### ● Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)

LCP

 Consider uploading your GIF to a service which will make it available to embed as an HTML5 video.

## Remove duplicate modules in JavaScript bundles

^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

## Avoid serving legacy JavaScript to modern browsers — Potential savings of 0 KiB

^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#) [TBT](#)

URL	Potential Savings
...js/popper.min.js (asyxtz.com)	0.2 KiB
...js/popper.min.js:4:11105 (asyxtz.com)	@babel/plugin-transform-classes
...js/sppagebuilder.js?f53ba91... (asyxtz.com)	0.2 KiB
...js/sppagebuilder.js?f53ba91...:13:8778 (asyxtz.com)	@babel/plugin-transform-classes

## Preload Largest Contentful Paint image

^

Preload the image used by the LCP element in order to improve your LCP time. [Learn more](#) [LCP](#)

URL	Potential Savings

URL	Potential Savings
 <pre>div#sppb-sp-slider-1558946021385 &gt; div.sp-slider-outer-stage &gt; div#sp-slider-item-1558946021385-num-0-key &gt; div.sp-background &lt;div class="sp-background" style="background-image: url(https://asyxtz.com/images/asyx/camera.jpg);"&gt;</pre>	...asyx/camera.jpg (asyxtz.com) 0 ms

### ● Largest Contentful Paint image was not lazily loaded ^

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more](#).

#### Element



```
div#sppb-sp-slider-1558946021385 > div.sp-slider-outer-stage > div#sp-slider-item-1558946021385-num-0-key > div.sp-background
<div class="sp-background" style="background-image: url(https://asyxtz.com/images/asyx/camera.jpg);">
```

### ● Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#)

### ○ Avoid non-composited animations ^

Animations which are not composited can be janky and increase CLS. [Learn more](#) CLS

### ● Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#) TBT

### ● Avoids `unload` event listeners ^

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. [Learn more](#)



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

## CONTRAST

- ⚠ Background and foreground colors do not have a sufficient contrast ratio.

^

Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

Failing Elements

© 2009 -2022. All Rights Reserved.  
`<span class="sp-copyright">`

© 2009 -2022. All Rights Reserved.  
`<footer id="sp-footer">`

These are opportunities to improve the legibility of your content.

## NAMES AND LABELS


- ⚠ `<frame>` or `<iframe>` elements do not have a title

^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

Failing Elements

## Failing Elements




```
div#sppb-addon-1647498514724 > div.sppb-addon > div.sppb-video-block >  
  iframe.sppb-embed-responsive-item  
  
<iframe class="sppb-embed-responsive-item"  
  src="//www.youtube.com/embed/BWLRMBrKH_c?iv_load_policy=3&rel=1"  
  webkitallowfullscreen="" mozallowfullscreen="" allowfullscreen=""  
  loading="lazy">
```


▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more](#).

## Failing Elements



```
div.sp-column > ul.sp-contact-info > li.sp-contact-email > a  
<a href="mailto:info@asyx.co.tz">
```



```
div.sp-column > ul.sp-contact-info > li.sp-contact-phone > a  
<a href="tel:+255755432071">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```



```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```



```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```



```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

## Failing Elements

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
div.owl-item > div#fa fa-clock-oitem136 > div.slider-hover-effects > a  
<a href="/">
```

```
body.site > div.offcanvas-menu > a.close-offcanvas  
<a href="#" class="close-offcanvas">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more](#).

- Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more](#).

- Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more](#).

- The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more](#).

- User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more](#).

- Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more](#).

- Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn more](#).

- Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more](#).

- Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more](#).

- HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more](#).

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

## PASSED AUDITS (15)

Hide

### ● `[aria-*]` attributes match their roles

^

Each ARIA `role` supports a specific subset of `aria-\*` attributes. Mismatching these invalidates the `aria-\*` attributes. [Learn more](#).

### ● `[aria-hidden="true"]` is not present on the document `<body>`

^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn more](#).

### ● `[aria-*]` attributes have valid values

^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

### ● `[aria-*]` attributes are valid and not misspelled

^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

### ● Image elements have `[alt]` attributes

^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

### ● `[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

### ● `[aria-hidden="true"]` elements do not contain focusable descendants

^

Focusable descendants within an `'[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more](#).

- The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

- Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

- `[id]` attributes on active, focusable elements are unique ^

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more](#).

- `<html>` element has a `[lang]` attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

- `<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more](#).

- Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more](#).

- List items (`<li>`) are contained within `<ul>` or `<ol>` parent elements ^

Screen readers require list items (`<li>`) to be contained within a parent `<ul>` or `<ol>` to be announced properly. [Learn more](#).

● Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more](#).

## NOT APPLICABLE (26)

[Hide](#)

○ [\[accesskey\] values are unique](#) ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more](#).

○ [button, link, and menuitem elements have accessible names](#) ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ [ARIA input fields have accessible names](#) ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ [ARIA meter elements have accessible names](#) ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ [ARIA progressbar elements have accessible names](#) ^

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ [\[role\]s have all required \[aria-\\*\] attributes](#) ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all

required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

○ [role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

○ [role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ ARIA tooltip elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ ARIA treeitem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

○ Buttons have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

○ <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more](#).

○ Definition list items are wrapped in <dl> elements ^

Definition list items ('<dt>' and '<dd>') must be wrapped in a parent '<dl>' element to ensure that screen readers can properly announce them. [Learn more](#).

- ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more](#).

- No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more](#).

- `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).

- Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more](#).

- The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).

- `<object>` elements have alternate text ^

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more](#).

- No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

- Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).

- `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more](#).

○ [\[lang\] attributes have a valid value](#) ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more](#).

○ [<video> elements contain a <track> element with \[kind="captions"\]](#) ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more](#).



## Best Practices

### TRUST AND SAFETY

▲ [Includes front-end JavaScript libraries with known security vulnerabilities — 4 vulnerabilities detected](#) ^

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more](#).

Library Version	Vulnerability Count	Highest Severity
<a href="#">jQuery@1.12.4</a>	4	Medium

○ [Ensure CSP is effective against XSS attacks](#) ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn more](#)

Description	Directive	Severity

Description	Directive	Severity
No CSP found in enforcement mode		High

## GENERAL

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

Source	Description
...v1/log_event? alt=json&key=AlzaSyAO_...:1:0 (www.youtube.com)	Failed to load resource: net::ERR_ACCESS_DENIED

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools ^

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
SameSite cookie
/embed/AgwtOHyHE8I (www.youtube.com)
/embed/ttd3bLiTWpU (www.youtube.com)
/embed/BWLRMBBrKH_c?iv_load_policy=3&rel=1 (www.youtube.com)
/embed/YR4CR4Sht3A (www.youtube.com)

○ Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more](#).

Name	Version
jQuery	1.12.4
Joomla	

## PASSED AUDITS (10)

Hide

- Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more](#).

- Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

- Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more](#).

- Allows users to paste into password fields

Preventing password pasting undermines good security policy. [Learn more](#).

- Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more](#).

- Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more](#).

- Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more](#).

- Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more](#).

● **Avoids deprecated APIs** ^

Deprecated APIs will eventually be removed from the browser. [Learn more](#).

● **Page has valid source maps** ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more](#).

NOT APPLICABLE (1)

[Hide](#)

○ **Fonts with `font-display: optional` are preloaded** ^

Preload `optional` fonts so first-time visitors may use them. [Learn more](#)



**SEO**

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on

[Core Web Vitals](#). [Learn more](#).

CONTENT BEST PRACTICES

▲ **Document does not have a meta description** ^





Meta descriptions may be included in search results to concisely summarize page content. [Learn more.](#)

Format your HTML in a way that enables crawlers to better understand your app's content.

## MOBILE FRIENDLY

### ■ Tap targets are not sized appropriately — 89% appropriately sized tap targets ^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)

Tap Target	Size	Overlapping Target
	E 16x18	 div.sp-column > ul.sp-contact-info > li.sp-contact-phone > a <a href="tel:+255755432071" data-bbox="558 428 658 451">>
	E 16x18	 AR <a href="/index.php/ar/">

Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn more.](#)

## ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Hide](#)

### ○ Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Run these additional validators on your site to check additional SEO best practices.

## PASSED AUDITS (12)

[Hide](#)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). [TBT]

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more](#).

- Links have descriptive text

Descriptive link text helps search engines understand your content. [Learn more](#).

- Links are crawlable

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

- Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more](#).

- robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more](#).

- Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

- Document has a valid [hreflang](#)

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more](#).

- Document has a valid [rel=canonical](#)

Canonical links suggest which URL to show in search results. [Learn more](#).

- Document uses legible font sizes — **99.91% legible text**

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text  $\geq 12\text{px}$ . [Learn more](#).

Source	Selector	% of Page Text	Font Size
...css/font-awesome.min.css:4:432 (asyxtz.com)	.fa	0.09%	10px
Legible text		99.91%	$\geq 12\text{px}$

- Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more](#).



## PWA

These checks validate the aspects of a Progressive Web App. [Learn more](#).



## INSTALLABLE

- ▲ Web app manifest or service worker do not meet the installability requirements — **1 reason**

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more](#).

Failure reason

No manifest was fetched

 PWA OPTIMIZED

- ▲ Does not register a service worker that controls page and [start\\_url](#) ^

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more](#).

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.** ^

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more](#).

Does not set a theme color for the address bar.

**Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.** ^

The browser address bar can be themed to match your site. [Learn more](#).

- Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more](#).

- Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). TBT

- ▲ Does not provide a valid `apple-touch-icon` ^

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More](#).

⚠ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn more](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (3)

Hide

○ Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn more](#).

○ Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

○ Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

🕒 Captured at Apr 6, 2022, 8:52 AM

GMT+3

⌚ Initial page load

🕒 Emulated Moto G4 with

Lighthouse 9.3.0

📍 Unknown

👤 Single page load

🌐 Using HeadlessChromium

98.0.4758.102 with lr

Generated by **Lighthouse** 9.3.0 | [File an issue](#)