```
<title>star 1</title>
                                                                     : Console Sources
(script)
                                                                    // 변수 선언
 let output = "";
                                                                      Live reload enabled.
                                                                    > |
 // 반복문
 for (let i = 0; i < 5; i++) {
 output += "*";
}
 // 출력
 console.log(output);
</script>
<title>star 2</title>
                                                                     : Console Sources
<script>
                                                                    let output = "";
                                                                      *
 // 반복문
 for (let i = 0; i < 5; i++) {
                                                                      Live reload enabled.
  output += "*";
output += "\n";
                                                                    >
 // 출력
 console.log(output);
<title>star 3</title>
                                                                    Console Sources I
                                                                    ****
 let output = "";
                                                                      ****
                                                                      ****
                                                                      ****
 for (let i = 0; i < 5; i++) {
                                                                      Live reload enabled.
 for (let j = 0; j < 5; j++) {
 output += "*";
                                                                    > |
 output += "\n";
 // 출력
 console.log(output);
```

```
<title>star 4</title>
                                                                       : Console Sources
                                                                      **
 let output = "";
                                                                        ***
                                                                        ****
 // 반복문
                                                                        ****
 for (let i = 1; i <= 5; i++) {
                                                                        Live reload enabled.
  for (let j = 1; j <= i; j++) {
                                                                      >1
   output += "*";
  output += "\n";
 // 출력
 console.log(output);
</script>
<title>star 5</title>
                                                                       E Console Sources
                                                                       *****
 let output = "";
                                                                         ****
                                                                         ***
                                                                         **
 // 반복문
 for (let i = 1; i <= 5; i++) {
                                                                         Live retoad enabled.
  for (let j = 5; j >= i; j--) {
                                                                      > [
   output += "*";
 output += "\n";
 // 출력
 console.log(output);
<title>star 6</title>
                                                                       : Console Sources
(script)
                                                                       // 변수 선언
                                                                           **
 let output = "";
                                                                           ***
                                                                          ****
 // 반복문
                                                                         ****
 for (let i = 1; i <= 5; i++) {
                                                                         Live reload enabled.
                                                                       >
    output += " ";
   for (let k = 1; k <= i; k++) {
  output += "*";
   output += "\n";
 console.log(output);
```

```
<title>star 7</title>
                                                                    : Console Sources
                                                                    // 변수 선언
 let output = "";
                                                                       ****
                                                                        ***
                                                                        **
 for (let i = 1; i <= 5; i++) {
                                                                    > |
  for (let j = 1; j < i; j++) {
   output += " ";
  for (let k = 5; k >= i; k--) {
  output += "*";
}
  output += "\n";
 console.log(output);
<title>star 8</title>
                                                                    : Console Sources
                                                                    // 변수 선언
                                                                         ***
 let output = "";
                                                                        ****
                                                                       *****
                                                                       ******
 for (let i = 0; i <= 4; i++) {
                                                                      Live reload enabled.
                                                                    > |
   output += " ";
  for (let k = 1; k <= 2 * i + 1; k++) {
  output += "*";
  output += " ";
 output += "\n";
 // 출력
console.log(output);
```

```
<title>star 9</title>
                                                                         : Console Sources
<script>
                                                                        // 변수 선언
                                                                           ++++++++
                                                                           *****
 let output = "";
                                                                            ****
                                                                             ***
 // 반복문
 for (let i = 0; i <= 4; i++) {
                                                                          Live reload enabled.
  for (let j = 1; j <= i; j++) {
                                                                        >
    output += " ";
  for (let k = 9; k >= 2 * i + 1; k--) {
   output += "*";
  output += " ";
  output += "\n";
 // 출력
 console.log(output);
<title>star 10</title>
                                                                         : Console Sources
                                                                        // 10번
 // 변수 선언
                                                                             ***
 let output = "";
                                                                             ****
                                                                            *****
 // 반복문 - 마름모 윗부분
                                                                            ******
 for (let i = 0; i <= 4; i++) {
                                                                            ******
                                                                             ****
   for (let j = 5; j > i; j--) {
  output += " ";
                                                                             ***
   for (let k = 1; k <= 2 * i + 1; k++) {
                                                                          Live reload enabled.
   output += "*";
                                                                        > |
  output += " ";
  output += "\n";
 // 반복문 - 마름모 아랫부분
 for (let i = 0; i <= 4; i++) {
   for (let j = 0; j \leftarrow i + 1; j++) {
   output += " ";
   for (let k = 7; k >= 2 * i + 1; k--) {
   output += "*";
  output += " ";
  output += "\n";
 // 출력
 console.log(output);
```