


Our shell wrinkling (RT growth, Vishniac spacing)

1× mass, Δ/R = 0.016, λ = 3Δ = 154 Mpc now ($\ell \approx 131$)
seed ripple 0.01Δ, grown by RT e-folds, capped at Δ










Our shell wrinkling (RT growth, Vishniac spacing)

1× mass, Δ/R = 0.030, λ = 3Δ = 288 Mpc now (ℓ ≈ 70)
seed ripple 0.01Δ, grown by RT e-folds, capped at Δ




radius (Gpc): shell at 0 → 1.45, mid → 2.35, now → 3.20







Our shell wrinkling (RT growth, Vishniac spacing)

10× mass, Δ/R = 0.016, λ = 3Δ = 154 Mpc now (ℓ ≈ 131)
seed ripple 0.01Δ, grown by RT e-folds, capped at Δ




radius (Gpc): shell at 0 → 1.76, mid → 2.64, now → 3.20





Our shell wrinkling (RT growth, Vishniac spacing)

10× mass, Δ/R = 0.030, λ = 3Δ = 288 Mpc now ($\ell \approx 70$)
seed ripple 0.01Δ, grown by RT e-folds, capped at Δ



radius (Gpc): shell at 0 → 1.76, mid → 2.64, now → 3.20

