

Schedule 4 – Approved Species of Ornamental Fish and Marine Invertebrates

Freshwater ornamental fish

| Valid scientific name | Common name |
|--------------------------------------|---------------------------|
| <i>Abramites hypselonotus</i> | Marbled headstander |
| <i>Acantopsis choirorhynchus</i> | Horseface loach |
| <i>Acantopsis dialuzona</i> | |
| <i>Acarichthys heckelii</i> | Threadfin acara |
| <i>Aequidens pulcher</i> | Blue acara |
| <i>Aequidens rivulatus</i> | Gold suam |
| <i>Agamyxis pectinifrons</i> | |
| <i>Alestopeterius caudalis</i> | Yellowtail Congo tetra |
| <i>Altolamprologus compressiceps</i> | Compressiceps cichlid |
| <i>Amblydoras hancockii</i> | Blue-eye catfish |
| <i>Amphilophus citrinellus</i> | Midas cichlid |
| <i>Anableps anableps</i> | Foureyes |
| <i>Anomalochromis thomasi</i> | African butterfly cichlid |
| <i>Ancistrus hoplogenys</i> | |
| <i>Ancistrus aguaboensis</i> | |
| <i>Ancistrus bodenhameri</i> | Ancistrus damasceni |
| <i>Ancistrus brevifilis</i> | |
| <i>Ancistrus cirrhosus</i> | Jumbie teta |
| <i>Ancistrus claro</i> | |
| <i>Ancistrus clementinae</i> | |
| <i>Ancistrus cryptophthalmus</i> | Golden pheco |
| <i>Ancistrus damasceni</i> | |
| <i>Ancistrus dolichancistrus</i> | |
| <i>Ancistrus dolichopterus</i> | Bushymouth catfish |
| <i>Ancistrus dubius</i> | |
| <i>Ancistrus erinaceus</i> | |
| <i>Ancistrus formoso</i> | |
| <i>Ancistrus fulvus</i> | |
| <i>Ancistrus galani</i> | |
| <i>Ancistrus gymnorhynchus</i> | |
| <i>Ancistrus hoplogenys</i> | |
| <i>Ancistrus jataiensis</i> | |
| <i>Ancistrus jelskii</i> | |
| <i>Ancistrus latifrons</i> | |
| <i>Ancistrus leucostictus</i> | |
| <i>Ancistrus lineolatus</i> | |
| <i>Ancistrus macrophthalmus</i> | |
| <i>Ancistrus maculatus</i> | |
| <i>Ancistrus malacops</i> | |
| <i>Ancistrus maracasae</i> | |
| <i>Ancistrus martini</i> | |
| <i>Ancistrus mattogrossensis</i> | |
| <i>Ancistrus montanus</i> | |
| <i>Ancistrus multispinis</i> | |
| <i>Ancistrus nudiceps</i> | |

| | |
|-----------------------------------|---------------------------|
| <i>Ancistrus occidentalis</i> | |
| <i>Ancistrus pirareta</i> | |
| <i>Ancistrus ranunculus</i> | |
| <i>Ancistrus reisi</i> | |
| <i>Ancistrus salgadae</i> | |
| <i>Ancistrus spinosus</i> | |
| <i>Ancistrus tamboensis</i> | |
| <i>Ancistrus temmincki</i> | Yellow black eye |
| <i>Ancistrus triradiatus</i> | |
| <i>Anostomus anostomus</i> | Striped headstander |
| <i>Anostomus ternetzi</i> | |
| <i>Aphyocharax paraguayensis</i> | White spot tetra |
| <i>Aphyocharax rathbuni</i> | Redbelly tetra |
| <i>Aphyosemion australe</i> | Lyretail panchax |
| <i>Aphyosemion bitaeniatum</i> | |
| <i>Aphyosemion bivittatum</i> | Twostripe lyretail |
| <i>Aphyosemion striatum</i> | |
| ▶ <i>Apistogramma agassizii</i> | Agassiz's dwarf cichlid |
| ▶ <i>Apistogramma alacrina</i> | |
| ▶ <i>Apistogramma albertini</i> | |
| ▶ <i>Apistogramma ambiacus</i> | |
| ▶ <i>Apistogramma amoenum</i> | Pleasant cichlid |
| ▶ <i>Apistogramma arua</i> | |
| ▶ <i>Apistogramma atahualpa</i> | |
| ▶ <i>Apistogramma bitaeniata</i> | Two-striped dwarf cichlid |
| ▶ <i>Apistogramma borellii</i> | Umbrella cichlid |
| ▶ <i>Apistogramma brevis</i> | |
| ▶ <i>Apistogramma cacatuoides</i> | Cockatoo cichlid |
| ▶ <i>Apistogramma caetei</i> | |
| ▶ <i>Apistogramma celeste</i> | |
| ▶ <i>Apistogramma commbrae</i> | Corumba cichlid |
| ▶ <i>Apistogramma cruzi</i> | |
| ▶ <i>Apistogramma curutu</i> | |
| ▶ <i>Apistogramma diplotaenia</i> | |
| ▶ <i>Apistogramma elizabethae</i> | |
| ▶ <i>Apistogramma eremnopyge</i> | |
| ▶ <i>Apistogramma esmerald</i> | |
| ▶ <i>Apistogramma eunotus</i> | |
| ▶ <i>Apistogramma galaxis</i> | |
| ▶ <i>Apistogramma geisleri</i> | |
| ▶ <i>Apistogramma gephyra</i> | |
| ▶ <i>Apistogramma gibbiceps</i> | Yellow cheeked dwarf |
| ▶ <i>Apistogramma gossei</i> | |
| ▶ <i>Apistogramma guttata</i> | |
| ▶ <i>Apistogramma hauswell</i> | |
| ▶ <i>Apistogramma hippolytae</i> | Two spot apistogramma |
| ▶ <i>Apistogramma hoignei</i> | |
| ▶ <i>Apistogramma hongloi</i> | |
| ▶ <i>Apistogramma huallaga</i> | |
| ▶ <i>Apistogramma inconspicua</i> | |
| ▶ <i>Apistogramma iniridae</i> | |
| ▶ <i>Apistogramma juruensis</i> | |
| ▶ <i>Apistogramma laulata</i> | |

| | |
|-------------------------------------|-----------------------|
| ▶ <i>Apistogramma linkei</i> | |
| ▶ <i>Apistogramma luelingi</i> | |
| ▶ <i>Apistogramma macilense</i> | |
| ▶ <i>Apistogramma macmasteri</i> | |
| ▶ <i>Apistogramma marine</i> | |
| ▶ <i>Apistogramma martini</i> | |
| ▶ <i>Apistogramma meinkeni</i> | |
| ▶ <i>Apistogramma melgar</i> | |
| ▶ <i>Apistogramma mendezi</i> | |
| ▶ <i>Apistogramma moae</i> | |
| ▶ <i>Apistogramma morthentaler</i> | |
| ▶ <i>Apistogramma napo</i> | |
| ▶ <i>Apistogramma nijsseni</i> | |
| ▶ <i>Apistogramma norberti</i> | |
| ▶ <i>Apistogramma ortmanni</i> | |
| ▶ <i>Apistogramma panduro</i> | |
| ▶ <i>Apistogramma papagallo</i> | |
| ▶ <i>Apistogramma paracas</i> | |
| ▶ <i>Apistogramma paucisquamis</i> | |
| ▶ <i>Apistogramma payaminonis</i> | |
| ▶ <i>Apistogramma personata</i> | |
| ▶ <i>Apistogramma pertensis</i> | Amazon dwarf cichlid |
| ▶ <i>Apistogramma pevas</i> | |
| ▶ <i>Apistogramma piauiensis</i> | |
| ▶ <i>Apistogramma pleurotaenia</i> | |
| ▶ <i>Apistogramma pucallpensis</i> | |
| ▶ <i>Apistogramma pulchra</i> | |
| ▶ <i>Apistogramma regani</i> | |
| ▶ <i>Apistogramma resticulosa</i> | |
| ▶ <i>Apistogramma rubrolineata</i> | |
| ▶ <i>Apistogramma rupunui</i> | |
| ▶ <i>Apistogramma rupununi</i> | Two-spot apistogramma |
| ▶ <i>Apistogramma sanchesii</i> | |
| ▶ <i>Apistogramma shishita</i> | |
| ▶ <i>Apistogramma staecki</i> | |
| ▶ <i>Apistogramma steindachneri</i> | |
| ▶ <i>Apistogramma taeniata</i> | |
| ▶ <i>Apistogramma trifasciata</i> | Blue apistogramma |
| ▶ <i>Apistogramma uaupesi</i> | |
| ▶ <i>Apistogramma urteagai</i> | |
| ▶ <i>Apistogramma viejita</i> | |
| ▶ <i>Aplocheilichthys normani</i> | Norman's lampeye |
| <i>Aplocheilus dayi</i> | Gold panchax |
| <i>Aplocheilus lineatus</i> | Striped panchax |
| <i>Aplocheilus panchax panchax</i> | Blue panchax |
| <i>Apteronotus albifrons</i> | Black ghost |
| <i>Apteronotus bonapartii</i> | |
| <i>Apteronotus brasiliensis</i> | |
| <i>Apteronotus caudimaculosus</i> | |
| <i>Apteronotus cuchillejo</i> | |
| <i>Apteronotus jurubidae</i> | |
| <i>Apteronotus leptorhynchus</i> | Long nose black ghost |
| <i>Apteronotus macrolepsis</i> | |

| | |
|---------------------------------------|--------------------------|
| <i>Apteronotus marauna</i> | |
| <i>Apteronotus macrostomus</i> | |
| <i>Apteronotus mariae</i> | |
| <i>Apteronotus rostratus</i> | |
| <i>Apteronotus spurrellii</i> | |
| <i>Archocentrus nigrofasciatus</i> | Convict cichlid |
| <i>Archocentrus sajica</i> | |
| <i>Archocentrus spilurus</i> | Black acara |
| <i>Arnoldichthys spilopterus</i> | Niger tetra |
| <i>Aspidoras pauciradiatus</i> | Sixray corydoras |
| <i>Astronotus ocellatus</i> | Oscar |
| ► <i>Astyanax fasciatus</i> | Banded astyanax |
| <i>Astyanax jordani</i> | |
| ► <i>Astyanax mexicanus</i> | Blind cave tetra |
| <i>Astyanax ruberrimus</i> | |
| <i>Aulonocara baenschi</i> | Nkhomo-benga peacock |
| <i>Aulonocara jacobfreibergi</i> | Fairy cichlid |
| <i>Aulonocara maylandi kandeensis</i> | Blue orchid aulonocara |
| <i>Aulonocara maylandi maylandi</i> | Blue orchid peacock |
| <i>Aulonocara nyassae</i> | Peacock cichlid |
| <i>Aulonocara stuartgranti</i> | Flavescent peacock |
| <i>Axelrodia stigmatis</i> | |
| <i>Badis badis</i> | Badis |
| <i>Balantiocheilos melanopterus</i> | Silver shark |
| <i>Barbonymus schwanenfeldii</i> | Tinfoil barb |
| <i>Baryancistrus L018</i> | |
| <i>Baryancistrus L177</i> | |
| <i>Baryancistrus longipinnis</i> | |
| <i>Baryancistrus niveatus</i> | |
| <i>Beaufortia leveretti</i> | |
| <i>Bedotia geayi</i> | Madagascar rainbow |
| <i>Betta coccinea</i> | Green spot betta |
| <i>Betta imbellis</i> | Peacock betta |
| <i>Betta pugnax</i> | |
| <i>Betta splendens</i> | Siamese fighter |
| <i>Biotodoma cupido</i> | Greenstreaked eartheater |
| <i>Boehlkea fredcochui</i> | Cochu's blue tetra |
| <i>Boraras brigittae</i> | |
| <i>Boraras maculatus</i> | Dwarf rasbora |
| <i>Botia almorhae</i> | |
| <i>Botia dario</i> | Bengal loach |
| <i>Botia histrionica</i> | |
| <i>Botia kubotai</i> | Kubotai botia |
| <i>Botia lecontei</i> | Redtail botia |
| <i>Botia lohachata</i> | Reticulate loach |
| <i>Botia modesta</i> | Redtail botia |
| <i>Botia morleti</i> | Skunk botia |
| <i>Botia sidthimunki</i> | Dwarf botia |
| <i>Botia striata</i> | Zebra loach |
| <i>Brachydanio albolineatus</i> | Pearl danio |
| <i>Brachygobius doriae</i> | Bumblebee goby |
| <i>Brachygobius natus</i> | |
| <i>Brachygobius xanthozonus</i> | Bumblebee fish |

| | |
|---------------------------------------|-------------------------|
| <i>Brachysynodontis batensoda</i> | |
| <i>Brochiloricaria macrodon</i> | |
| <i>Brochis britskii</i> | |
| <i>Brochis splendens</i> | Emerald catfish |
| <i>Brycinus longipinnis</i> | Longfin african tetra |
| <i>Bunocephalus bifidus</i> | |
| <i>Bunocephalus coracoideus</i> | Banjo catfish |
| <i>Bunocephalus knerii</i> | Banjo catfish |
| | |
| <i>Caecomastacembelus frenatus</i> | Longtail spiny eel |
| <i>Caecomastacembelus loennbergii</i> | Slender spiny eel |
| <i>Caecomastacembelus zebratus</i> | Zebra spiny eel |
| <i>Campylomormyrus rhynchomus</i> | Bird beak mormyrid |
| <i>Capoeta oligolepis</i> | Checkered barb |
| ► <i>Capoeta semifasciatus</i> | Chinese barb |
| <i>Capoeta tetrazona</i> | Tiger barb |
| <i>Capoeta titteya</i> | Cherry barb |
| ► <i>Carassius auratus</i> | |
| <i>Carinotetraodon lorteti</i> | Sumatran red eye puffer |
| <i>Carinotetraodon travancoricus</i> | Dwarf puffer |
| <i>Carnegiella marthae</i> | Blackwing hatchetfish |
| <i>Carnegiella myersi</i> | Pygmy hatchetfish |
| <i>Carnegiella strigata</i> | Marbled hatchetfish |
| <i>Chaetostoma aburrensis</i> | |
| <i>Chaetostoma thomsoni</i> | |
| <i>Chalceus erythrurus</i> | Yellow-finned chalceus |
| <i>Chalceus macrolepidotus</i> | Pinktail chalceus |
| <i>Cheirodon interruptus</i> | Uruguay tetra |
| <i>Chela dadiburjori</i> | Dadio |
| <i>Chela laubuca</i> | Indian glass barb |
| <i>Chilodus gracilis</i> | Headstander |
| <i>Chilodus punctatus</i> | Spotted headstander |
| <i>Chitala chitala</i> | Clown knifefish |
| <i>Chitala ornata</i> | Clown featherback |
| <i>Chromobotia macracanthus</i> | Clown loach |
| <i>Cichlasoma festae</i> | Guayas cichlid |
| <i>Cichlasoma octofasciatum</i> | Jack dempsey |
| <i>Cichlasoma salvini</i> | Yellow belly cichlid |
| <i>Cleithracara maronii</i> | Keyhole cichlid |
| ► <i>Colisa chuna</i> | Honey gourami |
| ► <i>Colisa lalia</i> | Dwarf gourami |
| <i>Colomesus asellus</i> | Amazon puffer |
| <i>Colossoma macropomum</i> | Tambaqui, Pacu |
| <i>Copadichromis azureus</i> | |
| <i>Copadichromis borleyi</i> | Red catango |
| <i>Copadichromis chrysonotus</i> | |
| <i>Copeina guttata</i> | Redspotted tetra |
| <i>Copeina numerada</i> | |
| <i>Copeina osgoodi</i> | |
| <i>Copella arnoldi</i> | Splash tetra |
| <i>Copella carsevensensis</i> | |
| <i>Copella compta</i> | |
| <i>Copella eigenmanni</i> | |

| | |
|---------------------------------|-------------------------|
| <i>Copella metae</i> | |
| <i>Corydoras acrensis</i> | Acre corydoras |
| <i>Corydoras acutus</i> | Blacktop corydoras |
| <i>Corydoras adolfi</i> | Adolf's catfish |
| <i>Corydoras aeneus</i> | Bronze corydoras |
| <i>Corydoras agassizii</i> | |
| <i>Corydoras amapaensis</i> | Amapa corydoras |
| <i>Corydoras ambiacus</i> | Spotted corydoras |
| <i>Corydoras arcuatus</i> | Skunk corydoras |
| <i>Corydoras atropersonatus</i> | |
| <i>Corydoras axelrodi</i> | Pink/dwarf corydoras |
| <i>Corydoras bifasciatus</i> | Twostripe corydoras |
| <i>Corydoras blochi</i> | Spotback corydoras |
| <i>Corydoras bondi</i> | Blackstripe corydoras |
| <i>Corydoras brillante</i> | |
| <i>Corydoras brochis</i> | |
| <i>Corydoras burgessi</i> | |
| <i>Corydoras caudimaculatus</i> | Tailspot corydoras |
| <i>Corydoras cervinus</i> | Cervinus catfish |
| <i>Corydoras chapi</i> | |
| <i>Corydoras cochui</i> | Barredtail corydoras |
| <i>Corydoras copei</i> | |
| <i>Corydoras daniella</i> | |
| <i>Corydoras davidsandsi</i> | |
| <i>Corydoras delphax</i> | False blochi catfish |
| <i>Corydoras diego</i> | |
| <i>Corydoras duplicareus</i> | |
| <i>Corydoras elegans</i> | Elegant corydoras |
| <i>Corydoras ephippifer</i> | Saddle corydoras |
| <i>Corydoras filamentosus</i> | |
| <i>Corydoras fowleri</i> | |
| <i>Corydoras gossei</i> | Palespotted corydoras |
| <i>Corydoras griseus</i> | Gray corydoras |
| <i>Corydoras guapore</i> | Guapore corydoras |
| <i>Corydoras habrosus</i> | Salt and pepper catfish |
| <i>Corydoras haraldschultzi</i> | Mosaic corydoras |
| <i>Corydoras hastatus</i> | Dwarf corydoras |
| <i>Corydoras huangana</i> | |
| <i>Corydoras huanta</i> | |
| <i>Corydoras jose luis</i> | |
| <i>Corydoras julii</i> | Leopard corydoras |
| <i>Corydoras kiko</i> | |
| <i>Corydoras latus</i> | |
| <i>Corydoras leucomeia</i> | |
| <i>Corydoras leucomelas</i> | False spotted catfish |
| <i>Corydoras loxozonus</i> | |
| <i>Corydoras macropterus</i> | Sailfin corydoras |
| <i>Corydoras maculifer</i> | Dotted corydoras |
| <i>Corydoras melagros</i> | |
| <i>Corydoras melanistius</i> | Bluespotted corydoras |
| <i>Corydoras melanotaenia</i> | Green gold catfish |
| <i>Corydoras melini</i> | Bandit corydoras |
| <i>Corydoras miguelito</i> | |

| | |
|-----------------------------------|-----------------------|
| <i>Corydoras napoensis</i> | |
| <i>Corydoras narcizo</i> | |
| <i>Corydoras nattereri</i> | Blue corydoras |
| <i>Corydoras nijsseni</i> | |
| <i>Corydoras orphnopterus</i> | |
| <i>Corydoras paleatus</i> | Peppered corydoras |
| <i>Corydoras panda</i> | Panda corydoras |
| <i>Corydoras pastazensis</i> | Pastaza corydoras |
| <i>Corydoras pilatos</i> | |
| <i>Corydoras pulcher</i> | Pretty corydoras |
| <i>Corydoras pygmaeus</i> | Pygmy corydoras |
| <i>Corydoras robineae</i> | Bannertail catfish |
| <i>Corydoras sanchesi</i> | |
| <i>Corydoras schwartzi</i> | Schwartz's catfish |
| <i>Corydoras seussi</i> | |
| <i>Corydoras shiwa</i> | |
| <i>Corydoras similis</i> | |
| <i>Corydoras spilurus</i> | Pinkthroat corydoras |
| <i>Corydoras sterbai</i> | Sterbai catfish |
| <i>Corydoras sychri</i> | Sychr's catfish |
| <i>Corydoras treitlii</i> | Longsnout corydoras |
| <i>Corydoras undulatus</i> | Reticulated corydoras |
| <i>Corydoras weitzmani</i> | Twosaddle corydoras |
| <i>Corydoras xinguensis</i> | Xingu corydoras |
| <i>Corydoras zangama</i> | |
| <i>Corydoras zygatus</i> | Black band catfish |
| <i>Crenicara punctulatum</i> | |
| <i>Crenicichla lacustris</i> | |
| <i>Crossocheilus oblongus</i> | Siamese flying fox |
| <i>Crossocheilus siamensis</i> | Siamese algae eater |
| <i>Crossoloricaria variegata</i> | |
| <i>Crossoloricaria venezuelae</i> | |
| <i>Cryptoheros nigrofasciatus</i> | |
| <i>Cteniloricaria platysoma</i> | |
| <i>Ctenopoma acutirostre</i> | Leaf fish |
| <i>Cynotilapia afra</i> | |
| <i>Cyphotilapia frontosa</i> | Humphead cichlid |
| <i>Cyrtocara moorii</i> | Hump-head |
| | |
| <i>Danio choprae</i> | Glowlight danio |
| <i>Danio dangila</i> | |
| <i>Danio feegradei</i> | Yoma danio |
| <i>Danio kerri</i> | Blue danio |
| ► <i>Danio kyathit</i> | |
| <i>Danio nigrofasciatus</i> | Dwarf danio |
| <i>Danio rerio</i> | Leopard danio |
| <i>Danio sp. "pantheri".</i> | Panther danio |
| <i>Dario dario</i> | Scarlet Badis |
| <i>Dasyloricaria capetensis</i> | |
| <i>Dasyloricaria filamentosa</i> | |
| <i>Datnoides quadrifasciatus</i> | Siamese tiger fish |
| <i>Datnoides microlepis</i> | |
| <i>Dekeyseria brachyura</i> | |

| | |
|---|-----------------------|
| <i>Dekeyseria L052</i> | |
| <i>Dekeyseria picta</i> | |
| <i>Dekeyseria pulcher</i> | |
| <i>Dekeyseria scaphirhyncha</i> | |
| <i>Dermogenys pusilla</i> | Malayan half beak |
| <i>Devario aequipinnatus</i> | Giant danio |
| <i>Devario malabaricus</i> | Malabar danio |
| <i>Devario pathirana</i> | Barred danio |
| <i>Devario shanensis</i> | Hour danio |
| <i>Dianema longibarbis</i> | Porthole catfish |
| <i>Dianema urostriatum</i> | Flagtail catfish |
| <i>Dicrossus filamentosus</i> | Chessboard cichlid |
| <i>Dicrossus maculatus</i> | |
| <i>Dimidiochromis compressiceps</i> | |
| <i>Distichodus affinis</i> | Silver distichodus |
| <i>Distichodus lusosso</i> | Longsnout distichodus |
| <i>Distichodus sexfasciatus</i> | Sixbar distichodus |
| <i>Dolichancistrus fueesslii</i> | |
| | |
| ► <i>Eigenmannia virescens</i> | Green knifefish |
| <i>Eirmotus octozona</i> | Eight banded barb |
| <i>Epalzeorhynchos bicolor</i> | Redtail shark minnow |
| <i>Epalzeorhynchos frenatum</i> | Rainbow shark |
| <i>Epalzeorhynchos kalopterus</i> | Flying fox |
| <i>Epalzeorhynchos munense</i> | |
| <i>Erethistes hara</i> | |
| ► <i>Esomus danricus</i> | Flying barb |
| ► <i>Etroplus maculatus</i> | Orange chromide |
| ► <i>Etroplus suratensis</i> | Green chromide |
| <i>Exodon paradoxus</i> | Bucktooth tetra |
| | |
| <i>Farlowella acus</i> | Twig catfish |
| <i>Farlowella amazona</i> | |
| <i>Farlowella colombiensis</i> | |
| <i>Farlowella curtirostra</i> | |
| <i>Farlowella gracilis</i> | |
| <i>Farlowella hasemani</i> | |
| <i>Farlowella henriquei</i> | |
| <i>Farlowella isbruckeri</i> | |
| <i>Farlowella knerii</i> | |
| <i>Farlowella martini</i> | |
| <i>Farlowella nattereri</i> | |
| <i>Farlowella odontotumulus</i> | |
| <i>Farlowella oxyrryncha</i> | |
| <i>Farlowella platyrhyncha</i> | |
| <i>Farlowella rugosa</i> | |
| <i>Farlowella smithi</i> | |
| <i>Farlowella taphorni</i> | |
| <i>Farlowella venezuelensis</i> | |
| <i>Farlowella vittata</i> | |
| <i>Fundulopanchax amieti</i> | Amiet's lyretail |
| <i>Fundulopanchax filamentosus</i> | Plumed lyretail |
| <i>Fundulopanchax gardneri gardneri</i> | Blue lyretail |

| | |
|---|-----------------------|
| <i>Fundulopanchax scheeli</i> | |
| <i>Fundulopanchax sjostedti</i> | Blue gularis |
| <i>Fundulopanchax walkeri</i> | |
| <i>Fundulopanchax gardneri nigerianus</i> | |
| | |
| <i>Garra ceylonensis</i> | Stone sucker |
| <i>Gasteropelecus levis</i> | |
| <i>Gasteropelecus maculatus</i> | Spotted hatchetfish |
| <i>Gasteropelecus sternicla</i> | River hatchetfish |
| <i>Gastromyzon punctulatus</i> | |
| <i>Geophagus brasiliensis</i> | Pearl cichlid |
| <i>Geophagus steindachneri</i> | Redhump eartheater |
| <i>Geophagus surinamensis</i> | Redstriped eartheater |
| <i>Glossolepis incisus</i> | Red rainbowfish |
| <i>Glossolepis multisquamata</i> | Sepik rainbowfish |
| <i>Glyptoperichthys gibbiceps</i> | Leopard pleco |
| <i>Glyptoperichthys joselimaianus</i> | |
| <i>Glyptoperichthys lituratus</i> | |
| <i>Glyptoperichthys punctatus</i> | Corroncho |
| <i>Gnathonemus petersii</i> | Elephantnose fish |
| <i>Gymnocorymbus ternetzi</i> | Black widow tetra |
| <i>Gymnogeophagus balzanii</i> | Argentine humphead |
| <i>Gymnotus carapo</i> | |
| <i>Gymnotus pedanopterus</i> | |
| <i>Gyrinocheilus aymonieri</i> | Chinese algae-eater |
| | |
| <i>Haplochromis brownae</i> | |
| <i>Haplochromis burtoni</i> | Burton's hap |
| <i>Hasemanina nana</i> | Silvertip tetra |
| ► <i>Helostoma rudolfi</i> | Pink kissing gourami |
| ► <i>Helostoma temminckii</i> | Kissing gourami |
| <i>Hemiancistrus annectens</i> | |
| <i>Hemiancistrus chlorostictus</i> | |
| <i>Hemiancistrus fugleri</i> | |
| <i>Hemiancistrus fuliginosus</i> | |
| <i>Hemiancistrus holostictus</i> | |
| <i>Hemiancistrus L128</i> | |
| <i>Hemiancistrus macrops</i> | |
| <i>Hemiancistrus maracaiboensis</i> | |
| <i>Hemiancistrus megacephalus</i> | |
| <i>Hemiancistrus megalopteryx</i> | |
| <i>Hemiancistrus meizospilos</i> | |
| <i>Hemiancistrus micrommatos</i> | |
| <i>Hemiancistrus punctulatus</i> | |
| <i>Hemiancistrus spilomma</i> | |
| <i>Hemiancistrus spinosissimus</i> | |
| <i>Hemiancistrus subviridis</i> | Gold pleco |
| <i>Hemianscistrus annectens</i> | |
| <i>Hemichromis bimaculatus</i> | Jewelfish |
| <i>Hemigrammus bleheri</i> | Brilliant rummy nose |
| <i>Hemigrammus brevis</i> | |
| <i>Hemigrammus coeruleus</i> | |
| <i>Hemigrammus elegans</i> | |

| | |
|---------------------------------------|--------------------------------|
| <i>Hemigrammus erythrozonus</i> | Glowlight tetra |
| <i>Hemigrammus gracilis</i> | |
| <i>Hemigrammus guyanensis</i> | |
| <i>Hemigrammus hyanuary</i> | Silvertip tetra |
| <i>Hemigrammus levis</i> | |
| <i>Hemigrammus marginatus</i> | |
| <i>Hemigrammus ocellifer</i> | Head-and-tail light tetra |
| <i>Hemigrammus pulcher</i> | Garnet tetra |
| <i>Hemigrammus rhodostomus</i> | Rummy-nose tetra |
| <i>Hemigrammus rodwayi</i> | Gold tetra |
| <i>Hemigrammus stictus</i> | |
| <i>Hemigrammus unilineatus</i> | Featherfin tetra |
| <i>Hemiodus gracilis</i> | |
| <i>Herichthys carpintis</i> | Lowland cichlid |
| ► <i>Herichthys cyanoguttatus</i> | Texas cichlid |
| <i>Heros severus</i> | Severum |
| <i>Hisonotus francirochai</i> | |
| <i>Hisonotus maculipinnis</i> | |
| <i>Hopliancistrus L017</i> | |
| <i>Hoplosternum littorale</i> | |
| <i>Hypancistrus zebra</i> | |
| <i>Hypancistrus L129</i> | |
| <i>Hypancistrus L-260</i> | |
| <i>Hyphessobrycon amandae</i> | Ember tetra |
| <i>Hyphessobrycon amapaensis</i> | |
| ► <i>Hyphessobrycon anisitsi</i> | Aires tetra |
| <i>Hyphessobrycon axelrodi</i> | Calypso tetra |
| <i>Hyphessobrycon bentosi</i> | Rosy tetra |
| <i>Hyphessobrycon bifasciatus</i> | Yellow tetra |
| <i>Hyphessobrycon columbianus</i> | Columbian tetra |
| <i>Hyphessobrycon copelandi</i> | |
| <i>Hyphessobrycon ecuadoriensis</i> | Colombian tetra |
| <i>Hyphessobrycon elachys</i> | |
| <i>Hyphessobrycon eos</i> | Dawn tetra |
| <i>Hyphessobrycon epicharis</i> | |
| <i>Hyphessobrycon eques</i> | Serpae tetra |
| <i>Hyphessobrycon erythrostigma</i> | Bleeding-heart tetra |
| <i>Hyphessobrycon flammeus</i> | Flame tetra |
| <i>Hyphessobrycon gracilior</i> | Glowlight tetra |
| <i>Hyphessobrycon griemi</i> | Goldspotted tetra, Flame tetra |
| <i>Hyphessobrycon haraldschultzi</i> | |
| <i>Hyphessobrycon heliacus</i> | |
| <i>Hyphessobrycon herbertaxelrodi</i> | Black neon tetra |
| <i>Hyphessobrycon heterorhabdus</i> | Flag tetra |
| <i>Hyphessobrycon loretoensis</i> | Loreto tetra |
| ► <i>Hyphessobrycon luetkenii</i> | |
| <i>Hyphessobrycon megalopterus</i> | Black phantom tetra |
| <i>Hyphessobrycon metae</i> | Purple tetra |
| <i>Hyphessobrycon micropterus</i> | |
| <i>Hyphessobrycon nigracinctus</i> | |
| <i>Hyphessobrycon peruvianus</i> | Peruvian tetra |
| <i>Hyphessobrycon pulchripinnis</i> | Lemon tetra |
| <i>Hyphessobrycon pyrrhonotus</i> | Red back bleeding heart |

| | |
|----------------------------------|-------------------------------|
| <i>Hyphessobrycon rosaceus</i> | Rosy tetra |
| <i>Hyphessobrycon roseus</i> | Yellow red tail phantom tetra |
| <i>Hyphessobrycon scholzei</i> | Blackline tetra |
| <i>Hyphessobrycon socolofi</i> | Bleeding-heart tetra |
| <i>Hyphessobrycon sweglesi</i> | Red phantom tetra |
| <i>Hyphessobrycon takasei</i> | Coffee-bean tetra |
| <i>Hypoptopoma gulare</i> | |
| <i>Hypostomus agna</i> | |
| <i>Hypostomus alatus</i> | |
| <i>Hypostomus albopunctatus</i> | |
| <i>Hypostomus ancistroides</i> | |
| <i>Hypostomus angipinnatus</i> | |
| <i>Hypostomus argus</i> | |
| <i>Hypostomus borellii</i> | |
| <i>Hypostomus boulengeri</i> | |
| <i>Hypostomus brevis</i> | |
| <i>Hypostomus carvalhoi</i> | |
| <i>Hypostomus cochilodon</i> | |
| <i>Hypostomus crassicauda</i> | |
| <i>Hypostomus garmani</i> | |
| <i>Hypostomus hondae</i> | |
| <i>Hypostomus interruptus</i> | |
| <i>Hypostomus itacua</i> | |
| <i>Hypostomus jaguribensis</i> | |
| <i>Hypostomus johnii</i> | |
| <i>Hypostomus latifrons</i> | |
| <i>Hypostomus lima</i> | |
| <i>Hypostomus luteus</i> | |
| <i>Hypostomus macrops</i> | |
| <i>Hypostomus macushi</i> | |
| <i>Hypostomus meleagris</i> | |
| <i>Hypostomus micromaculatus</i> | |
| <i>Hypostomus microstomus</i> | |
| <i>Hypostomus mutuae</i> | |
| <i>Hypostomus myersi</i> | |
| <i>Hypostomus nematopterus</i> | |
| <i>Hypostomus niceforoi</i> | |
| <i>Hypostomus nickeriensis</i> | |
| <i>Hypostomus niger</i> | |
| <i>Hypostomus occidentalis</i> | |
| <i>Hypostomus oculus</i> | |
| <i>Hypostomus panamensis</i> | |
| <i>Hypostomus paulinus</i> | |
| <i>Hypostomus plecostomoides</i> | |
| <i>Hypostomus plecostomus</i> | Suckermouth catfish |
| <i>Hypostomus punctatus</i> | |
| <i>Hypostomus regani</i> | |
| <i>Hypostomus robinii</i> | Teta |
| <i>Hypostomus rondoni</i> | |
| <i>Hypostomus roseopunctatus</i> | |
| <i>Hypostomus sipaliwinii</i> | |
| <i>Hypostomus taphorni</i> | |
| <i>Hypostomus ternetzi</i> | |

| | |
|-----------------------------------|-----------------------|
| <i>Hypostomus tietensis</i> | |
| <i>Hypostomus unae</i> | |
| <i>Hypostomus uruguayensis</i> | |
| <i>Hypostomus vaillanti</i> | |
| <i>Hypostomus varimaculosus</i> | |
| <i>Hypostomus vermicularis</i> | |
| <i>Hypostomus verres</i> | |
| <i>Hypostomus watwata</i> | |
| <i>Hypselecara coryphaenoides</i> | Chocolate cichlid |
| <i>Hypselecara temporalis</i> | Emerald cichlid |
| <i>Hypsophrys nicaraguense</i> | Moga |
| <i>Hysibarbus vernayi</i> | Yellowfin barb |
| | |
| <i>Inpaichthys kerri</i> | Blue Emperor tetra |
| <i>Iriatherina wernerii</i> | Threadfin rainbowfish |
| <i>Ixinandria steinbachi</i> | |
| | |
| <i>Jordanella floridae</i> | American flagfish |
| <i>Julidochromis dickfeldi</i> | Marliers julie |
| <i>Julidochromis marlieri</i> | |
| <i>Julidochromis ornatus</i> | Golden julie |
| <i>Julidochromis regani</i> | Convict julie |
| <i>Julidochromis transcriptus</i> | Masked julie |
| | |
| <i>Kronichthys lacerta</i> | |
| ► <i>Kryptopterus bicirrhys</i> | Glass catfish |
| <i>Kryptopterus macrocephalus</i> | |
| <i>Kryptopterus minor</i> | |
| | |
| ► <i>Labeo chrysophekadion</i> | Black shark |
| ► <i>Labeo erythropterus</i> | Rainbow shark |
| <i>Labeotropheus fuelleborni</i> | Blue mbuna |
| <i>Labeotropheus trewavasae</i> | Redtopped trewavasae |
| <i>Labidochromis caeruleus</i> | Electric Yellow |
| ► <i>Lacustricola pumilis</i> | Tanganyika lampeye |
| <i>Laetacara curviceps</i> | Flag acara |
| <i>Lamontichthys filamentosus</i> | |
| <i>Lamprologus kungweensis</i> | |
| <i>Lamprologus ocellatus</i> | |
| <i>Lasiancistrus caquetae</i> | |
| <i>Lasiancistrus castelnaui</i> | |
| <i>Lasiancistrus multispinis</i> | Bristlemouth catfish |
| <i>Lasiancistrus mystacinus</i> | |
| <i>Lasiancistrus planiceps</i> | |
| <i>Lasiancistrus mayoloi</i> | |
| <i>Leporinus affinis</i> | |
| <i>Leporinus fasciatus</i> | Banded leporinus |
| <i>Leporinus steindachneri</i> | |
| <i>Leptobarbus hoevenii</i> | Golden shark |
| <i>Letoancistrus canensis</i> | |
| <i>Limatulichthys griseus</i> | |
| <i>Liposarcus anisitsi</i> | Snow pleco |
| <i>Lithoxus bovallii</i> | |

| | |
|--|------------------------------|
| <i>Lithoxus planquettei</i> | |
| <i>Loricariichthys maculatus</i> | |
| <i>Loricaria apeltogaster</i> | |
| <i>Loricaria cataphracta</i> | |
| <i>Loricaria lata</i> | |
| <i>Loricaria lentiginosa</i> | |
| <i>Loricaria simillima</i> | |
| <i>Loricaricaria altipinnis</i> | |
| <i>Loricariichthys acutus</i> | |
| <i>Loricariichthys cashibo</i> | |
| <i>Loricariichthys castaneus</i> | |
| <i>Loricariichthys labialis</i> | |
| <i>Loricariichthys maculatus</i> | |
| <i>Loricariichthys melanoptera</i> | |
| <i>Luciocephalus pulcher</i> | Pikehead |
| <i>Luciosoma setigerum</i> | Apollo shark |
| <i>Luciosoma spilopleura</i> | |
| | |
| <i>Macrogathus aculeatus</i> | Spiny eel |
| <i>Macrogathus circumcinctus</i> | Tyre track eel |
| <i>Macrogathus pancalus</i> | Barred spiny eel |
| <i>Macrogathus siamensis</i> | Peacock eel |
| <i>Macrogathus zebrinus</i> | Zebra spiny eel |
| ► <i>Macropodus opercularis</i> | |
| <i>Maravichromis ericotaenia</i> | |
| <i>Marosatherina ladigesii</i> | Celebes rainbow |
| ► <i>Mastacembelus armatus</i> | Tire track eel |
| ► <i>Mastacembelus erythrotaenia</i> | Fire eel |
| <i>Maylandia callainos</i> | Cobalt blue cichlid |
| <i>Maylandia zebra</i> | Zebra mbuna |
| <i>Megalechis thoracata</i> | Porthoplo catfish |
| <i>Melanochromis auratus</i> | Goldstripe cichlid |
| <i>Melanochromis joanjohnsonae</i> | Rainbow melanochromis |
| <i>Melanochromis johannii</i> | Blue melanochromis |
| <i>Melanochromis vermivorus</i> | |
| <i>Melanotaenia affinis</i> | North New Guinea rainbowfish |
| <i>Melanotaenia australis</i> | Western rainbowfish |
| <i>Melanotaenia boesemani</i> | Boeseman's rainbowfish |
| <i>Melanotaenia herbertaxelrodi</i> | Lake Tebera rainbowfish |
| <i>Melanotaenia lacustris</i> | Blue rainbowfish |
| <i>Melanotaenia maccullochi</i> | Macculloch's rainbowfish |
| <i>Melanotaenia nigrans</i> | Black-banded rainbowfish |
| <i>Melanotaenia papuae</i> | Papuan rainbowfish |
| <i>Melanotaenia praecox</i> | Dwarf rainbowfish |
| <i>Melanotaenia splendida rubrostriata</i> | Red-striped rainbowfish |
| <i>Melanotaenia splendida splendida</i> | Eastern rainbow fish |
| <i>Melanotaenia trifasciata</i> | Banded rainbowfish |
| <i>Mesonauta festivus</i> | |
| <i>Mesonoemacheilus triangularis</i> | Zodiac loach |
| <i>Metynnis argenteus</i> | |
| <i>Metynnis hypsauchen</i> | Silver dollar |
| <i>Metynnis maculatus</i> | Spotted metynnis |
| <i>Microctenopoma ansorgii</i> | Ornate ctenopoma |

| | |
|--|----------------------------------|
| <i>Microctenopoma fasciolatum</i> | Banded ctenopoma |
| <i>Microglanis cottoides</i> | Bacon cat |
| <i>Microglanis iheringi</i> | |
| <i>Microglanis poecilus</i> | Dwarf marble cat |
| <i>Microphis brachyurus brachyurus</i> | Red Bellied freshwater pipe fish |
| <i>Microrasbora erythromicron</i> | Red striped rasbora |
| <i>Microsynodontis lamberti</i> | |
| <i>Mikrogeophagus altispinosus</i> | Bolivian dwarf butterfly fish |
| <i>Mikrogeophagus ramirezi</i> | Ram cichlid |
| <i>Moenkhausia oligolepis</i> | Glass tetra |
| <i>Moenkhausia pittieri</i> | Diamond tetra |
| <i>Moenkhausia sanctaefilomenae</i> | Lamp eye tetra |
| <i>Monocirrhus polyacanthus</i> | Amazon leaf fish |
| <i>Monodactylus argenteus</i> | Mono angel |
| <i>Monodactylus sebae</i> | African moony |
| <i>Mormyrus longirostris</i> | Eastern bottlenose mormyrid |
| <i>Mylandia greshakei</i> | William's mbuna |
| <i>Myloplus rubripinnis</i> | Redhook myleus |
| <i>Mylossoma aureum</i> | Silver dollar |
| ► <i>Mystus micracanthus</i> | Twospot catfish |
| ► <i>Mystus tengara</i> | Silver mystus catfish |
| ► <i>Mystus vittatus</i> | Striped dwarf catfish |
| | |
| <i>Nandopsis tetracanthus</i> | Cuban cichlid |
| <i>Nandus nandus</i> | Gangetic leaf fish |
| <i>Nannacara anomala</i> | Goldeneye cichlid |
| <i>Nannacara aureocephalus</i> | |
| <i>Nannostomus anduzei</i> | |
| <i>Nannostomus beckfordi</i> | Golden pencilfish |
| <i>Nannostomus bifasciatus</i> | Whiteside pencilfish |
| <i>Nannostomus britskii</i> | Spotstripe pencilfish |
| <i>Nannostomus digrammus</i> | Twostripe pencilfish |
| <i>Nannostomus eques</i> | Brown pencilfish |
| <i>Nannostomus espei</i> | Barred pencilfish |
| <i>Nannostomus harrisoni</i> | Blackstripe pencilfish |
| <i>Nannostomus limatus</i> | Elegant pencilfish |
| <i>Nannostomus marginatus</i> | Dwarf pencilfish |
| <i>Nannostomus marilynae</i> | Greenstripe pencilfish |
| <i>Nannostomus mortenthaleri</i> | |
| <i>Nannostomus nitidus</i> | Shining pencilfish |
| <i>Nannostomus trifasciatus</i> | Threestripe pencilfish |
| <i>Nannostomus unifasciatus</i> | Online pencilfish |
| <i>Nematobrycon lacortei</i> | Rainbow tetra |
| <i>Nematobrycon palmeri</i> | Emperor tetra |
| <i>Neolamprologus brevis</i> | |
| <i>Neolamprologus brichardi</i> | Lyretail lamprologus |
| <i>Neolamprologus leleupi</i> | Lemon cichlid |
| <i>Neolamprologus sexfasciatus</i> | Six-bar lamprologus |
| <i>Neolamprologus tretocephalus</i> | Five-Bar lamprologus |
| <i>Nimbochromis fuscotaeniatus</i> | Fuscotaeniatus |
| <i>Nimbochromis livingstonii</i> | Livingstonii |
| <i>Nimbochromis polystigma</i> | Polystigma |
| <i>Nimbochromis venustus</i> | |

| | |
|--------------------------------------|--------------------------|
| <i>Nomorhamphus ebrardtii</i> | |
| <i>Nomorhamphus liemi</i> | Celebes half beak |
| <i>Nothobranchius eggersi</i> | |
| <i>Nothobranchius elongatus</i> | Elongate nothobranch |
| <i>Nothobranchius flammicomantis</i> | |
| <i>Nothobranchius foerschi</i> | |
| <i>Nothobranchius fuscotaeniatus</i> | |
| <i>Nothobranchius guentheri</i> | Redtail notho |
| <i>Nothobranchius korthausae</i> | |
| <i>Nothobranchius palmqvisti</i> | |
| <i>Nothobranchius patrizii</i> | Blue notho |
| <i>Nothobranchius rachovii</i> | Bluefin notho |
| <i>Nothobranchius rubripinnis</i> | |
| | |
| <i>Oligancistrus punctatissimus</i> | Blue spotted pleco |
| ► <i>Ompok bimaculatus</i> | Butter catfish |
| ► <i>Ompok sabanus</i> | |
| <i>Opsaridium christyi</i> | Copper nose barb |
| ► <i>Osphronemus goramy</i> | Giant gourami |
| <i>Osteoglossum bicirrhosum</i> | Silver arowana |
| <i>Osteoglossum ferreirai</i> | Black arowana |
| <i>Otocinclus affinis</i> | Golden otocinclus |
| <i>Otocinclus flexilis</i> | Otocinclus |
| <i>Otocinclus gibbosus</i> | |
| <i>Otocinclus hasemani</i> | |
| <i>Otocinclus hoppei</i> | |
| <i>Otocinclus macrospilus</i> | |
| <i>Otocinclus mariae</i> | |
| <i>Otocinclus vestitus</i> | |
| <i>Otocinclus vittatus</i> | Otocinclus |
| | |
| <i>Panaqolus L204</i> | Peru striped panaque |
| <i>Panaque albomaculatus</i> | |
| <i>Panaque changae</i> | |
| <i>Panaque cochiliodon</i> | |
| <i>Panaque dentex</i> | |
| <i>Panaque gnomus</i> | |
| <i>Panaque maccus</i> | Clown panaque |
| <i>Panaque nigrolineatus</i> | Royal panaque |
| <i>Panaque nocturnus</i> | Dusky panaque |
| <i>Panaque purusiensis</i> | |
| <i>Panaque suttonorum</i> | Panaque |
| <i>Pangio anguillaris</i> | |
| <i>Pangio kuhlii</i> | Coolie loach |
| <i>Pangio myseri</i> | Coolie loach |
| <i>Pangio semicincta</i> | Coolie/kuhli loach |
| <i>Pantodon buchholzi</i> | Freshwater butterflyfish |
| <i>Papycrocranus afer</i> | Reticulate knifefish |
| <i>Paracheiroidon axelrodi</i> | Cardinal tetra |
| <i>Paracheiroidon innesi</i> | |
| <i>Paracheiroidon simulans</i> | Green neon tetra |
| <i>Parachromis friedrichsthalii</i> | |
| <i>Parachromis managuensis</i> | Guapote tigre |

| | |
|---------------------------------------|---------------------------|
| <i>Parambassis ranga</i> | Glass fish |
| <i>Parancistrus aurantiacus</i> | |
| <i>Parasphaerichthys ocellatus</i> | Burmese choc gourami |
| <i>Parosphromenus deissneri</i> | Licorice gourami |
| <i>Parotocinclus jumbo</i> | |
| <i>Parotocinclus maculicauda</i> | |
| <i>Peckoltia arenaria</i> | |
| <i>Peckoltia brevis</i> | |
| <i>Peckoltia snethlageae</i> | |
| <i>Peckoltia pulcher</i> | |
| <i>Peckoltia ucayalensis</i> | |
| <i>Peckoltia vermiculata</i> | |
| <i>Peckoltia vittata</i> | Clown plecostomus |
| <i>Peckoltia yaravi</i> | |
| <i>Pelvicachromis pulcher</i> | Rainbow kribensis |
| <i>Pelvicachromis taeniatus</i> | Kribensis |
| <i>Periophthalmus barbarus</i> | Atlantic mudskipper |
| <i>Perygoplichthys etentaculatus</i> | |
| <i>Petitella georgiae</i> | False rummynose tetra |
| <i>Phenacogrammus interruptus</i> | Congo tetra |
| <i>Pimelodella gracilis</i> | Slender pimelodella |
| <i>Pimelodus ornatus</i> | Ornate cat |
| <i>Pimelodus pictus</i> | Pictus cat |
| <i>Platydoras costatus</i> | Raphael/chocolate catfish |
| ► <i>Poecilia latipinna</i> | Sailfin molly |
| ► <i>Poecilia reticulata</i> | Guppy |
| ► <i>Poecilia sphenops</i> | Molly |
| ► <i>Poecilia velifera</i> | Sail-fin molly |
| <i>Pollimyrus nigripinnis</i> | Dusky whale |
| <i>Polyacanthus fasciatus</i> | Banded gourami |
| <i>Polycentropsis abbreviata</i> | African leaf fish |
| <i>Polycentrus schomburgkii</i> | Guyana leaf fish |
| <i>Polypterus delhezi</i> | Barred bichir |
| <i>Polypterus ornatipinnis</i> | Ornate bichir |
| <i>Polypterus palmas palmas</i> | Shortfin bichir |
| <i>Polypterus senegalus senegalus</i> | Gray bichir |
| <i>Prionobrama filigera</i> | Glass bloodfin |
| <i>Pristella maxillaris</i> | Pristella |
| <i>Protomelas fenestratus</i> | Fenestratus |
| <i>Pseudacanthicus leopardus</i> | |
| <i>Pseudacanthicus spinosus</i> | |
| <i>Pseudancistrus barbatus</i> | Bearded catfish |
| <i>Pseudancistrus conquenani</i> | |
| <i>Pseudancistrus guentheri</i> | |
| <i>Pseudancistrus orinoco</i> | |
| <i>Pseudancistrus serratus</i> | |
| <i>Pseudanistrus niger</i> | |
| <i>Pseudepiplatys annulatus</i> | Clown killie |
| <i>Pseudocorynopoma doriae</i> | Dragonfin tetra |
| <i>Pseudogastromyzon myersi</i> | Sucker belly loach |
| <i>Pseudomugil furcatus</i> | Forktail rainbowfish |
| <i>Pseudomugil gertrudae</i> | Spotted blue-eye |
| <i>Pseudomugil signifer</i> | Pacific blue-eye |

| | |
|---------------------------------------|-----------------------|
| ► <i>Pseudomystus siamensis</i> | Bumblebee cat |
| <i>Pseudotropheus aurora</i> | Aurora cichlid |
| <i>Pseudotropheus barlowi</i> | |
| <i>Pseudotropheus crabro</i> | Bumble bee cichlid |
| <i>Pseudotropheus elongatus</i> | |
| <i>Pseudotropheus estherae</i> | Red zebra |
| <i>Pseudotropheus flavus</i> | |
| <i>Pseudotropheus lombardoi</i> | |
| <i>Pseudotropheus socolofi</i> | Pindani |
| <i>Pseudotropheus tropheops</i> | |
| <i>Pseusoloricaria laeviscula</i> | |
| ► <i>Pterophyllum altum</i> | |
| ► <i>Pterophyllum leopoldi</i> | |
| ► <i>Pterophyllum scalare</i> | Angelfish |
| <i>Pterygoplichthys etentaculatus</i> | |
| <i>Pteryoplichthys barbatus</i> | |
| ► <i>Puntius arulius</i> | Arulius barb |
| ► <i>Puntius bimaculatus</i> | Redside barb |
| ► <i>Puntius conchoni</i> | Rosy barb |
| ► <i>Puntius cumungii</i> | Two spot barb |
| ► <i>Puntius denisonii</i> | Red-Line torpedo barb |
| ► <i>Puntius everetti</i> | Clown barb |
| ► <i>Puntius fasciatus</i> | Melon barb |
| ► <i>Puntius filamentosus</i> | Blackspot barb |
| ► <i>Puntius gelius</i> | Golden barb |
| ► <i>Puntius hexazona</i> | Six-banded barb |
| ► <i>Puntius lateristriga</i> | T-barb |
| ► <i>Puntius lineatus</i> | Striped barb |
| ► <i>Puntius narayani</i> | Narayan barb |
| ► <i>Puntius nigrofasciatus</i> | Black ruby barb |
| ► <i>Puntius oligolepis</i> | |
| ► <i>Puntius pentazona</i> | Five banded barb |
| ► <i>Puntius rhomboocellatus</i> | |
| ► <i>Puntius sachsii</i> | Gold barb |
| ► <i>Puntius ticto</i> | Ticto barb |
| ► <i>Puntius titteya</i> | Cherry barb |
| <i>Pyrrhulina eleanorae</i> | |
| <i>Pyrrhulina filamentosa</i> | Pyrrhulinas |
| | |
| <i>Rasbora argyrotaenia</i> | Silver rasbora |
| <i>Rasbora bankanensis</i> | |
| <i>Rasbora borapetensis</i> | Blackline rasbora |
| <i>Rasbora caudimaculata</i> | Red scissortail |
| <i>Rasbora cephalotaenia</i> | |
| <i>Rasbora dorsiocellata</i> | Emerald eye rasbora |
| <i>Rasbora einthovenii</i> | Brilliant rasbora |
| <i>Rasbora elegans</i> | Twospot rasbora |
| <i>Rasbora kalbarensis</i> | Kalbar rasbora |
| <i>Rasbora kalochroma</i> | Clown rasbora |
| <i>Rasbora pauciperforata</i> | Redstripe rasbora |
| <i>Rasbora rubrodorsalis</i> | |
| <i>Rasbora trilineata</i> | Scissortail |
| <i>Rasbora vaterifloris</i> | Pearly rasbora |

| | |
|--|------------------------------------|
| <i>Rasbora vulcanus</i> | |
| <i>Ricola macrops</i> | |
| <i>Rineloricaria beni</i> | |
| <i>Rineloricaria cacerensis</i> | |
| <i>Rineloricaria catamarcensis</i> | |
| <i>Rineloricaria cubataonis</i> | |
| <i>Rineloricaria eigenmanni</i> | |
| <i>Rineloricaria fallax</i> | |
| <i>Rineloricaria felipponei</i> | |
| <i>Rineloricaria hasemani</i> | |
| <i>Rineloricaria henselii</i> | |
| <i>Rineloricaria hoehnei</i> | |
| <i>Rineloricaria jubata</i> | |
| <i>Rineloricaria lanceolata</i> | Chocolate coloured catfish |
| <i>Rineloricaria latirostris</i> | |
| <i>Rineloricaria lima</i> | |
| <i>Rineloricaria magdalenae</i> | |
| <i>Rineloricaria microlepidogaster</i> | |
| <i>Rineloricaria microlepidota</i> | |
| <i>Rineloricaria nigricauda</i> | |
| <i>Rineloricaria parva</i> | Whiptail catfish |
| <i>Rineloricaria pinocchio</i> | |
| <i>Rineloricaria platyura</i> | |
| <i>Rineloricaria ruprestris</i> | |
| <i>Rineloricaria sneiderni</i> | |
| <i>Rineloricaria stewarti</i> | |
| <i>Rineloricaria teffeana</i> | |
| <i>Rineloricaria tiger</i> | |
| <i>Rineloricaria uracantha</i> | |
| | |
| <i>Satanoperca jurupari</i> | Jurupari |
| <i>Sawbwa resplendens</i> | Sawba rasbora |
| ► <i>Scatophagus argus</i> | Spotted scat |
| <i>Sciaenochromis ahli</i> | |
| <i>Sciaenochromis fryeri</i> | |
| <i>Scleromystax barbatus</i> | Banded corydoras |
| * <i>Scleropages formosus</i> | Golden arowana |
| <i>Scleropages jardinii</i> | Pearl arowana/Austalian bonytongue |
| <i>Scobinancistrus aureatus</i> | Goldy pleco |
| <i>Selenotoca multifasciata</i> | Spotbanded scat |
| <i>Selenotoca papuensis</i> | Silver Scat |
| <i>Semaprochilodus isignus</i> | Flagtail prochilodus |
| <i>Semaprochilodus taeniurus</i> | Silver prochilodus |
| <i>Spatuloricaria bushinose</i> | |
| <i>Spatuloricaria chameleon</i> | |
| <i>Spatuloricaria disceus</i> | |
| <i>Spatuloricaria evansii</i> | |
| <i>Spatuloricaria lanceolata</i> | |
| <i>Spatuloricaria malaria</i> | |
| <i>Spatuloricaria pujanensis</i> | |
| <i>Sphaerichthys acrostoma</i> | Chocolate gourami |
| <i>Sphaerichthys osphromenoides</i> | |
| <i>Sphaerichthys vaillanti</i> | |

| | |
|-----------------------------------|-----------------------------|
| <i>Squaliforma villarsi</i> | |
| <i>Squaliforma virescens</i> | |
| <i>Squaliforma annae</i> | |
| <i>Squaliforma emarginata</i> | |
| <i>Squaliforma squalina</i> | |
| <i>Squaliforma tenuicauda</i> | |
| <i>Squaliforma tenuis</i> | |
| <i>Steatocranus casuarius</i> | Lionhead cichlid |
| <i>Steatogenys duida</i> | |
| <i>Steatogenys elegans</i> | |
| <i>Steatogenys ocellatus</i> | |
| <i>Stegostenopos cryptogenes</i> | |
| <i>Sternopygus macrurus</i> | Black knife fish |
| <i>Sturisoma aureum</i> | |
| <i>Sturisoma barbata</i> | |
| <i>Sturisoma kneri</i> | |
| <i>Sturisoma panamense</i> | |
| <i>Sturisoma rostratum</i> | |
| <i>Symphysodon aequifasciatus</i> | Discus |
| <i>Symphysodon discus</i> | Discus |
| <i>Simpsonichthys constanciae</i> | |
| <i>Sundadanio axelrodi</i> | |
| <i>Syncrossus berdmorei</i> | Blyth's loach |
| <i>Syncrossus helodes</i> | Tiger botia |
| <i>Syncrossus hymenophysa</i> | |
| <i>Synodontis acanthomias</i> | |
| <i>Synodontis alberti</i> | Bigeye squeaker |
| <i>Synodontis angelicus</i> | Angel squeaker |
| <i>Synodontis budgetti</i> | |
| <i>Synodontis caudovittatus</i> | |
| <i>Synodontis decorus</i> | Decorated synodontis |
| <i>Synodontis eupterus</i> | |
| <i>Synodontis multipunctatus</i> | Cuckoo synodontis |
| <i>Synodontis nigrita</i> | Upsidedown catfish |
| <i>Synodontis nigriventris</i> | Blotched upsidedown catfish |
| <i>Synodontis nigromaculatus</i> | |
| <i>Synodontis ocellifer</i> | |
| <i>Synodontis petricola</i> | Cuckoo catfish |
| <i>Synodontis pleurops</i> | Bigeye synodontis |
| <i>Synodontis robbianus</i> | Vermiculated synodontis |
| <i>Synodontis schoutedeni</i> | |
| <i>Taenicara candidi</i> | |
| ► <i>Tanichthys albonubes</i> | |
| <i>Tetraodon biocellatus</i> | Figure eight pufferfish |
| <i>Tetraodon cochinchinensis</i> | Mekong dragon puffer |
| <i>Tetraodon fluviatilis</i> | Green pufferfish |
| <i>Tetraodon lineatus</i> | Globe fish |
| <i>Tetraodon nigroviridis</i> | Spotted green pufferfish |
| <i>Tetraodon palembangensis</i> | Figure eight puffer |
| <i>Tetraodon suvattii</i> | Pig nose puffer |
| <i>Thayeria boehlkei</i> | Blackline penguinfish |
| <i>Thayeria obliqua</i> | Penguin |

| | |
|------------------------------------|-------------------------|
| <i>Thoracocharax securis</i> | Hatchet fish |
| <i>Thoracocharax stellatus</i> | Spotfin hatchetfish |
| <i>Thorichthys meeki</i> | Firemouth cichlid |
| ► <i>Toxotes jaculatrix</i> | Banded archerfish |
| ► <i>Trichogaster labiosus</i> | Thick lip gourami |
| ► <i>Trichogaster leerii</i> | Pearl gourami |
| ► <i>Trichogaster microlepis</i> | Moonlight gourami |
| ► <i>Trichogaster pectoralis</i> | Snakeskin gourami |
| ► <i>Trichogaster trichopterus</i> | Three spot gourami |
| <i>Trichopsis pumila</i> | Sparkling pigmy gourmai |
| <i>Trichopsis schalleri</i> | |
| <i>Trichopsis vittata</i> | Croaking gourami |
| <i>Trigonostigma espei</i> | Lambchop rasbora |
| <i>Trigonostigma hengeli</i> | Slender wedge rasbora |
| <i>Trigonostigma heteromorpha</i> | Harlequin rasbora |
| <i>Tropheus duboisi</i> | Tropheus duboisi |
| <i>Tropheus kasabe</i> | |
| <i>Tropheus moorii</i> | Tropheus moorii |
| | |
| <i>Uaru amphiacanthoides</i> | Uaru |
| | |
| <i>Variabilichromis moorii</i> | |
| <i>Vieja bifasciata</i> | Red spotted cichlid |
| <i>Vieja fenestrata</i> | |
| <i>Vieja maculicauda</i> | Blackbelt cichlid |
| <i>Vieja synspila</i> | Redhead cichlid |
| | |
| <i>Xenentodon cancila</i> | Silver needlefish |
| <i>Xenomystus nigri</i> | African knifefish |
| ► <i>Xiphophorus hellerii</i> | Swordtail |
| ► <i>Xiphophorus maculatus</i> | Platy |

KEY

* CITES species

► Species with additional measures required (refer to Schedule 3)

Marine ornamental fish

| Valid scientific name | Common name |
|---------------------------------|-----------------------------|
| <i>Abudefduf saxatilis</i> | Sergeant major |
| <i>Acanthurus achilles</i> | Achilles tang |
| <i>Acanthurus blochii</i> | Ringtail surgeonfish |
| <i>Acanthurus chirurgus</i> | Doctorfish |
| <i>Acanthurus chronixis</i> | Chronixis surgeonfish |
| <i>Acanthurus coeruleus</i> | Blue tang surgeonfish |
| <i>Acanthurus dussumieri</i> | Eyestripe surgeonfish |
| <i>Acanthurus japonicus</i> | Powder brown |
| <i>Acanthurus leucosternon</i> | Powderblue surgeonfish |
| <i>Acanthurus lineatus</i> | Lined surgeonfish |
| <i>Acanthurus maculiceps</i> | |
| <i>Acanthurus nigricans</i> | Whitecheek surgeonfish |
| <i>Acanthurus nigricauda</i> | Epaulette surgeonfish |
| <i>Acanthurus nigrofuscus</i> | Brown surgeonfish |
| <i>Acanthurus olivaceus</i> | Orangespot surgeonfish |
| <i>Acanthurus pyroferus</i> | Chocolate surgeonfish |
| <i>Acanthurus sohal</i> | Sohal surgeonfish |
| <i>Acanthurus tennentii</i> | Doubleband surgeonfish |
| <i>Acanthurus triostegus</i> | Convict surgeonfish |
| <i>Acanthurus xanthopterus</i> | |
| ► <i>Acreichthys tomentosus</i> | Bristle-tail file-fish |
| <i>Aeoliscus strigatus</i> | Razorfish |
| <i>Amblyeleotris diagonalis</i> | Dragon goby |
| <i>Amblyeleotris guttata</i> | sunburst goby |
| <i>Amblyeleotris randalli</i> | Randall shrimp goby |
| <i>Amblyeleotris wheeleri</i> | Red banded goby |
| <i>Amblygobius decussatus</i> | Orange-striped goby |
| <i>Amblygobius phalaena</i> | Banded goby |
| <i>Amblygobius rainfordi</i> | Old glory |
| <i>Amphiprion akallopisos</i> | Skunk clownfish |
| <i>Amphiprion akindynos</i> | Barrier reef anemonefish |
| <i>Amphiprion allardi</i> | Twobar anemonefish |
| <i>Amphiprion bicinctus</i> | Twoband anemonefish |
| <i>Amphiprion chrysogaster</i> | Mauritian anemonefish |
| <i>Amphiprion chrysopterus</i> | Orangefin anemonefish |
| <i>Amphiprion clarkii</i> | Yellowtail clownfish |
| <i>Amphiprion ephippium</i> | Saddle anemonefish |
| <i>Amphiprion frenatus</i> | Tomato clownfish |
| <i>Amphiprion leucokranos</i> | Whitebonnet anemonefish |
| <i>Amphiprion melanopus</i> | Fire or cinnamome clownfish |
| <i>Amphiprion ocellaris</i> | Clown anemonefish |
| <i>Amphiprion percula</i> | Orange clownfish |
| <i>Amphiprion perideraion</i> | Pink anemonefish |
| <i>Amphiprion polymnus</i> | Saddleback clownfish |
| <i>Amphiprion sandaracinos</i> | Yellow clownfish |
| <i>Amphiprion sebae</i> | Sebae anemonefish |
| <i>Amphiprion tricinctus</i> | Maroon clownfish |
| <i>Anampses chrysocephalus</i> | Red tail wrasse |

| | |
|--------------------------------------|-------------------------------|
| <i>Anampses femininus</i> | Blue-striped orange tamarin |
| <i>Anampses lennardi</i> | Blue and yellow wrasse |
| <i>Anampses lineatus</i> | Lined wrasse |
| <i>Anampses melanurus</i> | White-spotted wrasse |
| <i>Anampses meleagrides</i> | Spotted wrasse |
| <i>Anampses neoguinaicus</i> | New Guinea wrasse |
| <i>Anampses twistii</i> | Yellowbreasted wrasse |
| <i>Antennarius hispidus</i> | Shaggy angler |
| <i>Antennarius pictus</i> | Painted frogfish |
| <i>Antennarius striatus</i> | Striated frogfish |
| <i>Antennatus tuberosus</i> | Tuberculated frogfish |
| <i>Apogon leptacanthus</i> | Threadfin cardinalfish |
| <i>Apogon nigrofasciatus</i> | Blackstripe cardinalfish |
| <i>Apolemichthys trimaculatus</i> | Three spot angelfish |
| <i>Apolemichthys xanthopunctatus</i> | |
| <i>Apolemichthys xanthurus</i> | Cream Angel |
| <i>Arothron hispidus</i> | White-spotted puffer |
| <i>Arothron meleagris</i> | Guineafowl puffer |
| <i>Arothron nigropunctatus</i> | Blackspotted puffer |
| <i>Arothron stellatus</i> | Starry toadfish |
| <i>Assessor flavissimus</i> | Yellow devilfish |
| <i>Atrosalarias fuscus fuscus</i> | |
| | |
| <i>Balistapus undulatus</i> | Orange-lined triggerfish |
| <i>Balistoides conspicillum</i> | Clown triggerfish |
| <i>Bodianus anthioides</i> | Lyretail hogfish |
| <i>Bodianus axillaris</i> | Axilspot hogfish |
| <i>Bodianus bilunulatus</i> | Tarry hogfish |
| <i>Bodianus bimaculatus</i> | Twospot hogfish |
| <i>Bodianus macrourus</i> | Black-banded hogfish |
| <i>Bodianus mesothorax</i> | Splitlevel hogfish |
| | |
| <i>Callopleysiops argus</i> | Marine betta |
| <i>Callopleysiops altivelis</i> | Marine betta |
| <i>Canthigaster amboinensis</i> | Spider-eye puffer |
| <i>Canthigaster jactator</i> | Hawaiian whitespotted toby |
| <i>Canthigaster janthinoptera</i> | Honeycomb toby |
| <i>Canthigaster margaritata</i> | Sharpnose puffer |
| <i>Canthigaster solandri</i> | Spotted sharpnose |
| <i>Canthigaster valentini</i> | Valentinni's sharpnose puffer |
| <i>Centropyge acanthops</i> | Orangeback angelfish |
| <i>Centropyge aurantia</i> | Golden angelfish |
| <i>Centropyge aurantonotus</i> | Flameback angelfish |
| <i>Centropyge bicolor</i> | Bicolor angelfish |
| <i>Centropyge bispinosa</i> | Twospined angelfish |
| <i>Centropyge colini</i> | |
| <i>Centropyge eibli</i> | Blacktail angelfish |
| <i>Centropyge ferrugata</i> | Rusty angelfish |
| <i>Centropyge fisheri</i> | Orange angelfish |
| <i>Centropyge flavicauda</i> | Whitetail angelfish |
| <i>Centropyge flavipectoralis</i> | Yellowfin angelfish |
| <i>Centropyge flavissima</i> | Lemonpeel angelfish |

| | |
|------------------------------------|-------------------------------------|
| <i>Centropyge heraldi</i> | Yellow angelfish |
| <i>Centropyge loricula</i> | Flame angel |
| <i>Centropyge multicolor</i> | Multicolor angelfish |
| <i>Centropyge multifasciata</i> | Barred angelfish |
| <i>Centropyge multispinis</i> | Dusky angelfish |
| <i>Centropyge nox</i> | Midnight angelfish |
| <i>Centropyge potteri</i> | Russet angelfish |
| <i>Centropyge shepardi</i> | Mango angelfish |
| <i>Centropyge tibicen</i> | Keyhole angelfish |
| <i>Centropyge venustus</i> | Purplemask angelfish |
| <i>Centropyge vrolikii</i> | Pearlscale angelfish |
| ► <i>Cephalopholis miniata</i> | Coral hind |
| ► <i>Cephalopholis urodeta</i> | Darkfin hind |
| <i>Cetoscarus bicolor</i> | Bicolour parrotfish |
| <i>Chaetodon auriga</i> | Threadfin butterflyfish |
| <i>Chaetodon austriacus</i> | Blacktail butterflyfish |
| <i>Chaetodon bennetti</i> | Bluelashed butterflyfish |
| <i>Chaetodon burgessi</i> | Burgess' butterflyfish |
| <i>Chaetodon citrinellus</i> | Speckled butterflyfish |
| <i>Chaetodon collare</i> | Redtail butterflyfish |
| <i>Chaetodon declivis</i> | Marquesas butterflyfish |
| <i>Chaetodon ephippium</i> | Saddle butterflyfish |
| <i>Chaetodon falcula</i> | Blackwedged butterflyfish |
| <i>Chaetodon fremblii</i> | Bluestriped butterflyfish |
| <i>Chaetodon guttatissimus</i> | Peppered butterflyfish |
| <i>Chaetodon kleinii</i> | Sunburst butterflyfish |
| <i>Chaetodon lineolatus</i> | |
| <i>Chaetodon lunula</i> | Raccoon butterflyfish |
| <i>Chaetodon madagaskariensis</i> | Seychelles butterflyfish |
| <i>Chaetodon melannotus</i> | Blackback butterflyfish |
| <i>Chaetodon mertensii</i> | Atoll butterflyfish |
| <i>Chaetodon meyeri</i> | Scrawled butterflyfish |
| <i>Chaetodon miliaris</i> | Millet butterflyfish |
| <i>Chaetodon multicinctus</i> | Pebbled butterflyfish |
| <i>Chaetodon octofasciatus</i> | Eightband butterflyfish |
| <i>Chaetodon pelewensis</i> | Sunset butterflyfish |
| <i>Chaetodon plebeius</i> | Blueblotch butterflyfish |
| <i>Chaetodon punctatofasciatus</i> | |
| <i>Chaetodon quadrimaculatus</i> | Fourspot butterflyfish |
| <i>Chaetodon rafflesii</i> | Latticed butterflyfish |
| <i>Chaetodon rainfordi</i> | Rainford's butterflyfish |
| <i>Chaetodon semilarvatus</i> | Bluecheek butterflyfish |
| <i>Chaetodon speculum</i> | Mirror butterflyfish |
| <i>Chaetodon tinkerii</i> | Hawaiian butterflyfish |
| <i>Chaetodon trifascialis</i> | Chevron butterflyfish |
| <i>Chaetodon trifasciatus</i> | Melon butterflyfish |
| <i>Chaetodon ulietensis</i> | Pacific double-saddle butterflyfish |
| <i>Chaetodon unimaculatus</i> | Teardrop butterflyfish |
| <i>Chaetodon vagabundus</i> | Vagabond butterflyfish |
| <i>Chaetodon xanthocephalus</i> | Yellowhead butterflyfish |
| <i>Chaetodon xanthurus</i> | Pearlscale butterflyfish |
| <i>Chaetodon zanzibarensis</i> | Zanzibar butterflyfish |

| | |
|------------------------------------|---------------------------|
| <i>Chaetodontoplus duboulayi</i> | Scribbled angelfish |
| <i>Chaetodontoplus melanostoma</i> | Black-velvet angelfish |
| <i>Chaetodontoplus mesoleucus</i> | Vermiculated angelfish |
| <i>Chaetodontoplus personifer</i> | Blueface angelfish |
| <i>Chelmon rostratus</i> | Copperband butterflyfish |
| <i>Choerodon fasciatus</i> | Harlequin tuskfish |
| <i>Chromis analis</i> | Yellow chromis |
| <i>Chromis caerulea</i> | Green chromis |
| <i>Chromis cyanea</i> | Blue chromis |
| <i>Chromis dimidiata</i> | Chocolatedip chromis |
| <i>Chromis margaritifer</i> | Bicolor chromis |
| <i>Chromis multilineata</i> | Brown chromis |
| <i>Chromis retrofasciata</i> | Black-bar chromis |
| <i>Chromis scotti</i> | purple chromis |
| <i>Chromis ternatensis</i> | Ternate chromis |
| <i>Chromis viridis</i> | Blue green damselfish |
| <i>Chrysiptera cyanea</i> | Sapphire devil |
| <i>Chrysiptera niger</i> | Black damselfish |
| <i>Chrysiptera parasema</i> | Goldtail demoiselle |
| <i>Chrysiptera starcki</i> | Starck's demoiselle |
| <i>Chrysiptera talboti</i> | Talbot's demoiselle |
| <i>Chrysiptera taupou</i> | Southseas devil |
| <i>Cirrhilabrus cyanopleura</i> | Blue side wrasse |
| <i>Cirrhilabrus eximius</i> | Exquisite fairy wrasse |
| <i>Cirrhilabrus filamentosus</i> | Whip wrasse |
| <i>Cirrhilabrus lubbocki</i> | Lubbock wrasse |
| <i>Cirrhilabrus punctatus</i> | Finespotted fairy wrasse |
| <i>Cirrhilabrus scottorum</i> | Velvet wrasse |
| <i>Cirrhilabrus solorensis</i> | Redheaded fairy wrasse |
| <i>Cirrhichthys falco</i> | Dwarf hawkfish |
| <i>Cirrhichthys oxycephalus</i> | Coral hawkfish |
| <i>Cirrhitocheilus fasciatus</i> | Redbarred hawkfish |
| <i>Cirripectes stigmaticus</i> | Indian Blenny |
| <i>Coris aygula</i> | Clown coris |
| <i>Coris caudimaculata</i> | Spottail coris |
| <i>Coris cuvieri</i> | African coris |
| <i>Coris flavovittata</i> | Yellowstripe coris |
| <i>Coris gaimard</i> | Yellowtail coris |
| <i>Coris venusta</i> | Elegant coris |
| ► <i>Cromileptes altivelis</i> | Humpback grouper |
| <i>Cryptocentrus cinctus</i> | Yellow-Watchman |
| <i>Cryptocentrus leptocephalus</i> | Pink-speckled shrimp goby |
| <i>Cryptocentrus pavoninoides</i> | Blackfinned shrimp goby |
| <i>Ctenochaetus hawaiiensis</i> | Chevron tang |
| <i>Ctenochaetus marginatus</i> | Striped-fin surgeonfish |
| <i>Ctenochaetus striatus</i> | Blue eye tang |
| <i>Ctenochaetus strigosus</i> | Kole tang |
| <i>Ctenochaetus tominiensis</i> | Tominini tang |
| <i>Cypho purpurascens</i> | Oblique dottyback |
| | |
| <i>Dactylopus</i> | finger dragonet |
| <i>Dascyllus albisella</i> | Hawaiian dascyllus |

| | |
|------------------------------------|------------------------------|
| <i>Dascyllus aruanus</i> | Whitetail dascyllus |
| <i>Dascyllus carneus</i> | Cloudy dascyllus |
| <i>Dascyllus melanurus</i> | Blacktail humbug |
| <i>Dascyllus reticulatus</i> | Reticulate dascyllus |
| <i>Dascyllus trimaculatus</i> | Threespot dascyllus |
| <i>Diagramma pictum</i> | Painted sweetlips |
| <i>Diodon holocanthus</i> | Long-spine porcupinefish |
| <i>Diodon hystrix</i> | Spot-fin porcupinefish |
| <i>Diodon liturosus</i> | Black-blotched porcupinefish |
| <i>Diproctacanthus xanthurus</i> | Yellow tail wrasse |
| <i>Dischistodus prosopotaenia</i> | Honey-head damsel |
| <i>Doryrhamphus dactyliophorus</i> | Ringed pipefish |
| <i>Doryrhamphus janssi</i> | Janssi pipefish |
| <i>Doryrhamphus multiannulatus</i> | Many-banded pipefish |
| | |
| <i>Ecsenius bicolor</i> | Bicolor blenny |
| <i>Ecsenius frontalis</i> | Smooth-fin blenny |
| <i>Ecsenius lineatus</i> | Linear blenny |
| <i>Ecsenius midas</i> | Persian blenny |
| <i>Ecsenius namiyei</i> | Black comb-tooth |
| <i>Ecsenius pulcher</i> | |
| <i>Epibulus insidiator</i> | Slingjaw wrasse |
| ► <i>Epinephelus merra</i> | Honeycomb grouper |
| <i>Exallias brevis</i> | Algae blenny |
| | |
| <i>Forcipiger flavissimus</i> | Longnose butterflyfish |
| <i>Forcipiger longirostris</i> | Longnose butterflyfish |
| | |
| <i>Genicanthus bellus</i> | Ornate angelfish |
| <i>Genicanthus caudovittatus</i> | Zebra angelfish |
| <i>Genicanthus lamarck</i> | Blackstriped angelfish |
| <i>Genicanthus melanospilos</i> | Spotbreast angelfish |
| <i>Genicanthus semifasciatus</i> | Blackedged angelfish |
| <i>Genicanthus watanabei</i> | |
| <i>Gnathanodon speciosus</i> | Golden trevally |
| <i>Gobiodon citrinus</i> | |
| <i>Gobiodon okinawae</i> | Yellow clown goby |
| <i>Gobiosoma oceanops</i> | Neon goby |
| <i>Gomphosus caeruleus</i> | Green birdmouth wrasse |
| <i>Gomphosus varius</i> | Bird wrasse |
| <i>Gramma brasiliensis</i> | Royal Gramma brazil |
| <i>Gramma loreto</i> | Royal Gramma atlantic |
| <i>Gramma melacara</i> | Blackcap basslet |
| <i>Grammistes sexlineatus</i> | Sixline soapfish |
| | |
| <i>Halichoeres biocellatus</i> | Red-lined wrasse |
| <i>Halichoeres chloropterus</i> | Pastel-green wrasse |
| <i>Halichoeres chrysus</i> | Canary wrasse |
| <i>Halichoeres cosmetus</i> | Adorned wrasse |
| <i>Halichoeres hortulanus</i> | Checkerboard wrasse |
| <i>Halichoeres marginatus</i> | Dusky wrasse |
| <i>Halichoeres melanurus</i> | Tail-spot wrasse |

| | |
|--------------------------------------|-------------------------------|
| <i>Halichoeres ornatissimus</i> | Ornamented wrasse |
| <i>Halichoeres trimaculatus</i> | Threespot wrasse |
| <i>Hemigymnus fasciatus</i> | Barred thicklip |
| <i>Hemigymnus melapterus</i> | Blackeye thicklip |
| <i>Hemitaurichthys polylepsis</i> | |
| <i>Hemitaurichthys zoster</i> | Brown-and-white butterflyfish |
| <i>Heniochus acuminatus</i> | Pennant coralfish |
| <i>Heniochus chrysostomus</i> | Threeband pennantfish |
| <i>Heniochus monoceros</i> | |
| <i>Heniochus singularis</i> | Singular bannerfish |
| <i>Heniochus varius</i> | Horned bannerfish |
| * <i>Hippocampus barbouri</i> | Barbour's seahorse |
| * <i>Hippocampus comes</i> | Tiger tail seahorse |
| * ► <i>Hippocampus coronatus</i> | |
| * <i>Hippocampus histrix</i> | Thorny seahorse |
| * <i>Hippocampus kuda</i> | Spotted seahorse |
| * ► <i>Hippocampus reidi</i> | Longsnout seahorse |
| * ► <i>Hippocampus spinosissimus</i> | Hedgehog seahorse |
| * <i>Hippocampus trimaculatus</i> | Longnose seahorse |
| * ► <i>Hippocampus whitei</i> | White's seahorse |
| <i>Holacanthus bermudensis</i> | Angelfish |
| <i>Holacanthus ciliaris</i> | Queen angelfish |
| <i>Holacanthus passer</i> | King angelfish |
| <i>Hypoplectrus gemma</i> | Blue hamlet |
| <i>Hypoplectrus indigo</i> | Indigo hamlet |
| <i>Hypoplectrus guttavarius</i> | Shy hamlet |
| | |
| <i>Labracinus cyclophthalmus</i> | Red damperia dottyback |
| ► <i>Labroides bicolor</i> | Bicolor cleaner wrasse |
| ► <i>Labroides dimidiatus</i> | Bluestreak cleaner wrasse |
| ► <i>Labroides pectoralis</i> | Blackspot cleaner wrasse |
| ► <i>Labroides phthiophagus</i> | Hawaiian cleaner wrasse |
| <i>Lactoria cornuta</i> | Longhorn cowfish |
| <i>Lactoria fornasini</i> | Thornback cowfish |
| <i>Lepidozygus tapeinosoma</i> | Fusilier damselfish |
| <i>Liopropoma swalesi</i> | Swalesi |
| <i>Lutjanus kasmira</i> | Common bluestripe snapper |
| <i>Lutjanus sebae</i> | Emperor red snapper |
| | |
| <i>Macropharyngodon geoffroy</i> | Geoffroy's wrasse |
| <i>Macropharyngodon meleagris</i> | Blackspotted wrasse |
| <i>Macropharyngodon negrosensis</i> | Yellowspotted wrasse |
| <i>Macropharyngodon ornatus</i> | False leopard |
| <i>Meiacanthus atrodorsalis</i> | Forktail blenny |
| <i>Meiacanthus grammistes</i> | Striped fang blenny |
| <i>Meiacanthus oualanensis</i> | |
| <i>Meiacanthus smithi</i> | Disco blenny |
| <i>Melichthys niger</i> | Black triggerfish |
| <i>Melichthys vidua</i> | Pinktail triggerfish |
| <i>Myripristis violacea</i> | Lattice soldierfish |
| | |
| <i>Naso brevirostris</i> | Spotted unicornfish |

| | |
|--------------------------------------|-------------------------|
| <i>Naso elegans</i> | Elegant unicornfish |
| <i>Naso lituratus</i> | Orangespine unicornfish |
| <i>Naso unicornis</i> | Bluespine unicornfish |
| <i>Naso vlamingii</i> | Bignose unicornfish |
| <i>Nemateleotris decora</i> | Decorated dartfish |
| <i>Nemateleotris magnifica</i> | Fire goby |
| <i>Neocirrhites armatus</i> | Flame Hawkfish |
| <i>Neoglyphidodon melas</i> | Bowtie damselfish |
| <i>Neoglyphidodon nigroris</i> | Black-and-gold chromis |
| <i>Neoglyphidodon oxyodon</i> | bluevelvet damsel |
| <i>Novaculichthys taeniourus</i> | Rockmover wrasse |
| | |
| <i>Odonus niger</i> | Redtoothed triggerfish |
| <i>Opistognathus rosenblatti</i> | Jawfish |
| <i>Ostichthys trachypoma</i> | Bigeye soldierfish |
| ► <i>Ostorhinchus maculiferus</i> | Spotted cardinalfish |
| <i>Ostracion cubicus</i> | Yellow boxfish |
| <i>Ostracion cyanurus</i> | Bluetail trunkfish |
| <i>Ostracion meleagris</i> | Whitespotted boxfish |
| <i>Ostracion solorensis</i> | Reticulate boxfish |
| <i>Oxycirrhites typus</i> | Hawkfish |
| <i>Oxymonacanthus longirostris</i> | Harlequin filefish |
| | |
| <i>Paracanthurus hepatus</i> | Palette surgeonfish |
| <i>Paracheilinus carpenteri</i> | carpenters wrasse |
| <i>Paracirrhites arcatus</i> | Arc-eye hawkfish |
| <i>Paracirrhites forsteri</i> | Blackside hawkfish |
| <i>Paracirrhites hemistictus</i> | Whitespot hawkfish |
| <i>Pareques acuminatus</i> | High-hat |
| <i>Parupeneus barberinoides</i> | Bicolor goatfish |
| <i>Parupeneus cyclostomus</i> | Goldsaddle goatfish |
| <i>Parupeneus forsskali</i> | Red Sea goatfish |
| <i>Parupeneus trifasciatus</i> | Doublebar goatfish |
| <i>Pervagor janthinosoma</i> | Blackbar filefish |
| <i>Pervagor melanocephalus</i> | Redtail filefish |
| <i>Plectranthias inermis</i> | |
| <i>Platax orbicularis</i> | Orbicular batfish |
| <i>Platax pinnatus</i> | Dusky batfish |
| <i>Platax teira</i> | Tiera batfish |
| <i>Plectorhinchus albivittatus</i> | Yellow-lined sweetlips |
| <i>Plectorhinchus chaetodonoides</i> | Harlequin sweetlips |
| <i>Plectorhinchus gaterinoides</i> | Lined sweetlips |
| <i>Plectorhinchus orientalis</i> | Oriental sweetlips |
| <i>Plectorhinchus picus</i> | Painted sweetlip |
| <i>Plectroglyphidodon lacrymatus</i> | Whitespotted devil |
| <i>Pomacanthus annularis</i> | Bluering angelfish |
| <i>Pomacanthus asfur</i> | Arabian angelfish |
| <i>Pomacanthus imperator</i> | Emperor angelfish |
| <i>Pomacanthus maculosus</i> | Yellowbar angelfish |
| <i>Pomacanthus navarchus</i> | Bluegirdled angelfish |
| <i>Pomacanthus semicirculatus</i> | Semicircle angelfish |
| <i>Pomacanthus sexstriatus</i> | Sixbar angelfish |

| | |
|------------------------------------|-----------------------------|
| <i>Pomacanthus xanthurus</i> | Yellowface angelfish |
| <i>Pomacanthus zonipectus</i> | |
| <i>Pomacentrus allenii</i> | Andaman damsel |
| <i>Pomacentrus amboinensis</i> | Ambon damsel |
| <i>Pomacentrus auriventris</i> | Goldbelly damsel |
| <i>Pomacentrus bankanensis</i> | Speckled damselfish |
| <i>Pomacentrus caeruleus</i> | Caerulean damsel |
| <i>Pomacentrus coelestis</i> | Neon damselfish |
| <i>Pomacentrus melanochir</i> | Indonesian damsel |
| <i>Premnas biaculeatus</i> | Spinecheek anemonefish |
| <i>Pseudanthias bartlettiorum</i> | Bartlett's anthias |
| <i>Pseudanthias bicolor</i> | Bicolor anthias |
| <i>Pseudanthias cooperi</i> | Red-bar anthias |
| <i>Pseudanthias dispar</i> | Peach fairy basslet |
| <i>Pseudanthias evansi</i> | Yellowback anthias |
| <i>Pseudanthias huchtii</i> | Red-cheeked fairy basslet |
| <i>Pseudanthias hypselosoma</i> | Stocky anthias |
| <i>Pseudanthias ignitus</i> | flame basslet |
| <i>Pseudanthias lori</i> | Lori's anthias |
| <i>Pseudanthias pascualis</i> | Amethyst anthias |
| <i>Pseudanthias pictilis</i> | Painted anthias |
| <i>Pseudanthias pleurotaenia</i> | Square-spot fairy basslet |
| <i>Pseudanthias squamipinnis</i> | Sea goldie |
| <i>Pseudanthias thompsoni</i> | Hawaiian anthias |
| <i>Pseudanthias tuka</i> | Yellowstriped fairy basslet |
| <i>Pseudanthias ventralis</i> | Longfin anthias |
| <i>Pseudobalistes fuscus</i> | Yellow-spotted triggerfish |
| <i>Pseudocheilinus evanidus</i> | Scarlet wrasse |
| <i>Pseudocheilinus hexataenia</i> | Sixline wrasse |
| <i>Pseudocheilinus ocellatus</i> | Mistery wrasse |
| <i>Pseudocheilinus octotaenia</i> | Eight Line wrasse |
| <i>Pseudocheilinus tetrataenia</i> | Four-lined wrasse |
| <i>Pseudochromis fuscus</i> | Golden dottyback |
| <i>Pseudochromis diadema</i> | Diadem dottyback |
| <i>Pseudochromis dilectus</i> | Dottyback |
| <i>Pseudochromis fridmani</i> | Orchid dottyback |
| <i>Pseudochromis paccagnellae</i> | Royal dottyback |
| <i>Pseudochromis porphyreus</i> | Magenta dottyback |
| <i>Pseudochromis splendens</i> | Splendid dottyback |
| <i>Pseudochromis springeri</i> | Springer dottyback |
| <i>Pseudomonacanthus elongatus</i> | |
| <i>Pseudomonacanthus macrurus</i> | |
| <i>Pseudomonacanthus peroni</i> | |
| <i>Pseudomonacanthus pusillus</i> | |
| <i>Pterapogon kauderni</i> | Banggai cardinal |
| <i>Ptereleotris evides</i> | Blackfin dartfish |
| <i>Ptereleotris microlepis</i> | |
| <i>Ptereleotris zebra</i> | Chinese zebra goby |
| <i>Pygoplites diacanthus</i> | Royal angelfish |
| | |
| <i>Rhinecanthus aculeatus</i> | Blackbar triggerfish |
| <i>Rhinecanthus rectangulus</i> | Wedge-tail triggerfish |

| | |
|------------------------------------|----------------------------|
| <i>Rhinecanthus aculeatus</i> | Humu-humu-nuku-nuku a puaa |
| <i>Rhinomuraena quaesita</i> | Ribbon moray |
| | |
| <i>Salarias fasciatus</i> | Jeweled rockskipper |
| <i>Sargocentron xantherythrum</i> | Hawaiian squirrelfish |
| <i>Scolopsis bilineata</i> | Gold Dart bream |
| <i>Serranocirrhitus latus</i> | Sunburst anthias |
| <i>Serranus tigrinus</i> | Harlequin bass |
| <i>Serranus tortugarum</i> | Chalk bass |
| <i>Siganus doliatus</i> | Barred spinefoot |
| <i>Siganus magnificus</i> | |
| <i>Siganus puelloides</i> | Blackeye rabbitfish |
| <i>Siganus uspi</i> | Bicolored foxface |
| <i>Siganus virgatus</i> | Barhead spinefoot |
| <i>Siganus vulpinus</i> | Foxface |
| <i>Signigobius biocellatus</i> | Two Spot Goby |
| <i>Sphaeramia nematoptera</i> | Pajama cardinalfish |
| <i>Sphaeramia orbicularis</i> | Polkadot cardinalfish |
| <i>Stethojulis bandanensis</i> | Red shoulder wrasse |
| <i>Stonogobiops nematodes</i> | Blackray shrimp goby |
| <i>Stonogobiops xanthorhinica</i> | Yellownose Shrimpgoby |
| <i>Sufflamen bursa</i> | Boomerang triggerfish |
| <i>Sufflamen chrysopteron</i> | Halfmoon triggerfish |
| <i>Synchiropus marmoratus</i> | Marbled dragonet |
| <i>Synchiropus ocellatus</i> | Ocellated dragonet |
| <i>Synchiropus picturatus</i> | Picturesque dragonet |
| <i>Synchiropus splendidus</i> | Mandarinfish |
| | |
| <i>Tetrosomus gibbosus</i> | Humpback turretfish |
| <i>Thalassoma ballieui</i> | Blacktail wrasse |
| <i>Thalassoma duperrey</i> | Saddle wrasse |
| <i>Thalassoma hardwicke</i> | Sixbar wrasse |
| <i>Thalassoma janssenii</i> | Jansen's wrasse |
| <i>Thalassoma lunare</i> | Moon wrasse |
| <i>Thalassoma lutescens</i> | Yellow-brown wrasse |
| <i>Thalassoma quinquevittatum</i> | Fivestripe wrasse |
| | |
| <i>Valenciennea longipinnis</i> | Long-finned goby |
| <i>Valenciennea puellaris</i> | Maiden goby |
| <i>Valenciennea sexguttata</i> | Sixspot goby |
| <i>Valenciennea strigata</i> | Blueband goby |
| | |
| <i>Xanthichthys auromarginatus</i> | Bluejaw trigger |
| | |
| <i>Zanclus cornutus</i> | Moorish idol |
| <i>Zebrasoma desjardini</i> | |
| <i>Zebrasoma flavescens</i> | Yellow tang |
| <i>Zebrasoma rostratum</i> | Longnose surgeonfish |
| <i>Zebrasoma scopas</i> | Twotone tang |
| <i>Zebrasoma veliferum</i> | Sailfin tang |
| <i>Zebrasoma xanthurum</i> | Yellowtail tang |

KEY

* CITES species

► Species with additional measures required (refer to Schedule 3)

Marine invertebrates

Hard corals

| Valid scientific name | Common name |
|------------------------------------|-------------------------|
| * <i>Acanthastrea lordhowensis</i> | |
| * <i>Acanthastrea amakusensis</i> | |
| * <i>Acanthastrea bowerbanki</i> | |
| * <i>Acanthastrea echinata</i> | |
| * <i>Acanthastrea echinata</i> | |
| * <i>Acanthastrea hemprichii</i> | |
| * <i>Acanthastrea hillae</i> | |
| * <i>Acanthastrea lordhowensis</i> | |
| * <i>Acanthastrea maxima</i> | |
| * <i>Acanthastrea minuta</i> | |
| * <i>Acanthastrea rotundaflora</i> | |
| * <i>Acropora abrolhosensis</i> | Staghorn or Table coral |
| * <i>Acropora abrotanoides</i> | |
| * <i>Acropora acervata</i> | |
| * <i>Acropora aculeus</i> | |
| * <i>Acropora acuminata</i> | |
| * <i>Acropora affinis</i> | |
| * <i>Acropora africana</i> | |
| * <i>Acropora akajimensis</i> | |
| * <i>Acropora alliomorpha</i> | |
| * <i>Acropora amblyclados</i> | |
| * <i>Acropora angulata</i> | |
| * <i>Acropora anthocercis</i> | |
| * <i>Acropora anthocercis</i> | |
| * <i>Acropora anthocervis</i> | |
| * <i>Acropora appressa</i> | |
| * <i>Acropora arabensis</i> | |
| * <i>Acropora arabica</i> | |
| * <i>Acropora arbuscula</i> | |
| * <i>Acropora arcuata</i> | |
| * <i>Acropora armata</i> | |
| * <i>Acropora aspera</i> | |
| * <i>Acropora assimilis</i> | |
| * <i>Acropora austera</i> | |
| * <i>Acropora awi</i> | |
| * <i>Acropora azurea</i> | |
| * <i>Acropora baeodactyla</i> | |
| * <i>Acropora bandensis</i> | |
| * <i>Acropora batunai</i> | |
| * <i>Acropora bifurcata</i> | |
| * <i>Acropora brachiata</i> | |
| * <i>Acropora branchi</i> | |
| * <i>Acropora brevicollis</i> | |
| * <i>Acropora brooki</i> | |

| | |
|---|-------------------|
| * <i>Acropora brueggemani</i> | |
| * <i>Acropora brueggemanni</i> | |
| * <i>Acropora brueggemanni uncinata</i> | |
| * <i>Acropora bullata</i> | |
| * <i>Acropora bushyensis</i> | |
| * <i>Acropora bæodactyla</i> | |
| * <i>Acropora calamaria</i> | |
| * <i>Acropora canaliculata</i> | |
| * <i>Acropora canalis</i> | Bottlebrush coral |
| * <i>Acropora canaliculata</i> | |
| * <i>Acropora cancellata</i> | |
| * <i>Acropora capillaris</i> | |
| * <i>Acropora cardenae</i> | |
| * <i>Acropora carduus</i> | Christmas coral |
| * <i>Acropora caroliniana</i> | |
| * <i>Acropora cerealis</i> | |
| * <i>Acropora cervicornis</i> | |
| * <i>Acropora ceylonica</i> | |
| * <i>Acropora chesterfieldensis</i> | |
| * <i>Acropora clathrata</i> | |
| * <i>Acropora clavigera</i> | |
| * <i>Acropora complanta</i> | |
| * <i>Acropora concinna</i> | |
| * <i>Acropora conferata</i> | |
| * <i>Acropora conferta</i> | |
| * <i>Acropora confraga</i> | |
| * <i>Acropora conigera</i> | Staghorn |
| * <i>Acropora convexa</i> | |
| * <i>Acropora cophodactyla</i> | |
| * <i>Acropora copiosa</i> | |
| * <i>Acropora corymbosa</i> | |
| * <i>Acropora crateriformis</i> | |
| * <i>Acropora cribripora</i> | |
| * <i>Acropora cucullata</i> | |
| * <i>Acropora cuneata</i> | |
| * <i>Acropora cuspidata</i> | |
| * <i>Acropora cyclopea</i> | |
| * <i>Acropora cylindrica</i> | |
| * <i>Acropora cymbicyathus</i> | |
| * <i>Acropora cytherea</i> | |
| * <i>Acropora cytherella</i> | |
| * <i>Acropora damicornis</i> | |
| * <i>Acropora danai</i> | |
| * <i>Acropora danæ</i> | |
| * <i>Acropora decipiens</i> | |
| * <i>Acropora delicatula</i> | |
| * <i>Acropora dendrum</i> | |
| * <i>Acropora derawaensis</i> | |
| * <i>Acropora derawanensis</i> | |
| * <i>Acropora desalwii</i> | |
| * <i>Acropora diffusa</i> | |
| * <i>Acropora digitifera</i> | |

| | |
|--|---------------|
| * <i>Acropora diomedeeae</i> | |
| * <i>Acropora dispar</i> | Bluetip coral |
| * <i>Acropora dissimilis</i> | |
| * <i>Acropora disticha</i> | |
| * <i>Acropora divaricata</i> | |
| * <i>Acropora diversa</i> | |
| * <i>Acropora donei</i> | |
| * <i>Acropora downingi</i> | |
| * <i>Acropora dumosa</i> | |
| * <i>Acropora echinata</i> | |
| * <i>Acropora efflorescens</i> | |
| * <i>Acropora effusa</i> | |
| * <i>Acropora ehrenbergii</i> | |
| * <i>Acropora ehrenbergii scandens</i> | |
| * <i>Acropora elegans</i> | |
| * <i>Acropora elegantula</i> | |
| * <i>Acropora elizabethensis</i> | |
| * <i>Acropora elseyi</i> | |
| * <i>Acropora eminens</i> | |
| * <i>Acropora erythraea</i> | |
| * <i>Acropora erythræa</i> | |
| * <i>Acropora eurystoma</i> | |
| * <i>Acropora exigua</i> | |
| * <i>Acropora exilis</i> | |
| * <i>Acropora exquiseta</i> | |
| * <i>Acropora exquisita</i> | |
| * <i>Acropora fastigata</i> | |
| * <i>Acropora fenneri</i> | |
| * <i>Acropora filiformis</i> | |
| * <i>Acropora florida</i> | |
| * <i>Acropora formosa</i> | |
| * <i>Acropora formosa brachiata</i> | |
| * <i>Acropora formosa gracilis</i> | |
| * <i>Acropora forskali</i> | |
| * <i>Acropora forskalii</i> | |
| * <i>Acropora fraterna</i> | |
| * <i>Acropora fruticosa</i> | |
| * <i>Acropora fruticosa</i> | |
| * <i>Acropora gemmifera</i> | |
| * <i>Acropora glauca</i> | |
| * <i>Acroporaglobiceps</i> | |
| * <i>Acropora glochicladus</i> | |
| * <i>Acropora gomezi</i> | |
| * <i>Acropora gonagra</i> | |
| * <i>Acropora gracilis</i> | |
| * <i>Acropora grandis</i> | |
| * <i>Acropora granulosa</i> | |
| * <i>Acropora gravida</i> | |
| * <i>Acropora guppyi</i> | |
| * <i>Acropora haimeii</i> | |
| * <i>Acropora halmaherae</i> | |
| * <i>Acropora hebes</i> | |

| | |
|-------------------------------------|----------------------|
| * <i>Acropora hemprichi</i> | |
| * <i>Acropora hemprichii</i> | |
| * <i>Acropora hispida</i> | |
| * <i>Acropora histrix</i> | |
| * <i>Acropora hoeksemai</i> | |
| * <i>Acropora horrida</i> | |
| * <i>Acropora humilis</i> | |
| * <i>Acropora humilis alpha</i> | |
| * <i>Acropora humilis beta</i> | |
| * <i>Acropora humilis gamma</i> | |
| * <i>Acropora hyacinthus</i> | |
| * <i>Acropora hydra</i> | |
| * <i>Acropora hystrix</i> | |
| * <i>Acropora implicata</i> | |
| * <i>Acropora indiana</i> | |
| * <i>Acropora indica</i> | |
| * <i>Acropora indonesia</i> | |
| * <i>Acropora indurata</i> | |
| * <i>Acropora inermis</i> | |
| * <i>Acropora insignis</i> | |
| * <i>Acropora intermedia</i> | |
| * <i>Acropora irregularis</i> | |
| * <i>Acropora jacquelineae</i> | |
| * <i>Acropora jacquelineae</i> | |
| * <i>Acropora japonica</i> | |
| * <i>Acropora jeulini</i> | |
| * <i>Acropora kenti</i> | |
| * <i>Acropora kentii</i> | |
| * <i>Acropora kimbeensis</i> | |
| * <i>Acropora kirstyae</i> | |
| * <i>Acropora kosurini</i> | |
| * <i>Acropora labrosa</i> | |
| * <i>Acropora laevis</i> | |
| * <i>Acropora lamarcki</i> | |
| * <i>Acropora latistella</i> | |
| * <i>Acropora laxa</i> | |
| * <i>Acropora leptocyathus</i> | |
| * <i>Acropora lianae</i> | |
| * <i>Acropora librata</i> | |
| * <i>Acropora listeri</i> | Fused staghorn coral |
| * <i>Acropora loisetteae</i> | |
| * <i>Acropora lokani</i> | |
| * <i>Acropora longicyathus</i> | |
| * <i>Acropora loricata</i> | |
| * <i>Acropora loricata distorta</i> | |
| * <i>Acropora loripes</i> | |
| * <i>Acropora lovelii</i> | |
| * <i>Acropora lovelli</i> | |
| * <i>Acropora lukteni</i> | |
| * <i>Acropora lutkeni</i> | |
| * <i>Acropora luzonica</i> | |
| * <i>Acropora macrostoma</i> | |

| | |
|---|--|
| * <i>Acropora magnifica</i> | |
| * <i>Acropora mangarevensis</i> | |
| * <i>Acropora manni</i> | |
| * <i>Acropora maryae</i> | |
| * <i>Acropora massawensis</i> | |
| * <i>Acropora meridiana</i> | |
| * <i>Acropora microclados</i> | |
| * <i>Acropora microphthalma</i> | |
| * <i>Acropora microphthalmia</i> | |
| * <i>Acropora millepora</i> | |
| * <i>Acropora minuta</i> | |
| * <i>Acropora mirabilis</i> | |
| * <i>Acropora monticulosa</i> | |
| * <i>Acropora mossambica</i> | |
| * <i>Acropora multi-acuta</i> | |
| * <i>Acropora multiacuta</i> | |
| * <i>Acropora multicaulis</i> | |
| * <i>Acropora multiformis</i> | |
| * <i>Acropora multiramosa</i> | |
| * <i>Acropora muricata</i> | |
| * <i>Acropora muricata alces</i> | |
| * <i>Acropora muricata cervicornis</i> | |
| * <i>Acropora muricata clivosa</i> | |
| * <i>Acropora muricata columnaris</i> | |
| * <i>Acropora muricata cornuta</i> | |
| * <i>Acropora muricata flabello-prolifera</i> | |
| * <i>Acropora muricata flabellum</i> | |
| * <i>Acropora muricata infundibulum</i> | |
| * <i>Acropora muricata palmata</i> | |
| * <i>Acropora muricata palmato-prolifera</i> | |
| * <i>Acropora muricata perampla</i> | |
| * <i>Acropora muricata prolifera</i> | |
| * <i>Acropora muricata surculo-palmata</i> | |
| * <i>Acropora murrayensis</i> | |
| * <i>Acropora nana</i> | |
| * <i>Acropora nasuta</i> | |
| * <i>Acropora nasuta crassilabia</i> | |
| * <i>Acropora natalensis</i> | |
| * <i>Acropora navini</i> | |
| * <i>Acropora neglecta</i> | |
| * <i>Acropora nobilis</i> | |
| * <i>Acropora nobilis secunda</i> | |
| * <i>Acropora nobilis/robusta</i> | |
| * <i>Acropora nobillis</i> | |
| * <i>Acropora obscura</i> | |
| * <i>Acropora ocellata</i> | |
| * <i>Acropora orbicularis</i> | |
| * <i>Acropora ormosa</i> | |
| * <i>Acropora otteri</i> | |
| * <i>Acropora pachycyathus</i> | |
| * <i>Acropora pacifica</i> | |
| * <i>Acropora pagoensis</i> | |

| | |
|-------------------------------------|--|
| * <i>Acropora palifera</i> | |
| * <i>Acropora palifera forma</i> | |
| * <i>Acropora palifera forma B</i> | |
| * <i>Acropora palmata</i> | |
| * <i>Acropora palmerae</i> | |
| * <i>Acropora paniculata</i> | |
| * <i>Acropora papillare</i> | |
| * <i>Acropora parahemprichii</i> | |
| * <i>Acropora parapharaonis</i> | |
| * <i>Acropora parilis</i> | |
| * <i>Acropora parvistella</i> | |
| * <i>Acropora patula</i> | |
| * <i>Acropora paxilligera</i> | |
| * <i>Acropora pectinata</i> | |
| * <i>Acropora pectinatus</i> | |
| * <i>Acropora pharaonis</i> | |
| * <i>Acropora philippinensis</i> | |
| * <i>Acropora pichoni</i> | |
| * <i>Acropora pinguis</i> | |
| * <i>Acropora plana</i> | |
| * <i>Acropora plantagenea</i> | |
| * <i>Acropora plantagenia</i> | |
| * <i>Acropora plantaginea</i> | |
| * <i>Acropora plicata</i> | |
| * <i>Acropora plumosa</i> | |
| * <i>Acropora pocillifera</i> | |
| * <i>Acropora pocilloporina</i> | |
| * <i>Acropora polymorpha</i> | |
| * <i>Acropora polystoma</i> | |
| * <i>Acropora ponderosa</i> | |
| * <i>Acropora porites</i> | |
| * <i>Acropora procumbens</i> | |
| * <i>Acropora profusa</i> | |
| * <i>Acropora prolifera</i> | |
| * <i>Acropora proluxa</i> | |
| * <i>Acropora prominens</i> | |
| * <i>Acropora prostrata</i> | |
| * <i>Acropora proximalis</i> | |
| * <i>Acropora pruinosa</i> | |
| * <i>Acropora ptostrata</i> | |
| * <i>Acropora puertogalerae</i> | |
| * <i>Acropora pulchra</i> | |
| * <i>Acropora pulchra alveolata</i> | |
| * <i>Acropora pumila</i> | |
| * <i>Acropora pyramidalis</i> | |
| * <i>Acropora quelchi</i> | |
| * <i>Acropora quelchi</i> | |
| * <i>Acropora quelchi pardoxa</i> | |
| * <i>Acropora rambleri</i> | |
| * <i>Acropora ramiculosa</i> | |
| * <i>Acropora rayneri</i> | |
| * <i>Acropora reclinata</i> | |

| | |
|------------------------------------|--|
| * <i>Acropora recumbens</i> | |
| * <i>Acropora reticulata</i> | |
| * <i>Acropora retusa</i> | |
| * <i>Acropora robusta</i> | |
| * <i>Acropora rosacea</i> | |
| * <i>Acropora rosaria</i> | |
| * <i>Acropora rosaria diffusa</i> | |
| * <i>Acropora roseni</i> | |
| * <i>Acropora rotumana</i> | |
| * <i>Acropora rudis</i> | |
| * <i>Acropora rufus</i> | |
| * <i>Acropora russelli</i> | |
| * <i>Acropora samoensis</i> | |
| * <i>Acropora sarmentosa</i> | |
| * <i>Acropora scabra</i> | |
| * <i>Acropora scherzeriana</i> | |
| * <i>Acropora schimitti</i> | |
| * <i>Acropora schmitti</i> | |
| * <i>Acropora secale</i> | |
| * <i>Acropora secaloides</i> | |
| * <i>Acropora secunda</i> | |
| * <i>Acropora securis</i> | |
| * <i>Acropora sekiseiensis</i> | |
| * <i>Acropora selago</i> | |
| * <i>Acropora seriata</i> | |
| * <i>Acropora simplex</i> | |
| * <i>Acropora sinensis</i> | |
| * <i>Acropora singularis</i> | |
| * <i>Acropora smithi</i> | |
| * <i>Acropora solanderi</i> | |
| * <i>Acropora solitaryensis</i> | |
| * <i>Acropora solytaryensis</i> | |
| * <i>Acropora sordiensis</i> | |
| * <i>Acropora sp</i> | |
| * <i>Acropora spathulata</i> | |
| * <i>Acropora specifera</i> | |
| * <i>Acropora speciosa</i> | |
| * <i>Acropora spectabilis</i> | |
| * <i>Acropora spicifera</i> | |
| * <i>Acropora splendida</i> | |
| * <i>Acropora spp.</i> | |
| * <i>Acropora squamata</i> | |
| * <i>Acropora squamosa</i> | |
| * <i>Acropora squarrosa</i> | |
| * <i>Acropora stellulata</i> | |
| * <i>Acropora stoddarti</i> | |
| * <i>Acropora striata</i> | |
| * <i>Acropora stricta</i> | |
| * <i>Acropora studeri</i> | |
| * <i>Acropora subglabra</i> | |
| * <i>Acropora subglabra rugosa</i> | |
| * <i>Acropora subtilis</i> | |

| | |
|--|--------------------------|
| * <i>Acropora subulata</i> | |
| * <i>Acropora suharsonoi</i> | |
| * <i>Acropora sukarnoi</i> | |
| * <i>Acropora surculosa</i> | |
| * <i>Acropora symmetrica</i> | |
| * <i>Acropora syringodes</i> | |
| * <i>Acropora tanegashemensis</i> | |
| * <i>Acropora tanegashimensis</i> | |
| * <i>Acropora tenella</i> | |
| * <i>Acropora tenuis</i> | |
| * <i>Acropora teres</i> | |
| * <i>Acropora teres distans</i> | |
| * <i>Acropora thurstoni</i> | |
| * <i>Acropora tizardi</i> | |
| * <i>Acropora togianensis</i> | |
| * <i>Acropora torihalimeda</i> | |
| * <i>Acropora torresiana</i> | |
| * <i>Acropora tortuosa</i> | |
| * <i>Acropora tubicinaria</i> | |
| * <i>Acropora tubigera</i> | |
| * <i>Acropora tubulosa</i> | |
| * <i>Acropora tumida</i> | |
| * <i>Acropora turaki</i> | |
| * <i>Acropora turbinata</i> | |
| * <i>Acropora turgida</i> | |
| * <i>Acropora tutuilensis</i> | |
| * <i>Acropora urceolifera</i> | |
| * <i>Acropora valenciennesi</i> | |
| * <i>Acropora valida</i> | |
| * <i>Acropora vanderhorsti</i> | |
| * <i>Acropora varia</i> | |
| * <i>Acropora variabilis</i> | |
| * <i>Acropora variabilis pachyclados</i> | |
| * <i>Acropora variolosa</i> | |
| * <i>Acropora vasiformis</i> | |
| * <i>Acropora vauhani</i> | |
| * <i>Acropora vermiculada</i> | |
| * <i>Acropora vermiculata</i> | |
| * <i>Acropora verweyi</i> | |
| * <i>Acropora virgata</i> | |
| * <i>Acropora virilis</i> | |
| * <i>Acroporawalindii</i> | |
| * <i>Acropora wallacea</i> | |
| * <i>Acropora wallaceae</i> | |
| * <i>Acropora wardii</i> | |
| * <i>Acropora willisae</i> | |
| * <i>Acropora yongei</i> | |
| * <i>Alveopora allingi</i> | Daisy or Flowerpot coral |
| * <i>Alveopora catalai</i> | |
| * <i>Alveopora daedalea</i> | |
| * <i>Alveopora excelsa</i> | |
| * <i>Alveopora fenestrata</i> | |

| | |
|------------------------------------|-------------------------------------|
| * <i>Alveopora gigas</i> | |
| * <i>Alveopora japonica</i> | |
| * <i>Alveopora marionensis</i> | |
| * <i>Alveopora minuta</i> | |
| * <i>Alveopora ocellata</i> | |
| * <i>Alveopora spongiosa</i> | |
| * <i>Alveopora tizardi</i> | |
| * <i>Alveopora verilliana</i> | |
| * <i>Alveopora viridis</i> | |
| | |
| <i>Blastomussa loyae</i> | |
| * <i>Blastomussa merleti</i> | |
| * <i>Blastomussa wellsi</i> | |
| | |
| * <i>Catalaphyllia jardinei</i> | Elegant coral |
| * <i>Caulastrea connata</i> | Torch or Trumpet coral |
| * <i>Caulastrea curvata</i> | |
| * <i>Caulastrea echinulata</i> | |
| * <i>Caulastrea furcata</i> | Candycane coral |
| * <i>Caulastrea tumida</i> | |
| * <i>Cynarina lacrymalis</i> | Pacific rose coral / Cats eye coral |
| * <i>Cynarina sp</i> | Modern coral |
| | |
| * <i>Dendrophyllia fistula</i> | |
| * <i>Diploastrea heliopora</i> | |
| | |
| * <i>Echinopora ashmorensis</i> | |
| * <i>Echinopora ehrenbergi</i> | |
| * <i>Echinopora forskaliana</i> | |
| * <i>Echinopora fruticulosa</i> | |
| * <i>Echinopora gemmacea</i> | |
| * <i>Echinopora hirsutissima</i> | |
| * <i>Echinopora horrida</i> | |
| * <i>Echinopora irregularis</i> | |
| * <i>Echinopora lamellosa</i> | |
| * <i>Echinopora mammiformis</i> | |
| * <i>Echinopora pacificus</i> | |
| * <i>Echinopora robusta</i> | |
| * <i>Echinopora tiranensis</i> | |
| * <i>Euphyllia ancora</i> | Anchor / Hammer coral |
| * <i>Euphyllia cristata</i> | White grape coral |
| * <i>Euphyllia divisa</i> | Frogsoawn coral |
| * <i>Euphyllia glabrescens</i> | |
| * <i>Euphyllia paraancora</i> | Branching anchor coral |
| * <i>Euphyllia paradivisa</i> | |
| * <i>Euphyllia paraglabrescens</i> | |
| * <i>Euphyllia yaeyamaensis</i> | |
| | |
| * <i>Favia albidus</i> | Moon coral |
| * <i>Favia danae</i> | |
| * <i>Favia fava</i> | |
| * <i>Favia fragum</i> | Golfball coral |

| | |
|---------------------------------|-----------------|
| * <i>Favia gravida</i> | |
| * <i>Favia helianthoides</i> | |
| * <i>Favia lacuna</i> | |
| * <i>Favia laxa</i> | |
| * <i>Favia leptophylla</i> | |
| * <i>Favia lizardensis</i> | |
| * <i>Favia maritima</i> | |
| * <i>Favia marshae</i> | |
| * <i>Favia matthaii</i> | |
| * <i>Favia maxima</i> | |
| * <i>Favia pallida</i> | |
| * <i>Favia rosaira</i> | |
| * <i>Favia rotumana</i> | |
| * <i>Favia rotundata</i> | |
| * <i>Favia speciosa</i> | |
| * <i>Favia stelligera</i> | |
| * <i>Favia truncatus</i> | |
| * <i>Favia veroni</i> | |
| * <i>Favia vietmanensis</i> | |
| * <i>Favites abdita</i> | Pineapple coral |
| * <i>Favites acuticollis</i> | |
| * <i>Favites bestae</i> | |
| * <i>Favites chinensis</i> | |
| * <i>Favites complanata</i> | |
| * <i>Favites flexuosa</i> | |
| * <i>Favites halicora</i> | |
| * <i>Favites melicerum</i> | |
| * <i>Favites micropentagona</i> | |
| * <i>Favites paraflexuosa</i> | |
| * <i>Favites pentagona</i> | |
| * <i>Favites peresi</i> | |
| * <i>Favites ruselli</i> | |
| * <i>Favites spinosa</i> | |
| * <i>Favites stylifera</i> | |
| * <i>Favites vasta</i> | |
| * <i>Fungia concinna</i> | Mushroom coral |
| * <i>Fungia corona</i> | |
| * <i>Fungia danai</i> | |
| * <i>Fungia fralinae</i> | |
| * <i>Fungia fungites</i> | |
| * <i>Fungia granulosa</i> | |
| * <i>Fungia horrida</i> | |
| * <i>Fungia klunzingeri</i> | |
| * <i>Fungia moluccensis</i> | |
| * <i>Fungia paumotensis</i> | |
| * <i>Fungia puishani</i> | |
| * <i>Fungia rependa</i> | |
| * <i>Fungia scabra</i> | |
| * <i>Fungia scruposa</i> | |
| * <i>Fungia scutaria</i> | |
| * <i>Fungia seychellensis</i> | |
| * <i>Fungia spinifer</i> | |

| | |
|---------------------------------|---|
| <i>*Fungia taiwanensis</i> | |
| | |
| <i>*Galaxea acrielia</i> | Crystal/Galaxy/Starburst or Tooth coral |
| <i>*Galaxea astreata</i> | |
| <i>*Galaxea cryptoramosa</i> | |
| <i>*Galaxea fascicularis</i> | |
| <i>*Galaxea horrescens</i> | Scalpel coral |
| <i>*Galaxea longisepta</i> | |
| <i>*Goniastrea aspera</i> | |
| <i>*Goniastrea australensis</i> | |
| <i>*Goniastrea columella</i> | |
| <i>*Goniastrea deformis</i> | |
| <i>*Goniastrea edwardsi</i> | |
| <i>*Goniastrea favulus</i> | |
| <i>*Goniastrea minuta</i> | Worm coral |
| <i>*Goniastrea palauensis</i> | |
| <i>*Goniastrea pectinata</i> | |
| <i>*Goniastrea peresi</i> | |
| <i>*Goniastrea ramosa</i> | |
| <i>*Goniastrea retiformis</i> | |
| <i>*Goniastrea sp</i> | |
| <i>*Goniastrea thecata</i> | |
| <i>*Goniopora albiconus</i> | Daisy or Floerpot coral |
| <i>*Goniopora burgosi</i> | |
| <i>*Goniopora cellulosa</i> | |
| <i>*Goniopora ciliatus</i> | |
| <i>*Goniopora columna</i> | |
| <i>*Goniopora djiboutiensis</i> | |
| <i>*Goniopora eclipsensi</i> | |
| <i>*Goniopora fruticosa</i> | |
| <i>*Goniopora lobata</i> | |
| <i>*Goniopora minor</i> | |
| <i>*Goniopora norfolkensis</i> | |
| <i>*Goniopora palmensis</i> | |
| <i>*Goniopora pandoraensis</i> | |
| <i>*Goniopora pearsoni</i> | |
| <i>*Goniopora pendulus</i> | |
| <i>*Goniopora planulata</i> | |
| <i>*Goniopora polyformis</i> | |
| <i>*Goniopora savignyi</i> | |
| <i>*Goniopora somaliensis</i> | |
| <i>*Goniopora stokesi</i> | |
| <i>*Goniopora stutchburyi</i> | |
| <i>*Goniopora sultani</i> | |
| <i>*Goniopora tenella</i> | |
| <i>*Goniopora tenuidens</i> | |
| | |
| <i>*Heliopora actiniformis</i> | |
| <i>*Heliopora coerulea</i> | |
| <i>*Herpolitha limax</i> | |
| <i>*Hydnophora rigida</i> | Horn coral |
| <i>*Hydnophora sp</i> | |

| | |
|--------------------------------------|-------------------------------|
| | |
| * <i>Leptastrea inaequalis</i> | |
| * <i>Leptastrea pruinosa</i> | |
| * <i>Leptastrea purpurea</i> | |
| * <i>Leptastrea transversa</i> | |
| * <i>Leptoria irregularis</i> | Brain or Maze coral |
| * <i>Leptoria phrygia</i> | |
| * <i>Leptoseris foliosa</i> | |
| * <i>Lobophyllia corymbosa</i> | Tooth coral |
| * <i>Lobophyllia dentatus</i> | |
| * <i>Lobophyllia diminuta</i> | |
| * <i>Lobophyllia flabelliformis</i> | |
| * <i>Lobophyllia hataii</i> | |
| * <i>Lobophyllia hemprichii</i> | |
| * <i>Lobophyllia pachysepta</i> | |
| * <i>Lobophyllia robusta</i> | |
| * <i>Lobophyllia serratus</i> | |
| | |
| * <i>Merulina ampliata</i> | Ruffled coral / Cabbage coral |
| * <i>Merulina scabricula</i> | |
| * <i>Merulina scheeri</i> | |
| * <i>Millepora dichotoma</i> | |
| * <i>Millepora platyphylla</i> | |
| * <i>Montipora aequituberculata</i> | Velvet or Velvet branch coral |
| * <i>Montipora altasepta</i> | |
| * <i>Montipora angulata</i> | |
| * <i>Montipora aspergillus</i> | |
| * <i>Montipora australiensis</i> | |
| * <i>Montipora cactus</i> | |
| * <i>Montipora calcarea</i> | |
| * <i>Montipora caliculata</i> | |
| * <i>Montipora capitata</i> | |
| * <i>Montipora capricornis</i> | |
| * <i>Montipora cebuensis</i> | |
| * <i>Montipora circumvallata</i> | |
| * <i>Montipora cocosensis</i> | |
| * <i>Montipora confusa</i> | |
| * <i>Montipora corbettensis</i> | |
| * <i>Montipora crassituberculata</i> | |
| * <i>Montipora cryprus</i> | |
| * <i>Montipora danae</i> | |
| * <i>Montipora delicatula</i> | |
| * <i>Montipora digitata</i> | |
| * <i>Montipora dilatata</i> | |
| * <i>Montipora echinata</i> | |
| * <i>Montipora efflorescens</i> | |
| * <i>Montipora effusa</i> | |
| * <i>Montipora flabellata</i> | |
| * <i>Montipora florida</i> | |
| * <i>Montipora floweri</i> | |
| * <i>Montipora foliosa</i> | |
| * <i>Montipora foveolata</i> | |

| | |
|---------------------------------------|--|
| <i>*Montipora friabilis</i> | |
| <i>*Montipora gaimardi</i> | |
| <i>*Montipora grisea</i> | |
| <i>*Montipora hemispherica</i> | |
| <i>*Montipora hirsuta</i> | |
| <i>*Montipora hispida</i> | |
| <i>*Montipora hodgsoni</i> | |
| <i>*Montipora hoffmeisteri</i> | |
| <i>*Montipora incrassata</i> | |
| <i>*Montipora informis</i> | |
| <i>*Montipora kellyi</i> | |
| <i>*Montipora lobulata</i> | |
| <i>*Montipora mactanensis</i> | |
| <i>*Montipora malampaya</i> | |
| <i>*Montipora meandrina</i> | |
| <i>*Montipora millepora</i> | |
| <i>*Montipora mollis</i> | |
| <i>*Montipora monasteriata</i> | |
| <i>*Montipora niugini</i> | |
| <i>*Montipora nodosa</i> | |
| <i>*Montipora orientalis</i> | |
| <i>*Montipora pachytuberculata</i> | |
| <i>*Montipora palawanensis</i> | |
| <i>*Montipora patulav peltiformis</i> | |
| <i>*Montipora porites</i> | |
| <i>*Montipora pulcherrima</i> | |
| <i>*Montipora samarensis</i> | |
| <i>*Montipora saudii</i> | |
| <i>*Montipora setosa</i> | |
| <i>*Montipora spongiosa</i> | |
| <i>*Montipora spongodes</i> | |
| <i>*Montipora spumosa</i> | |
| <i>*Montipora stellata</i> | |
| <i>*Montipora stilosa</i> | |
| <i>*Montipora taiwanensis</i> | |
| <i>*Montipora tuberculosa</i> | |
| <i>*Montipora turgescens</i> | |
| <i>*Montipora turtlensis</i> | |
| <i>*Montipora undata</i> | |
| <i>*Montipora venosa</i> | |
| <i>*Montipora verrilli</i> | |
| <i>*Montipora verrucosa</i> | |
| <i>*Montipora verruculosus</i> | |
| <i>*Montipora vietnamensis</i> | |
| <i>*Montipora sp</i> | |
| <i>Mycedium elephantosus</i> | |
| <i>Mycedium mancaoi</i> | |
| <i>Mycedium robokaki</i> | |
| <i>Mycedium steeni</i> | |
| <i>Mycedium umbra</i> | |
| | |
| <i>Nemanzophyllia turbida</i> | |

| | |
|----------------------------------|-----------------------------------|
| | |
| * <i>Oxypora convulata</i> | Chalice coral |
| * <i>Oxypora crassispinosa</i> | |
| * <i>Oxypora egyptensis</i> | |
| * <i>Oxypora glabra</i> | |
| * <i>Oxypora lacera</i> | |
| | |
| * <i>Pachyseris foliosa</i> | Corduroy / Elephant skin coral |
| * <i>Pachyseris gemmae</i> | |
| * <i>Pachyseris involuta</i> | |
| * <i>Pachyseris rugosa</i> | Castle coral or rugosa coral |
| * <i>Pachyseris speciosa</i> | Phonograph coral |
| * <i>Pachyseris sp</i> | Elephant skin coral |
| * <i>Pavona bipartita</i> | |
| * <i>Pavona cactus</i> | Leaf coral / Potato chip coral |
| * <i>Pavona clavus</i> | |
| * <i>Pavona danai</i> | |
| * <i>Pavona decussata</i> | |
| * <i>Pavona diffluens</i> | |
| * <i>Pavona duerdeni</i> | |
| * <i>Pavona explanulata</i> | |
| * <i>Pavona frondifera</i> | |
| * <i>Pavona gigantea</i> | |
| * <i>Pavona maldivensis</i> | |
| * <i>Pavona minuta</i> | |
| * <i>Pavona varians</i> | |
| * <i>Pavona venosa</i> | |
| * <i>Pavona xarifae</i> | |
| * <i>Pectinia africanus</i> | Carnation/ Hibiscus/Lettuce coral |
| * <i>Pectinia alcornonis</i> | Antler lettuce coral |
| * <i>Pectinia ayleni</i> | |
| * <i>Pectinia elongata</i> | |
| * <i>Pectinia lactuca</i> | Frilly lettuce coral |
| * <i>Pectinia maxima</i> | |
| * <i>Pectinia paeonia</i> | Palm lettuce coral |
| * <i>Pectinia pygmaeus</i> | |
| * <i>Pectinia teres</i> | |
| * <i>Pectinia sp</i> | Lettuce coral |
| * <i>Physogyra lichtensteini</i> | Pearl or small bubble coral |
| * <i>Platygyra acuta</i> | Brain or Maze coral |
| * <i>Platygyra carnosus</i> | |
| * <i>Platygyra contorta</i> | |
| * <i>Platygyra crosslandi</i> | |
| * <i>Platygyra daedalea</i> | |
| * <i>Platygyra lamellina</i> | |
| * <i>Platygyra pini</i> | |
| * <i>Platygyra ryukyuensis</i> | |
| * <i>Platygyra sinensis</i> | |
| * <i>Platygyra verweyi</i> | |
| * <i>Platygyra yaeyamaensis</i> | |
| * <i>Platygyra sp</i> | |
| * <i>Plerogyra discus</i> | Bubble coral |

| | |
|----------------------------------|---------------------------|
| * <i>Plerogyra eurysepta</i> | |
| * <i>Plerogyra exerta</i> | |
| * <i>Plerogyra simplex</i> | |
| * <i>Plerogyra sinuosa</i> | Bladder coral |
| * <i>Pocillopora ankeli</i> | |
| * <i>Pocillopora capitata</i> | |
| * <i>Pocillopora damicornis</i> | Cauliflower coral |
| * <i>Pocillopora danae</i> | |
| * <i>Pocillopora effusus</i> | |
| * <i>Pocillopora elegans</i> | |
| * <i>Pocillopora eydouxi</i> | Antler coral |
| * <i>Pocillopora fungiformis</i> | |
| * <i>Pocillopora indiana</i> | |
| * <i>Pocillopora inflata</i> | |
| * <i>Pocillopora kelleheri</i> | |
| * <i>Pocillopora ligulata</i> | |
| * <i>Pocillopora meandrina</i> | |
| * <i>Pocillopora molokensis</i> | |
| * <i>Pocillopora verrucosa</i> | |
| * <i>Pocillopora woodjonesi</i> | |
| * <i>Pocillopora zelli</i> | |
| * <i>Polyphyllia talpina</i> | Sea mole or Slipper coral |
| * <i>Porites annae</i> | Boulder or Pore coral |
| * <i>Porites aranetai</i> | |
| * <i>Porites arnaudi</i> | |
| * <i>Porites astreoides</i> | Mustard hill coral |
| * <i>Porites attenuata</i> | |
| * <i>Porites australiensis</i> | |
| * <i>Porites branner</i> | Blue crust coral |
| * <i>Porites brighami</i> | |
| * <i>Porites cocosensis</i> | |
| * <i>Porites columnaris</i> | |
| * <i>Porites colunensis</i> | Honeycomb plate coral |
| * <i>Porites compressa</i> | |
| * <i>Porites cumulatus</i> | |
| * <i>Porites cylindrica</i> | Finger coral |
| * <i>Porites deformis</i> | |
| * <i>Porites densa</i> | |
| * <i>Porites desilveri</i> | |
| * <i>Porites divaricata</i> | |
| * <i>Porites duerdeni</i> | |
| * <i>Porites echinulata</i> | |
| * <i>Porites eridani</i> | |
| * <i>Porites evermanni</i> | |
| * <i>Porites flavus</i> | |
| * <i>Porites furcata</i> | |
| * <i>Porites harisoni</i> | |
| * <i>Porites heronensis</i> | |
| * <i>Porites horizontalata</i> | |
| * <i>Porites latistella</i> | |
| * <i>Porites lichen</i> | |
| * <i>Porites lobata</i> | |

| | |
|------------------------------------|---------------------------------|
| <i>*Porites lutea</i> | |
| <i>*Porites mayeri</i> | |
| <i>*Porites monticulosa</i> | |
| <i>*Porites murrayensis</i> | |
| <i>*Porites myrmdonensis</i> | |
| <i>*Porites napopora</i> | |
| <i>*Porites negrosensis</i> | |
| <i>*Porites nigriscens</i> | |
| <i>*Porites nodifera</i> | |
| <i>*Porites okinawensis</i> | |
| <i>*Porites ornata</i> | |
| <i>*Porites panamensis</i> | |
| <i>*Porites porites</i> | Finger coral |
| <i>*Porites profundus</i> | |
| <i>*Porites pukoensis</i> | |
| <i>*Porites rugosa</i> | |
| <i>*Porites rus</i> | |
| <i>*Porites sillimani</i> | |
| <i>*Porites solida</i> | |
| <i>*Porites somaliensis</i> | |
| <i>*Porites stephensoni</i> | |
| <i>*Porites sverdrupi</i> | |
| <i>*Porites tuberculosa</i> | |
| <i>*Porites vauhani</i> | |
| | |
| <i>Rupella spp</i> | |
| | |
| <i>*Scolymia australis</i> | |
| <i>*Scolymia cubensis</i> | |
| <i>*Scolymia lacera</i> | |
| <i>*Scolymia sp.</i> | |
| <i>*Scolymia vitiensis</i> | |
| <i>*Scolymia wellsii</i> | |
| <i>*Seriatopora aculeata</i> | Birdnest or Brush coral |
| <i>*Seriatopora caliendrum</i> | |
| <i>*Seriatopora dentritica</i> | |
| <i>*Seriatopora guttatus</i> | |
| <i>*Seriatopora hystrix</i> | Needle coral or birdsnest coral |
| <i>*Seriatopora stellata</i> | |
| <i>*Stylophora danae</i> | Bush or Club finger coral |
| <i>*Stylophora kuehlmanni</i> | |
| <i>*Stylophora madagascarensis</i> | |
| <i>*Stylophora mamillata</i> | |
| <i>*Stylophora mordax</i> | |
| <i>*Stylophora pistillata</i> | Cluster coral |
| <i>*Stylophora subseriata</i> | |
| <i>*Stylophora wellsii</i> | |
| <i>*Symphyllia agaricia</i> | Brain coral |
| <i>*Symphyllia erythraea</i> | |
| <i>*Symphyllia hassi</i> | |
| <i>*Symphyllia radians</i> | |
| <i>*Symphyllia recta</i> | |

| | |
|----------------------------------|---------------------------------------|
| <i>*Symphyllia valenciennesi</i> | |
| <i>*Symphyllia wilsoni</i> | |
| | |
| <i>*Trachyphyllia geoffroyi</i> | Crater / Folded / Puffed coral |
| <i>*Tubipora muscia</i> | Organ pipe |
| <i>*Tubastrea aurea</i> | Turret or Sun coral |
| <i>*Tubastrea faulkneri</i> | |
| <i>*Tubastrea micrantha</i> | |
| <i>*Tubastrea sp</i> | |
| <i>*Turbinaria bifrons</i> | Cup or Scroll or Turban or Vase coral |
| <i>*Turbinaria conspicua</i> | |
| <i>*Turbinaria crater</i> | |
| <i>*Turbinaria frondens</i> | |
| <i>*Turbinaria heronensis</i> | |
| <i>*Turbinaria irregularis</i> | |
| <i>*Turbinaria mesenterina</i> | Pagoda coral |
| <i>*Turbinaria patula</i> | |
| <i>*Turbinaria peltata</i> | Bowl coral |
| <i>*Turbinaria radicalis</i> | |
| <i>*Turbinaria reniformis</i> | Yellow scroll coral |
| <i>*Turbinaria stellulata</i> | |
| | |
| Soft Corals | |
| <i>Alcyonium palmatum</i> | |
| <i>Alcyonium sp.</i> | |
| <i>Amplexidiscus fenestrafer</i> | Giant Cup mushroom coral |
| <i>Anthelia sp.</i> | |
| | |
| <i>Capnella imbricata</i> | |
| <i>Clavularia viridis</i> | |
| | |
| <i>Gorgonia sp.</i> | |
| | |
| <i>Litophyton arboretum</i> | |
| <i>Lobophytum pauciflorum</i> | |
| | |
| <i>Metarhodactis sp.</i> | |
| | |
| <i>Lemnalia sp.</i> | |
| | |
| <i>Pachyclavularia violacea</i> | |
| <i>Paralemnalia sp.</i> | |
| | |
| <i>Rhodactis bryoides</i> | |
| <i>Rhodactis carlgreni</i> | |
| <i>Rhodactis danae</i> | |
| <i>Rhodactis danæ</i> | |
| <i>Rhodactis howesii</i> | |
| <i>Rhodactis howsii</i> | |
| <i>Rhodactis inchoata</i> | |
| <i>Rhodactis indosinensis</i> | |
| <i>Rhodactis inochata</i> | |

| | |
|------------------------------------|------------------|
| <i>Rhodactis musciformis</i> | |
| <i>Rhodactis mussoides</i> | |
| <i>Rhodactis neglecta</i> | |
| <i>Rhodactis rhodostoma</i> | |
| <i>Rhodactis sancti thomae</i> | |
| <i>Rhodactis sancti-thomae</i> | |
| <i>Rhodactis sancti-thomæ</i> | |
| <i>Rhodactis sanctithomae</i> | |
| <i>Rhodactis sp.</i> | |
| <i>Rhodactis spec.</i> | |
| <i>Ricordea florida</i> | |
| <i>Ricordea fungiforme</i> | |
| <i>Ricordea neglecta</i> | |
| <i>Ricordea rupicola</i> | |
| <i>Ricordia sp.</i> | Mushroom coral |
| <i>Ricordea yuma</i> | |
| | |
| <i>Sarcophyton ehrenbergi</i> | |
| <i>Sarcophyton elegans</i> | |
| <i>Sarcophyton glaucum</i> | |
| <i>Sarcophyton tenuispiculatum</i> | |
| <i>Sinularia asterolobata</i> | |
| <i>Sinularia brassica</i> | |
| <i>Sinularia dura</i> | |
| <i>Sinularia flexibilis</i> | |
| <i>Sinularia mollis</i> | |
| <i>Sinularia notanda</i> | |
| <i>Sinularia polydactyla</i> | |
| <i>Solenopodium sp.</i> | |
| <i>Sphaerella krempfi</i> | |
| | |
| <i>Xenia elongata</i> | |
| <i>Xenia umbellata</i> | |
| | |
| Anenomes | |
| <i>Actinia sp.</i> | Red back anemone |
| <i>Actinodendron plumosum</i> | |
| <i>Actinodiscus sp.</i> | Pimples mushroom |
| <i>Anemonia discosoma</i> | |
| <i>Anemonia sp.</i> | |
| | |
| <i>Bartholomea annulata</i> | |
| <i>Bartholomea sp.</i> | |
| <i>Briareum stechei</i> | Green star polyp |
| | |
| <i>Cerianthus membranaceus</i> | Tube anemone |
| | |
| <i>Discosoma ambonensis</i> | |
| <i>Discosoma anemone</i> | |
| <i>Discosoma dianthus</i> | |
| <i>Discosoma fuegiensis</i> | |
| <i>Discosoma fungiforme</i> | |

| | |
|-------------------------------|-------------------------------|
| <i>Discosoma gigantea</i> | |
| <i>Discosoma giganteum</i> | |
| <i>Discosoma haddoni</i> | |
| <i>Discosoma helianthus</i> | |
| <i>Discosoma kenti</i> | |
| <i>Discosoma malu</i> | |
| <i>Discosoma neglecta</i> | |
| <i>Discosoma nummiforme</i> | |
| <i>Discosoma sp.</i> | |
| <i>Discosoma tapetum</i> | |
| <i>Discosoma tuberculata</i> | |
| | |
| <i>Epizoanthus sp.</i> | Soft polyps |
| | |
| <i>Heteractis aurora</i> | Red-base Sand Anemone |
| <i>Heteractis magnifica</i> | Anemone |
| | |
| <i>Metarhodactis sp</i> | |
| | |
| <i>Palythoa sp.</i> | |
| <i>Parazoanthus sp.</i> | |
| <i>Phymanthus sp</i> | Long Tentacle Anemone |
| <i>Physobranchia sp.</i> | Corn anemone |
| <i>Protopalythoa sp.</i> | |
| | |
| <i>Radianthus malu</i> | Long Tentacle Purple Anemone |
| <i>Radianthus ritteri</i> | Common Anemone |
| <i>Radianthus sp</i> | Clown Anemone |
| <i>Rhodactinia sp.</i> | Mushroom on rock |
| | |
| <i>Stoichactis gigas</i> | Blue Carpet Anemone |
| <i>Stoichactis helianthus</i> | Color Carpet Anemone |
| <i>Stoichactis kenti</i> | Brown Carpet Anemone |
| <i>Stoichactis sp.</i> | Bubble/Striped Carpet Anemone |
| | |
| <i>Zoanthiniaria sp.</i> | Soft polyps |
| <i>Zoanthus sp.</i> | |
| | |
| Clams | |
| <i>*Hippopus hippopus</i> | |
| <i>*Tridacna crocea</i> | |
| <i>*Tridacna derasa</i> | |
| <i>*Tridacna gigas</i> | |
| <i>*Tridacna maxima</i> | |
| <i>*Tridacna squamosa</i> | |
| | |
| Invertebrates | |
| <i>Astraea tecta</i> | |
| <i>Cypraea histrio</i> | Cowry |
| <i>Cypraea tigris</i> | Cowry |
| | |
| <i>Dardanus gemmatus</i> | Hermit crab |

| | |
|-------------------------------------|---|
| <i>Diadema setosum</i> | |
| ▶ <i>Enoplometopus occidentalis</i> | Hawaiian red lobster/hairy reef lobster |
| <i>Linckia laevigata</i> | Blue starfish |
| <i>Loimia medusa</i> | Feather star red worm |
| ▶ <i>Lysmata amboinensis</i> | Skunk cleaner shrimp |
| ▶ <i>Lysmata debelius</i> | Fire shrimp |
| ▶ <i>Lysmata grabhami</i> | Red backed/scarlet cleaner shrimp |
| ▶ <i>Lysmata wurdemanni</i> | Peppermint shrimp |
| <i>Ophiolepis superba</i> | Brittle star |
| <i>Ophiomastix sp</i> | Tiger brittle star |
| ▶ <i>Periclimenes brevicarpalis</i> | Anemone shrimp |
| ▶ <i>Rhynchocinetes uritai</i> | Camel/peppermint shrimp |
| <i>Sabellastrarta indica</i> | Tube worm |
| ▶ <i>Saron marmoratus</i> | Common marble shrimp |
| <i>Spirobranchus giganteus</i> | Christmas tree worm |
| ▶ <i>Stenopus cyanoscelis</i> | |
| ▶ <i>Stenopus hispidus</i> | Banded coral shrimp |

KEY

* CITES species

▶ Species with additional measures required (refer to Schedule 3)