

UNIVERSITE SALAH BOUBNIDER CONSTANTINE 3
FACULTE DE MEDECINE
DEPARTEMENT DE MEDECINE
LABORATOIRE D'ANATOMIE
POLYCOPIE POUR LES ETUDIANTS DE PREMIERE ANNEE DE MEDECINE
FAIT PAR : PR BENDJELLOUL MAYA

FIBULA

I-DEFINITION.

II-ANATOMIE DESCRIPTIVE.

A-DIAPHYSE.

B-EPIPHYSE PROXIMALE.

C-EPIPHYSE DISTALE.

I-DEFINITION :

Os long, grêle, pair, non symétrique, forme avec le tibia le squelette de la jambe .

Il est situé à la partie externe de la jambe, en dehors du tibia . Il s'articule :

- en haut avec le tibia formant l'articulation tibio-fibulaire proximale.
- en bas avec le talus formant l'articulation talo- crurale et le tibia pour l'articulation tibio-fibulaire distale.

II- DIAPHYSE :

Elle est prismatique est triangulaire, et présente à décrire : trois faces et trois bords.

1-FACE LATÉRALE : présente :

- une partie supérieure : donne insertion au muscle long fibulaire.
- une partie moyenne : insertion du court fibulaire.
- une partie inférieure : présente une crête oblique qui la divise en deux segments :l'un antérieure, sous cutané ;l'autre postérieur sur lequel glissent les tendons des muscles fibulaires.

2- FACE MÉDIALE : présente la crête interosseuse qui la divise en deux parties :

- partie antérieure: donne insertion aux muscles long extenseur des orteils et 3eme fibulaire.
- partie postérieure : insertion du tibial postérieure

3-FACE POSTÉRIEURE :

- partie supérieure : donne insertion au muscle soléaire.
- partie moyenne : présente le foramen nourricier et donne insertion au long fléchisseur de l'hallux

- partie inférieure : change de direction et devient médiale.

4- BORD ANTERIEURE : mince et tranchant., se fusionne en bas avec la malléole latérale.

5-BORD MEDIAL : donne insertion au tibial postérieur.

6-BORD LATERAL : donne insertion au septum intermusculaire postéro-latéral.

III-EPIPHYSE PROXIMALE :

FIBULA

Extrémité conique à base supérieure et dont le sommet se continue avec le corps de l'os, relié à la diaphyse par un segment rétréci, le col. Elle présente :

- un pourtour .
- une face supérieure : présente sur sa partie interne une surface articulaire avec la surface fibulaire de l'extrémité supérieure du tibia.
- un sommet ou apex de la tête fibulaire .

IV-EPIPHYSE DISTALE :

C'est la malléole latérale, elle est plus volumineuse et plus longue que la malléole médiale et descend plus bas que celle-ci, elle présente deux faces, deux bords et un sommet ou apex :


- face latérale : présente un segment antérieur, lisse sous cutané, et un segment postérieur déprimé en gouttière ou glisse les tendons des muscles fibulaires.
- face médiale : présente une facette articulaire triangulaire avec le talus.
- bord antérieur .
- bord postérieur .
- un apex .

FIN

Références :


Henri Rouviere et André Delmas, Anatomie humaine, descriptive, topographique et fonctionnelle. tome 3 membres, 15 édition, MASSON.

FIBULA



FIBULA

Shaft of Fibula; Lateral View



FIBULA

I. DEFINITION

A long, slender, paired and asymmetrical bone which, together with the tibia, forms the skeleton of the leg.

It is located on the lateral aspect of the leg, lateral to the tibia. It articulates:

- superiorly with the tibia, forming the **proximal tibiofibular joint**;
- inferiorly with the talus, forming part of the **talocrural (ankle) joint**, and with the tibia, forming the **distal tibiofibular joint**.

II. SHAFT (DIAPHYSIS)

The shaft is prismatic and triangular and presents three surfaces and three borders.

1. Lateral surface

It presents:

- an upper part giving attachment to the **fibularis (peroneus) longus muscle**;
- a middle part giving attachment to the **fibularis (peroneus) brevis muscle**;
- a lower part showing an oblique ridge that divides it into two segments:
 - an anterior segment, subcutaneous;
 - a posterior segment over which the tendons of the fibular muscles glide.

2. Medial surface

This surface presents the **interosseous crest**, which divides it into two parts:

- an anterior part giving attachment to the **extensor digitorum longus** and **fibularis tertius** muscles;
- a posterior part giving attachment to the **tibialis posterior muscle**.

3. Posterior surface

It presents:

- an upper part giving attachment to the **soleus muscle**;
- a middle part containing the **nutrient foramen** and giving attachment to the **flexor hallucis longus muscle**;
- a lower part that changes direction and becomes medial.

4. Anterior border

Thin and sharp; it merges inferiorly with the **lateral malleolus**.

5. Medial border

Gives attachment to the **tibialis posterior muscle**.

6. Lateral border

Gives attachment to the **posterolateral intermuscular septum**.

III. PROXIMAL EPIPHYSIS

This is a conical extremity with a superior base, whose apex is continuous with the body of the bone, connected to the shaft by a narrowed segment, the **neck**. It presents:

- a circumference;
- a superior surface, which on its medial aspect bears an articular facet for the fibular surface of the upper end of the tibia;
- an apex, corresponding to the **apex of the head of the fibula**.

IV. DISTAL EPIPHYSIS

FIBULA

This forms the **lateral malleolus**, which is larger and longer than the medial malleolus and extends more distally. It presents two surfaces, two borders, and an apex:

- **Lateral surface:** presents an anterior smooth, subcutaneous segment, and a posterior grooved segment through which the tendons of the fibular muscles pass;
- **Medial surface:** bears a triangular articular facet for the **talus**;
- **Anterior border;**
- **Posterior border;**
- **Apex**