Practical 1: Student Portfolio Page

Objective: Create a simple HTML page to display Student portfolio page showing name, course, hobbies using text formatting tags, text fields, checkboxes, and radio buttons.

HTML Code

```
<!DOCTYPE html>
<html>
<body>

<h2>Student Portfolio</h2>

<p><b>Name:</b> Kshitij</p>
<p><i>Course:</i> B.E</p>

Hobbies:<br>
<input type="checkbox"> Coding<br>
<input type="checkbox"> Gaming<br>

Gender:<br>
<input type="radio" name="g"> Male
<input type="radio" name="g"> Female

</body>
</html>
```

Practical 2: Survey Form with HTML and CSS

Objective: Create a survey form with text fields, checkboxes, and radio buttons using HTML for structure and CSS for styling.

HTML Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Survey Form</title>
    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }
        input, textarea {
            margin-bottom: 10px;
        }
    </style>
</head>
```

```
<body>
<h2>Survey Form</h2>
<form>
    Name:<br>
    <input type="text"><br>
    Email:<br>
    <input type="email"><br>

    Gender:<br>
    <input type="radio" name="gender"> Male
    <input type="radio" name="gender"> Female<br><br>

    Hobbies:<br>
    <input type="checkbox"> Coding<br>
    <input type="checkbox"> Gaming<br>
    <input type="checkbox"> Reading<br><br>

    Feedback:<br>
    <textarea rows="3" cols="25"></textarea><br>

    <input type="submit" value="Submit">
</form>

</body>
</html>
```

Practical 3: Restaurant Website using HTML and CSS Grid

Objective: Build a restaurant webpage showcasing HTML/CSS skills with CSS Grid for food items, drinks, prices and images.

HTML Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Restaurant</title>
    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
        h1 {
            text-align: center;
        }
        .menu {
            display: grid;
            grid-template-columns: 1fr 1fr;
            gap: 10px;
        }
        .item {
            border: 1px solid black;
            padding: 10px;
        }
        .img {
            width: 100%;
            height: 120px;
        }
        .price {
            font-weight: bold;
```

```
        }
    </style>
</head>

<body>
<h1>My Restaurant</h1>
<div class="menu">

    <div class="item">
        <img src="https://via.placeholder.com/150">
        <h3>Pizza</h3>
        <p class="price">₹200</p>
    </div>

    <div class="item">
        <img src="https://via.placeholder.com/150">
        <h3>Burger</h3>
        <p class="price">₹120</p>
    </div>

    <div class="item">
        <img src="https://via.placeholder.com/150">
        <h3>Pasta</h3>
        <p class="price">₹180</p>
    </div>

    <div class="item">
        <img src="https://via.placeholder.com/150">
        <h3>Cold Coffee</h3>
        <p class="price">₹90</p>
    </div>

</div>

</body>
</html>
```

Practical 4: I2IT College Website Page

Objective: Design a web page for I2IT College with logo, official website link, and course-subject table using CSS.

HTML Code

```
<<!DOCTYPE html>
<html>
<head>
    <title>I2IT College</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
        h1 {
            text-align: center;
        }
        img {
            display: block;
            margin: auto;
            width: 100px;
        }
        a {
            display: block;
            text-align: center;
            margin: 10px;
        }
        table {
            border-collapse: collapse;
            width: 60%;
            margin: auto;
        }
        th, td {
            border: 1px solid black;
            padding: 8px;
            text-align: center;
        }
        th {
            background-color: lightgray;
        }
    </style>
</head>

<body>

<h1>I2IT College</h1>
<img src="https://via.placeholder.com/100">
<a href="https://www.isquareit.edu.in">Visit Official Website</a>
<table>
    <tr>
        <th>Course</th>
        <th>Subject</th>
    </tr>

    <tr>
        <td>B.Tech</td>
        <td>DBMS</td>
    </tr>

    <tr>
        <td>B.Tech</td>
        <td>Operating System</td>
    </tr>
```

```
<tr>
        <td>B.Tech</td>
        <td>Web Development</td>
    </tr>
</table>

</body>
</html>
```

Practical 5: Student Registration Form

Objective: Create a Student registration form with fields: name, email, gender, date of birth, and submit button.

HTML Code

```
<<!DOCTYPE html>
<html>
<head>
    <title>Student Registration</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input {
            margin-bottom: 10px;
        }
    </style>
</head>

<body>

<h2>Student Registration Form</h2>

<form>
    Name:<br>
    <input type="text"><br>

    Email:<br>
    <input type="email"><br>

    Gender:<br>
    <input type="radio" name="g"> Male
    <input type="radio" name="g"> Female<br><br>

    Date of Birth:<br>
    <input type="date"><br><br>

    <input type="submit" value="Submit">
</form>

</body>
</html>
```

Practical 6: I2IT TechCon 2025 Event Page

Objective: Create a webpage for 'I2IT TechCon 2025' with header, navigation links (About, Schedule, Contact), a schedule table, and a contact form.

HTML Code

```
<!DOCTYPE html>
<html>
<head>
    <title>I2IT TechCon 2025</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        h1, h2 {
            text-align: center;
        }

        nav {
            text-align: center;
            margin-bottom: 20px;
        }

        nav a {
            margin: 10px;
            text-decoration: none;
            color: black;
        }

        table {
            border-collapse: collapse;
            width: 60%;
            margin: auto;
        }

        th, td {
            border: 1px solid black;
            padding: 8px;
            text-align: center;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
            margin: auto;
        }

        input, textarea {
            margin-bottom: 10px;
            width: 100%;
        }
    </style>
</head>
```

```
<body>

<h1>I2IT TechCon 2025</h1>

<nav>
    <a href="#about">About</a>
    <a href="#schedule">Schedule</a>
    <a href="#contact">Contact</a>
</nav>

<h2 id="about">About</h2>
<p style="text-align:center;">
    TechCon 2025 is a technology event showcasing innovations, workshops, and expert
talks.
</p>

<h2 id="schedule">Schedule</h2>

<table>
    <tr>
        <th>Time</th>
        <th>Event</th>
    </tr>
    <tr>
        <td>10:00 AM</td>
        <td>Opening Ceremony</td>
    </tr>
    <tr>
        <td>11:00 AM</td>
        <td>Technical Workshop</td>
    </tr>
    <tr>
        <td>2:00 PM</td>
        <td>Guest Lecture</td>
    </tr>
</table>

<h2 id="contact">Contact</h2>

<form>
    Name:
    <input type="text">

    Email:
    <input type="email">

    Message:
    <textarea rows="3"></textarea>

    <input type="submit" value="Submit">
</form>

</body>
</html>
```

Practical 7: Student Result Dashboard (Inline + Internal + External CSS)

Objective: Display a student result dashboard with subjects, marks, grade using Inline CSS (top scorer highlight), Internal CSS (table styling), External CSS (page theme).

```
<!DOCTYPE html>
<html>
<head>
    <title>Student Result Dashboard</title>

    <link rel="stylesheet" href="style.css">

    <style>
        table {
            border-collapse: collapse;
            width: 60%;
            margin: auto;
        }

        th, td {
            border: 1px solid black;
            padding: 8px;
            text-align: center;
        }

        th {
            background-color: lightgray;
        }
    </style>
</head>

<body>

<h1>Student Result Dashboard</h1>

<h2>Result</h2>

<table>
    <tr>
        <th>Subject</th>
        <th>Marks</th>
        <th>Grade</th>
    </tr>

    <tr>
        <td>DBMS</td>
        <td style="color:red;">95</td>
        <td>A</td>
    </tr>

    <tr>
        <td>OS</td>
        <td>85</td>
        <td>B</td>
    </tr>

    <tr>
        <td>WDL</td>
        <td>75</td>
        <td>B</td>
    </tr>

</table>

</body>
</html>
```

```
EXTERNAL CSS:

body {
    font-family: Arial;
    margin: 20px;
    text-align: center;
    background-color: #f2f2f2;
}
```

Practical 8: Responsive College Homepage using Bootstrap

Objective: Develop a responsive web page using Bootstrap Grid and Components for a College homepage with responsive sections.

HTML Code

```
<!DOCTYPE html>
<html>
<head>
    <title>College Homepage</title>

    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
</head>

<body>

<div class="container">

    <div class="row">
        <div class="col-12 text-center">
            <h1>I2IT College</h1>
            <p>Welcome to College Homepage</p>
        </div>
    </div>

    <div class="row text-center">
        <div class="col-md-4 col-12">
            <h3>About</h3>
            <p>Information about college</p>
        </div>

        <div class="col-md-4 col-12">
            <h3>Courses</h3>
            <p>B.Tech, M.Tech</p>
        </div>

        <div class="col-md-4 col-12">
            <h3>Contact</h3>
            <p>Email: info@college.com</p>
        </div>
    </div>

    <div class="row">
        <div class="col-12">
            <h3 class="text-center">Gallery</h3>
        </div>

        <div class="col-md-4 col-12">
            <img src="https://via.placeholder.com/150" class="img-fluid">
        </div>
```

```
<div class="col-md-4 col-12">
            <img src="https://via.placeholder.com/150" class="img-fluid">
        </div>

        <div class="col-md-4 col-12">
            <img src="https://via.placeholder.com/150" class="img-fluid">
        </div>
    </div>

</div>

</body>
</html>
```

Practical 9: Library Signup Form Validation using JavaScript

Objective: Write a JavaScript program to create college Library Signup form validation for email, mobile number, empty fields and other validations.

HTML + JavaScript Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Library Signup</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input {
            margin-bottom: 10px;
            width: 100%;
        }
    </style>

    <script>
        function validate() {
            let name = document.getElementById("name").value;
            let email = document.getElementById("email").value;
            let mobile = document.getElementById("mobile").value;

            if(name == "" || email == "" || mobile == "") {
                alert("All fields are required");
                return false;
            }

            let emailPattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
            if(!email.match(emailPattern)) {
                alert("Invalid Email");
                return false;
            }

            if(mobile.length != 10 || isNaN(mobile)) {
                alert("Invalid Mobile Number");
                return false;
            }
```

```
            alert("Form Submitted Successfully");
            return true;
        }
    </script>
</head>

<body>

<h2>Library Signup Form</h2>

<form onsubmit="return validate()">
    Name:
    <input type="text" id="name">

    Email:
    <input type="text" id="email">

    Mobile No:
    <input type="text" id="mobile">

    <input type="submit" value="Register">
</form>

</body>
</html>
```

Practical 10: Dynamic Content Using DOM Manipulation

Objective: Create a web page that uses JavaScript to display dynamic content using DOM.

HTML + JavaScript Code

```
<!DOCTYPE html>
<html>
<head>
    <title>DOM Example</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        button {
            padding: 5px;
        }
    </style>
</head>

<body>

<h2>Dynamic Content using DOM</h2>

<p id="output">Click the button to see change</p>

<button onclick="changeText()">Click Me</button>

<script>
    function changeText() {
        document.getElementById("output").innerHTML = "Content changed using JavaScript
DOM";
    }
</script>
```

```
</body>
</html>
```

Practical 11: Simple Calculator using JavaScript (switch-case)

Objective: Write a JavaScript program for a simple calculator using functions and switch-case.

HTML + JavaScript Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Simple Calculator</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        input {
            margin: 5px;
        }
    </style>

    <script>
        function calculate() {
            let a = parseInt(document.getElementById("num1").value);
            let b = parseInt(document.getElementById("num2").value);
            let op = document.getElementById("op").value;
            let result;

            switch(op) {
                case '+':
                    result = a + b;
                    break;

                case '-':
                    result = a - b;
                    break;

                case '*':
                    result = a * b;
                    break;

                case '/':
                    result = a / b;
                    break;

                default:
                    result = "Invalid Operation";
            }

            document.getElementById("res").innerHTML = result;
        }
    </script>
</head>
```

```
<body>

<h2>Simple Calculator</h2>

<input type="text" id="num1" placeholder="Enter number 1"><br>
<input type="text" id="num2" placeholder="Enter number 2"><br>

<select id="op">
    <option value="+">Addition</option>
    <option value="-">Subtraction</option>
    <option value="*">Multiplication</option>
    <option value="/">Division</option>
</select><br><br>

<button onclick="calculate()">Calculate</button>

<h3>Result: <span id="res"></span></h3>

</body>
</html>
```

Practical 12: PHP Dashboard Greeting Page

Objective: Design a PHP script to display a Dashboard greeting page with Welcome message and current date & time.

PHP Code (dashboard.php)

```
<!DOCTYPE html>
<html>
<head>
    <title>Dashboard</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
            text-align: center;
        }

        .box {
            border: 1px solid black;
            padding: 20px;
            display: inline-block;
        }
    </style>
</head>

<body>

<div class="box">
    <h2>Welcome to Dashboard</h2>

    <?php
        date_default_timezone_set("Asia/Kolkata");
        echo "Current Date: " . date("Y-m-d") . "<br>";
        echo "Current Time: " . date("H:i:s");
    ?>
</div>

</body>
</html>
```

Practical 13: PHP Project Competition Registration Form (POST)

Objective: Write a PHP program to create a Project Competition Registration Form that accepts user input and displays submitted details using POST method.

register.html

```
<!DOCTYPE html>
<html>
<head>
    <title>Project Registration</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input {
            margin-bottom: 10px;
            width: 100%;
        }
    </style>
</head>

<body>

<h2>Project Competition Registration</h2>

<form method="post">
    Name:
    <input type="text" name="name">

    Email:
    <input type="email" name="email">

    Project Title:
    <input type="text" name="project">

    <input type="submit" value="Submit">
</form>

<?php
if($_SERVER["REQUEST_METHOD"] == "POST") {
    echo "<h3>Submitted Details:</h3>";
    echo "Name: " . $_POST["name"] . "<br>";
    echo "Email: " . $_POST["email"] . "<br>";
    echo "Project: " . $_POST["project"];
}
?>

</body>
</html>
```

Practical 14: PHP String Manipulation

Objective: Implement a PHP program for string manipulation: reverse, length, substring.

PHP Code (string_ops.php)

```
<!DOCTYPE html>
<html>
<head>
    <title>String Operations</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
    </style>
</head>

<body>

<h2>String Manipulation</h2>

<form method="post">
    Enter String:
    <input type="text" name="str">
    <input type="submit" value="Submit">
</form>

<?php
if($_SERVER["REQUEST_METHOD"] == "POST") {
    $str = $_POST["str"];

    echo "<h3>Results:</h3>";
    echo "Original String: " . $str . "<br>";
    echo "Length: " . strlen($str) . "<br>";
    echo "Reverse: " . strrev($str) . "<br>";
    echo "Substring (0,3): " . substr($str, 0, 3);
}
?>

</body>
</html>
```

Practical 15: PHP - Subject Marks Array, Max Marks and Percentage

Objective: Create a PHP script to store subject marks in an array and display maximum marks and student percentage.

PHP Code (marks.php)

```
<!DOCTYPE html>
<html>
<head>
    <title>Marks Calculation</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }
    </style>
</head>

<body>

<h2>Student Marks</h2>

<?php
$marks = array(75, 85, 90, 80, 70);

$max = max($marks);

$total = array_sum($marks);
$percentage = $total / count($marks);

echo "Marks: ";
foreach($marks as $m) {
    echo $m . " ";
}

echo "<br><br>";
echo "Maximum Marks: " . $max . "<br>";
echo "Percentage: " . $percentage . "%";
?>

</body>
</html>
```

Practical 16: Area Calculator using JavaScript (switch-case)

Objective: Write a JavaScript program to calculate the area of a rectangle, triangle, or circle using functions and switch-case.

HTML + JavaScript Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Area Calculator</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        input, select {
            margin: 5px;
        }
    </style>
    <script>
        function calculate() {
            let a = parseFloat(document.getElementById("val1").value);
            let b = parseFloat(document.getElementById("val2").value);
            let shape = document.getElementById("shape").value;
            let result;

            switch(shape) {
                case "rectangle":
                    result = a * b;
                    break;

                case "triangle":
                    result = 0.5 * a * b;
                    break;

                case "circle":
                    result = 3.14 * a * a;
                    break;

                default:
                    result = "Invalid";
            }
            document.getElementById("res").innerHTML = result;
        }
    </script>
</head>
<body>
<h2>Area Calculator</h2>

<select id="shape">
    <option value="rectangle">Rectangle</option>
    <option value="triangle">Triangle</option>
    <option value="circle">Circle</option>
</select><br>

<input type="text" id="val1" placeholder="Enter value 1"><br>
<input type="text" id="val2" placeholder="Enter value 2"><br>

<button onclick="calculate()">Calculate Area</button>

<h3>Result: <span id="res"></span></h3>
</body>
</html>
```

Practical 17: PHP Student Marks - String Functions + Arrays

Objective: Develop a PHP application that accepts a student's name and marks through a form using POST method. Process name using string functions and calculate total and average using arrays.

form.html

```
<<!DOCTYPE html>
<html>
<head>
    <title>Student Marks</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input {
            margin-bottom: 10px;
            width: 100%;
        }
    </style>
</head>

<body>

<h2>Student Details</h2>

<form method="post">
    Name:
    <input type="text" name="name">

    Marks 1:
    <input type="text" name="m1">

    Marks 2:
    <input type="text" name="m2">

    Marks 3:
    <input type="text" name="m3">

    <input type="submit" value="Submit">
</form>

<?php
if($_SERVER["REQUEST_METHOD"] == "POST") {

    $name = $_POST["name"];

    $marks = array($_POST["m1"], $_POST["m2"], $_POST["m3"]);

    $name_upper = strtoupper($name);
    $name_length = strlen($name);

    $total = array_sum($marks);
    $average = $total / count($marks);
```

```
    echo "<h3>Result:</h3>";
    echo "Name (Uppercase): " . $name_upper . "<br>";
    echo "Name Length: " . $name_length . "<br>";
    echo "Total Marks: " . $total . "<br>";
    echo "Average Marks: " . $average;
}
?>

</body>
</html>
```

Practical 18: PHP Array Search (Roll Number)

Objective: Create a PHP program to search for a value (e.g., student roll number) in an array and display result.

PHP Code (search.php)

```
<!DOCTYPE html>
<html>
<head>
    <title>Search Roll Number</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input {
            margin-bottom: 10px;
            width: 100%;
        }
    </style>
</head>

<body>

<h2>Search Student Roll Number</h2>

<form method="post">
    Enter Roll Number:
    <input type="text" name="roll">
    <input type="submit" value="Search">
</form>

<?php
$students = array(101, 102, 103, 104, 105);

if($_SERVER["REQUEST_METHOD"] == "POST") {
    $roll = $_POST["roll"];

    if(in_array($roll, $students)) {
        echo "Roll Number Found";
    } else {
        echo "Roll Number Not Found";
    }
}
?>
```

```
</body>
</html>
```

Practical 19: PHP String Operations (Multiple)

Objective: Write a PHP program to perform string operations: uppercase, lowercase, first char uppercase, all words first char uppercase, remove leading zeroes, reverse, length, substring.

PHP Code (string_operations.php)

```
<!DOCTYPE html>
<html>
<head>
    <title>String Operations</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        input {
            margin-bottom: 10px;
        }
    </style>
</head>

<body>

<h2>String Operations</h2>

<form method="post">
    Enter String:
    <input type="text" name="str"><br>

    Enter Number (for removing zeros):
    <input type="text" name="num"><br>

    <input type="submit" value="Submit">
</form>

<?php
if($_SERVER["REQUEST_METHOD"] == "POST") {

    $str = $_POST["str"];
    $num = $_POST["num"];

    echo "<h3>Results:</h3>";

    echo "Uppercase: " . strtoupper($str) . "<br>";
    echo "Lowercase: " . strtolower($str) . "<br>";
    echo "First Character Uppercase: " . ucfirst($str) . "<br>";
    echo "All Words First Letter Uppercase: " . ucwords($str) . "<br>";

    echo "Remove Leading Zeros: " . ltrim($num, "0") . "<br>";

    echo "Reverse: " . strrev($str) . "<br>";
    echo "Length: " . strlen($str) . "<br>";
    echo "Substring (0,3): " . substr($str, 0, 3);
}
?>

</body>
</html>
```

Practical 21: Student Registration Form with Validation & CSS

Objective: Create Student Registration Form with Validation using JavaScript. Style using CSS. Show success message after successful validation. Fields: Name, Email, Password, Confirm Password, Phone Number.

HTML + CSS + JavaScript Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Student Registration</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input {
            width: 100%;
            margin-bottom: 10px;
        }
    </style>

    <script>
        function validate() {
            let name = document.getElementById("name").value;
            let email = document.getElementById("email").value;
            let pass = document.getElementById("pass").value;
            let cpass = document.getElementById("cpass").value;
            let phone = document.getElementById("phone").value;

            if(name == "" || email == "" || pass == "" || cpass == "" || phone == "") {
                alert("All fields are required");
                return false;
            }

            let emailPattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/;
            if(!email.match(emailPattern)) {
                alert("Invalid Email");
                return false;
            }

            if(pass != cpass) {
                alert("Passwords do not match");
                return false;
            }

            if(phone.length != 10 || isNaN(phone)) {
                alert("Invalid Phone Number");
                return false;
            }

            alert("Registration Successful");
            return true;
        }
    </script>
</head>
```

```
<body>

<h2>Student Registration Form</h2>

<form onsubmit="return validate()">

    Name:
    <input type="text" id="name">

    Email:
    <input type="text" id="email">

    Password:
    <input type="password" id="pass">

    Confirm Password:
    <input type="password" id="cpass">

    Phone Number:
    <input type="text" id="phone">

    <input type="submit" value="Register">

</form>

</body>
</html>
```

Practical 22: Simple Quiz Web Application

Objective: Design and develop a Simple Quiz Web Application with ten multiple-choice questions, radio buttons, and score display.

HTML + JavaScript Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Simple Quiz</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 400px;
        }
    </style>
```

```
<script>
        function checkScore() {
            let score = 0;

            if(document.querySelector('input[name="q1"]:checked')?.value == "4") score++;
            if(document.querySelector('input[name="q2"]:checked')?.value == "Paris")
score++;
            if(document.querySelector('input[name="q3"]:checked')?.value == "HTML")
score++;
            if(document.querySelector('input[name="q4"]:checked')?.value == "CPU")
score++;
            if(document.querySelector('input[name="q5"]:checked')?.value == "CSS")
score++;
            if(document.querySelector('input[name="q6"]:checked')?.value == "JavaScript")
score++;
            if(document.querySelector('input[name="q7"]:checked')?.value == "5") score++;
            if(document.querySelector('input[name="q8"]:checked')?.value == "RAM")
score++;
            if(document.querySelector('input[name="q9"]:checked')?.value == "HTTP")
score++;
            if(document.querySelector('input[name="q10"]:checked')?.value == "India")
score++;

            document.getElementById("result").innerHTML = "Your Score: " + score + "/10";
            return false;
        }
    </script>
</head>

<body>

<h2>Simple Quiz</h2>

<form onsubmit="return checkScore()">

Q1: 2 + 2 = ?<br>
<input type="radio" name="q1" value="3">3
<input type="radio" name="q1" value="4">4<br><br>

Q2: Capital of France?<br>
<input type="radio" name="q2" value="Paris">Paris
<input type="radio" name="q2" value="London">London<br><br>

Q3: Web language?<br>
<input type="radio" name="q3" value="HTML">HTML
<input type="radio" name="q3" value="C">C<br><br>

Q4: Brain of computer?<br>
<input type="radio" name="q4" value="CPU">CPU
<input type="radio" name="q4" value="Mouse">Mouse<br><br>

Q5: Styling language?<br>
<input type="radio" name="q5" value="CSS">CSS
<input type="radio" name="q5" value="Java">Java<br><br>

Q6: Scripting language?<br>
<input type="radio" name="q6" value="JavaScript">JavaScript
<input type="radio" name="q6" value="Python">Python<br><br>

Q7: 10 / 2 = ?<br>
<input type="radio" name="q7" value="5">5
<input type="radio" name="q7" value="6">6<br><br>

Q8: Temporary memory?<br>
<input type="radio" name="q8" value="RAM">RAM
<input type="radio" name="q8" value="ROM">ROM<br><br>
```

```
Q9: Web protocol?<br>
<input type="radio" name="q9" value="HTTP">HTTP
<input type="radio" name="q9" value="FTP">FTP<br><br>

Q10: Country name?<br>
<input type="radio" name="q10" value="India">India
<input type="radio" name="q10" value="USA">USA<br><br>

<input type="submit" value="Submit Quiz">

</form>

<h3 id="result"></h3>

</body>
</html>
```

Practical 23: Student Marks Calculator Web Page

Objective: Create a Student Marks Calculator that calculates total, percentage, and grade for 5 subjects. Grade: A (75%+), B (60-74%), C (50-59%). CSS: gradient background, centered container, hover effects.

HTML + CSS + JavaScript Code

```
<<!DOCTYPE html>
<html>
<head>
    <title>Marks Calculator</title>

    <style>
        body {
            font-family: Arial;
            margin: 0;
            background: linear-gradient(to right, lightblue, lightgreen);
        }

        .container {
            width: 300px;
            margin: 50px auto;
            padding: 20px;
            border-radius: 10px;
            box-shadow: 2px 2px 10px gray;
            background: white;
        }

        input {
            width: 100%;
            margin: 5px 0;
        }

        button {
            width: 100%;
            padding: 5px;
        }

        button:hover {
            background-color: lightgray;
        }
    </style>

    <script>
        function calculate() {
            let name = document.getElementById("name").value;

            let m1 = parseFloat(document.getElementById("m1").value);
            let m2 = parseFloat(document.getElementById("m2").value);
            let m3 = parseFloat(document.getElementById("m3").value);
            let m4 = parseFloat(document.getElementById("m4").value);
            let m5 = parseFloat(document.getElementById("m5").value);

            let total = m1 + m2 + m3 + m4 + m5;
            let per = total / 5;
            let grade;

            if(per >= 75) grade = "A";
            else if(per >= 60) grade = "B";
            else if(per >= 50) grade = "C";
            else grade = "Fail";

            document.getElementById("result").innerHTML =
                "Name: " + name + "<br>" +
                "Total: " + total + "<br>" +
                "Percentage: " + per + "<br>" +
```

```
                "Grade: " + grade;
        }
    </script>
</head>

<body>

<div class="container">

<h2>Marks Calculator</h2>

<input type="text" id="name" placeholder="Enter Name">

<input type="text" id="m1" placeholder="Subject 1">
<input type="text" id="m2" placeholder="Subject 2">
<input type="text" id="m3" placeholder="Subject 3">
<input type="text" id="m4" placeholder="Subject 4">
<input type="text" id="m5" placeholder="Subject 5">

<button onclick="calculate()">Calculate</button>

<h3 id="result"></h3>

</div>

</body>
</html>
```

Practical 24: PHP Feedback Form with Date and Time

Objective: Design a PHP feedback form that collects user feedback and displays it along with current date and time.

feedback.php

```
<!DOCTYPE html>
<html>
<head>
    <title>Feedback Form</title>

    <style>
        body {
            font-family: Arial;
            margin: 20px;
        }

        form {
            border: 1px solid black;
            padding: 10px;
            width: 300px;
        }

        input, textarea {
            width: 100%;
            margin-bottom: 10px;
        }
    </style>
</head>

<body>

<h2>Feedback Form</h2>

<form method="post">
    Name:
    <input type="text" name="name">

    Feedback:
    <textarea name="feedback"></textarea>

    <input type="submit" value="Submit">
</form>

<?php
if($_SERVER["REQUEST_METHOD"] == "POST") {

    date_default_timezone_set("Asia/Kolkata");

    echo "<h3>Submitted Feedback:</h3>";
    echo "Name: " . $_POST["name"] . "<br>";
    echo "Feedback: " . $_POST["feedback"] . "<br>";
    echo "Date: " . date("Y-m-d") . "<br>";
    echo "Time: " . date("H:i:s");
}
?>

</body>
</html>
```

🔥 PHP RUN KARNE KA COMPLETE PROCESS (NOTEPAD + XAMPP)

✅ 1. XAMPP Install & Open

- XAMPP install karo (agar already nahi hai)
- XAMPP Control Panel open karo

✅ 2. Apache Start karo

- XAMPP me **Apache** → **Start** click karo
- Green ho gaya matlab server chal raha hai

✅ 3. Code likhna (Notepad)

- Notepad open karo
- PHP code likho, example:

```
<?php
echo "Hello Bhai";
?>
```

✅ 4. File Save karna (VERY IMPORTANT)

- Notepad → File → Save As
- Location select karo:

```
C:\xampp\htdocs\
```

- File name likho:

```
test.php
```

- “Save as type” → **All Files** select karo
- Encoding → UTF-8 (optional but safe)

✅ 5. Browser me run karna

- Chrome / Edge open karo
- URL me likho:

http:*//localhost/test.php*

➡️ Output: **Hello Bhai**

✅ 6. Agar folder ke andar save kiya ho

Example:

C:\xampp\htdocs\myproject\test.php

To run:

http:*//localhost/myproject/test.php*
