

The background features a grayscale profile of a man's head facing left. Overlaid on his hair is a circular pattern of handwritten-style code characters, including 'uz', 'n', 'z', and 'u'. Large, bold Japanese text is centered over the image.

ウズウズカレツジ プログラマーコース

WHERE句
はじまる!!

～テーブルの検索（SELECT）～

《 WHERE句の構造 》

```
SELECT ID , NAME , GENDER , BIRTHDAY , WEIGHT
```

```
FROM SAMPLE_4_1
```

```
WHERE GENDER = 'M'
```

```
AND WEIGHT > 6.2
```

FROM句

どのテーブルから

WHERE句

どの行の

SELECT句

どのカラムのデータを抽出するか

～テーブルの検索（SELECT）～

≪ WHERE句の構造 ≫

```
SELECT *  
  FROM SAMPLE_4_1  
 WHERE GENDER = 'M'  
    AND WEIGHT > 6.2
```



▼SAMPLE_4_1（抽出前）

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
▶ 1	MOCO	F	2014/05/04	3.5	2018/07/09 4:35:36
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36



▼抽出結果

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
▶ 3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

～テーブルの検索（SELECT）～

《 WHERE句で扱える演算子 》

▼WHERE句で扱える様々な演算子

=	左辺と右辺が等しければ真
!= <>	左辺と右辺が等しくなければ真
>	左辺が右辺よりも大きければ真
>=	左辺が右辺以上であれば真
<	左辺が右辺よりも小さければ真
<=	左辺が右辺以下であれば真
AND	2つの条件を結合し、両方とも真であれば真
OR	2つの条件を結合し、どちらか一方でも真であれば真
NOT	結果を反転（真であれば偽、偽であれば真）
BETWEEN 値a AND 値b	値a以上、値b以下の範囲内であれば真
IN	対象のフィールドが（ ）内の値のいずれかと一致すれば真
LIKE	対象のフィールドがパターンに一致すれば真

～テーブルの検索（SELECT）～

《 WHERE句で扱える演算子 》

論理演算子の優先順

NOT > AND > OR

$$1 + 2 \times 3 - 4 \div 5$$

||

$$1 + (2 \times 3) - (4 \div 5)$$

```
SELECT ID , NAME , GENDER , BIRTHDAY , WEIGHT  
FROM SAMPLE_4_1  
WHERE GENDER = 'F' AND NOT WEIGHT > 6 OR NOT GENDER = 'F' AND BIRTHDAY > '20120101'
```

||

```
SELECT ID , NAME , GENDER , BIRTHDAY , WEIGHT  
FROM SAMPLE_4_1  
WHERE ( GENDER = 'F' AND ( NOT WEIGHT > 6 ) ) OR ( ( NOT GENDER = 'F' ) AND BIRTHDAY > '20120101' )
```

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
1	MOCO	F	2014/05/04	3.5	2020/09/24 22:20:28
2	CHOCO	M	2011/08/25	5.2	2020/09/24 22:20:28
3	TARO	M	2013/01/02	7.9	2020/09/24 22:20:28
4	RINRIN	F	2015/12/12	6.2	2020/09/24 22:20:28
5	CHAMP	M	2013/01/02	10.9	2020/09/24 22:20:28



ID	NAME	GENDER	BIRTHDAY	WEIGHT
1	MOCO	F	2014/05/04	3.5
3	TARO	M	2013/01/02	7.9
5	CHAMP	M	2013/01/02	10.9

```

SELECT ID , NAME , GENDER , BIRTHDAY , WEIGHT
FROM SAMPLE_4_1
WHERE ( GENDER = 'F' AND ( NOT WEIGHT > 6 ) ) OR ( ( NOT GENDER = 'F' ) AND BIRTHDAY > '20120101' )

```


～テーブルの検索（SELECT）～

≪ WHERE句で扱える演算子（IN） ≫

```
SELECT *  
FROM SAMPLE_4_1  
WHERE NAME IN ('MOCO', 'TARO', 'RINRIN')
```



▼SAMPLE_4_1（抽出前）

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
1	MOCO	F	2014/05/04	3.5	2018/07/09 4:35:36
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

「NAMEが“MOCO”，“TARO”，“RINRIN”のいずれかであれば抽出」という条件のSELECT文になっている。



▼抽出結果

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
1	MOCO	F	2014/05/04	3.5	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36

～テーブルの検索（SELECT）～

≪ WHERE句で扱える演算子（NOT） ≫

```
SELECT *  
FROM SAMPLE_4_1  
WHERE NAME NOT IN ('MOCO', 'TARO', 'RINRIN')
```



▼SAMPLE_4_1（抽出前）

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
1	MOCO	F	2014/05/04	3.5	2018/07/09 4:35:36
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

「NAMEが“MOCO”，“TARO”，“RINRIN”の
いずれにも該当しなければ抽出」という条件の
SELECT文になっている。



▼抽出結果

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

～テーブルの検索（SELECT）～

≪ WHERE句で扱える演算子（LIKE） ≫

```
SELECT *  
FROM SAMPLE_4_1  
WHERE BIRTHDAY LIKE '2013%'
```



▼SAMPLE_4_1（抽出前）

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
1	MOCO	F	2014/05/04	3.5	2018/07/09 4:35:36
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

「BIRTHDAYが“2013”から始まっていれば抽出」
という条件のSELECT文になっている。
（前方一致検索）



▼抽出結果

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

～テーブルの検索（SELECT）～

≪ WHERE句で扱える演算子（ BETWEEN ） ≫

```
SELECT *  
FROM SAMPLE_4_1  
WHERE WEIGHT BETWEEN 5.0 AND 8.0
```



▼SAMPLE_4_1（抽出前）

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
1	MOCO	F	2014/05/04	3.5	2018/07/09 4:35:36
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36
5	CHAMP	M	2013/01/02	10.9	2018/07/09 4:35:36

「WEIGHTが 5.0以上、8.0以下であれば抽出」
という条件のSELECT文になっている。



▼抽出結果

ID	NAME	GENDER	BIRTHDAY	WEIGHT	REGIST_TIMESTAMP
2	CHOCO	M	2011/08/25	5.2	2018/07/09 4:35:36
3	TARO	M	2013/01/02	7.9	2018/07/09 4:35:36
4	RINRIN	F	2015/12/12	6.2	2018/07/09 4:35:36