

# **Contents**

Nom de l'étudiant :	3
Lien du projet GitHub:	3
CAPTURES D'ÉCRAN DES COMMANDES GIT	3
Initialisation du dépôt Git	3
Création des premières branches	3
Création des branches de fonctionnalités	4
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn est (feature/html-structure) \$ git commit -m "Structure HTML de base créée" [feature/html-structure 20831a9] Structure HTML de base créée 3 files changed, 278 insertions(+)	
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn est (feature/html-structure) \$ git checkout test/frontend Switched to branch 'test/frontend'	
Ajout des fichiers et commits dans chaque branche	4
Création de la branche de test et fusions	4
Vérification du statut du dépôt	5
Fusion dans la branche dev	
Fusion finale dans la branche main	5
Affichage de l'historique Git	6
Push vers GitHub	7

### Nom de l'étudiant :

MBARGA ERNEST B1B

## Lien du projet GitHub:

https://github.com/kiyotaka-sudo/site-entreprise

## CAPTURES D'ÉCRAN DES COMMANDES GIT

Insère une capture d'écran claire pour chaque commande ou groupe de commandes ci-dessous.

## Initialisation du dépôt Git

Commande(s) utilisée(s):

git init

```
MINGW64:/c/Users/USER/site-entreprise_MbargaErnest

USER@MBARGA_ERNEST_SuperPC MINGW64 ~
$ mkdir site-entreprise_MbargaErnest

USER@MBARGA_ERNEST_SuperPC MINGW64 ~
$ cd site-entreprise_MbargaErnest

USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest
$ touch index.html services.html contact.html style.css script.js README.md

USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest
$ git init
Initialized empty Git repository in C:/Users/USER/site-entreprise_MbargaErnest/.git/
```

### Création des premières branches

Commande(s) utilisée(s):

```
git checkout -b main
git checkout -b dev
```

```
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (master)
$ git branch main

USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (master)
$ git checkout -b dev

Switched to a new branch 'dev'
```

#### Création des branches de fonctionnalités

Commande(s) utilisée(s):

```
git checkout -b feature/html-structure
git checkout -b feature/css-theme
git checkout -b feature/js-interactions
```

```
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (dev)

$ git checkout -b test/frontend
Switched to a new branch 'test/frontend'

USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (test/frontend)

$ git checkout dev
Switched to branch 'dev'

USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn
est (dev)

$ git checkout -b feature/html-structure
Switched to a new branch 'feature/html-structure'
```

```
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn
est (feature/html-structure)
$ git commit -m "Structure HTML de base créée"
[feature/html-structure 20831a9] Structure HTML de base créée
3 files changed, 278 insertions(+)

USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn
est (feature/html-structure)
$ git checkout test/frontend
Switched to branch 'test/frontend'
```

### Ajout des fichiers et commits dans chaque branche

Commande(s) utilisée(s):

```
git
                                add
                                                          ajoutée"
                              ''Structure
                                             HTML.
git
        commit
                     -m
      commit
                         ''Charte
                                                  CSS
                                                          ajoutée''
git
                  -m
                                    graphique
git commit -m "Ajout des interactions JS"
```

Capture attendue : résultat de cette commande.

#### Création de la branche de test et fusions

Commande(s) utilisée(s):

```
git checkout -b test/frontend
git merge feature/html-structure
```

git merge feature/js-interactions feature/css-theme

Capture attendue : résultat de cette commande.

## Vérification du statut du dépôt

Commande(s) utilisée(s):

git status

Capture attendue : résultat de cette commande.

### Fusion dans la branche dev

Commande(s) utilisée(s):

git checkout dev git merge test/frontend

## Fusion finale dans la branche main

Commande(s) utilisée(s):

git checkout main git merge dev

```
SER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (test/fronten
$ git add .
git commit -m "Corrections après test frontend"
On branch test/frontend
nothing to commit, working tree clean
JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (test/frontend)
$ git checkout dev
Switched to branch 'dev'
JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (dev)
$ git merge test/frontend
Updating a9864b9..8afb2ec
Fast-forward
index.html |
         $ git checkout main
Switched to branch 'main'
$ git merge dev
Updating a9864b9..8afb2ec
ast-forward
index.html |
          script.js
         41 +++++++++++++
style.css
        3 files changed, 278 insertions(+)
```

### Affichage de l'historique Git

Commande(s) utilisée(s):

git log --oneline --graph -all

```
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git log --oneline --graph --all
* 8afb2ec (HEAD -> main, origin/test/fro
ntend, origin/main, origin/dev, test/front
end, dev) Merge branch 'feature/js-interac
tions' into test/frontend

| * 9cd86c5 (origin/feature/js-interaction
s, feature/js-interactions) Ajout du menu
burger et effets JS
* | 20831a9 (origin/feature/html-structure
, feature/html-structure) Structure HTML d
e base créée
|/
* a9864b9 (origin/feature/css-theme, maste
r, feature/css-theme) Initialisation du pr
ojet
```

Capture attendue : résultat de cette commande.

#### Push vers GitHub

Commande(s) utilisée(s):

```
git remote add origin https://github.com/kiyotaka-sudo/site-entreprise
git push -u origin main
git push origin dev
```

### **TOUTES LES COMMANDES EN ORDRE**

```
SER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (test/fronten
$ git add .
git commit -m "Corrections après test frontend"
On branch test/frontend
nothing to commit, working tree clean
JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (test/frontend)
$ git checkout dev
Switched to branch 'dev'
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (dev)
$ git merge test/frontend
Updating a9864b9..8afb2ec
ast-forward
 index.html |
             41 ++++++++++++++
 script.js
3 files changed, 278 insertions(+)
JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (dev)
$ git checkout main
Switched to branch 'main'
JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git merge dev
Updating a9864b9..8afb2ec
ast-forward
 index.html |
             script.js |
            41 +++++++++++++
JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git remote add origin https://github.com/kiyotaka-sudo/site-entreprise.git
```

```
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git remote add origin https://github.com/kiyotaka-sudo/site-entreprise_MbargaErnest.git
error: remote origin already exists.
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ push -u origin main
bash: push: command not found
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git push -u origin main
remote: Repository not found.
fatal: repository 'https://github.com/kiyotaka-sudo/site-entreprise.git/' not found
  SER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git remote -∨
origin https://github.com/kiyotaka-sudo/site-entreprise.git (fetch)
origin https://github.com/kiyotaka-sudo/site-entreprise.git (push)
USER@MBARGA_ERNEST_SuperPC MINGW64 <mark>~/site-entreprise_MbargaErnest (main)</mark>
$ git remote add origin https://github.com/kiyotaka-sudo/site-entreprise.git
error: remote origin already exists.
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git push -u origin main
remote: Repository not found.
fatal: repository 'https://github.com/kiyotaka-sudo/site-entreprise.git/' not found
USER@MBARGA_ERNEST_SuperPC MINGW64 ~<mark>/site-entreprise_MbargaErnest (main)</mark>
$ git remote add origin https://github.com/kiyotaka-sudo/site-entreprise.git
error: remote origin already exists.
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git push -u origin main
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Counting objects: 100% (11/11), done.

Delta compression using up to 8 threads

Compressing objects: 100% (10/10), done.

Writing objects: 100% (11/11), 3.26 KiB | 477.00 KiB/s, done.

Total 11 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (3/3), done.

To https://github.com/kiyotaka-sudo/site-entreprise.git
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git push origin dev
git push origin test/frontend
git push origin feature/html-structure
git push origin feature/css-theme
git push origin feature/js-interactions
Total O (delta O), reused O (delta O), pack-reused O (from O)
 remote:
remote: Create a pull request for 'dev' on GitHub by visiting: remote: https://github.com/kiyotaka-sudo/site-entreprise/pull/new/dev
 To https://github.com/kiyotaka-sudo/site-entreprise.git
     [new branch]
                               dev -> dev
```

```
emote: Create a pull request for 'dev' on GitHub by visiting:
                 https://github.com/kiyotaka-sudo/site-entreprise/pull/new/dev
remote:
remote:
To https://github.com/kiyotaka-sudo/site-entreprise.git
* [new branch] dev -> dev
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'test/frontend' on GitHub by visiting:
remote: https://github.com/kiyotaka-sudo/site-entreprise/pull/new/test/frontend
remote:
To https://github.com/kiyotaka-sudo/site-entreprise.git
* [new branch] test/frontend -> test/frontend
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/html-structure' on GitHub by visiting:
remote: https://github.com/kiyotaka-sudo/site-entreprise/pull/new/feature/html-structure
remote:
To https://github.com/kiyotaka-sudo/site-entreprise.git
                          feature/html-structure -> feature/html-structure
    [new branch]
Total O (delta O), reused O (delta O), pack-reused O (from O)
 remote:
remote: Create a pull request for 'feature/css-theme' on GitHub by visiting: remote: https://github.com/kiyotaka-sudo/site-entreprise/pull/new/feature/css-theme
 remote:
To https://github.com/kiyotaka-sudo/site-entreprise.git
* [new branch] feature/css-theme -> feature/css-theme
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'feature/js-interactions' on GitHub by visiting: remote: https://github.com/kiyotaka-sudo/site-entreprise/pull/new/feature/js-interactions
 remote:
To https://github.com/kiyotaka-sudo/site-entreprise.git
                            feature/js-interactions -> feature/js-interactions
    [new branch]
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git commit -m "Ajout section services"
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:


(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
 $ git add fichier_conflit.html
git commit -m "Résolution de conflit"
fatal: pathspec 'fichier_conflit.html' did not match any files
On branch main
 Your branch is up to date with 'origin/main'.
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)
```

```
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git commit -m "Ajout section services"
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: README.md
no changes added to commit (use "git add" and/or "git commit -a")
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git add fichier_conflit.html
git commit -m "Résolution de conflit"
fatal: pathspec 'fichier_conflit.html' did not match any files
On branch main
 Your branch is up to date with 'origin/main'.
Changes not staged for commit:
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified: README.md
no changes added to commit (use "git add" and/or "git commit -a")
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
$ git log --oneline --graph --all
* 8afb2ec (HEAD -> main, origin/test/frontend, origin/main, origin/dev, test/frontend, dev) Merge branch 'feature/js-interactions' into test/frontend
| * 9cd86c5 (origin/feature/js-interaction
s, feature/js-interactions) Ajout du menu
burger et effets JS
   | 20831a9 (origin/feature/html-structure
feature/html-structure) Structure HTML d
e base créée
   a9864b9 (origin/feature/css-theme, maste
  , feature/css-theme) Initialisation du pr
ojet
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-
entreprise_MbargaErnest (main)
$ git remote add origin https://github.com/kiyotaka-sudo/site-entreprise
git push -u origin main
git push origin dev
error: remote origin already exists.
branch 'main' set up to track 'origin/main'.
Everything up-to-date
Everything up-to-date
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (main)
```



```
SER@MBARGA_ERNEST_SuperPC MINGW64 ~
$ mkdir site-entreprise_MbargaErnest
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~
$ cd site-entreprise_MbargaErnest
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest
$ touch index.html services.html contact.html style.css script.js README.md
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest
$ git init
Initialized empty Git repository in C:/Users/USER/site-entreprise_MbargaErnest/.git/
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (master)
$ git add .
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (master)
$ git commit -m "Initialisation du projet"
[master (root-commit) a9864b9] Initialisation du projet
6 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md
create mode 100644 contact.html
 create mode 100644 index.html
 create mode 100644 script.js
 create mode 100644 services.html
 create mode 100644 style.css
 $ git branch main
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (master)
$ git checkout -b dev
Switched to a new branch 'dev'
USER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (dev)
$ git checkout -b test/frontend
Switched to a new branch 'test/frontend'
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErnest (test/frontend)
$ git checkout dev
Switched to branch 'dev'
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn
$ git checkout -b feature/html-structure
Switched to a new branch 'feature/html-structure'
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn
 est (feature/html-structure)
$ git add .
 JSER@MBARGA_ERNEST_SuperPC MINGW64 ~/site-entreprise_MbargaErn
$ git commit -m "Structure HTML de base créée"
[feature/html-structure 20831a9] Structure HTML de base créée
3 files changed, 278 insertions(+)
```