

10.5 Onboard

Document exported:

Document Control

Rev.	Date Revised	Section(s)	Description
1.0	9th June 2025	All	1st Version

Preface

1. Customer & TESS Definition

TESS Innovation Sdn Bhd is hereinafter referred as “TESS” of the other part in this document.

2. Document Confidentiality

This document contains information that is proprietary to TESS and The Customer. This document, or any part thereof, shall not be copied, reproduced, translated or reduced to any electronic medium or machine-readable form or disclosed to any third party without the prior written consent or authorization of TESS and the Customer.

3. Purpose of Document

The purpose of this document is to clearly guide user to perform day by day operation.

4. Intended Audience

- Project team from TESS
- Project team from The Customer

5. Document Control

This document is subject to change control. All changes to this document shall be documented and distributed as “Release Version”. It will consist of the following:

- Full replacement of the document; or
- Full replacement of a section in the document; or
- An addendum to the document.

Each revision will be assigned with a unique “Release Version” number and date. All pages distributed within a Document Release Notice will have the appropriate Release Version and Release Date indicated.

6. Screenshots

All sample screens as attached are for the reader’s viewing purpose only. The actual screen displayed in the [iSE M.ai](#) system shall be based on the specification of The Customer’s as agreed upon.

7. Disclaimer

- All advice given or recommendations made in this document are made in good faith on the basis of the information provided and otherwise generally available or known to TESS at the time of writing.
- No advice given or statements or recommendations made shall be in any circumstances constitute or be deemed to constitute warranty by TESS as to the accuracy of such advice, statement and recommendations.
- Subject to the contents of the Supply of Software, Licensing and Service Agreement executed, TESS shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted to be made in connection with this document.
- **This document is **subject to updates**. Please note that it may be revised periodically within the same version to reflect any changes.

8. Product Version

This document is based on product version 1.3. Any other product version may not be relevant to this specific document content and its information.

9. Abbreviation & Definitions

Abbreviation	Definition
STR	Suspicious Transaction Report
PEP	Politically Exposed Person

1. About Settings ▢ Onboard

2. Onboard

2.1 Onboard ▢ General

General

Case Template

Appearance

Match Result 1

☒ Generate strong and weak result

☐ Generate only strong result ⓘ

Other Filters & Condition 2

☐ Include YOB range on either side XXX

☐ Use AND for Name and ID Reference combo

General Defaults 3

Whitelist Expiry Duration

0 day(s)

Reset

Save

Figure 2.0: Onboard - General

1. Match Result:

- **Generate strong and weak result:**

- a. Allow to select the batch program to generate watchlist match record result based by strong or weak.

b. Default the radio button to **"On"**.

- **Generate only strong result:**

- a. Allow to select the batch program to generate watchlist match record result for strong only.
- b. Include disclaimer note: Weak result is achieved for machine learning purpose.

2. Other Filters & Condition

- **Include YOB range on either side:**

- a. Allow to input the range of year of birth for both positive and negative side.

- **Use AND for Name and ID Reference combo:**

- a. Allow to select either to use AND/OR combination for Name and ID reference.
- b. Default the radio button to **"Off"**.

3. General Defaults

- **Whitelist Expiry Duration**

- a. Allow to configure the default whitelist expiry duration.
- b. Allow to input default value for whitelist expiry duration.

2.2 Onboard □ Case Template

The case template consists of two section configuration which is the primary configuration and the secondary detail configuration.




Figure 2.1: Case Template

2.2.1 Case Template Template Setting

The primary configuration allows users to create the case template that will group up the workflow that will be in the case template.




Figure 2.2: Template Setting

The information displayed is in the table below:

#	Name	Description
1	Master Template No.	Display the master template number.
2	Master Template Name	Display the master template name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow user to perform update on the primary configuration. 2. Delete: Allow user to delete the master template. 3. More Setting: Allow user to configure the secondary detail configuration.

7	+ Add New Template	Allow user to add new case template.
---	--------------------	--------------------------------------

2.2.2 Template Setting ▢ Add new Master Template

1

Template No.

2

Template Name

3

Total Level of Escalation

4

Status

Active

Save

Figure 2.3: Add New Master Template

The information displayed is in the table below:

#	Name	Description
1	Template No.	Allow user to input the master template no.
2	Template Name	Allow user to input the master template name.
3	Total Level of Escalation	Allow user to input the total level escalation. Maximum of 10 level escalation.
4	Status	Allow user to select whether this configuration is active or inactive.

- 1. When adding new template, the template will automatically create total workflow level based by the total escalation.
- 2. The same update button will allow user to perform the following input above except not able to change the master template number.
- 3. When updating the total level of escalation to a smaller number comparing first created, the workflow level will not be reduced and deleted. User needs to delete it manually.

• **More Setting**

Allow users to perform the necessary configuration for secondary detail configuration.



Figure 2.4: More Setting

The information displayed is in the table below:

#	Name	Description
1	Workflow Level	Display the workflow escalation level.
2	Workflow Name	Display the workflow name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow user to perform update on the primary configuration. 2. Delete: Allow user to delete the workflow.

2.2.3 Template Setting □ 4-Step Wizard




Figure 2.5: 4-Step Wizard

(a) Step 1: Workflow Setup

• Workflow Level Setup

To configure workflow features.

The form displays the 'Workflow Level Setup' section. It includes three main fields: 'Workflow Name' (labeled 1), 'Workflow Level' (labeled 2), and 'Status' (labeled 3). The 'Workflow Name' field contains the text 'Level 1'. The 'Workflow Level' field contains the number '1'. The 'Status' field is a toggle switch currently set to 'Active'.

Figure 2.6: Workflow Level Setup

The information displayed is in the table below:

#	Name	Description
1	Workflow Name	Allow the user to update the workflow name.
2	Workflow Level	Display the workflow level number.
3	Status	Allow user to select whether this configuration is active or inactive.

• Escalation Setup

Escalation Setup

☐

Allow to pick up case at any level

☒

Allow to reassign case

☒

Allow to rework case

☐

Allow to bypass case

Figure 2.7: Escalation Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to pick up case at any level	Allow higher level workflow to pick up case at the lower-level workflow.
2	Allow to reassign case	Allow the case to reassign to another user.
3	Allow to rework case	Allow the case to rework to user.
4	Allow to bypass case	1. Allow the case to be bypass from one level to another level without following the case workflow level sequence 2. This feature can only turn on if total escalation of workflow is more than 2 levels.

• Case Setup

Case Setup

☒

Allow to review case

☐

Allow to reopen case

Figure 2.8: Case Setup

The information displayed is in the table below:

#	Name	Description
---	------	-------------

1	Allow to review case	Allow user to draft report.
---	----------------------	-----------------------------

● **Draft Report Setup**




Figure 2.9: Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Enable draft report	Allow user to draft report.
2	Mandatory to draft report	Allowing user to escalate a case with or without drafting the report.

● **Others**




Figure 2.10: Others

Allow manage exposure:

- Allow user to manage exposure while investigating the cases.

(b) Step 2: Filtering Setup

To configure what kind of client case that the user can view and investigate.

Workflow Setup Filtering Setup Button Setup Validation

Filtering Setup

☒ Disable filtering

☐ Enable filtering

Back Next

Figure 2.11: Filtering Setup

1. **Disable Filtering:** No filtering required and user can view all type of client case.
2. **Enable Filtering:** Allow filtering and user can only view specific client case depending on the filtering set.

• Conditions

Conditions

Meet ALL of the following condition:

1 2 3 4 5 6

+ Add Condition

Cancel Save

Filtering 2.12: Conditions

The information displayed is in the table below:

#	Name	Description
1 & 6	Add Condition	1. Allow user to add or remove condition. 2. Adding condition will allow user to choose to combine the condition either AND/OR.
2	Table	Allow user to choose which database schema/table that the data resides.
3	Field	Allow user to choose which field that the data resides on the table.
4	Formula	Allow user to choose which formula to use on the filtering.

5	Filtering Input	Allow user to input what is the filtering data.
---	-----------------	---

(c) Step 3: Button Setup

To configure each of the button features.









Workflow Setup

Filtering Setup

Button Setup

Validation

Button Setup

1 #	2 BUTTON NAME	3 DATE UPDATED	4 STATUS	5 ACTION
1	L2 Approve	08/12/2023	Active	
2	L2 Reject	08/12/2023	Active	
3			Inactive	

Figure 2.13: Button Setup

The information displayed is in the table below:

#	Name	Description
1	Button Number	Display the tab number.
2	Button Name	Display the button name.
3	Date Updated	Display the date that this configuration is updated by the user.
4	Status	Display whether this configuration is active or inactive.
5	Action	To update the button features.

● **Button Details**

Button Details

1

Button Setup

Enable Button

2

Case Status Setup

Assign Status

+ Manage Custom Status

3

General Button Setup

Button Name*

Disable

4

STR Flag Setup

Allow STR Flag

5

PEP Flag Setup

Allow PEP Flag

6

Email Template Setup

Allow Group Template

Group Email Template

0

7

Onboard Approval Status API

Allow onboard approval API

Approval Status Method

Endpoint Type

Single

Multiple

Source Configurations

+ Manage Sources

Save

Figure 2.14: Button Details

The information displayed is in the table below:

#	Name	Description
1	Button Setup	Enable Button: Allow to activate or inactivate the button.
2	Case Status Setup	Assign Status:

		Manage Custom Status: 1. Allow user to add new sub status. 2. Allow user to update existing subs status. 3. Allow user to change binding on sub status to the main status. 4. The sub case status library will display information in the table: • Sub Status No. • Sub Status • Main Status • Escalate to Level • Date Created • Date Updated • Status • Action - Allow user to update or delete sub status a. The display information will have a sorter except action header. 5. During new or update sub status, user is allowed to perform action on this field: • Sub Status No (Only for new) • Sub Status Name • Bind to Main Status • Escalate to Level • Status
3	General Button Setup	Button Name: Allow to update the button name. Allow Bypass: Allow to activate or inactivate bypass.
4	STR Flag Setup	Allow user to update client information with STR Flag and insert new record of STR in XX table.
5	PEP Flag Setup	Allow user to update client information with PEP Flag and insert new record of PEP in xx table.
6	Email Template Setup	Allow Group Template: Allow to activate or inactivate group template. Group Email: Allow to send email with a selected template

7

Onboard
Approval Status
API

Allow onboard approval API

1. Allow user to select whether approval status is required
2. If user chooses to allow, the items below will appear:

a) Approval Status Method:

1. Allow user to select which push method for the onboard approval status
2. The drop-down list appears when selected to allow. The display list show "Standard push API"

b) Endpoint Type:

1. A selection box to allow select the endpoint will be to a **single** system push approval status or **multiple** different system push approval status.

c) Source Configurations:

1. A "+ Manage Sources" button to allow user to see the sources configured.





Figure 2.15: Manage Source

1. **Source:** Display the source name
2. **API Endpoint:** Display the API Endpoint
3. **Auth. Endpoint:** Display the authentication endpoint
4. **Status:** State whether source is active or inactive
5. **Date Created:** Display the date this configuration is created
6. **Date Updated:** Display the date this configuration is updated

7. **Action:** Allow user to **update** or **delete** source configurations.
8. **+Add Source:** To add new source after filling in the appropriate details:



The image shows a 'Manage Source' dialog box with a close button (X) in the top right corner. Inside the dialog, there is a section titled 'Update Source'. It contains three input fields: 'Source Name*' with the value 'Source 1', 'API Endpoint*' with the value 'Test', and 'Authentication Endpoint' with the value 'Test 1'. Below these fields is a 'Status' section with a toggle switch that is currently turned on, labeled 'Active'. At the bottom right of the dialog are two buttons: 'Back' and 'Save'.

Figure 2.16: Details To Be Filled When Adding/Managing Source

(d) Step 4 - Validation

System to notified whether the configuration setup is successfully configured or fail.





Figure 2.17: Validation

1. The 4-step wizard can continue to the next page without any update or back to previous page.
2. Each of the configuration during update will update to database directly when clicking the **"Save"** button.

2.3 Onboard Appearance



The screenshot shows a configuration interface for 'Style'. At the top, there are two tabs: 'Style' (selected) and 'Validation'. Below the tabs, there is a list of eight toggle switches, each with a label to its right:

- Entity Type
- ID Reference
- Passport Verification
- Country
- Gender
- Year of Birth
- Category
- Scan Purpose

All toggle switches are currently turned off. A red 'Next' button is located at the bottom right of the configuration area.

Figure 2.18: Style




Figure 2.19: Validation