

10.2 Tx Monitoring

Document Exported:

Document Control

Rev.	Date Revised	Section(s)	Description
1.0	9th June 2025	All 2.2.2.1 2.2.2.2	1st Version Update Draft Report Setup, Condition filtering setup, Button details & screenshot Added new sections - Manage custom status
1.1	4th July 2025	Tx Monitoring (AI)	Add a new section of Tx Monitoring (AI)

Preface

1. Customer & TESS Definition

TESS Innovation Sdn Bhd is hereinafter referred as “TESS” of the other part in this document.

2. Document Confidentiality

This document contains information that is proprietary to TESS and The Customer. This document, or any part thereof, shall not be copied, reproduced, translated or reduced to any electronic medium or machine-readable form or disclosed to any third party without the prior written consent or authorization of TESS and the Customer.

3. Purpose of Document

The purpose of this document is to clearly guide user to perform day by day operation.

4. Intended Audience

- Project team from TESS
- Project team from The Customer

5. Document Control

This document is subject to change control. All changes to this document shall be documented and distributed as “Release Version”. It will consist of the following: -

- Full replacement of the document; or
- Full replacement of a section in the document; or
- An addendum to the document.

Each revision will be assigned with a unique “Release Version” number and date. All pages distributed within a Document Release Notice will have the appropriate Release Version and Release Date indicated.

6. Screenshots

All sample screens as attached are for the reader’s viewing purpose only. The actual screen displayed in the [iSE M.ai](#) system shall be based on the specification of The Customer’s as agreed upon.

7. Disclaimer

- All advice given or recommendations made in this document are made in good faith on the basis of the information provided and otherwise generally available or known to TESS at the time of writing.
- No advice given or statements or recommendations made shall be in any circumstances constitute or be deemed to constitute warranty by TESS as to the accuracy of such advice, statement and recommendations.
- Subject to the contents of the Supply of Software, Licensing and Service Agreement executed, TESS shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted to be made in connection with this document.
- **This document is **subject to updates**. Please note that it may be revised periodically within the same version to reflect any changes.

8. Product Version

This document is based on product version 1.3. Any other product version may not be relevant to this specific document content and its information.

9. Abbreviation & Definitions

Abbreviation	Definition
TM	Transaction Monitoring

Tx	Transaction
----	-------------

Overview of Settings

1. About Settings □ Tx Monitoring

The document will detail the configuration settings for Transaction Monitoring. Users will have access to a set of parameters that can be configured according to their requirements. Any parameters not outlined in the settings will be considered non-configurable from the front-end. This module will allow users to set up the Case Template, Transaction Rules Setting, and upcoming AI Segmentation Rule Setting.

2. Tx Monitoring

2.1 Tx Monitoring □ General (Whitelist)

1. The general TM setting is to set the expiry duration for whitelist under TM module.
2. User key in on how many day(s) to whitelist and click "Save". The system will auto load and set the whitelist once it is submitted. Click "Reset" button to make it default to 0 day which is there will be no whitelist setting.

General Tx Monitoring Watchlist Client Profile On ...

General

Case Template

Rule Parameter

General Defaults

Whitelist Expiry Duration

0 day(s)

Reset Save

Figure 2.0: Tx Monitoring - General Whitelist

2.2 Tx Monitoring □ Case Template

1. The case template consists of two section configurations which is the primary configuration and the secondary detail configuration.




Figure 2.1: Tx Monitoring - Case Template

2. The primary configuration allows to create the case template that will group up the workflow that will be in

the case template.

2.2.1 Case Template ▢ Template Setting




Figure 2.2: Template Setting

The information displayed is in the table below:

#	Name	Description
1	Master Template No.	Display the master template number.
2	Master Template Name	Display the master template name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to perform update on the primary configuration. 2. Delete: Allow to delete the master template. 3. More Setting: Allow to configure the secondary detail configuration.
7	+ Add Template	Allow users to add new templates.

2.2.2 Template Setting ▢ Add new Master Template

Users click "+Add template" button to add a new master case template. The system will show the "Add Template" pop up screen, as shown in the figure below.

Add Template

1

Template No.

2

Template Name

3

Total Level of Escalation

4

Status

Active

Save

Figure 2.3: Add Template

The information displayed is in the table below:

#	Name	Description
1	Template No.	Allow to input the master template number.
2	Template Name	Allow to input the master template name.
3	Total Level of Escalation	Allow to input the total level escalation. Maximum of 10 level escalation.
4	Status	Allow to select whether this configuration is active or inactive.

1. When the new template is added, the template will automatically create total workflow level based by the total escalation.
2. The same "Edit" button will allow to perform the following input above except not able to change the master template number.
3. When updating the total level of escalation to a smaller number comparing first created, the workflow level will not be reduced and deleted. User needs to delete it manually.
4. The **"More Setting"** button will allow to perform the necessary configuration for secondary detail configuration.

Steps on How to Edit Master Template

- 1. Click (a) "Edit" button under Action tab.

Template Setting

+ Add Template

#	MASTER TEMPLATE NAME	DATE CREATED	DATE UPDATED	STATUS	ACTION
4	WM Test	21-Aug-2024	21-Aug-2024	Inactive	a
11	QAD WM Workflow (3 Level)	15-May-2024	15-May-2024	Active	

- 2. A pop up screen will appear. User can update all necessary information like Name, Total Level of Escalation and Status. Click "Save" button when has completed update the master template.

Update Template

Template No.

4

Template Name

WM Test

Total Level of Escalation

4

Status

Inactive

Save

**** Note:** The workflow level must match with the Total Level of Escalation. If there is a mismatch, the system will display a prompt message (b) as refer figure below. In such cases, users must add a new level (c) and follow the steps provided **as referred to section 2.2.2.1** to include a new a workflow level.

Workflow

b

Warning! Total workflow levels mismatched with total escalation levels.

C

+ Add Level

Workflow Level	Workflow Name	Date Created	Date Updated	Status	Action
Level 1		21-Aug-2024	21-Aug-2024	Inactive	 
Level 2		21-Aug-2024	21-Aug-2024	Inactive	 
Level 3		21-Aug-2024	21-Aug-2024	Inactive	 

<

1

>

2.2.2.1 More Setting - Case Workflow (Secondary Detail Configuration)

Allows to perform the necessary configuration for secondary detail configuration when user click "**More Setting**" button on any Master Template.

Workflow

WORKFLOW LEVEL	WORKFLOW NAME	DATE CREATED	DATE UPDATED	STATUS	Action
1	2	3	4	5	6
Level 1	HO Compliance Staff	16/01/2024	16/01/2024	Active	 
Level 2	HO Compliance Officer	06/12/2023	06/12/2023	Active	 
Level 3	HO Compliance Head	18/01/2024	18/01/2024	Active	 

< 1 >

Figure 2.5: More Setting

The information displayed is in the table below:

#	Name	Description
1	Workflow Level	Display the workflow escalation level.
2	Workflow Name	Display the workflow name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to perform update on the primary configuration. 2. Delete: Allow to delete the workflow.

2.2.2.2 Add Workflow Level 4 Step Wizard

1. A label displaying the "**Workflow**" at the top of panel with back button to redirect back to primary configuration page.
2. The "**Update**" button under action will display a 4-Step wizard (Refer to Figure 2.4) configuration and each

of the wizard step has its own configuration.




Figure 2.6: 4-Step Wizard

(a) Step 1: Workflow Setup

• Workflow Level Setup

To configure workflow features.

The screenshot shows the 'Workflow Level Setup' configuration screen. At the top, there is a progress bar with four steps: Workflow Setup, Filtering Setup, Button Setup, and Validation. The 'Workflow Setup' step is active. Below the progress bar, there are three fields: 'workflow Name' (1), 'workflow Level' (2), and 'Status' (3). The 'workflow Name' field contains 'HO Compliance Staff'. The 'workflow Level' field contains '1'. The 'Status' field has a toggle switch labeled 'Active'.

Figure 2.7: Step 1 - Workflow Setup

The information displayed is in the table below:

#	Name	Description
1	Workflow Name	Allow to update the workflow name.
2	Workflow Level	Allow to input the case workflow level.

		The number of workflow level is match within total workflow level
3	Status	Allow to select whether this configuration is active or inactive.

● Escalation Setup




Figure 2.8: Step 1 - Escalation Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to pick up at any level	To allow higher level workflow to pick up case at the lower-level workflow.
2	Allow to reassign case	To allow the case to reassign to another user. Default to "Active"
3	Allow to rework case	To allow the case to rework to user. Default to "Active"
4	Allow to bypass case	To allow the case to be bypass from one level to another level without following the case workflow level sequence Remark: This feature can only turn if the total escalation of workflow is more than 2 level.

● Case Setup



Figure 2.9: Step 1 - Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to review case	1. Allow the case to be review after the case is closed. 2. Allow to select which sub status for review case.
2	Allow to reopen case	1. Allow the case to reopen after the case is closed. 2. Allow to select which sub status for review case.

• Draft Report Setup




Figure 2.10: Step 1 - Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Enable draft report	Allow to draft report. Current workflow level can draft CTR & STR reporting.
2	Mandatory to draft report	1. Allow to configure whether draft report is required. a. If enabled, STR report is mandatory to be drafter before button submission.

		b. If disabled, STR report is not mandatory to be drafted before button submission. 2. Mandatory to draft report radio switch can only be configured if the button is enabled.
--	--	--

(b) Step 2: Filtering Setup

After user click "Next" down below user will navigated to the next wizard of **Filtering setup** to configure what kind of client case that the user can view and investigate.









Workflow Setup

Filtering Setup

Button Setup

Validation

Filtering Setup

☒ Disable filtering 1

☐ Enable filtering 2

Back

Next

Figure 2.11: Step 2 - Filtering Setup

The information displayed is in the table below:

#	Name	Description
1	Disable Filtering	No filtering requires and can view all type of client case. Default to Disable filtering option.
2	Enable Filtering	Allow filtering and can only view specific client case depending on the filtering set.

When user click "Enable filtering" option, the system will automatically load the Conditions setup

"Enable Filtering"

- **Condition Filtering Setup**

Conditions

Meet ALL of the following condition:

1

▼

3

Table

▼

4

Field

▼

5

Formula

▼

6

Filtering Input

Filtering Input

2

▼

7

Operator

▼

AND
OR

X

▼

Table

▼

Field

▼

Formula

▼

Filtering Input

Filtering Input

▼

+ Add Condition

8

Back

Figure 2.12: Step 2 - Conditions Filtering Setup

The information displayed is in the table below:

#	Name	Description
1 & 2	Parentheses	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
3	Table	Allow to choose which database schema/table that the data resides.
4	Field	Allow to choose which field that the data resides on the table.
5	Formula	Allow to choose which formula to use on the filtering.
6	Filtering Input	Allow to input what is the filtering data. Field cannot be blank
7	Operator	1. Allow selection of operator to combine multiple condition : - AND - OR 2. Selection list must be select if add multiple condition
8	Add Condition	Allow to add new condition of filtering

(c) Step 3: Button Setup

Users click "Next" button below and navigate to the next wizard of **Button Setup** to configure each of the button features.




Figure 2.13: Step 3 - Button Setup

The information displayed is in the table below:

#	Name	Description
1	Button Number	Display the tab number.
2	Button Name	Display the button name.
3	Date Updated	Display the date that this configuration is updated by the user.
4	Status	Display whether this configuration is active or inactive.
5	Action	Allow to update on the button functionalities.

• Button Details

When user click "Update" icon on any button configuration, the system will show a pop up screen to update specific button features of the case workflow, as shown in the figure below.

Button Details

1

Button Setup

☐ Enable Button

2

Case Status Setup

Assign Status

+ Manage Custom Status

3

General Button Setup

Button Name*

4

STR Flag Setup

☐ Allow STR Flag

5

PEP Flag Setup

☐ Allow PEP Flag

6

Email Template Setup

Disable

Individual Email

Group Email

Save

Figure 2.14: Button Details

The information displayed is in the table below:

#	Name	Description
1	Button Setup	Enable Button: Allow users to activate or inactivate the button.
2	Case Status Setup	Display the assignee of assigned case status Assign Status: - Allow to assign the sub status to main case status - Allow selection of drop-down list of sub status to the main case status - List of sub status is based on created sub status under "Manage Custom Status"

		+Manage Custom Status (Refer to section 2.2.2.1 below) 1. Allow to add new sub status. 2. Allow to update existing sub status. 3. Allow to change binding on sub status to the main status. 4. The sub case status library will display information in the table: • Sub Status No. • Sub Status • Main Status • Escalate to Level • Date Created • Date Updated • Status • Action - Allow user to update or delete sub status. 5. During new or update sub status, user is allowed to perform action on this field: • Sub Status No. (Only for new) • Sub Status Name • Bind to Main Status • Escalate to Level • Status
3	General Button Setup	Button Name: Allow to update the button name.
4	STR Flag Setup	Switch button to disable or enable to allow to flag the client with STR indicator. Allow STR Flag: • Allow to update client information with STR flag and insert new record of STR in XX table. Draft Report Status: • Allow to select the daft report status when clicking on the button a. Draft

		b. Final Select Table: • Display indicator update to STR table • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_STR field to update client information.
5	PEP Flag Setup	Switch button to disable or enable to allow to flag the client with PEP indicator. Allow PEP Flag: • Allow to update client information with PEP flag and insert new record of PEP in XX table. Select Table: • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_PEP field to update client information.
6	Email Template Setup	Allow routing and selection of email templates based on the specific case status. User can select any of email setup: Disable Individual Email • Email is routed based on the email address configure under People setting • Allow to approve the case via email Group Email • Allow to select whether when escalate case should send email. • Standard email will be sent to the group based on route type: 1. Centralized : Email recipient and cc based on Setting: General - Email Setup 2. Decentralized : Email recipient based on the Setting : General - Red Flag & Case Review

		Selection Email Template: • Select which template to be sent. The template can be configured under Setting - General: Email.
--	--	---

(d) Step 4: Validation

System to notified whether the configuration setup is successfully configured or fail.




Figure 2.15: Validation

1. The 4-step wizard can continue to the next page without any update or back to previous page.
2. Each of the configuration during update will update to database directly when clicking "**Save**".

2.2.2.2 Manage Custom Status

Manage Custom Status

9

+ Add Sub Status

1	2	3	4	5	6	7	8
SUB STATUS NO.	SUB STATUS	MAIN STATUS	ESCALATE TO LEVEL	DATE CREATED	DATE UPDATED	STATUS	ACTION
10	L3 Pickup Case	In-progress	Level 3	19-Jul-2024	19-Jul-2024	Active	 
100	Pending New	Unassign	Level 1	15-May-2024	17-May-2024	Active	 
101	L2 Picked Up Case	In-progress	Level 2	27-May-2024	19-Jun-2024	Active	 

#	Name	Description
1	Sub Status No	Display the sub status code number
2	Sub Status	Display the sub status description
3	Main Status	Display the main case status description
4	Escalate to Level	Display the case status will be escalate to which level
5	Date Created	Display the date first new record of sub status registered in the app
6	Date Updated	Display the record of sub status been updated
7	Status	Display whether the sub status is active or inactive
8	Action	Update: Allow to update the sub status details Delete: Allow to delete the sub status
9	Add Sub Status	Allow to add new sub status

● Add Sub Status

Manage Custom Status

Add Sub Status

Sub Status No. 1

Sub Status Name 2

Bind to Main Status 3

Escalate to Level 4

Status 5

Active

Back

Save

#	Name	Description
1	Sub Status No	1. Allow to input the sub status code number. 2. Does not allow to update during update action
2	Sub Status Name	Allow to input the sub status name
3	Bind to Main Status	Allow to bind status to main case status
4	Escalate to Level	Allow to input the next level of escalated case
5	Status	Allow selection of either active or inactive. Default to "Active"

2.3 Tx Monitoring ▢ Rule Parameter Process Flow

1. The rule parameter allows to add new rule, update rule parameters or delete rule parameter.




Figure 2.16: Rule Parameter Process Flow

2.3.1 Rule Parameter Process Flow □ Rule Parameter




Figure 2.17: Rule Parameter

The information displayed is in the table below:

#	Name	Description
1	Rule ID	1. Display the rule ID. 2. Manual rule configuration

		- Setting Parameter (516 manual rule, 518 system product type) - Watchlist rule parameter (516)
2	Rule Type	Display the rule monitoring level type: - Client - Account/Policy
3	Category	Display category: - Money Laundering - Fraud
4	Scenario Type	Display the rule scenario type.
5	Scenario Description	Display the description of the rule scenario.
6	Date Created	Display the date that this configuration is created by the user.
7	Date Updated	Display the date that this configuration is updated by the user.
9	Status	Display whether this configuration is active or inactive.
9	Action	Update: Allow to perform update on the existing rule parameter. Same interface as "+Add Rule". Delete: Allow to delete the rule parameter.
10	+ Add Rule	Allows to add a new rule parameter. Display a 4-step wizard configuration and each of the wizard step has its own configuration.

2.3.2 Rule Configuration

User click "+Add Rule" or "Edit" button to allow user to add new rule. The Update action button allowing user to update any existing rule.

The rule configuration allow user to configure each specific rule setting with a




Figure 2.18: 4-Step Wizard

(a) Step 1: Scenario Setup

To configure the general parameter of the rule's setup.

The screenshot shows the 'Scenario Setup' step of a 4-step wizard. The steps are: Scenario Setup, Formula Setup, Scenario Filtering, and Validation. The 'Scenario Setup' step is active and contains 11 numbered fields:

- 1. Rule ID* (Text input field)
- 2. Category Type (Dropdown menu)
- 3. Currency Type (Dropdown menu)
- 4. Txn Table (Dropdown menu)
- 5. CIF Table (Dropdown menu)
- 6. Status (Toggle switch, currently 'Active')
- 7. Rule Type (Dropdown menu)
- 8. Scenario Type (Dropdown menu)
- 9. Scenario Description* (Text area)
- 10. History Txn Table (Dropdown menu)
- 11. Account Table (Dropdown menu)

At the bottom of the form are 'Back' and 'Next' buttons.

Figure 2.19: Step 1 - Scenario Setup

The information displayed is in the table below:

#	Name	Description
1	Rule ID	1. Allow to input the master template no. 2. Prefix the rule ID to start with RLTXXX *For Rule Scenario Type Manual - Need to ensure the Rule ID match with Parameter - 516 Manual Case Rule List (In Settings: General: Rule Parameter)
2	Category Type	Allow to set and update category: 1. Money Laundering

		2. Fraud
3	Currency Type	Allow to select which currency to be monitor and detect.
4	Txn Table	Allow to select which transaction table to be monitor and detect.
5	CIF Table	Allow to select which client table to be monitor and detect.
6	Status	Allow to select whether this configuration is active or inactive.
7	Rule Type	Allow to select the rule type: 1. CIF level 2. Account level
8	Scenario Type	Allow to select the scenario monitoring type: 1. Manual 2. Daily transaction 3. Weekly rolling 4. Monthly rolling <i>Subject to organization's requirement & configuration</i>
9	Scenario Description	Allow to input the scenario description.
10	History Txn Table	Allow to select which transaction history table to be monitor and detect.
11	Account Table	Allow to select which account or policy table to be monitor and detect.

(b) Step 2: Formula Setup

After click "Next" button, the system navigates to the next wizard to configure the rule formula and threshold.

Scenario Setup Formula Setup Scenario Filtering Validation

Meet All Of The Following Condition:

1 Compute Method
Advance Query ▾

2 Duration of days between dates
0

Figure 2.20: Step 2 - Formula Setup

The information displayed is in the table below:

#	Name	Description
1	Compute Method	1. Allow to select the rule computation method: a. Max txn amount b. Frequency txn movement c. A range of txn amount d. A range of txn movement e. Increase or decrease txn amount f. Advance query 2. If select advance query, all other field will not be displayed and only display single outline text with the predefined query template.
2	Duration of days between dates	Allow to input the number of duration days of detection.

(c) Step 3: Scenario Filtering

• Scenario Filtering

User click "Next" button and proceed to the next wizard to configure the rule will detect against what type of filtering data to generate red flags.

Conditions

Meet ALL of the following condition:

1

▼

3

Table

▼

4

Field

▼

5

Formula

▼

6

Filtering Input

Filtering Input

2

▼

7

Operator

▼

AND

OR

X

▼

Table

▼

Field

▼

Formula

▼

Filtering Input

Filtering Input

▼

+ Add Condition

8

Back

Figure 2.21: Scenario Filtering

The information displayed is in the table below:

#	Name	Description
1 & 2	Parentheses	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
3	Table	Allow to choose which database schema/table that the data resides.
4	Field	Allow to choose which field that the data resides on the table.
5	Formula	Allow to choose which formula to use on the filtering.
6	Filtering Input	Allow to input what is the filtering data. Field cannot be blank
7	Operator	1. Allow selection of operator to combine multiple condition : - AND - OR 2. Selection list must be select if add multiple condition
8	Add Condition	Allow to add new condition of filtering

• Transaction Code Detection

Transaction Code Detection

Meet ALL of the following condition:

Table 1

Table

Field 2

Field

Transaction Group 3

Transaction Group

5

Operator 4

X

Assign Detection

Assign Detection

X

Back

Confirm and Submit

Figure 2.22: Transaction Code Detection


The information displayed is in the table below:

#	Name	Description
1	Table	Hardcoded to transaction table selection.
2	Field	Hardcoded to TRAN_CODE1 and TRAN_CODE2 on both selection box.
3	Transaction Group	Allow to select multiple transaction detection group based on the setup of assigned group.
4	Operator	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
5	Assign Detection	1. Allow to input what is the filtering detection based on transaction code. 2. The filtering detection will be grouped into 20 groups that contain a list of transaction code that are used for detection purposes. 3. The filtering detection can do the following: a. Add new transaction code details b. Update transaction code details c. Selection of to detect or not to detect d. Selection to which transaction group

- | | | |
|--|--|--|
| | | 4. A search box and filtering button allow to have quick search on the necessary transaction code to be managed. |
|--|--|--|

(d) Step 4: Validation

System to notified whether want to auto set the rule into EOD job and inform the configuration setup is successfully configured or fail.



A validation dialog box with a white background and a gray border. In the top right corner, there is a red circular button with a white 'X' icon. The main text inside the dialog reads "Do you want to auto-assign this rule parameter to EOD Batch?". Below this text, the label "Assign to EOD Batch" is centered. Underneath the label is a dropdown menu with the word "Test" and a downward-pointing chevron icon. At the bottom right of the dialog, there are two buttons: a light gray "cancel" button and a red "Confirm" button.

Figure 2.23: Validation

Tx Monitoring (AI)

2.1 Tx Monitoring □ General

Note: Only allow to configure if the add-on module for AIS is included in the license

2.1.1 AI Segmentation

1. AI segmentation is used to help optimize transaction monitoring rule usage.
2. This setting allows to activate or deactivate AI segmentation process.
3. The panel shall display the following:

AI Segmentation

Run AI Segmentation Process

Individual Cluster Range

3 - 8

Corporate Cluster Range

3 - 8

Save

The information displayed is in the table below:

#	Name	Description
1	AI Segmentation Process	Allow to configure whether the AI segmentation is initiate for initial run or daily run for EOD process.
2	Cluster range	1. Allow to input the minimum and maximum range of cluster group that will be generate in the AIS. 2. The minimum cluster group shall start with 3 and the maximum group shall end with 8.

2.1.2 General

1. The general TM setting is to set the expiry duration for whitelist under TM module.
2. User key in on on how many day(s) to whitelist and click "Save". The system will auto load and set the whitelist once it it submitted. Click "Reset" button to make it default to 0 day which is there will be no whitelist setting.

The screenshot shows a web application interface for 'Tx Monitoring'. At the top, there are tabs: 'General', 'Tx Monitoring' (which is selected and highlighted in red), 'Watchlist', 'Client Profile', and 'On'. Below the tabs, on the left side, there is a sidebar with two main sections: 'General' (highlighted in red) and 'Rule Parameter'. Under 'General', there are two sub-sections: 'Case Template' and 'Rule Parameter'. The main content area on the right is titled 'General Defaults'. It contains a form for 'Whitelist Expiry Duration' with a text input field containing the value '0' and a label 'day(s)'. At the bottom of the form, there are two buttons: 'Reset' and 'Save'. The 'Save' button is highlighted with a red border.

Figure 2.0: Tx Monitoring - General Whitelist

2.2 Tx Monitoring □ Case Template

1. The case template consists of two section configurations which is the primary configuration and the secondary detail configuration.
2. The primary configuration allows to create the case template that will group up the workflow that will be in the case template.

2.2.1 Case Template □ Template Setting




Figure 2.2: Template Setting

The information displayed is in the table below:

#	Name	Description
1	Master Template No.	Display the master template number.
2	Master Template Name	Display the master template name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to perform update on the primary configuration. 2. Delete: Allow to delete the master template. 3. More Setting: Allow to configure the secondary detail configuration.
7	+ Add Template	Allow users to add new templates.

2.2.2 Template Setting ▢ Add new Master Template

Users click "+Add template" button to add a new master case template. The system will show the "Add Template" pop up screen, as shown in the figure below.

The screenshot shows a modal window titled "Add Template". It contains four numbered fields, each with a red box around its label: 1. "Template No." (text input), 2. "Template Name" (text input), 3. "Total Level of Escalation" (text input), and 4. "Status" (toggle switch). The toggle switch is currently in the "Active" position. A red "Save" button is located at the bottom center of the modal.

Figure 2.3: Add Template

The information displayed is in the table below:

#	Name	Description
1	Template No.	Allow to input the master template number.
2	Template Name	Allow to input the master template name.
3	Total Level of Escalation	Allow to input the total level escalation. Maximum of 10 level escalation.
4	Status	Allow to select whether this configuration is active or inactive.

1. When the new template is added, the template will automatically create total workflow level based by the total escalation.
2. The same "Edit" button will allow to perform the following input above except not able to change the master template number.
3. When updating the total level of escalation to a smaller number comparing first created, the workflow level will not be reduced and deleted. User needs to delete it manually.
4. The **"More Setting"** button will allow to perform the necessary configuration for secondary detail configuration.

Steps on How to Edit Master Template

1. Click (a) "Edit" button under Action tab.

Workflow

b

Warning! Total workflow levels mismatched with total escalation levels.

C

+ Add Level

WORKFLOW LEVEL	WORKFLOW NAME	DATE CREATED	DATE UPDATED	STATUS	ACTION
Level 1		21-Aug-2024	21-Aug-2024	Inactive	 
Level 2		21-Aug-2024	21-Aug-2024	Inactive	 
Level 3		21-Aug-2024	21-Aug-2024	Inactive	 

<

1

>

2.2.2.1 More Setting - Case Workflow (Secondary Detail Configuration)

Allows to perform the necessary configuration for secondary detail configuration when user click "**More Setting**" button on any Master Template.

Workflow

WORKFLOW LEVEL	WORKFLOW NAME	DATE CREATED	DATE UPDATED	STATUS	Action
1	2	3	4	5	6
Level 1	HO Compliance Staff	16/01/2024	16/01/2024	Active	 
Level 2	HO Compliance Officer	06/12/2023	06/12/2023	Active	 
Level 3	HO Compliance Head	18/01/2024	18/01/2024	Active	 

< 1 >

Figure 2.5: More Setting

The information displayed is in the table below:

#	Name	Description
1	Workflow Level	Display the workflow escalation level.
2	Workflow Name	Display the workflow name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to perform update on the primary configuration. 2. Delete: Allow to delete the workflow.

2.2.2.2 Add Workflow Level 4 Step Wizard

1. A label displaying the "**Workflow**" at the top of panel with back button to redirect back to primary configuration page.
2. The "**Update**" button under action will display a 4-Step wizard (Refer to Figure 2.4) configuration and each

of the wizard step has its own configuration.




Figure 2.6: 4-Step Wizard

(a) Step 1: Workflow Setup

• Workflow Level Setup

To configure workflow features.

The form is titled 'Workflow Level Setup'. It contains three fields: 'workflow Name' (1), 'workflow Level' (2), and 'Status' (3). The 'workflow Name' field contains the text 'HO Compliance Staff'. The 'workflow Level' field contains the number '1'. The 'Status' field is a toggle switch labeled 'Active'.

Figure 2.7: Step 1 - Workflow Setup

The information displayed is in the table below:

#	Name	Description
1	Workflow Name	Allow to update the workflow name.
2	Workflow Level	Allow to input the case workflow level.

		The number of workflow level is match within total workflow level
3	Status	Allow to select whether this configuration is active or inactive.

● Escalation Setup




Figure 2.8: Step 1 - Escalation Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to pick up at any level	To allow higher level workflow to pick up case at the lower-level workflow.
2	Allow to reassign case	To allow the case to reassign to another user. Default to "Active"
3	Allow to rework case	To allow the case to rework to user. Default to "Active"
4	Allow to bypass case	To allow the case to be bypass from one level to another level without following the case workflow level sequence <i>Remark: This feature can only turn if the total escalation of workflow is more than 2 level.</i>

● Case Setup



Figure 2.9: Step 1 - Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to review case	1. Allow the case to be review after the case is closed. 2. Allow to select which sub status for review case.
2	Allow to reopen case	1. Allow the case to reopen after the case is closed. 2. Allow to select which sub status for review case.

• Draft Report Setup




Figure 2.10: Step 1 - Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Enable draft report	Allow to draft report. Current workflow level can draft CTR & STR reporting.
2	Mandatory to draft report	1. Allow to configure whether draft report is required. a. If enabled, STR report is mandatory to be drafter before button submission.

		b. If disabled, STR report is not mandatory to be drafted before button submission. 2. Mandatory to draft report radio switch can only be configured if the button is enabled.
--	--	--

(b) Step 2: Filtering Setup

After user click "Next" down below user will navigated to the next wizard of **Filtering setup** to configure what kind of client case that the user can view and investigate.









Workflow Setup

Filtering Setup

Button Setup

Validation

Filtering Setup

☒ Disable filtering 1

☐ Enable filtering 2

Back

Next

Figure 2.11: Step 2 - Filtering Setup

The information displayed is in the table below:

#	Name	Description
1	Disable Filtering	No filtering requires and can view all type of client case. Default to Disable filtering option.
2	Enable Filtering	Allow filtering and can only view specific client case depending on the filtering set.

When user click "Enable filtering" option, the system will automatically load the Conditions setup

"Enable Filtering"

- **Condition Filtering Setup**

Conditions

Meet ALL of the following condition:

1

▼

3

Table

▼

4

Field

▼

5

Formula

▼

6

Filtering Input

Filtering Input

2

▼

7

Operator

▼

AND

OR

X

▼

Table

▼

Field

▼

Formula

▼

Filtering Input

Filtering Input

▼

+ Add Condition

8

Back

Figure 2.12: Step 2 - Conditions Filtering Setup

The information displayed is in the table below:

#	Name	Description
1 & 2	Parentheses	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
3	Table	Allow to choose which database schema/table that the data resides.
4	Field	Allow to choose which field that the data resides on the table.
5	Formula	Allow to choose which formula to use on the filtering.
6	Filtering Input	Allow to input what is the filtering data. Field cannot be blank
7	Operator	1. Allow selection of operator to combine multiple condition : - AND - OR 2. Selection list must be select if add multiple condition
8	Add Condition	Allow to add new condition of filtering

(c) Step 3: Button Setup

Users click "Next" button below and navigate to the next wizard of **Button Setup** to configure each of the button features.




Figure 2.13: Step 3 - Button Setup

The information displayed is in the table below:

#	Name	Description
1	Button Number	Display the tab number.
2	Button Name	Display the button name.
3	Date Updated	Display the date that this configuration is updated by the user.
4	Status	Display whether this configuration is active or inactive.
5	Action	Allow to update on the button functionalities.

• Button Details

When user click "Update" icon on any button configuration, the system will show a pop up screen to update specific button features of the case workflow, as shown in the figure below.

Button Details

×

1

Button Setup

☐ Enable Button

2

Case Status Setup

Assign Status

+ Manage Custom Status

3

General Button Setup

Button Name*

4

STR Flag Setup

☐ Allow STR Flag

5

PEP Flag Setup

☐ Allow PEP Flag

6

Email Template Setup

Disable

Individual Email

Group Email

Save

Figure 2.14: Button Details

The information displayed is in the table below:

#	Name	Description
1	Button Setup	Enable Button: Allow users to activate or inactivate the button.
2	Case Status Setup	Display the assignee of assigned case status Assign Status: - Allow to assign the sub status to main case status - Allow selection of drop-down list of sub status to the main case status - List of sub status is based on created sub status under "Manage Custom Status"

		+Manage Custom Status (Refer to section 2.2.2.1 below) 1. Allow to add new sub status. 2. Allow to update existing sub status. 3. Allow to change binding on sub status to the main status. 4. The sub case status library will display information in the table: • Sub Status No. • Sub Status • Main Status • Escalate to Level • Date Created • Date Updated • Status • Action - Allow user to update or delete sub status. 5. During new or update sub status, user is allowed to perform action on this field: • Sub Status No. (Only for new) • Sub Status Name • Bind to Main Status • Escalate to Level • Status
3	General Button Setup	Button Name: Allow to update the button name.
4	STR Flag Setup	Switch button to disable or enable to allow to flag the client with STR indicator. Allow STR Flag: • Allow to update client information with STR flag and insert new record of STR in XX table. Draft Report Status: • Allow to select the daft report status when clicking on the button a. Draft

		b. Final Select Table: • Display indicator update to STR table • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_STR field to update client information.
5	PEP Flag Setup	Switch button to disable or enable to allow to flag the client with PEP indicator. Allow PEP Flag: • Allow to update client information with PEP flag and insert new record of PEP in XX table. Select Table: • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_PEP field to update client information.
6	Email Template Setup	Allow routing and selection of email templates based on the specific case status. User can select any of email setup: Disable Individual Email • Email is routed based on the email address configure under People setting • Allow to approve the case via email Group Email • Allow to select whether when escalate case should send email. • Standard email will be sent to the group based on route type: 1. Centralized : Email recipient and cc based on Setting: General - Email Setup 2. Decentralized : Email recipient based on the Setting : General - Red Flag & Case Review

		Selection Email Template: • Select which template to be sent. The template can be configured under Setting - General: Email.
--	--	---

(d) Step 4: Validation

System to notified whether the configuration setup is successfully configured or fail.




Figure 2.15: Validation

1. The 4-step wizard can continue to the next page without any update or back to previous page.
2. Each of the configuration during update will update to database directly when clicking "**Save**".

2.2.2.2 Manage Custom Status

Manage Custom Status

9

+ Add Sub Status

1	2	3	4	5	6	7	8
SUB STATUS NO.	SUB STATUS	MAIN STATUS	ESCALATE TO LEVEL	DATE CREATED	DATE UPDATED	STATUS	ACTION
10	L3 Pickup Case	In-progress	Level 3	19-Jul-2024	19-Jul-2024	Active	 
100	Pending New	Unassign	Level 1	15-May-2024	17-May-2024	Active	 
101	L2 Picked Up Case	In-progress	Level 2	27-May-2024	19-Jun-2024	Active	 

#	Name	Description
1	Sub Status No	Display the sub status code number
2	Sub Status	Display the sub status description
3	Main Status	Display the main case status description
4	Escalate to Level	Display the case status will be escalate to which level
5	Date Created	Display the date first new record of sub status registered in the app
6	Date Updated	Display the record of sub status been updated
7	Status	Display whether the sub status is active or inactive
8	Action	Update: Allow to update the sub status details Delete: Allow to delete the sub status
9	Add Sub Status	Allow to add new sub status

● Add Sub Status

Manage Custom Status

Add Sub Status

Sub Status No. 1

Sub Status Name 2

Bind to Main Status 3

Escalate to Level 4

Status 5

Active

Back

Save

#	Name	Description
1	Sub Status No	1. Allow to input the sub status code number. 2. Does not allow to update during update action
2	Sub Status Name	Allow to input the sub status name
3	Bind to Main Status	Allow to bind status to main case status
4	Escalate to Level	Allow to input the next level of escalated case
5	Status	Allow selection of either active or inactive. Default to "Active"

2.3 Tx Monitoring □ Rule Parameter Process Flow

- The rule parameter allows to add new rule, update rule parameters or delete rule parameter.

2.3.1 Rule Parameter Process Flow □ Rule Parameter

Figure 2.17: Rule Parameter

The information displayed is in the table below:

#	Name	Description
1	Rule ID	1. Display the rule ID. 2. Manual rule configuration

		- Setting Parameter (516 manual rule, 518 system product type) - Watchlist rule parameter (516) Note: Prefix the rule ID to start with RLTxxx
2	Rule Type	Display the rule monitoring level type: 1. Client
3	Industry Type	Display the rule industry type - Banking - Insurance - Investment Bank
4	Category Type	Display category: - Money Laundering - Fraud
5	Scenario Type	Display the rule scenario type.
6	Scenario Description	Display the description of the rule scenario.
7	Date Created	Display the date that this configuration is created by the user.
8	Date Updated	Display the date that this configuration is updated by the user.
9	Status	Display whether this configuration is active or inactive.
10	Action	1. Update: Allow to perform update on the existing rule parameter. Same interface as " +Add Rule ". 2. Delete: Allow to delete the rule parameter.
11	+ Add Rule	Allows to add a new rule parameter. Display a 4-step wizard configuration and each of the wizard step has its own configuration.

2.3.2 Rule Configuration

User click "+Add Rule" or "Edit" button to allow user to add new rule. The Update action button allowing user to update any existing rule.

The rule configuration allow user to configure each specific rule setting with a

(a) Step 1: Scenario Setup

To configure the general parameter of the rule's setup.

Rule Parameter

a

b

c

d

e

Scenario Setup

Scenario Filtering

Detection Setup

Preview

Validation

Scenario Setup

1

Rule ID

RLT002

2

Category Type

3

Industry Type

4

Scenario Type

5

Scenario Description

6

Currency Type

Status

Active

7

Next

Figure 2.19: Step 1 - Scenario Setup

The information displayed is in the table below:

#	Name	Description
1	Rule ID	1. Allow to input the master template no. 2. Prefix the rule ID to start with RLTXXX *For Rule Scenario Type Manual - Need to ensure the Rule ID match with Parameter - 516 Manual Case Rule List (In Settings: General: Rule Parameter)
2	Category Type	Allow to set and update category: 1. Money Laundering 2. Fraud
3	Industry Type	Allow to select the industry type for the rule: 1. Banking 2. Insurance

		3. Investment Bank <i>Note: Please use Banking for general industry usage.</i>
4	Scenario Type	Allow to select the scenario monitoring type. <i>Subject to organization's requirement & configuration</i>
5	Scenario Description	Allow to input the scenario description.
6	Currency Type	Allow to select the currency type.
7	Status	Allow to select whether this configuration is active or inactive.

(b) Step 2 : Scenario Filtering

After click "Next" button, the system navigates to the next wizard to configure on the rule parameter to filter and detect against what type of data to generate cases.

Note: If the Scenario type selection is "Manual" or "Advance Query", the system may **skip** the wizard step.

General
Tx Monitoring
Watchlist
Client Profile
Onboard
EDD
Tx Screening
EOD Job

General
Case Template
Rule Parameter

Rule Parameter

Scenario Setup
Scenario Filtering
Detection Setup
Preview
Validation

(a) Rule Setup

Rule Type

(b) Duration Setup

1
☐ Weekly-based monitoring

2
☐ Rolling-based monitoring

3
☒ Monthly-based monitoring

Averaging Transaction Side

Disable

Averaging Timeframe (Months)

Averaging Duration

The information displayed is below describes:

(a) Rule Setup

Allow user to select which database schema / table that the data resides.

- Client
- Account
- Client and Sender

(b) Duration Setup

#	Name	Description
1	Weekly-based monitoring	1. Allow selection either active or inactive. 2. Allow input of the rolling number time frame. 3. Does not allow any input if scenario type :

		- Change-in-behavior - Mule
2	Rolling-based monitoring	1. Allow selection either active or inactive. 2. Allow input of the rolling number time frame. 3. Default "Inactive" 4. Default "Active" if scenario type: - Change-in-behavior - Mule 5. Default value to "1" day if scenario type: - Change-in-behavior - Mule 6. Validation and do not allow proceed next page if: - If select "Change-in-Behavior" then rolling value cannot be more than 1 day 7. If select "Mule" then rolling value cannot be more than 1 day
3	Monthly-based monitoring	1. Allow selection either active or inactive. 2. Allow input of the rolling number time frame 3. Does not allow any input is scenario type: - Change-in-behavior - Mule

- **Filtering**

User click "Next" button and proceed to the next wizard to configure the rule will detect against what type of filtering data to generate red flags.

Filtering Setup

1

2

3

4

5

6

Select Table

Select Field

Select formula

Filtering Value

Include

×

Select Table

Select Field

Select formula

Filtering Value

×

+ Add Condition

Figure 2.21: Scenario Filtering

The information displayed is in the table below:

#	Name	Description
1	Table	Allow to select which database schema/table that the data resides. - Client - Account - Transactions
2	Field	Allow to select the selected field that require for AI segmentation feature engineering only Note: Refer to DSD-AIS-002 AI Specification section 5.0 for the fields
3	Formula	Allow to select which formula to use on the filtering. Note: The formula should only be available subject to the field data type of specific requirement.
4	Filtering Value	Allow to select input what is the filtering data based on the selected field.
7	Include	1. Allow to tick whether to include or untick to exclude from filtering process. 2. Default to tick checkbox for include.
8	+Add Condition	1. Allow to add or remove additional condition filtering. 2. Default the condition to always AND when add new condition.

● Transaction Code Group Filtering Setup

Transaction Code Group Filtering Setup

1

Transaction

2

Select Field

▼

3

In

4

Select Txn Group

×

5

Display All Txn Code

6

Configure Group

Transaction

Select Field

▼

In

Select Txn Group

×

Transaction

Select Field

▼

In

Select Txn Group

×

Back

Next

Figure 2.22: Transaction Code Detection


The information displayed is in the table below:

#	Name	Description
1	Table	Hardcoded to transaction table selection.
2	Field	Hardcoded to TRAN_CODE1 and TRAN_CODE2 on both selection box.
3	Formula	Allow to choose which formula to use on the filtering
4	Tx Detection Group	Allow to select multiple transaction detection group based on the setup of assigned group.
5	Display all Txn Code	1. Allow to view all transaction code list that has been configure. 2. Allow to add new Txn Code.

6	Configure Group	1. Allow to select the transaction code belongs to which Tx Detection Group. 2. The detection group can be group to 20 group that contain a list of transaction code that use for detection purpose. 3. The filtering detection can do the following: - Selection of transaction code to detect or not to detect based on the 20 group. 4. A search box and filtering button allow to have a quick search on the necessary transaction code to be manage.
---	-----------------	---

● Transaction Code

The button will display the following:



The information displayed is in the table below:

#	Name	Description
1	Txn Code	Display all the transaction code
2	Tx Description	Display all the transaction code's description
3	Tx Type	Display all the transaction type: • Cash • Non-Cash
4	Code Type	Display all the code type, for example: • Transaction code • Auxiliary transaction code

5	+Add Txn Code	1. Allow to add new transaction code and its details 2. The +Add Tx Code shall allow the following: • Add Transaction Code • Add Transaction Code's description • Add Code Type • Add Txn Type
---	---------------	---

- **Configure Group**

Configure Group

Q

Search

Filter

Txn Code	Txn Description	Code Type	Detection Group																
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
	Not Applicable	Auxiliary	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000002	AFT CA TRF SA	Transaction	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000002	AFT CA TRF SA	Auxiliary	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000003	AFT SA TRF CA	Transaction	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000003	AFT SA TRF CA	Auxiliary	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000004	AFT CA TRF CA	Transaction	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000004	AFT CA TRF CA	Auxiliary	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000005	AFT SA TRF SA	Transaction	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000005	AFT SA TRF SA	Auxiliary	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
0000008	AFT CA TRF GL	Transaction	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

<

1

2

3

4

5

...

353

>

10 / page

Save

(c) Step 3 : Detection Setup

After click "Next" button, the system navigates to the next wizard to configure the rule formula and threshold.

- If the scenario type selection is "Manual", may skip this wizard step.
- If the scenario type selection is "Advanced query", require displaying the query text box to write the SQL query.



Figure 2.20: Step 2 - Formula Setup

1. Detection Setup

The information displayed is in the table below:

#	Name	Description
1	Compute Method	1. Allow to select compute method to generate the red flag: • Amount • Count • Comparison • Single • MULE 2. Allow to select only "Amount" list if the formula type selected is Cosine or Exponential
2	Compute Field	1. Allow to select the selected fields that require for AI segmentation feature engineering only. 2. If compute method is Single or MULE, the selection field is not required. 3. If compute method is Comparison, additional field will be display to compare the primary field against compare field. 4. If compute method is Amount, additional field will be display on the Threshold. (Refer to the Threshold Configuration Guide for Detection value to be input) Note: Refer to PID-iSEM-020 AI Segmentation, section 4.5.2 for the fields.
3	Operator	Allow to select which operator to use on the filtering.
4	Detection Value	Allow to input the value for batch program to generate red flag

2. Rule Equation

- Allow to formulate the rule condition by adding operator such as AND/OR.
- For example: (A and B) or (B and C)

(d) Step 4: Preview

After user click "Next" button, the System will display Preview wizard. User can preview the registered or updates performed before confirmation.

Rule Parameter



Scenario Setup

—



Scenario Filtering

—



Detection Setup

—



Preview

—



Validation

ScenarioScenario FilterDetection

Rule Id	RLT002
Category	Money Laundering
Industry Type	Banking
Scenario Type	Layering
Scenario Description	test
Currency Type	Malaysian Ringgit
Status	Inactive

Back

Next

(e) Step 5 : Validation

1. System will notify the wizard is a successful or fail setup.
2. Allow to auto-generate table for each rule scenario configured
3. Allow to auto-generate two JSON file and push to back-end for AIS processing:
 - FE TM JSON file
 - ML JSON file
4. A button "Done" will return to the rule parameter setup page.




Figure 2.23: Validation