

10.7 Tx Screening

Document exported:

Document Control

Rev.	Date Revised	Section(s)	Description
1.0	9th June 2025	All	1st Version
		2.2.3	Update Button details section- Display information and Screenshot
		2.2.3.1	Add Manage Custom section
		2.2.3.2	Add TxnScreen Approval Status API

Preface

1. Customer & TESS Definition

TESS Innovation Sdn Bhd is hereinafter referred as “TESS” of the other part in this document.

2. Document Confidentiality

This document contains information that is proprietary to TESS and The Customer. This document, or any part thereof, shall not be copied, reproduced, translated or reduced to any electronic medium or machine-readable form or disclosed to any third party without the prior written consent or authorization of TESS and the Customer.

3. Purpose of Document

The purpose of this document is to clearly guide user to perform day by day operation.

4. Intended Audience

- Project team from TESS
- Project team from The Customer

5. Document Control

This document is subject to change control. All changes to this document shall be documented and distributed as "Release Version". It will consist of the following:

- Full replacement of the document; or
- Full replacement of a section in the document; or
- An addendum to the document.

Each revision will be assigned with a unique "Release Version" number and date. All pages distributed within a Document Release Notice will have the appropriate Release Version and Release Date indicated.

6. Screenshots

All sample screens as attached are for the reader's viewing purpose only. The actual screen displayed in the [iSE M.ai](#) system shall be based on the specification of The Customer's as agreed upon.

7. Disclaimer

- All advice given or recommendations made in this document are made in good faith on the basis of the information provided and otherwise generally available or known to TESS at the time of writing.
- No advice given or statements or recommendations made shall be in any circumstances constitute or be deemed to constitute warranty by TESS as to the accuracy of such advice, statement and recommendations.
- Subject to the contents of the Supply of Software, Licensing and Service Agreement executed, TESS shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted to be made in connection with this document.
- **This document is **subject to updates**. Please note that it may be revised periodically within the same version to reflect any changes.

8. Product Version

This document is based on product version 1.3. Any other product version may not be relevant to this specific document content and its information.

9. Abbreviation & Definitions

Abbreviation	Definition
Tx Screening	Transaction Screening
TxnScreen	Transaction Screening API
PEP	Politically Exposed Person

STR	Suspicious Transaction Report
CTR	Cash Transaction Report
EDD	Enhanced Due Diligence

Overview of Settings

1. About Settings ▢ Tx Screening

2. Tx Screening

2.1 Tx Screening ▢ General

The transaction screening general setting allows TxnScreen API to screen the sender or beneficiary name differently based by the configuration set.

Match Result1

☐ Generate strong and weak result

☒ Generate only strong result ⓘ

Other Filters & Condition2

☐ Include YOB range on either side XXX

☐ Use AND for Name and ID Reference combo

General Defaults3

Whitelist Expiry Duration

0

day(s)

Reset

Save

Figure 2.0: Txn Screening - General

The information displayed is in the table below:

#	Name	Description
1	Match Result	Generate strong and weak result: 1. Allow selection to activate and display both strong and weak match result 2. Default the radio button to "Active". 3. If the switch is turn off, it will automatically active the "Generate Only Strong Result" Generate only strong result: 1. Allow selection to activate and display both strong match result only 2. If the switch is turn off, it will automatically active the "Generate Strong and Weak Result"
2	Other Filters & Condition	Include YOB range on either side: Allow to input the range of year of birth up to 5 years. The number will be used as incremental and decremental based on the year of birth Use AND for Name and ID Reference combo: 1. Allow selection to activate using AND combination for both Name with ID 2. Default the radio button to "Inactive". 3. If the switch is turn off, automatically use OR combination for both Name with ID
3	General Defaults	Whitelist Expiry Duration 1. Display the duration in days of when the whitelist or false positive will expire, e.g if duration is 10 days means it will expire in 10 days. 2. Default to "90"

2.2 Tx Screening □ Case Template

The case template consists of two section configuration which is the primary configuration and the secondary detail configuration.




Figure 2.1: Case Template

2.2.1 Case Template □ Template Setting

The primary configuration allows users to create the case template that will group up the workflow that will be in the case template.

The screenshot shows the 'Template Setting' interface. At the top right, there is a red button labeled '+ Add Template' (labeled 7). Below this is a table with columns: # (labeled 1), MASTER TEMPLATE NAME (labeled 2), DATE CREATED (labeled 3), DATE UPDATED (labeled 4), STATUS (labeled 5), and ACTION (labeled 6). The table contains one row with the following data: # 1, MASTER TEMPLATE NAME 'TS Workflow 2 Lv', DATE CREATED '24/03/2022', DATE UPDATED '27/11/2023', STATUS 'Active' (in a green box), and ACTION icons (edit, delete, refresh). At the bottom right, there are navigation buttons: '<', '1' (highlighted), and '>'.

Figure 2.2: Template Setting

The information displayed is in the table below:

#	Name	Description
1	Master Template No.	Display the master template number.
2	Master Template Name	Display the master template name.

3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow user to perform update on the primary configuration. 2. Delete: Allow user to delete the master template. 3. More Setting: Allow user to configure the secondary detail configuration.
7	+Add Template	Allow user to add new case template.

2.2.2 Template Setting ▢ Add new Master Template

Add Template

×

1

Template No.

2

Template Name

3

Total Level of Escalation

4

Status

Active

Save

Figure 2.3: Add Template

The information displayed is in the table below:

#	Name	Description
1	Template No.	Allow user to input the master template no.
2	Template Name	Allow user to input the master template name.
3	Total Level of Escalation	Allow user to input the total level escalation. Maximum of 10 level escalation.

4	Status	Allow user to select whether this configuration is active or inactive.
---	--------	--

- 1. When adding new template, the template will automatically create total workflow level based by the total escalation.
- 2. The same update button will allow user to perform the following input above except not able to change the master template number.
- 3. When updating the total level of escalation to a smaller number comparing first created, the workflow level will not be reduced and deleted. User needs to delete it manually.
- 4. The **"More Setting"** button will allow to perform the necessary configuration for secondary detail configuration.

Steps on How to Edit Master Template




Figure 2.4: More Setting

The information displayed is in the table below:

#	Name	Description
1	Workflow Level	Display the workflow escalation level.
2	Workflow Name	Display the workflow name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.

5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow user to perform update on the primary configuration. 2. Delete: Allow user to delete the workflow.

1. A label displaying **"workflow"** at the top of panel with back button to redirect back to primary configuration page.
2. An action button allowing user to add new workflow level. The add new workflow level is only applicable when workflow level is lesser compared to the total level escalation set in the primary configuration.
3. The action button will display a 4-step wizard configuration and each of the wizard step have their own configuration.

2.2.3 Template Setting ▯ 4-Step Wizard

1. The add new workflow level is only applicable when workflow level is lesser compared to the total level escalation set in the primary configuration.
2. The **"Update"** button under action will display a 4-Step wizard (Refer to Figure 2.4) configuration and each of the wizard step has its own configuration.




Figure 2.5: 4-Step Wizard

(a) Step 1: Workflow Setup

- Workflow Level Setup

To configure workflow features.



Workflow Setup



Filtering Setup



Button Setup



Validation

Workflow Level Setup

Workflow Name1

Level 1

Workflow Level2

1

Status3

Active

Figure 2.6: Workflow Level Setup

The information displayed is in the table below:

#	Name	Description
1	Workflow Name	Allow the user to update the workflow name.
2	Workflow Level	Display the workflow level number.
3	Status	Allow user to select whether this configuration is active or inactive.

• Escalation Setup

Escalation Setup

Allow to pick up case at any level

Allow to reassign case

Allow to rework case

Allow to bypass case

Figure 2.7: Escalation Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to pick up case at any level	Allow higher level workflow to pick up case at the lower-level workflow.
2	Allow to reassign case	Allow the case to reassign to another user.
3	Allow to rework case	Allow the case to rework to user.
4	Allow bypass case	To allow the case to be bypass from one level to another level without following the case workflow level sequence <i>*Note: This feature can only turn on if total level of escalation of workflow is more than 2 level.</i>

• Case Setup




Figure 2.8 Case Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to review case	1. Allow the case to be review after case is close. 2. Allow to select which sub status for review case.

• Draft Report Setup




Figure 2.9: Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Enable draft report	Allow to draft report. Current workflow level can draft CTR & STR reporting.
2	Mandatory to draft report	- Allow to configure whether draft report is required. - If enabled, STR report is mandatory to be drafter before button submission. - If disabled, STR report is not mandatory to be drafted before button submission. - Mandatory to draft report radio switch can only be configured if the button is enabled.

• Others




Figure 2.10: Others

1. Allow Manage Exposure: Users allow to view manage exposure button while investigating the cases.
2. Current workflow level can perform exposure findings on match result.
3. Click on "**Next**" button to apply the changes made to the level setup.

(b) Step 2: Filtering Setup

To configure what kind of client case that the user can view and investigate.

Workflow Setup Filtering Setup Button Setup Validation

Filtering Setup

☒ Disable filtering **1**

☐ Enable filtering **2**

Back Next

Figure 2.10: Filtering Setup

The information displayed is in the table below:

#	Name	Description
1	Disable Filtering	No filtering requires and can view all type of client case. Default to "Disable filtering" option
2	Enable Filtering	Allow filtering and can only view specific client case depending on the filtering set.

When user click "Enable filtering" option, the system will automatically load the Conditions setup

"Enable Filtering"

• Conditions filtering Setup

Conditions

Meet ALL of the following condition:

1 **3** **4** **5** **6** **2** **7**

Table Field Formula Filtering Input Operator X

+ Add Condition **8**

Back

Figure 2.11: Enabling Filtering - Conditions

The information displayed is in the table below:

#	Name	Description
1 & 2	Parentheses	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
3	Table	Allow to choose which database schema/table that the data resides.
4	Field	Allow to choose which field that the data resides on the table.
5	Formula	Allow to choose which formula to use on the filtering.
6	Filtering Input	Allow to input what is the filtering data. Field cannot be blank
7	Operator	1. Allow selection of operator to combine multiple condition : • AND • OR 2. Selection list must be select if add multiple condition
8	Add Condition	Allow to add new condition of filtering

(c) Step 3: Button Setup

Users click "Next" button below and navigate to the next wizard of **Button Setup** to configure each of the button features.

Workflow Setup

Filtering Setup

Button Setup

Validation

Button Setup

1

2

3

4

5

#

BUTTON NAME

DATE UPDATED

STATUS

ACTION

1

Recommend Cas...

20-Jun-2024

Active

2

Drop Case L1

19-Jun-2024

Active

3

Button 3

20-Jun-2024

Active

4

Button 4

20-Jun-2024

Active

5

Button 5

20-Jun-2024

Active

<

1

>

Previous

Next

Figure 2.12: Button Setup

The information displayed is in the table below:

#	Name	Description
1	Button Number	Display the tab number.
2	Button Name	Display the button name.
3	Date Updated	Display the date that this configuration is updated by the user.
4	Status	Display whether this configuration is active or inactive.
5	Action	To update the button features.

• Button Details

When user click "Update" icon on any button configuration, the system will show a pop up screen to update specific button features of the case workflow, as shown in the figure below.

list

Button Details

1

Button Setup

☒ Enable Button

2

Case Status Setup

Reject Case

Assign Status

+ Manage Custom Status

3

General Button Setup

Button Name*

L1 Reject

4

STR Flag Setup

☒ Allow STR Flag

Draft Report Status

Draft

CUSTOMER

FLAG_STR

5

Email Template Setup

Centralized

Case Approved

ⓘ Email template will be sent to group based on the route type

6

TxnScreen Approval Status API

☒ Allow txnscreen approval API

Approval Status Method

Endpoint Type

☒ Single
 ☐ Multiple

Source Configurations

+ Manage Sources

Save

Figure 2.12: Button Details

The information displayed is in the table below:

#	Name	Description
1	Button Setup	Enable Button: Allow users to activate or inactivate the button.
2	Case Status Setup	Display the assignee of assigned case status Assign Status:

		1. Allow to assign the sub status to main case status 2. Allow selection of drop-down list of sub status to the main case status 3. List of sub status is based on created sub status under "Manage Custom Status" +Manage Custom Status (Refer to section 2.2.2.1 below) 1. Allow to add new sub status. 2. Allow to update existing sub status. 3. Allow to change binding on sub status to the main status. 4. The sub case status library will display information in the table: • Sub Status No. • Sub Status • Main Status • Escalate to Level • Date Created • Date Updated • Status • Action - Allow user to update or delete sub status. 5. During new or update sub status, user is allowed to perform action on this field: • Sub Status No. (Only for new) • Sub Status Name • Bind to Main Status • Escalate to Level • Status
3	General Button Setup	Button Name: Allow to update the button name.
4	STR Flag Setup	Switch button to disable or enable to allow to flag the client with STR indicator. Allow STR Flag: • Allow to update client information with STR flag and insert new record of STR in XX table.

		Draft Report Status: • Allow to select the draft report status when clicking on the button a. Draft b. Final Select Table: • Display indicator update to STR table • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_STR field to update client information.
5	Email Template Setup	Allow routing and selection of email templates based on the specific case status. User can select any of email setup: Disable Individual Email • Email is routed based on the email address configure under People setting • Allow to approve the case via email Group Email • Allow to select whether when escalate case should send email. • Standard email will be sent to the group based on route type: 1. Centralized : Email recipient and cc based on Setting: General - Email Setup 2. Decentralized : Email recipient based on the Setting : General - Red Flag & Case Review Selection Email Template: • Select which template to be sent. The template can be configured under Setting - General: Email.

6	TxnScreen Approval Status API	1. Allow selection of active or inactive on the return approval status API to source 2. Default to "Inactive" Approval Status Method • Allow selection to return the approval status API method • Default to "Standard Push API" • Viewable if "Active" on the approval status API Endpoint Type • Allow selection to return the approval status API to single endpoint or multiple endpoint • Default to "Single" • List of selection (Optional) : a) Single b) Multiple • Viewable if "Active" on the approval status API Source Configuration • User click "+Manage Sources" to add, update or delete source endpoint
---	-------------------------------------	--

(d) Step 4: Validation

System to notified whether the configuration setup is successfully configured or fail.




Figure 2.13: Validation

1. The 4-Step Wizard can continue to the next page without any update or back to the previous page.
2. Each of the configuration during update will update to database directly when clicking the **"Save"** button.

2.2.3.1 Manage Custom Status

Manage Custom Status ×							
1	2	3	4	5	6	7	8
SUB STATUS NO.	SUB STATUS	MAIN STATUS	ESCALATE TO LEVEL	DATE CREATED	DATE UPDATED	STATUS	ACTION
10	L3 Pickup Case	In-progress	Level 3	19-Jul-2024	19-Jul-2024	Active	
100	Pending New	Unassign	Level 1	15-May-2024	17-May-2024	Active	
101	L2 Picked Up Case	In-progress	Level 2	27-May-2024	19-Jun-2024	Active	

The information displayed is in the table below:

#	Name	Description
1	Sub Status No	Display the sub status code number
2	Sub Status	Display the sub status description
3	Main Status	Display the main case status description
4	Escalate to Level	Display the case status will be escalate to which level
5	Date Created	Display the date first new record of sub status registered in the app
6	Date Updated	Display the record of sub status been updated
7	Status	Display whether the sub status is active or inactive
8	Action	Update: Allow to update the sub status details Delete: Allow to delete the sub status
9	Add Sub Status	Allow to add new sub status

● Add Sub Status

When User click "+Add Sub Status" button, the system will display pop up screen as below.

The screenshot shows a 'Manage Custom Status' dialog box with a close button (X) in the top right corner. The form is titled 'Add Sub Status'. It contains the following fields and controls:

- 1**: Sub Status No. (Text input field)
- 2**: Sub Status Name (Text input field)
- 3**: Bind to Main Status (Dropdown menu)
- 4**: Escalate to Level (Text input field)
- 5**: Status (Toggle switch, currently set to 'Active')


At the bottom of the form are two buttons: 'Back' and 'Save'.

The information displayed is in the table below:

#	Name	Description
1	Sub Status No	1. Allow to input the sub status code number. 2. Does not allow to update during update action

2	Sub Status Name	Allow to input the sub status name
3	Bind to Main Status	Allow to bind status to main case status
4	Escalate to Level	Allow to input the next level of escalated case
5	Status	Allow selection of either active or inactive. Default to "Active"

2.2.3.2 TxnScreen Approval Status API → Manage Sources



The information displayed is in the table below:

#	Name	Description
1	Source	Display the source name.
2	API Endpoint	Allow to input the sub status name
3	Auth. Endpoint	Allow to bind status to main case status
4	Status	Allow selection of either active or inactive. Default to "Active"
5	Date Created	Display the date first new record of endpoint registered in the app
6	Date Updated	Display the record of endpoint been updated
7	Action	Update: Allow to update the endpoint information Delete: Allow to delete the endpoint record
8	+Add Source	Allow to add new endpoint

● Manage Sources

When User click "+Add Sub Status" or "Update" button, the system will display pop up screen as below.

Manage Source

Add New Source

Source ID*

Source Name*

API Endpoint*

Authentication Endpoint*

Status

Active

Back

Save

The information displayed is in the table below:

#	Name	Description
1	Source ID	Allow input of the source to return approval status API
2	Source Name	Allow to input the source name
3	API Endpoint	Allow input of the endpoint address
4	Authentication Endpoint	Allow input of the endpoint authentication
5	Status	1. Allow selection of either active or inactive on the approval status API token. 2. Default to "Active"