

10.1 General

Document Exported:

Document Control

Rev.	Date Revised	Section(s)	Description
1.0	9th June 2025	All	1st Version
		2.1.5	Add new Watchlist Provider Setting - Acuris
		2.2.1	Update "No SSO" Configuration details & screenshot , remove authorization & allow same admin authorization features
		2.5.1.1	Update new screenshot & details to Add / Update Email Template
		2.6.2	Add new section on Steps to delete Email Template
		2.7.3	Update Module Plan Details in the table
		2.8.2.1	Add new section on Steps to delete the Parameter details
		2.10.1	Add new section on Steps to delete the Parameter details
			Update Whitelist Maintenance details, additional steps to Add New, Update & Delete Whitelist record

Preface

1. Customer & TESS Definition

TESS Innovation Sdn Bhd is hereinafter referred as “TESS” of the other part in this document.

2. Document Confidentiality

This document contains information that is proprietary to TESS and The Customer. This document, or any part thereof, shall not be copied, reproduced, translated or reduced to any electronic medium or machine-readable

form or disclosed to any third party without the prior written consent or authorization of TESS and the Customer.

3. Purpose of Document

The purpose of this document is to clearly guide user to perform day by day operation.

4. Intended Audience

- Project team from TESS
- Project team from The Customer

5. Document Control

This document is subject to change control. All changes to this document shall be documented and distributed as "Release Version". It will consist of the following: -

- Full replacement of the document; or
- Full replacement of a section in the document; or
- An addendum to the document.

Each revision will be assigned with a unique "Release Version" number and date. All pages distributed within a Document Release Notice will have the appropriate Release Version and Release Date indicated.

6. Screenshots

All sample screens as attached are for the reader's viewing purpose only. The actual screen displayed in the [iSE M.ai](#) system shall be based on the specification of The Customer's as agreed upon.

7. Disclaimer

- All advice given or recommendations made in this document are made in good faith on the basis of the information provided and otherwise generally available or known to TESS at the time of writing.
- No advice given or statements or recommendations made shall be in any circumstances constitute or be deemed to constitute warranty by TESS as to the accuracy of such advice, statement and recommendations.
- Subject to the contents of the Supply of Software, Licensing and Service Agreement executed, TESS shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted to be made in connection with this document.
- **This document is **subject to updates**. Please note that it may be revised periodically within the same version to reflect any changes.

8. Product Version

This document is based on product version 1.3. Any other product version may not be relevant to this specific document content and its information.

9. Abbreviation & Definitions

Abbreviation	Definition
STR	Suspicious Transaction Report
CTR	Cash Transaction Report

Overview of Settings


1. About Settings ☐ General Settings

The document will details an advanced configuration framework, enabling users to customize every aspect of the application to meet specific business and regulatory requirements. Users can manage site settings, authentication protocols, data integration, email communication, licensing and billing with precision. The system also supports advanced customization for parameters, automated responses, risk alerts, regulatory compliance and secure whitelist management. This comprehensive suite of settings ensures the application is tailored to meet the unique needs of any organization, providing a dynamic and adaptable environment.

2. General Settings

2.1 General Settings ☐ Application Site

The application site setting is where user set the general setting of the application.

A screenshot of the 'App Site Setting' menu. The menu is titled 'App Site Setting' and contains eight sub-items, each with a right-pointing chevron icon: 'Folder Path Setting', 'Upload File Size Setting', 'Session Expire Setting', 'Date & Time Setting', 'Watchlist Provider Setting', 'Regulator Country Setting', 'Company Logo Setting', and 'Other Setting'.


App Site Setting

- > Folder Path Setting
- > Upload File Size Setting
- > Session Expire Setting
- > Date & Time Setting
- > Watchlist Provider Setting
- > Regulator Country Setting
- > Company Logo Setting
- > Other Setting

Figure 2.1: App Site Setting

2.1.1 Application Site ▾ Folder Path Setting

This section configures where the batch programs stored and executed.

A screenshot of the 'Folder Path Setting' configuration form. The form has a title bar 'Folder Path Setting' with a dropdown arrow. Below the title bar, there are two sections: 'File Path (Batch)' with a text input field containing 'C:\TESS\AML_INTEGRATOR\AML_JOBSPool_iSEM10\' and 'DNS IP Configuration' with a text input field containing 'localhost'. A red 'Save' button is located at the bottom right of the form.

Folder Path Setting

File Path (Batch)

C:\TESS\AML_INTEGRATOR\AML_JOBSPool_iSEM10\

DNS IP Configuration

localhost

Save

2.2: Folder Path Setting

The information displayed is in the table below:

#	Name	Description
1	File Patch (Batch)	1. Allow input on the batch program file path. 2. This field is mandatory to be input. 3. Folder button in the field allows user to browse for file path in their device.
2	DNS IP Configuration	1. Allow input of the DNS IP configuration for multiple domain active directory. 2. This field is mandatory to be input only if the single sign-off method is using "Multiple domain active directory".

2.1.2 Application Site ▢ Upload File Size Setting

This section is mandatory to be input, where it allow input on the file size (in KB) for supporting document or attachment to be uploaded into the system.

▼ Upload File Size Setting

File Size (in kB)

10

Save

Figure 2.3: Upload File Size Setting

2.1.3 Application Site ▢ Session Expire Setting

▼ Session Expire Setting

Session Lock Duration (in seconds) ⓘ

600

Session Expire Duration (in seconds) ⓘ

600

Save

Figure 2.4: Session Expire Setting

The information displayed is in the table below:

#	Name	Description
1	Session Lock Duration (in seconds)	1. Allow input on the duration of the session lock after user is idle for some time. 2. This field is mandatory to be input.
2	Session Expire Duration (in seconds)	1. Allow input of the duration of the session expire and system timeout after user reaches the state of session lock and continuous idle for some time. 2. This field is mandatory to be input.

2.1.4 Application Site □ Date & Time Setting

▼

Date & Time Setting

Date Format

DD-MM-YYYY

DD-MMM-YYYY

Time Format

12 Hour Format

24 Hour Format

Save

Figure 2.5: Date & Time Setting


The information displayed is in the table below:

#	Name	Description
1	Date Format	- Allow selection on the date format for the system to display: - DD-MMM-YYYY - DD-MM-YYYY - This field is mandatory to be selected. - Default the selection to "DD-MMM-YYYY".
2	Time Format	Display the current time format used by the system: 12hour / 24hour format

2.1.5 Application Site □ Watchlist Provider Setting

This setting allows user to select which watchlist provider will be set for the client:

- Dow Jones
- Lexis Nexis
- Standard
- Thomson Reuters
- Acuris




The screenshot shows a web form titled "Watchlist Provider Setting". It features a dropdown menu labeled "Watchlist Provider" with "Dow Jones" selected. A red "Save" button is located at the bottom right of the form.

Figure 2.6: Watchlist Provider Setting

2.1.6 Application Site □ Regulator Country Setting

This setting allows users to choose country for STR and CTR form display purposes.



The screenshot shows a web form titled "Regulator Country Setting". It features a dropdown menu labeled "Regulator Country" with "Malaysia" selected. A list of countries is displayed below the dropdown, including Cambodia, Hong Kong, Laos, Malaysia (highlighted), Myanmar, Singapore, and Vietnam.

Figure 2.7: Regulator Country Setting

2.1.7 Application Site □ Company Logo Setting

The logo will be displayed as application header.

Company Logo Setting

Choose file

 isem-logo.png

Logo will be displayed as application header. Maximum file size 5 MB. Recommended orientation and size: square (1:1) or landscape (5:3, 4:1).

Preview

Save

Figure 2.8: Company Logo Setting

#	Name	Description
1	Choose File	A button that allow users to upload image from their device. (Attachment only allows .jpg and .png)
2	Delete	Allow users to remove the image uploaded.
3	Preview	Allow users to preview of the image uploaded.
4	Save	Allow users to save the uploaded image. It will show blank if the image has not been uploaded yet.

2.1.8 Application Site Other Setting

Other Setting

Group Network Analysis API

Light Theme


System Availability

Save

Figure 2.9: Other Setting

2.2 General Settings ▯ Authentication

This section shows how users can configure the general settings for "**Authentication**". The authentication setting is where users can configure the sign-in method to the system and setting up the password policy that the system will comply.



Authentication

☒ No SSO Provider ☐ Single Domain Active Directory ☐ Multiple Domain Active Directory

Figure 2.10: Authentication Methods

There are three methods to sign-in and the system can configure which method to use sign-in into the system.

- a. **No SSO Provider** - Authenticate user ID and password policy based by the system.
- b. **Single Domain Active Directory** - Authenticate user ID based by the system and active directory however the password policy is controlled by active directory.
- c. **Multiple Domain Active Directory** - Authenticate user ID based by the system and multiple active directories however the password policy is controlled by active directory.

2.2.1 Authentication ▯ No SSO Provider

If user selects "**No SSO**" then the authentication will be based by the user ID registered in the system and the password policy will follow what has been setup in the password parameter. Below are the display information of the password parameter:

Password Parameter Setup

Access Date From ⓘ

1

Access Date To ⓘ

22-Apr-2023

22-Apr-2044

Access Time From ⓘ

2

Access Time To ⓘ

00:00:01

23:59:59

Minimum User ID Length ⓘ

3

Maximum User ID Length ⓘ

4

20

Password Age (in days) ⓘ

4

Password History Age ⓘ

3

10

Minimum Password Length ⓘ

5

Maximum Password Length ⓘ

8

20

Default Password Type ⓘ

6

Default Password Value ⓘ

7

Default Value

nnn@123

Invalid Trial Allowed ⓘ

8

Auto Lock User ID Age (in days) ⓘ

9

10

10

Email Link Expiry (in minutes) ⓘ

10

20

11

Allow Strong Password Policy

12

Force New User To Change Password

13

Force Existing User To Change Password After Reset

14

View Restricted Common Password

15

Save

Figure 2.11: Authentication - No SSO Provider

The information displayed is in the table below:

#	Name	Description
1	Access Date Period	1. Allow input and display the user accessibility to the system based on the date set. 2. This field is default to "00-00-0000" for unlimited date access.

2	Access Time Period	1. Allow input and display the user accessibility to the system based on the time set. 2. This field is default to "00:00" for unlimited time access.
3	User ID Length	• Minimum: a. Allow input and display the minimum length character of user ID. b. This field is mandatory to be input. • Maximum: a. Allow input and display the minimum length character of user ID. b. This field is mandatory to be input.
4	Password Age	• Age (in days): a. Allow input and display the number of passwords aging set to be expired after X days. b. This field is mandatory to be input. • History Age: a. Allow input and display the number of passwords recycle use after the X cycle. b. This field is mandatory to be input.
5	Password Length	• Minimum: a. Allow input and display the minimum length character of password. b. This field is mandatory to be input. • Maximum: a. Allow input and display the minimum length character of password. b. This field is mandatory to be input. **Remarks: Require "Strong Password Policy" button enabled for configuration to take place
6	Default Password Type	1. Allow user to select what is the default password type when user ID create or reset password

		Random - Randomize password generated. Default Value - Predefine password value. User ID - Password refers to the user ID. - This field is mandatory to be selected.
7	Default Password Value	- Allow input and display the predefined password value. - This field is mandatory to be input only when password type is set to "Default Value"
8	Invalid Trial Allowed	- Allow input and display the number of password attempt before system lock-out the user ID. - This field is mandatory to be input.
9	Auto Lock User ID Age (in days)	- Allow input and display the number of days after the user did not access the system and will auto lock the user ID. - This field is mandatory to be input.
10	Email Link Expiry (in minutes)	- Allow input and display the number of minutes the encryption link password URL to be expired. - This field is mandatory to be input.
11	Allow Strong Password Policy	- Allow to configure whether to require strong password policy. - This field default to "Off" and can be changed. - Strong password complexity: - English upper-case letter A, B, C - English lower-case letter a, b, c - Westernized Arabic numerals 0, 1, 2 - Non-alphanumeric (special characters) punctuation marks and symbols. **Remarks: Require "Strong Password Policy" button enabled for "Password Length" configuration to take place
12	Force New User to Change Password	- Allow to configure whether it requires the new user to change password after first time registration. - This field default to "Off" and can be change.
13	Force Existing User to Change	Allow to configure whether it requires existing user to change password after password reset.

	Password After Reset	2. This field default to "Off" and can be change.
14	View Restricted Common Password	Allows user to configure what common password is restricted to be used by user to access the system. **Remarks: Require "Strong Password Policy" button enabled for configuration to take place
15	Save	To save all the configurations

2.2.1.1 Restricted Common Password

Restricted Common Password

+ Add password

Password	Date Created	Date Updated	Status	Action
112233	19-09-2023		Active	
112233	19-09-2023		Active	
WOLOLO	19-09-2023	09-11-2023	Active	
password	20-10-2023		Active	
112233	09-11-2023		Active	
1234567890KFFKGNSOHIAFNDSAFNFDHFPiHEAHFAKHFKSFIAPHFPA	09-11-2023		Active	
test	21-11-2023		Active	

<

1


>

Figure 2.12: Restricted Common Password

1. Users are allowed to view the restricted common passwords configurations (by click the display link).
2. The pop up screen will display the date it was created and updated, the status, and can edit or delete the existing restricted passwords.
3. Users are also allowed to **"+ Add Password"** for any new addition of restricted passwords.

Steps on how to Add/Update Restricted Common password

1. Click "+Add password" or "Edit" to add new restricted password.




Restricted Common Password

+ Add password

Password	Date Created	Date Updated	Status	Action
112233	19-Sep-2023		Active	 

2. Pop up screen of "Add New restricted password" will be appear. Users then type any desired inputs, as referred to the figure below.



Add New Restricted Password

Restricted Password

Status


☒ Active

Cancel Submit

3. Click toggle button to disable or enable the status for restricted passwords list.
4. Click "Submit" to add a new list of restricted password or click "Cancel" to undo add the new list.
5. The new restricted password will be added on in the lists. Users will not be able to create a password with the active status on the list.

Steps to Delete Restricted Common Password

1. Click "Delete" button to delete any restricted password setup.



2. A pop up screen will appear. Users have to click "OK" to confirm deletion or "Cancel" to undo the action.
3. The deleted password will be removed from the "Restricted Common Password" list.

2.2.2 Authentication - Single Domain Active Directory

If user selects “Single Domain Active Directory” then the system will display the domain setup and allow to input the domain settings to integrate with the organization active directory. The display information as below:




Figure 2.13: Authentication - Single Domain Setup

The information displayed is in the table below:

#	Name	Description
1	Domain Key	Displays the user unique domain ID.
2	Domain Name	1. Allow input and display the organization name. 2. This field is mandatory to be input.
3	Domain Server Name/IP	1. Allow input and display domain server name. E.g. 192.168.1.1 or BABAD01.COM.MY 2. This field is mandatory to be input.
4	Date Created	Display the date that this configuration is created by the user.
5	Date Updated	Display the date that this configuration is updated by the user.
6	Status	Displays whether this configuration is active or inactive.
7	Action	1. Update: Allow to update the domain settings. 2. Delete: Allow to delete the domain settings.

Steps to Update Domain Details

1. Click "Edit" button to update domain details as referred to the figure below.

Authentication

☐ No SSO Provider ☒ Single Domain Active Directory ☐ Multiple Domain Active Directory

Save

Single Domain Setup

Domain Key	Domain Name	Domain Server Name/IP	Date Created	Date Updated	Status	Action
DOMAIN1	Domain 2		06-Dec-2023	06-Dec-2023	Active	 

< 1 >

2. A pop up screen will appear. Users are allowed to view and update domain details such as the domain name, domain server name/IP, and can set the status to active or inactive.

Update Domain Details

Domain Key

DOMAIN1

Domain Name

Domain 2

Domain Server Name / IP

Status

Active

Cancel

Submit

Figure 2.14: Update Domain Details

- Click "Submit" to save the updated domain setup. The system will prompt a message indicates that it has successfully updated.

2.2.3 Authentication ☐ Multiple Domain Active Directory

If user selects "**Multiple Domain Active Directory**" then the system will display the domain setup and allow to input the domain settings to integrate with the organization active directory however additional action button allowing to add new domain setting to the domain list is allow.

Authentication

☐ No SSO Provider
☐ Single Domain Active Directory
☒ Multiple Domain Active Directory

Save

Multiple Domain Setup

1 Domain Key

2 Domain Name

3 Domain Server Name/IP

4 Date Created

5 Date Updated

6 Status

7 Action

8 + Add Domain

DOMAIN1	Domain 2		06-Dec-2023	14-Aug-2024	Active	
DOMAIN2	Domain 1		20-Mar-2023	06-Dec-2023	Active	

<

1

>

Figure 2.15: Multiple Domain Active Directory

The information displayed is in the table below:

#	Name	Description
1	Domain Key	Displays the user unique domain ID.
2	Domain Name	1. Allow input and display the organization name. 2. This field is mandatory to be input.
3	Domain Server Name/IP	1. Allow input and display domain server name. E.g. 192.168.1.1 or BABAD01.COM.MY 2. This field is mandatory to be input.
4	Date Created	Display the date that this configuration is created by the user.
5	Date Updated	Display the date that this configuration is updated by the user.
6	Status	Displays whether this configuration is active or inactive.
7	Action	1. Update: Allow to update the domain settings. 2. Delete: Allow to delete the domain settings.
8	+ Add Domain	Allow users to add additional new domain:

- Domain Key
- Domain Name
- Domain Server Name/IP
- Status

Steps on How to Add/Update Multiple Domain

1. Click "+Add Domain" or "Edit" button to update multiple domain setup, as referred to the figure below.

Authentication

☐ No SSO Provider ☐ Single Domain Active Directory ☒ Multiple Domain Active Directory

Save

Multiple Domain Setup

+ Add Domain

Domain Key	Domain Name	Domain Server Name/IP	Date Created	Date Updated	Status	Action
DOMAIN1	Domain 2		06-Dec-2023	14-Aug-2024	Active	 
DOMAIN2	Domain 1		20-Mar-2023	06-Dec-2023	Active	 

2. A pop up screen will appear. Users will have to input the details required to setup a multiple domain, as referred to the figure below, as referred to the figure below. Users click toggle button for "Status" to enable or disable the domain.

Add New Domain

Domain Key

Domain Name

Domain Server Name / IP

Status

☒ Active

Cancel

Submit

- Click "Submit" to add new or update domain setup or users can click "Save" to undo the actions. The new domain will be added into the "Multiple domain Setup" list.

2.3 General Settings ▯ Canned Responses

The canned response setting is where users can create a quick comment response template that can be reused during case justification before escalation.

General Tx Monitoring Watchlist Client Profile Onboard EDD Tx Screening EOD Job							
License & Billing Authentication Email Red Flag & Case View Parameter Canned Responses Application Site Data Mapping Regulator Mapping	Canned Response						
	8 + Add Canned Response						
	Response Name	Workflow	Module	Date Created	Date Updated	Status	Action
	1	2	3	4	5	6	7
	Inactive Status TM	TM Template 1	Transaction Monitoring	26-01-2023	26-01-2023	Inactive	 
	Active Status TM	TM Template 1	Transaction Monitoring	15-03-2023	15-03-2023	Active	 
	Test	TESS Workflow 1	Portfolio	04-03-2024	04-03-2024	Active	 

Figure 2.16: Canned Responses

The information displayed is in the table below:

#	Name	Description
1	Response Name	Display canned response template name.
2	Workflow	Display the case workflow where the canned response is tagged to.
3	Module	Display the module where the canned response is tagged to.
4	Date Created	Display the date that this configuration is created by the user.
5	Date Updated	Display the date that this configuration is updated by the user.
6	Status	Display whether this configuration is active or inactive.
7	Action	1. Update: Allow user to update the canned response. 2. Delete: Allow user to delete the canned response.
8	+ Add Canned Response	Allows users to add new canned responses.

2.3.1 Add / Update Canned Responses

Update Canned Response

×

Response Name 1

Inactive Status TM

Response Description 2

Inactive Status TM123

Module 3

Transaction Monitoring

Workflow Template 4

1

Status 5

☐ Inactive

Cancel

Submit

Figure 2.17: Update Canned Responses

The information displayed is in the table below:

#	Name	Description
1	Response Name	1. Allow input on the response name template. 2. This field is mandatory to be input.
2	Response Description	1. Allow input on the response description. 2. This field is mandatory to be input.
3	Module	1. Allow selection of module where the response template will be tagged to. 2. This field is mandatory to be selected.
4	Workflow Template	1. Allow selection of the case workflow where the response template will be tagged to. 2. This field is mandatory to be selected. 3. The case workflow drops down list will be based by the module selection.

5	Status	1. Select whether the configuration is active or inactive. 2. Default to "Active".
---	--------	---

Steps on How to Add/Update Canned Response

1. Click "Add Canned Response" or "Edit" button to update canned response.

Canned Response


+ Add Canned Response

Response Name	Workflow	Module	Date Created	Date Updated	Status	Action
Active Status TM	QAD TM WORKFLOW 3L	Transaction Monitoring	15-Mar-2023	10-Jun-2024	Active	
Response (Inactive)	QAD WM Workflow (3 Level)	Watchlist Monitoring	21-May-2024	10-Jun-2024	Inactive	

2. A pop up screen will appear. Users are required to fill in all fields and select the toggle button for "Status" to enable or disable the status.
- 
3. After all fields has been setup, click "Submit" to save the canned response configure or click "Cancel" to undo the action.
4. The new or updated canned response will be added in the list.

Steps to Delete Canned Response

1. Click "Delete" button to delete any canned response setup.



2. A pop up screen will appear. Users have to click "OK" to confirm deletion or "Cancel" to undo the action.

3. The deleted canned response will be removed from the "Canned Response" list.

2.4 General Settings ▯ Data Mapping

- 1. The data mapping allows to select between two setup types:
 - a. **Batch Upload**
 - b. **Manual Setup**




Figure 2.18: Data Mapping

The information displayed is in the table below:

#	Name	Description
1	Label	Display notice on the upload features: 1. Data uploaded must be in specific format for the uploaded process to be complete. 2. Larger file size will require more time to be processed.
2	Download Template	Allow to download the standard template to fill in the template.
3	Disclaimer	"Template allows you to edit and customize the display name of tabs, section headers, and data fields in batch. Editable columns are highlighted yellow in the Excel template."
4	Upload File	Allow to upload internal list file.
5	Upload Type	1. Allow user to select the upload type of the batch upload file with two options (when click "Upload File" button) : a. Overwrite Existing: Keep the current data and only overwrite records with the same Tab Code/Field Code. b. Overwrite All: Overwrite all current data in the Data Mapping table.

2. Default the upload type to **"Overwrite Existing"**.

2.4.1 Data Mapping □ Batch Upload

Batch Upload setup type allows to upload user's own data mapping setup by following a template format.

Steps on How to upload data mapping

The screenshot shows the 'Data Mapping' section with a 'Batch Upload' tab. It includes a 'Download Template' link (a), a file upload area with instructions (b), a file list showing 'DataMappingTemplate_v1.xlsx' with a delete icon (c), and an 'Upload File' button (d).

Data Mapping

Batch Upload

Batch upload allows you to upload a template file with all the necessary information for each data mapping setup without having to update manually.

a

Download Template

Template allows you to edit and customize the display name of the tabs, columns, section headers, and data fields in the batch.
Editable columns are highlighted in yellow in the Excel file.

b

Click or drag data mapping template file to this area to upload.
File uploaded must be in .xlsx formats only.
Larger file size will require more time to be processed.

c


DataMappingTemplate_v1.xlsx

Remove file

d

Upload File

1. Click (a)"Download template" for users to customize their data fields in the batch.
2. After has completed the necessary data fields, click (b) "file attachment" to upload or drag the file.
3. The uploaded attachment will be appear, as shown in the figure above. User can click (b)"delete" button to remove the uploaded file.
4. Lastly, click (d)"Upload File" to upload the data mapping file. The system will pop up screen asking to select the "Upload Type" of the batch upload file.



5. Click "Confirm" button to upload the batch file or "Cancel" to undo the action. The system will auto load for the data mapping setup.

2.4.2 Data Mapping □ Manual Setup

Manual setup allows user to manually configure each data mapping fields set in the system.

2.4.2.1 Steps to Configure Manual Setup

1. Click "Proceed Manual" as refer to the figure below to configure manual data mapping.

Data Mapping

Batch Upload

Batch upload allows you to upload a template file with all the necessary information for each data mapping setup without having to update manually.

 [Download Template](#)

Template allows you to edit and customize the display name of the tabs, columns, section headers, and data fields in the batch.
Editable columns are highlighted in yellow in the Excel file.



Click or drag data mapping template file to this area to upload.
File uploaded must be in .xlsx formats only.
Larger file size will require more time to be processed.

Upload File

Manual Setup

Manual setup would require you to manually set up each data mapping fields.

Proceed Manual

Figure 2.19: Manual Setup Data Mapping

2. The “**Manual Setup**” will have a 4-step wizard on creating manual case and each of the wizard step has its own features.



Display Setup

a



Mapping Setup

b



Field Setup

c



Validation

d

Figure 2.20: Manual Setup 4-Step Wizard

(a) Step 1: Display Setup

This step is to configure the tab displays.

Tab Display Setup					
Tab No	Display Name	Mapping Type	Date Updated	Status	Action
1	2	3	4	5	6
1	Client	Client	03-12-2023	Active	 
1	Account	Account/ Policy	11-05-2023	Active	 
3	Transaction	Transaction	20-03-2023	Active	
4	Address	Address	06-12-2023	Inactive	 
5	Rel&UBOs	Rel&UBOs	06-12-2023	Inactive	 
6	Misc	Others	06-12-2023	Inactive	 

Figure 2.21: Tab Display Setup

The information displayed is in the table below:

#	Name	Description
1	Tab No.	Display the tab number.
2	Display Name	Display the tab name that is viewed by users.
3	Mapping Type	The tab is displayed based by the mapping type selection: a. Tab 01 - Customer b. Tab 02 - Account of Policy c. Tab 03 - Address d. Tab 04 - UBOs e. Tab 05 until 10 - Others
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Allow to select whether this configuration is active or inactive.
6	Action	1. Edit: To update the tab display information.

	2. More Setting: to update the column display setup.
--	---

i. Edit Tab Display

When users click "Edit" button, the system will show a pop up screen as shown in the figure below.

To update the tab display information. This allowed to input the following:

- a. Display Name
- b. Status - Active or Inactive
- c. Tab Number - displayed but it is non-editable.

The screenshot shows a modal window titled "Edit Tab Display". It contains the following fields:

- Tab Number:** A text input field containing the value "1".
- Display Name:** A text input field containing the value "Client".
- Mapping Type:** A dropdown menu with "Client" selected.
- Status:** A toggle switch currently turned on, labeled "Active".

A red "Save" button is located at the bottom center of the modal.

Figure 2.22: Edit Tab Display

ii. More Setting

When users click (a) "More Setting" button as referring to the figure below, the system will display a "**Column Display Setup**" configuration page beside the "Tab Display Setup".

Tab Display Setup						Column Display Setup - Miscellaneous A				
Tab No	Display Name	Mapping Type	Date Updated	Status	Action	1	2	3	4	5
1	Customer	Client	18-Jul-2024	Active	 	1		18-Jul-2024	Inactive	
2	Account	Account/ Policy	18-Jul-2024	Active	 	2		18-Jul-2024	Inactive	
3	Transaction	Transaction	18-Jul-2024	Active		3		18-Jul-2024	Inactive	
4	Address	Address	18-Jul-2024	Active	 	4		18-Jul-2024	Inactive	
5	Relationship & UBOs	Relationship & Ultimate Beneficial Owners	18-Jul-2024	Active	 	5		18-Jul-2024	Inactive	
6	Miscellaneous A	Miscellaneous Type A	18-Jul-2024	Inactive	 	6		18-Jul-2024	Inactive	

Figure 2.23: More Setting

The information displayed is in the table below:

#	Name	Description
1	Column No.	Display the column number.
2	Display Name	Display the column name that is viewed by users.
3	Date Updated	Display the date that this configuration is updated by the user.
4	Status	Allow to select whether this configuration is active or inactive.
5	Action	To update the column display information.

Steps on How to Update the Column Display

1. User click "Edit" icon under action tab to update column display based on Column No.

Edit Column Display

Column Number: 1

Display Name: Name

Mapping Field: INFO_NAME_FULL

Parameter Code: 0

Display Type: None

Status: ☒ Active

Save

2. The pop up screen of "Edit Column Display" will appear.
3. User selects a display format type based on the 'Display Name' style, with each type applying a specific formatting rule to the value.
4. User fill in necessary fields. Select the toggle button for "Status" to enable or disable the column display.
5. Click "Save" to update the column display.

Steps on How to Preview Tab Display Configuration

1. Click "Preview" to view the configured tab display.

Tab Display Setup

Tab No	Display Name	Mapping Type	Date Updated	Status	Action
1	Customer	Client	18-Jul-2024	Active	
2	Account	Account/ Policy	18-Jul-2024	Active	
3	Transaction	Transaction	18-Jul-2024	Active	
4	Address	Address	18-Jul-2024	Active	
5	Relationship & UBOs	Relationship & Ultimate Beneficial Owners	18-Jul-2024	Active	
6	Miscellaneous A	Miscellaneous Type A	18-Jul-2024	Inactive	
7	Miscellaneous B	Miscellaneous Type B	18-Jul-2024	Inactive	
8	Miscellaneous C	Miscellaneous Type C	18-Jul-2024	Inactive	
9	Miscellaneous D	Miscellaneous Type D	18-Jul-2024	Inactive	
10	Miscellaneous E	Miscellaneous Type E	18-Jul-2024	Inactive	

1
2

Back

Preview

Next

Column Display Setup - Miscellaneous A

Column No	Display Name	Date Updated	Status	Action
1		14-Aug-2024	Inactive	
2		18-Jul-2024	Inactive	
3		18-Jul-2024	Inactive	
4		18-Jul-2024	Inactive	
5		18-Jul-2024	Inactive	
6		18-Jul-2024	Inactive	
7		18-Jul-2024	Inactive	
8		18-Jul-2024	Inactive	
9		18-Jul-2024	Inactive	

1

- A pop up screen will appear. Users key in any Client No, and the system will auto load display all the configuration tabs, as refer to the figure below.

Tab Display Setup Preview

Customer

Account

Transaction

Address

Relationship & UBOs

Name	ID Reference	Nationality	DOB	Gender	Status
No data					

(b) Step 2: Mapping Setup

To configure mapping field based on the selection of drop-down list category of the mapping.

Data Mapping

Display Setup

Mapping Setup

Field Setup

Validation

Mapping Setup For Client

+ Add New Mapping

Type

Name

Table

Product

Date Created

Date Updated

Status

Action

Client	Customer	CUSTOMER	CASA	10-May-2024	18-Jul-2024	Active	
Client	Loans	CUSTOMER	Loans	29-May-2024	29-May-2024	Active	

<

1

>

Back

Figure 2.24: Mapping Setup

The information displayed is in the table below:

#	Name	Description
1	Type	Display the category type of the mapping and read from the parameter code: 1. Account or Policy 2. Address 3. Agent 4. Client 5. Transaction 6. Address 7. UBOs 8. Others Note: The parameter code above is subject to the tab display configuration based on the organization's requirement
2	Name	Display the name of the mapping integration.
3	Table	Display the mapping integration is getting from which mapping table.
4	Product	Display the product that is integrated to this mapping configuration and read from parameter code.
5	Date Created	Display the date that this configuration is created by the user.

6	Date Updated	Display the date that this configuration is updated by the user.
7	Status	Display whether this configuration is active or inactive.
8	Action	Edit: To update the mapping list name based on the selected category. More Setting: To update each of the mapping field details. Delete: To remove the mapping list based on the selected category.
9	+ Add New Mapping	Allows users to add new mapping list into the selected category.

(c) Step 3: Field Setup

1. Users click (a) "More Setting" icon to proceed to the next wizard configure each of the mapping field for each selected category, as shown in the figure below.




Figure 2.25: Field Setup

2. The system will move to the next page where users can configure every field setup for the selected category, as shown in the figure below.

Data Mapping

Display Setup

Mapping Setup

Field Setup

Validation

Q Search

Customer

Category	Sub Category	Sequence No	Field Name	Display Name	Parameter Code	Data Type	Date Updated	Status	Action
Name Information	Name Details	1	INFO_NAME_FULL	Name	0	Nvarchar (Text)	18-Jul-2024	Active	b
Name Information	Name Details	2	INFO_NAME_NATIVE	Native Name	0	Nvarchar (Text)	18-Jul-2024	Active	
Name Information	Name Details	3	INFO_NAME_FIRST	First Name	0	Nvarchar (Text)	18-Jul-2024	Active	
Name Information	Name Details	4	INFO_NAME_MID	Middle Name	0	Nvarchar (Text)	18-Jul-2024	Active	
Name Information	Name Details	5	INFO_NAME_LAST	Last Name	0	Nvarchar (Text)	18-Jul-2024	Active	
General Information	Client Details	1	INFO_TYPE	Entity Type	0	Nvarchar (Text)	18-Jul-2024	Active	
General Information	Client Details	2	INFO_GEN	Gender	0	Int (Number)	18-Jul-2024	Active	
General Information	Client Details	3	INFO_DOB	Date of Birth	0	Int (Number)	18-Jul-2024	Active	
General Information	Client Details	4	INFO_AGE	Age	0	Int (Number)	18-Jul-2024	Active	
General Information	Client Details	5	INFO_NAT	Nationality	0	Nvarchar (Text)	18-Jul-2024	Active	

<

1

2

3

4

5

...

15

>

10 / page

Tip: Go back to Mapping Setup to setup the fields for different table

Back

Preview

Next

Figure 2.26: Field Setup

The information displayed is in the table below:

#	Name	Description
1	Search bar	This filtering will only be applied on Category, Field Name and Display Name columns. Press 'Enter' to apply the filtering.
2	Category	Display types of information category: 1. Master information 2. Name information 3. General information 4. Address information 5. Flag information

		6. False positive information 7. Employer information 8. FATCA information 9. Balance information 10. Amount information 11. Other information
3	Sub-Category	Display the category input details.
4	Sequence No.	Display the order number in KYC page. (Even sequence numbers will be displayed on the right side and odd sequence numbers will be displayed on the left side in the KYC page)
5	Field Name	Display the column field name.
6	Display Name	Display the mapping field name that is viewed by users.
7	Parameter Code	Display the data in description and grab from which parameter code value.
8	Data Type	Display the column field data type: 1. Nvarchar - Text 2. Float - Number 3. Int - Number 4. DateTime - Date
9	Date Updated	Display the date that this configuration is updated by the user.
10	Status	Display whether this configuration is active or inactive.
11	Action	1. To update on the mapping field. Users allowed to input field of: - Sequence No - Sub Category - Display Name - Parameter Code - Display Type - Status

Steps on How to Update Mapping Field

1. Click (b) "Edit" icon to update mapping field for any desired field name.

Data Mapping

Display Setup

Mapping Setup

Field Setup

Validation

Q Search

Customer

Category	Sub Category	Sequence No	Field Name	Display Name	Parameter Code	Data Type	Date Updated	Status	Action
Name Information	Name Details	1	INFO_NAME_FULL	Name	0	Nvarchar (Text)	18-Jul-2024	Active	b
Name Information	Name Details	2	INFO_NAME_NATIVE	Native Name	0	Nvarchar (Text)	18-Jul-2024	Active	

2. The system will pop up a screen for edit mapping field. Users are allowed to update the editable field. For the category, field name, data type and data length are displayed but non editable.

Edit Mapping Field

Sequence No: 1

Category: Name Information

Sub Category: Name Details

Field Name: INFO_NAME_FULL

Display Name: Name

Parameter Code: 0

Data Type: Nvarchar (Text)

Length: 150

Display Type ⓘ: None

Status: ☒ Active

Save

3. Users select toggle button for the "Status" to enable or disable the mapping field.
4. Click "Save" to update the mapping field.

(d) Step 4: Validation

When users click "Next" button after configured the field setup, the system will proceed to the next wizard which is Validation where to notified whether the configuration setup and mapping query is successfully configured or fail.

Display Setup — Mapping Setup — Field Setup — Validation

Customer

Category	Sub Category	Sequence No	Field Name	Display Name	Parameter Code	Data Type	Date Updated	Status	Action
Name Information	Name Details	1	INFO_NAME_FULL	Name	0	Nvarchar (Text)	14-Jan-2025	Active	
Name Information	Name Details	2	INFO_NAME_NATIVE	Native Name	0	Nvarchar (Text)	14-Jan-2025	Active	
Name Information	Name Details	3	INFO_NAME_FIRST	First Name	0	Nvarchar (Text)	14-Jan-2025	Active	
Name Information	Name Details	4	INFO_NAME_MID	Middle Name	0	Nvarchar (Text)	14-Jan-2025	Active	
Name Information	Name Details	5	INFO_NAME_LAST	Last Name	0	Nvarchar (Text)	14-Jan-2025	Active	
General Information	Client Details	1	INFO_TYPE	Entity Type	1	Nvarchar (Text)	14-Jan-2025	Active	
General Information	Client Details	2	INFO_GEN	Gender	2	Int (Number)	14-Jan-2025	Active	
General Information	Client Details	3	INFO_DOB	Date of Birth	0	Int (Number)	14-Jan-2025	Active	
General Information	Client Details	4	INFO_AGE	Age	0	Int (Number)	14-Jan-2025	Active	
General Information	Client Details	5	INFO_NAT	Nationality	3	Nvarchar (Text)	09-Jun-2025	Active	

< 1 2 3 4 5 ... 15 >

10 / page

Tip: Go back to Mapping Setup to setup the fields for different table

Back

Preview
Next

Figure 2.27: Field setup




Figure 2.28: Validation

2.5 General Settings □ Email

The email setting is where users can configure the email exchange integration using the organization exchange setting to send out email or notification within the system. Besides that, it is also where users can configure the email template assigned to specific module for email reading purpose.

The email exchange server:

- Turn off email exchange server** - No integration to the organization email exchange and no email or notification will be send out from the system.
- Turn on email exchange server** - Integrate to the organization email exchange credential and email or notification can be sent out from the system.
- Turn on demo email exchange server** - No integration to the organization email exchange and it use as dummy pop-up to send email or notification for demo purpose.

Remark: The system will pop up the configuration page **only when users** select the "Turn on Email exchange server".

2.5.1 Email □ Turn on email exchange server

If user selects "**Turn on email exchange server**" then the system will display the email network setup to establish integration to the organization email exchange.

Email

Email Exchange Server Setup

Turn off email exchange server

☒ Turn on email exchange server

Turn on demo email exchange server

Email Network Setup

1 Network Host

2 Port Number

3 User ID

4 Password

5 Security

6 Save

25

amlsmtp@tessinternational.com

.....

SSL

Non SSL

Save

Figure 2.29: Turn on email exchange server

The information displayed is in the table below:

#	Name	Description
1	Network Host	1. Allow input and display the network hosting name or IP address. 2. This field is mandatory to be input.
2	Port Number	1. Allow input and display the network hosting port number. 2. This field is mandatory to be input.
3	User ID	1. Allow input and display the network host user ID. 2. This field is optional to be input and only require to be input if the organization has provided the user ID.
4	Password	1. Allow input and display the network host password. 2. This field is optional to be input and only require to be input if the organization has provided the user ID. 3. The field require to be masked and only can be viewed when clicking the visible eye button.

5	Security	1. Allow select and display the type of security whether to be SSL or Non-SSL. 2. This field is mandatory to be selected.
---	----------	--

2.5.1.1 Email Email Template

Email Template

7 + Add Template

Module	Template Name	Date Created	Date Updated	Status	Action
1	2	3	4	5	6
EOD job	AML: Pending STR Recommendationss	10-12-2020	26-07-2023	Inactive	 
EOD job	AML: Pending Task	10-12-2020	16-05-2023	Active	 

Figure 2.30: Email Template

The information displayed is in the table below:

#	Name	Description
1	Module	1. Allow select and display the system module where the email template will be assigned to. 2. This field is mandatory to be selected.
2	Template Name	1. Allow input the email template name. 2. This field is mandatory to be input.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is updated by the user.
6	Action	1. Update: Allow to update the email template. 2. Delete: Allow to delete the email template.
7	+ Add Template	Allows users to add new email templates.

Add/Update Email Template

Add Email Template

Template Name

Module

Please Select

Template Subject

Sender Email Address

Receiver Email Address

Cc Email Address

Embedded General Info

Please select the item to be embedded into email description

Embedded Approval Info

Please select the item to be embedded into email description

Email Description

Status

Active

Cancel

Submit

Figure 2.31: Add Email Template

The information displayed is in the table below:


#	Name	Description
---	------	-------------

1	Template Name	1. Allow input the email template name. 2. This field is mandatory to be input.
2	Module	1. Allow select on the system module where the email template will be assigned to. 2. This field is mandatory to be input.
3	Template Subject	1. Allow input on the email template subject. 2. This field is mandatory to be input.
4	Sender Email Address	1. Allow input on the sender email address. 2. This field is mandatory to be input.
5	Receiver Email Address	1. Allow to set which email address(es) to send the email to. 2. This input field allows multiple receiver email addresses by putting ";" as a separator. 3. The receiver email address field is mandatory to be input.
6	CC Email Address	1. Allow to set which email address(es) to send a carbon copy (cc) of the email to. 2. The input field allows multiple Cc email addresses by putting ";" as a separator. 3. The Cc email address field is optional to be input.
7	Embedded General Info	1. Allow selection of embedded value to the email description: a. Branch Name b. CIF No / Client No c. Case ID d. Client Name 2. This field is optional to be selected.
8	Embedded Approval Info	1. Allow to select embedded item for the case where template is selected for individual approval email under a module's setting: Case Workflow - Button Setup. 2. Allow selection of embedded case detail panel to the email description: (a) Red Flag Details (b) Case Info 3. This field is optional to be selected.

9	Email Description	1. Allow input on the email description to create an email template. 2. This field is mandatory to be input.
10	Status	Display whether this configuration is active or inactive.
11	Action button	Submit button: To add / update Email Template Cancel button: To undo the action add / update Email Template

Steps on How to Add/Update Email Template

1. User click (a) "+Add Template" button or (b) "Edit" icon to add or update the email template, as shown in the figure below.



2. The system will pop up a screen for the email template. User fills in all the field with necessary information and select toggle button for "Status" to enable or disable the email template.

Add Email Template

Template Name

Module

Please Select

Template Subject

Sender Email Address

Receiver Email Address ⓘ

Cc Email Address ⓘ

Embedded Item

Please select a template to be embedded into email body

Email Description

Status

Active


Cancel

Submit

- Click "Submit" button to add or update the email template. Users can click "Cancel" button to undo the action. The updated email template will be added into the template list and be used if it's Active status.

Steps to Delete Email Template

- Click "Delete" button to delete any email template added.



2. A pop up screen will appear. Users have to click "OK" to confirm deletion or "Cancel" to undo the action.
3. The deleted email template will be removed from the "Email Template" list.

2.6 General Settings □ License & Billing

This section shows how users can configure the general settings for "**License & Billing**". The license setting is where user of user type: **Master** can register the organization that purchase the licensing to use the system.

2.6.1 Registration

Step 1: Registration

This section is to configure the general information of the licensing of the organization.

License

Registration

Module Selection

License Activation

1
Organization Number

2
Organization Name

3
License Expiry Date

4
License Key

5
License Established Date

6
License Category

7
License Grace Period (Days)

Next

Figure 2.32: General Settings

The information displayed is in the table below:

#	Name	Description
1	Organization Number	1. Allow input and display the organization assigned number based by the licensing program. 2. This field is mandatory to be input.
2	Organization Name	1. Allow input and display the organization name. 2. This field is mandatory to be input.
3	License Expiry Date	1. Allow input and display the license expiry date for when the subscription is due. 2. This field is mandatory to be input only when select license category - subscription.
4	License Key	Display the license key.
5	License Established Date	1. Allow input and display the license established date when first purchase.

		2. This field is mandatory to be input.
6	License Category	1. Allow selection and display the license category type: • Purchase: The organization has fully purchased the license without any overdue payment. • Subscription: The organization is subscribing on a subscription model that needs to be renewed every now and then or payment has not been fully paid. 2. This field is mandatory to be input.
7	License Grace Period (Days)	1. Allow input and display the license grace period before actual expiry and not able to access the system. 2. This field is mandatory to be input only when select license category - subscription.

When users click "Save" button on below as shown in figure below, user will proceed to the next wizard.

2.6.2 Module Selection

To configure the module plan that the organization wanted to purchase.

Business Plan Type & Module

License

Registration

Module Selection

License Activation

Portfolio

Transaction Monitoring

Watchlist Monitoring

Risk Profiling

Onboard Monitoring

Transaction Screening

License Key

Back

Submit

#	Business Plan	Description
---	---------------	-------------

1	Essential	Onboard Monitoring The main module is default and can't be switch off.
2	Essential+	Main module display: a. Watchlist Monitoring b. Tx Monitoring c. Client Profile Management d. Onboard Monitoring
.3	Business	Main module display: a. Watchlist Monitoring b. Tx Monitoring c. Client Profile Management d. Onboard Monitoring e. Tx Screening The add-on module is switch "On" and can't be switch off. a. Link Analysis
4	Business+	Main module display: a. Watchlist Monitoring b. Tx Monitoring c. Client Profile Management d. Onboard Monitoring e. Tx Screening The add-on module is switch "On" and can't be switch off. a. Link Analysis
5	Enterprise	Main module display: a. Watchlist Monitoring b. Tx Monitoring c. Client Profile Management d. Onboard Monitoring e. Tx Screening The add-on module is switch "On" and can't be switch off. a. Link Analysis

Step 2: Module Selection

6	Transaction Screening	1. Allow to configure whether the module is purchased by the organization. 2. This field is default to "Off" and can be changed.
7	License Key	Allows input on the license key. Remark: To get the license key from finance department

2.6.3 License Activation

Step 3: License Activation

User will be notified whether the license key setup is successfully activated or fail.




Figure 2.34: License Activation

2.7 General Settings □ Parameter

The parameter setting is where user can see the master parameter list and the detail parameter list. The parameter is based by the system predefine description, functionality and client list as well.

2.7.1 Parameter List




Figure 2.35: Parameter

The information displayed is in the table below:

#	Name	Description
1	Search bar	To search any information related to the table's column data
2	Master Number	Display the master parameter number.
3	Name	Display the master parameter description.
4	Date Created	Display the date that this configuration is created by the user.
5	Date Updated	Display the date that this configuration is updated by the user.
6	Status	Display whether this configuration is active or inactive.
7	Action	Update: Allow to update the master parameter list. Delete: Allow to delete the master parameter list. More Settings: Allow to set further in-depth setting.
8	+ Add Master Number	Allows users to add new master numbers in the parameter.

How to Add/Update Master Number

1. Click (a) "+Add Master No" or (b) "Edit" icon to update selected master number.

Parameter						
Search			a + Add Master Number			
Master Number	Name	Date Created	Date Updated	Status	Action	
1	Entity Type	05-Jun-2024	05-Jun-2024	Active	b   	
2	Gender	05-Jun-2024	05-Jun-2024	Active	  	

- The system will pop up a screen showing fields to input the necessary information. Field **Master Number and Name** is mandatory to be input. Click toggle button "Visible" to make the fields be display or invisible.

Update Master Number

Master Number

1

Name

Entity Type

Parameter Key Display Description

Key

Info Description

Display Description

Description

Info Other Description

Display Description

Visible

Integer (I) Fields

Display Description 1

Visible

Display Description 2

Visible

Decimal (D) Fields

Display Description 1

Visible

Display Description 2

Visible

Float (F) Fields

Display Description 1

Visible

Display Description 2

Visible

Text (T) Fields

Display Description 1

Visible

Display Description 2

Visible

Status

Active

Cancel

Submit

3. Select the toggle button for "Status" to enable or disable the configuration. *The status is default set to Active.*
4. Click "Submit" to update the master number. The new updated master number will be appear on the Parameter list page.

2.7.3 Parameter Detail




Figure 2.36: Entity Type List

The display information is in the table:

#	Name	Description
1	Search bar	To search any information related to the table's column data
2	Parameter Key	Display the parameter key.
3	Description	Display the parameter key description.
4	Date Created	Display the date that this configuration is created by the user.
5	Date Updated	Display the date that this configuration is updated by the user.
6	Status	Display whether this configuration is active or inactive.
7	Action	1. Update: Allow to update the master parameter key / entity type. 2. Delete: Allow to delete the parameter key / entity type.
8	+ Add Parameter Key	Allows users to add new parameter key for the entity type.

How To Add/Update Parameter Key

- 1. Click (a) "+Add Parameter Key" or (b) "Edit" icon to update parameter key.

1 - Entity Type List

Q

Search

a

+ Add Parameter Key

Parameter Key	Description	Date Created	Date Updated	Status	Action
1	Person/Individual	21-May-2024	22-May-2024	Active	b
2	Entity/Corporate	21-May-2024	22-May-2024	Active	

<

1

>

- The system will pop up a screen displaying entity type. Fill in all fields and set the the toggle status of "Status" whether to enable or disable the configuration.

1 - Add Entity Type

Key

Display Order

0

Description

Status

Active


Cancel

Submit

- Click "Submit" to save update the parameter key or "Cancel" to undo the action. The updated parameter key will appear in the "Entity Type List".

Steps to Delete Parameter Key

- Click (a) "Delete" button to delete any parameter in the list.



2. A pop up screen will appear. Users have to click "OK" to confirm deletion or "Cancel" to undo the action.
3. The deleted parameter will be removed from the "Parameter" list.

2.8 General Settings ▯ Red Flag & Case View

The red flag & case view setting is where user may set where the apps will generate the red flag and route to for viewing and investigate for both the portfolio and case workflow level.

The red flag & case view has two settings:

- a. **Red Flag & Case Route**
Allow to set where the red flag & case generated will be for portfolio and case investigation workflow.
- b. **Location Grouping**
Allow to set the specific location grouping for the red flag & cases.

2.8.1 Red Flag & Case Routes

Route Type

Allow to configure whether is a centralized routing or decentralized routing for portfolio and case workflow.

General Tx Monitoring Watchlist Client Profile Onboard EDD Tx Screening EOD Job

License & Billing
Authentication
Email
Red Flag & Case View
Parameter
Canned Responses
Application Site
Data Mapping
Regulator Mapping

Red Flag & Case Route Location Grouping

Route Type

☒ Centralized Routing
All the red flag and case can be viewed regardless of the setup on **People - Red Flag Routing**

☐ Decentralized Routing
All the red flag and case can be viewed based on the setup on **People - Red Flag Routing**

Save

Figure 2.37: Red Flag & Case Routes - Route Type

1. If set to **centralized** routing:
 - a. All the red flag and case can be viewed regardless on the setup of the People - Red Flag Routing.
 - b. The reassign, rework, reopen location should be based on People - Location.
3. If set to **decentralized** routing:
 - a. All the red flag and cases can be viewed based on the setup of the People - Red Flag Routing.
 - b. The reassign, rework, reopen location should be based on People - Red Flag Routing.
4. The Route Type is Default to Centralized routing type.
5. If the route type is set to Decentralize, user is advisable to continue setting up the Location Grouping.

Route To

Allow to select the drop-down list if only the route type is **decentralized routing enable**.

General Tx Monitoring Watchlist Client Profile Onboard EDD Tx Screening EOD Job

License & Billing
Authentication
Email
Red Flag & Case View
Parameter
Canned Responses
Application Site
Data Mapping
Regulator Mapping

Red Flag & Case Route Location Grouping

Route Type

☐ Centralized Routing
All the red flag and case can be viewed regardless of the setup on **People - Red Flag Routing**

☒ Decentralized Routing
All the red flag and case can be viewed based on the setup on **People - Red Flag Routing**

Decentralized Route

Route To ⓘ

CIF Creation Location ▼

CIF Creation Location
First Account Location
Latest Account Location

Save

Figure 2.38: Red Flag & Case Routes - Route To

1. Allow to select the following from the drop-down list:
 - a. **CIF Creation Location**
To generate and view based on CIF creation location.
 - b. **First Account Location**
To generate and view based on first account creation location.
 - c. **Latest Account Location**
To generate and view based on latest account creation location.
 - d. **Separate Location**
To generate and view at various location for investigation.

Note: The **Separate Location** feature is meant to be used when user wants the investigation to be done at two different locations where the account is created.

2.8.2 Location Grouping

Red Flag & Case Route

Location Grouping

7 + Add Location Group

Master Route ID	Name	Date Created	Date Updated	Status	Action
1	2	3	4	5	6
AMPANGJAYA-GA	GA AMPANG JAYA	10-12-2020	17-08-2023	Inactive	 
AMPANGNWVIL-GA	GA AMPANG NEW VILLAGE	10-12-2020	10-12-2020	Active	 
ARADMSR-GA	GA ARA DAMANSARA	10-12-2020	10-12-2020	Active	 

Figure 2.39: Location Grouping

The information displayed is in the table below:

#	Name	Description
1	Master Route ID	Display master route ID.
2	Name	Display the location grouping name description.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to update the red flag routing. 2. Delete: Allow to delete the red flag routing.
7	+ Add Location Group	Allows users to add new red flag route.

2.8.2.1 Add / Update Location Group

Add Location Group

Master Route ID1

Name3

Location2

Status4

Please Select

☐ Select All

Cancel

Submit

Figure 2.40: Add Location Group

The information displayed is in the table below:

#	Name	Description
1	Master Route ID	1. Allow input on the master route ID. 2. This field is mandatory to be input.
2	Location	1. Allow selection on the red flag location to be grouped under the master route ID. 2. This field is mandatory to be selected. 3. This field can select multiple locations to be grouped. 4. A checkbox to select " All " if all the location is required to be grouped instead of selecting one by one.
3	Name	1. Allow input on the location grouping name description. 2. This field is mandatory to be input.
4	Status	1. Select whether the configuration is active or inactive. 2. Default to " Active ".

Steps on How to Add/Update Location Group

1. Click (a) "+Add Location Group" or (b) "Edit" icon to update location group for the master route selected.

Red Flag & Case Route

Location Grouping

a

+ Add Location Group

Master Route ID	Name	Date Created	Date Updated	Status	Action
BSN-BLB	BSN BLB	07-Jun-2024	07-Jun-2024	Active	b
BSN-DEPARTMENT	BSN Jabatan & Bahagian	07-Jun-2024	07-Jun-2024	Active	

- The system will pop up a screen to update the necessary fields. Select (c) to select all location for the master route and select the toggle button for "Status" whether to enable or disable the configuration.

Add Location Group

Master Route ID

Name

Location

Please Select

Email Address ⓘ

☐ Select All

(c)

Status

Active


Cancel

Submit

- Click "Submit" to save the update. The new updated location group will be appear on the Location Grouping list.

Steps to Delete Master Route ID

- Click "Delete" button to delete any Master Route ID in the list.



2. A pop up screen will appear. Users have to click "OK" to confirm deletion or "Cancel" to undo the action.
3. The deleted Master Route ID will be removed from the "Master Route" list.

2.9 General Settings ▯ Regulator Mapping

The regulator mapping setting is where user can manage regulator reporting configuration such as CTR and STR. The configuration allows to map the necessary client data to the reporting format for quick data population and review before submission of the report to regulator.

Note: *Cambodia, **Cambodia & Myanmar

2.9.1 General Features

The regulator mapping overview page will display all configured CTR and STR report based by various countries.

- Each regulator report features are unique based by their regulator requirement hence certain features will only be available based on the report ID.

General

Tx Monitoring

Watchlist

Client Profile

Onboard

EDD

Tx Screening

EOD Job

License & Billing

Authentication

Email

Red Flag & Case View

Parameter

Canned Responses

Application Site

Data Mapping

Regulator Mapping

REPORT ID	COUNTRY	NAME	REPORT TYPE	DATE CREATED	DATE UPDATED	STATUS	
KHRCTR	Cambodia	CTR Reporting	CTR	25-01-2022	09-01-2024	Active	
KHRSTR	Cambodia	STR Reporting	STR	21-01-2022	29-07-2022	Active	8
MMRCTR	Myanmar	CTR Reporting	CTR	15-06-2022	02-01-2024	Active	
MMRSTR	Myanmar	STR Reporting	STR	15-06-2022	04-01-2024	Active	
MYSSTR	Malaysia	STR Reporting	STR	21-01-2022	21-07-2023	Active	

<

1

>

Figure 2.41: Regulator Mapping

The information displayed is in the table below:

#	Name	Description
1	Report ID.	Display the regulator report template ID.
2	Country	Display the regulator report country.
3	Name	Display the regulator report name.
4	Report Type	Display the regulator type of report: CTR or STR.
5	Date Created	Display the date that this configuration is created by the user.
6	Date Updated	Display the date that this configuration is updated by the user.
7	Status	Display whether this configuration is active or inactive.
8	Action	Update: Allow to update the general setting of regulator report template. More Setting: Allow to configure the regulator mapping setting accordingly.

2.8.1.1 Update Regulator Mapping

This section shows users how to update the regulator mapping after clicking on the "**Update**" icon based on above Figure 2.41. The system will pop up a screen to update the regulator mapping setting. Users can only update the **Name**, **upload a PGP Public Key** and **Status** for the regulator mapping selected.

Update Regulator Mapping

×

Report ID

KHRCTR

Country

Cambodia

▼

Name

CTR Reporting

Report Type

CTR

▼

PGP Public Key

Upload PGP Public Key

Status

Active

Save

Figure 2.42: Update Regulator Mapping

2.9.2 Configure Regulator Mapping

This section shows users how to configure the regulator mapping after clicking on the **"More Setting"** icon based on above *Figure 2.41*. The System will automatically proceed and displayed 3-Step wizard. Each of the wizard steps have their own configurations.




Figure 2.43: 3-Step Wizard

(a) Step 1: Select Type

To select the configuration type to configure the regulator reporting function. The selection list:

- Client Mapping
- Account Mapping

- Transaction Mapping
- Findings Mapping
- File Name*
- Extraction Type**
- Report Identifier**
- XML Extraction Configuration*

(b) Step 2: Update Record

For **Client, Account, Transaction and Finding mapping** configuration, the display information in the table:

? ? ? Select Type Update Record Validation						
1	2	3	4	5	6	7
Order	Description	Mapping To	Format Type	Date Updated	Status	Action
1	ACCOUNT DETAILS		Title	28-07-2023	Active	
2	Role		Drop Down List	30-08-2023	Active	

Figure 2.44: Update Record

The information displayed is in the table below:

#	Name	Description
1	Order	Display the order of display of this field.
2	Description	Display the regulator report field name.
3	Mapping To	Display the regulator report display name. Only available for Client and Account Mapping.
4	Format Type	Display the format type of the field.
5	Date Updated	Display the date that this configuration is updated by the user.
6	Status	Display whether this configuration is active or inactive.
7	Action	Update: Allow to perform update on the mapping field configuration.

i. Update Mapping Field

An action button allows to update on the mapping field configuration.

Update Mapping Field

Order 1

1

Display Name 2

ACCOUNT DETAILS

Format Type 3

Title

Mapping To 4

Default Value 5

Compulsary Field 6

☐ Not Required

Edittable Field 7

☐ Disable

Visible in the Table 8

☐ Inactive

Status 9

☒ Active

10 Allow Field Updated:

Apply

Figure 2.45: Update Mapping Field

The information displayed is in the table below:

#	Name	Description
1	Order	Allow input of field order of display.
2	Description Name	Allow input on the regulator report field name.
3	Format Type	Allow selection on the display format type in the report form. The display type: 1. Title 2. Drop down list 3. Input text (single line) 4. Input text (multi line) 5. Input text (Integer) 6. Input text (Decimal) 7. Input text (Date)
4	Mapping To	1. Only available for Client and Account Mapping. 2. Allow to select the source mapping field to get the data and auto populate to the report form. 3. Each mapping is hardcoded to read from specific table: a. Client mapping – Customer table

		b. Account mapping – Account table
5	Default Value	Allow input on default value to be displayed in the report form.
6	Compulsory Field	1. Allow selection on whether the field is mandatory to be fill in the report form before submit: Not Required or Required. 2. Default to Not Required.
7	Editable Field	1. Allow selection on whether the field value is display to users but not able to be fill in the report form: Disabled or Enabled. 2. Default to Disabled.
8	Visible in the Table	1. Allow selection on whether the field is visible in the record details table when viewing report record: Visible or Not Visible. 2. Default to Visible.
9	Status	1. Select whether the field is Active or Inactive. If inactive, the field will not be display in the report form. 2. Default to Inactive.
10	Allow Field Updated	1. Only available for Cambodia and Myanmar*** 2. Allow selection on whether the field is available for certain categories of client. 3. Each category has its own Enabled/Disabled toggle with description. 4. The categories include: • Conductor • Counter Party • Individual • Legal entity • Government • NGO

Remarks:

For **File Name**, **Extraction Type**, **Report Identifier**, **XML Extraction Configuration**, **Excel Extraction Configuration** configuration, the display information in the table:

File Name:

?

Select Type

Update Record

Validation

MMRCTR File

File Name

Report Footer

Report Header

Report Sub Header

Report Tab

Total Records

Back

Save

Figure 2.46: File Name configuration

Extraction Type

?

Select Type

Update Record

Validation

Data Extraction Type

Identifier Country

CTR-AYA-RMD-245-4622258362173236

Back

Save

Figure 2.47: Extraction Type Configuration

XML Extraction

?

Select Type

Update Record

Validation

XML Root Node Section

Root Node Name

suspicious_transaction_report

Namespace Section

Namespace 1

Prefix

Namespace

urn:nonstandard:mfiu-stl

X

+ Namespace

Report Details Section

Node Name

header

Node Type

Parent Node

Mapped Section

Show/Hide

X

Node Name

report_details

Node Type

Parent Node

Mapped Section

Show/Hide

X

+ Node

Preview XML Format

Verify XML Format

Back

Save

Figure 2.48: XML Extraction Type Configuration

(c) Validation

Step 3: Validation

System to notify whether the setup is successfully configured or failed.




Figure 2.49: Validation

2.10 General Settings ▯ Whitelist

The whitelist setting is where user can manage regulator reporting configuration such as CTR and STR. The configuration allows to map the necessary client data to the reporting format for quick data population and review before submission of the report to regulator.

2.10.1 Whitelist Maintenance

Whitelist Maintenance

trial

tx monitoring

watchlist

Client Profile

Onboard

EDU

tx screening

EDU Job

Application Site

Authentication

Canned Responses

Data Mapping

Email

License & Billing

Parameter

Red Flag & Case View

Regulator Mapping

Whitelist

1

Q Search

12

Activity Log

11

+ Add New

2

Whitelist ID

3

Name/Description

4

Type

5

Module

6

Expiry Date

7

Date Created

8

Date Updated

9

Status

10

Action

WRWM01019

SU LWIN LWIN

Client

Watchlist Monitoring

No Expiry

03-Sep-2024

12-Jun-2025

Active

WRTS04014

LOL

Identification

Tx Screening

31-Aug-2024

31-Jul-2024

09-Aug-2024

Inactive

WRTS05013

TEST2,TEST3

Keyword

Tx Screening

No Expiry

30-Jul-2024

04-Sep-2024

Active

WRTS04012

TEST2

Identification

Tx Screening

No Expiry

30-Jul-2024

30-Jul-2024

Active

WRTS04011

TEST

Identification

Tx Screening

No Expiry

30-Jul-2024

30-Jul-2024

Active

WRTS05010

TEST

Keyword

Tx Screening

No Expiry

30-Jul-2024

30-Jul-2024

Active

WRTS04008

MOL

Identification

Tx Screening

No Expiry

23-Jul-2024

23-Jul-2024

Active

WROB01002

NOR FADILA BINTI MOHAMAD ZUKI

Client

Onboard Monitoring

24-Jul-2024

22-Jul-2024

22-Jul-2024

Inactive

<

1

2

>

Figure 2.50: Whitelist Maintenance

The display information is in the table:

#	Name	Description
1	Search bar	To search any information related to the table's column data.
2	Whitelist ID	1. Display the whitelist ID number. 2. The number is prefix based on {ModuleCode} [TypeCode][xxx]: - WM: Watchlist Monitoring - OB: Onboard Monitoring - TM: Transaction Monitoring - TS: Transaction Screening

3	Name / Description	1. Display the name or description to be whitelist. 2. List of name description • Client: Display client full name • Client - Watchlist: Display client full name - Watchlist entity name • Identification: Display identification description • Identification - Watchlist: Display identification description - Watchlist entity name • Keyword: Display keyword description
4	Type	Display the Whitelist type.
5	Module	Display the whitelist applied module type
6	Expiry date	Display the whitelist expire date.
7	Date created	Display the date first new record of whitelist registered in the app.
8	Date updated	Display the record of whitelist has been update.
9	Status	Display whether the whitelist record is active or inactive.
10	Action	1. Update: Allow to update the whitelist details record. 2. Delete: Allow to delete the whitelist record. 3. Activity: Allow to view activity history that has been logged for any selected whitelist record.
11	+Add New	Allow to add a new whitelist record.
12	Activity Log	Display all the activity history of all actions that has been performed on whitelist record.

Steps on How to Add New Whitelist [Client]

1. Click "+Add New" icon to allow a new whitelist record to be added.

Whitelist ID	Name/Description	Type	Module	Expiry Date	Date Created	Date Updated	Status	Action
	PHYO PYAE AUNG	Client	Onboard Monitoring	No Expiry	11-Jun-2025	11-Jun-2025	Active	
WRTS05033	QTX	Keyword	Tx Screening	No Expiry	11-Jun-2025	11-Jun-2025	Active	
WROB01028		Client	Onboard Monitoring	No Expiry	05-Sep-2024	11-Jun-2025	Active	

2. The system will auto navigate to the wizard Whitelist configuration as follow Figure. Select (a) "Module" and (b) "Whitelist Type" to be applied. Then, click "Next" to proceed to the next wizard.

Client Profile
Onboard
EDD
Tx Screening
EOD Job

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

Whitelist Record

(a)

Select Module

Onboard Monitoring

Onboard Monitoring
Transaction Screening
Watchlist Monitoring

(b)

Select Type
Please Select

(c)

Next

3. The system will display the wizard to search for any details of Client Record. User can fill in any Client details such as CIF Number, Name or ID Reference. Then, click "Next" to move to the next wizard.

Select Type Search Record Expiry Date Justification Preview Validation

Search Client Record

CIF Number ID Reference

Name

Back Next

4. The system will display any match record. User able to select which client to be whitelist on any selection box as desired (d). Then, click "Next".

Select Type Search Record Expiry Date Justification Preview Validation

(d) Client No	Name	ID Reference
☒ [Redacted]	PHYE SIN HEIN	10/RAMANA(N)155179
☐ 02509782	THARAPHYE SOE	07/AHTANA([Redacted])

< 1 >

Back Next

5. The system will navigate to the next wizard to set for an expiry date of whitelist record. User able to set the whitelist expiry by click on the "Select Expiry Date" button. If no expiry duration for the specific duration is set, then click "No expiry date" button. Click "Next" button.

***Any whitelist record that reaches expiry date, it will be automatically renewed based on the default whitelist expiry duration if a repeated new red flag or case generated and completed investigation.

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

Expiry Date

Select expiry date

DD-MMM-YYYY

No expiry date

Back

Next

- The system will proceed to the next wizard, where User required to input justification for the whitelist setup in the (e) Case justification box. If there is any attachment, user can upload or drag and drop the file from the local devices in the (f) "Attachment" panel. Then, click "Next" to confirm the action or "Back" to return to the previous page.



Select Type



Search Record



Expiry Date



Justification



Preview



Validation

(e)

Case Justification

B

I

U







Text

Write Something

(f)



Drag and drop files here (.jpg, .png, .gif, .pdf, .doc, .docx, .xls, .xlsx, .txt)

Drop files **browse** through your machine

Back

Next

7. The system will display a "Preview" wizard page where user able to review the registered or updates performed. Then, click "Save" to confirm the action or "Back" to return to the previous page.

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

Whitelisted Records

Expiry date

Justification

Client Records

Client No	Name	ID Reference
00666507	PHYE SIN HEIN	10/RAMANA(N)155179

< 1 >

Back

Save

8. The system will notify the wizard is a successful or a fail setup. The system also will automatically prompt a message indicates that the whitelist record has been added or updated. ***A button "Back to Maintenance" will return to the "Whitelist Maintenance" page.

Whitelist Maintenance

Added successfully.

GeneralTx MonitoringWatchlistClient ProfileOnboardEDDTx ScreeningEOD Job

Application Site

Authentication

Canned Responses

Data Mapping

Email

License & Billing

Parameter

Red Flag & Case View

Regulator Mapping

Whitelist

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

✓

Setup Successful

Congratulations! Your whitelist is all set up.

Back to Maintenance

Steps on How to Add New Whitelist [Client-Watchlist]

1. Click "+Add New" icon to allow a new whitelist record to be added.

Q Search

Activity Log

+ Add New

Whitelist ID	Name/Description	Type	Module	Expiry Date	Date Created	Date Updated	Status	Action
	PHYO PYAE AUNG	Client	Onboard Monitoring	No Expiry	11-Jun-2025	11-Jun-2025	Active	  
WRTS05033	QTX	Keyword	Tx Screening	No Expiry	11-Jun-2025	11-Jun-2025	Active	  
WROB01028		Client	Onboard Monitoring	No Expiry	05-Sep-2024	11-Jun-2025	Active	  

2. The system will auto navigate to the wizard Whitelist configuration as follow Figure. Select (a) "Module" and (b) "Whitelist Type" to be applied. Then, click "Next" to proceed to the next wizard.

Client Profile Onboard EDD Tx Screening EOD Job

Select Type Search Record Expiry Date Justification Preview Validation

Whitelist Record

(a) Select Module

Onboard Monitoring

Onboard Monitoring

Transaction Screening

Watchlist Monitoring

Select Type (b)

Please Select

(c) Next

- The system will display the wizard to search for any details of Client Record. User can fill in any Client details such as CIF Number, Name or ID Reference. Then, click "Next" to move to the next wizard.

Client Profile Onboard EDD Tx Screening EOD Job

Select Type Search Record Expiry Date Justification Preview Validation

Search Client Record

CIF Number

ID Reference

Name

Back

Next

- The system will display any match record. User able to select which client to be whitelist on any selection box as desired (d). Then, click "Next".


Select Type


Search Record


Expiry Date


Justification


Preview


Validation

(d) Client No	Name	ID Reference
☒	PHYE SIN HEIN	10/RAMANA(N)155179
☐ 02509782	THARAPHYE SOE	07/AHTANA(

<

1

>

Back

Next

5. The system will navigate to the next wizard to set for an expiry date of whitelist record. User able to set the whitelist expiry by click on the "Select Expiry Date" button. If no expiry duration for the specific duration is set, then click "No expiry date" button. Click "Next" button.

***Any whitelist record that reaches expiry date, it will be automatically renewed based on the default whitelist expiry duration if a repeated new red flag or case generated and completed investigation.



Select Type



Search Record



Expiry Date



Justification



Preview



Validation

Expiry Date

☒ Select expiry date

DD-MMM-YYYY



☐ No expiry date

Back

Next

- The system will proceed to the next wizard, where User required to input justification for the whitelist setup in the (e) Case justification box. If there is any attachment, user can upload or drag and drop the file from the local devices in the (f) "Attachment" panel. Then, click "Next" to confirm the action or "Back" to return to the previous page.


Select Type


Search Record


Expiry Date


Justification


Preview


Validation

(e)

Case Justification

B

I

U









Write Something

(f)



Drag and drop files here (.jpg, .png, .gif, .pdf, .doc, .docx, .xls, .xlsx, .txt)

Drop files **browse** through your machine

Back

Next

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

Whitelisted Records

Expiry date

Justification

Client Records

Client No	Name	ID Reference
00666507	PHYE SIN HEIN	10/RAMANA(N)155179

<

1

>

Back

Save

8. The system will notify the wizard is a successful or a fail setup. The system also will automatically prompt a message indicates that the whitelist record has been added or updated. ***A button "Back to Maintenance" will return to the "Whitelist Maintenance" page.

Whitelist Maintenance

Added successfully.

General

Tx Monitoring

Watchlist

Client Profile

Onboard

EDD

Tx Screening

EOD Job

Application Site

Authentication

Canned Responses

Data Mapping

Email

License & Billing

Parameter

Red Flag & Case View

Regulator Mapping

Whitelist

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

✓

Setup Successful

Congratulations! Your whitelist is all set up.

Back to Maintenance

Steps on How to Add New Whitelist [Identification]

- Click "+Add New" icon to allow a new whitelist record to be added.

Q Search

Activity Log

+ Add New

Whitelist ID	Name/Description	Type	Module	Expiry Date	Date Created	Date Updated	Status	Action
	PHYO PYAE AUNG	Client	Onboard Monitoring	No Expiry	11-Jun-2025	11-Jun-2025	Active	  
WRTS05033	QTX	Keyword	Tx Screening	No Expiry	11-Jun-2025	11-Jun-2025	Active	  
WROB01028		Client	Onboard Monitoring	No Expiry	05-Sep-2024	11-Jun-2025	Active	  

- The system will auto navigate to the wizard Whitelist configuration as follow Figure. Select (a) "Module" and (b) "Whitelist Type" to be applied. Then, click "Next" to proceed to the next wizard.

Client Profile Onboard EDD Tx Screening EOD Job

Select Type Search Record Expiry Date Justification Preview Validation

Whitelist Record

(a) Select Module

Onboard Monitoring

Onboard Monitoring

Transaction Screening

Watchlist Monitoring

Select Type (b)

Please Select

(c) Next

- The system will display the wizard to search for any details of Client Record. User can fill in any Client details such as CIF Number, Name or ID Reference. Then, click "Next" to move to the next wizard.

Client Profile Onboard EDD Tx Screening EOD Job

Select Type Search Record Expiry Date Justification Preview Validation

Search Client Record

CIF Number

ID Reference

Name

Back

Next

- The system will display any match record. User able to select which client to be whitelist on any selection box as desired (d). Then, click "Next".

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

(d)	Client No	Name	ID Reference
☐		PHYE SIN HEIN	10/RAMANA(N)155179
☐	02509782	THARAPHYE SOE	07/AHTANA(

<

1

>

Back

Next

5. The system will navigate to the next wizard to set for an expiry date of whitelist record. User able to set the whitelist expiry by click on the "Select Expiry Date" button. If no expiry duration for the specific duration is set, then click "No expiry date" button. Click "Next" button.

***Any whitelist record that reaches expiry date, it will be automatically renewed based on the default whitelist expiry duration if a repeated new red flag or case generated and completed investigation.

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

Expiry Date

☒ Select expiry date

DD-MMM-YYYY



☐ No expiry date

Back

Next

- The system will proceed to the next wizard, where User required to input justification for the whitelist setup in the (e) Case justification box. If there is any attachment, user can upload or drag and drop the file from the local devices in the (f) "Attachment" panel. Then, click "Next" to confirm the action or "Back" to return to the previous page.


Select Type


Search Record


Expiry Date


Justification


Preview


Validation

(e)

Case Justification

B

I

U









Write Something

(f)



Drag and drop files here (.jpg, .png, .gif, .pdf, .doc, .docx, .xls, .xlsx, .txt)

Drop files **browse** through your machine

Back

Next

7. The system will display a "Preview" wizard page where user able to review the registered or updates performed. Then, click "Save" to confirm the action or "Back" to return to the previous page.


Select Type


Search Record


Expiry Date


Justification


Preview


Validation

Whitelisted Records

Expiry date

Justification

Client Records

Client No	Name	ID Reference
00666507	PHYE SIN HEIN	10/RAMANA(N)155179

<

1

>

Back

Save

8. The system will notify the wizard is a successful or a fail setup. The system also will automatically prompt a message indicates that the whitelist record has been added or updated. ***A button "Back to Maintenance" will return to the "Whitelist Maintenance" page.

Whitelist Maintenance

Added successfully.

GeneralTx MonitoringWatchlistClient ProfileOnboardEDDTx ScreeningEOD Job

Application Site

Authentication

Canned Responses

Data Mapping

Email

License & Billing

Parameter

Red Flag & Case View

Regulator Mapping

Whitelist

Select Type

Search Record

Expiry Date

Justification

Preview

Validation

✓

Setup Successful


Congratulations! Your whitelist is all set up.

Back to Maintenance

Steps on How to Add New Whitelist [Keyword]

Steps on How to Update Whitelist [Client]

1. Click "Edit" icon to update any whitelist for the Whitelist type of Client.



2. The system will pop up a screen to update Expiry Date. User able to select a new date for the expiry date or select "No expiry date" to have no expiry duration for the specific whitelist record. User able to select "Status" for the Whitelist either inactive or active.
3. The system will auto close the pop up screen and prompt a message indicates that it has been successfully updated. The updated whitelist will be recorded in the Whitelist Maintenance page list.

Whitelist Maintenance

✓ Update successfully.

E Eizrin

Profile

Onboard

EDD

Tx Screening

EOD Job

Activity Log

+ Add New

Name/Description	Type	Module	Expiry Date	Date Created	Date Updated	Status	Action
SU LWIN LWIN	Client	Watchlist Monitoring	No Expiry	03-Sep-2024	12-Jun-2025	Active	  
LOL	Identification	Tx Screening	31-Aug-2024	31-Jul-2024	09-Aug-2024	Inactive	  

Steps to Delete Whitelist record

1. Click "Delete" button to delete any whitelist record in the list.

Whitelist Maintenance

E Eizrin

Client Profile

Onboard

Search

+ Add New

list

	Name/Description	Type	Module	Expiry Date	Date Created	Date Updated	Status	Action
M01019	SU LWIN LWIN	Client	Watchlist Monitoring	No Expiry	03-Sep-2024	12-Jun-2025	Active	  
04014	LOL	Identification	Tx Screening	31-Aug-2024	31-Jul-2024	09-Aug-2024	Inactive	  
05013	TEST2,TEST3	Keyword	Tx Screening	No Expiry	30-Jul-2024	04-Sep-2024	Active	  

Are you sure to delete this record?

Cancel

OK

2. A pop up screen will appear. Users have to click "OK" to confirm deletion or "Cancel" to undo the action.
3. The deleted whitelist record will be removed from the "Whitelist Maintenance" list.

