

10.3 Watchlist

Document Exported:

Document Control

Rev.	Date Revised	Section(s)	Description
1.0	9th June 2025	All 2.2.2.3 2.2.3.1	1st Version Update Draft Report Setup, Condition filtering setup, Button details & screenshots Added new sections - Manage custom status

Preface

1. Customer & TESS Definition

TESS Innovation Sdn Bhd is hereinafter referred as “TESS” of the other part in this document.

2. Document Confidentiality

This document contains information that is proprietary to TESS and The Customer. This document, or any part thereof, shall not be copied, reproduced, translated or reduced to any electronic medium or machine-readable form or disclosed to any third party without the prior written consent or authorization of TESS and the Customer.

3. Purpose of Document

The purpose of this document is to clearly guide user to perform day by day operation.

4. Intended Audience

- Project team from TESS
- Project team from The Customer

5. Document Control

This document is subject to change control. All changes to this document shall be documented and distributed as “Release Version”. It will consist of the following:

- Full replacement of the document; or
- Full replacement of a section in the document; or
- An addendum to the document.

Each revision will be assigned with a unique “Release Version” number and date. All pages distributed within a Document Release Notice will have the appropriate Release Version and Release Date indicated.

6. Screenshots

All sample screens as attached are for the reader’s viewing purpose only. The actual screen displayed in the [iSE M.ai](#) system shall be based on the specification of The Customer’s as agreed upon.

7. Disclaimer

- All advice given or recommendations made in this document are made in good faith on the basis of the information provided and otherwise generally available or known to TESS at the time of writing.
- No advice given or statements or recommendations made shall be in any circumstances constitute or be deemed to constitute warranty by TESS as to the accuracy of such advice, statement and recommendations.
- Subject to the contents of the Supply of Software, Licensing and Service Agreement executed, TESS shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted to be made in connection with this document.
- **This document is **subject to updates**. Please note that it may be revised periodically within the same version to reflect any changes.

8. Product Version

This document is based on product version 1.3. Any other product version may not be relevant to this specific document content and its information.

9. Abbreviation & Definitions

Abbreviation	Definition
WL	Watchlist

--	--

Overview of Settings

1. About Settings ¶ Watchlist

This document provides details on the configurable settings available within the Watchlist Monitoring module. Users can customize parameters based on their specific needs, while non-outlined settings remain non-configurable from the front-end.

2. Watchlist

2.1 Watchlist ¶ General (Whitelist)

1. The general Watchlist setting is to set the expiry duration for whitelist under Watchlist module.
2. User key in on on how many day(s) to whitelist and click "Save". The system will auto load and set the whitelist once it it submitted. Click "Reset" button to make it default to 0 day which is there will be no whitelist setting.

GeneralTx Monitoring**Watchlist**Client ProfileOnboardEDDTx ScreeningEOD Job

General

Case Template

Rule Parameter

Appearance

General Defaults

Whitelist Expiry Duration

0

day(s)

Reset

Save

Figure 2.0 : Watchlist - General Whitelist

2.2 Watchlist ¶ Case Template

1. The case template consists of two section configuration which is the primary configuration and the

secondary detail configuration.




Figure 2.1: Watchlist - Case Template

2.2.1 Master Template List

The primary configuration allows to create the case template that will group up the workflow that will be in the case template.




Figure 2.2: Template Setting

The information displayed is in the table below:

#	Name	Description
1	Master Template No.	Display the master template number.
2	Master Template Name	Display the master template name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to perform update on the primary configuration. 2. Delete: Allow to delete the master template. 3. More Setting: Allow to configure the secondary detail configuration.

7	+ Add Template	Allow users to add new templates.
---	----------------	-----------------------------------

2.2.2 Template Setting □ Add Master Template

Users click "+Add template" button to add a new master case template. The system will show the "Add Template" pop up screen, as shown in the figure below.

Add Template

1

Template No.

2

Template Name

3

Total Level of Escalation

4

Status

Active

Save

Figure 2.3: Add Template

The information displayed is in the table below:

#	Name	Description
1	Template No.	Allow to input the master template no.
2	Template Name	Allow to input the master template name.
3	Total Level of Escalation	Allow to input the total level escalation. Maximum of 10 level escalation.
4	Status	Allow to select whether this configuration is active or inactive.

- 1. When adding a new template, the template will automatically create total workflow level based by the total level of escalation.
- 2. The same "Edit" button will allow to perform the following input above except not able to change the master template number.

- When updating the total level of escalation to a smaller number comparing first created, the workflow level will not be reduced and deleted. User needs to delete manually*.
- The **"More Setting"** button will allow to perform the necessary configuration for secondary detail configuration.

Steps on How to Edit Master Template

- Click (a) "Edit" button under Action tab.

Template Setting						
						+ Add Template
#	MASTER TEMPLATE NAME	DATE CREATED	DATE UPDATED	STATUS	ACTION	
4	WM Test	21-Aug-2024	21-Aug-2024	Inactive	a   	
11	QAD WM Workflow (3 Level)	15-May-2024	15-May-2024	Active	  	

- A pop up screen will appear. User can update all necessary information like Name, Total Level of Escalation and Status. Click "Save" button when has completed update the master template.

Update Template

Template No.

4

Template Name

WM Test

Total Level of Escalation


4

Status

☐ Inactive

Save

**** Note:** The workflow level must match with the Total Level of Escalation. If there is a mismatch, the system will display a prompt message (b) as refer figure below. In such cases, users must add a new level (c) and follow the steps provided **as referred to section 2.2.3** to include a new a workflow level.



2.2.2.1 More Setting - Case Workflow (Secondary Detail Configuration)

Allows to perform the necessary configuration for secondary detail configuration when user click "**More Setting**" button on any Master Template.




Figure 2.4: Secondary Detail Configuration

The information displayed is in the table below:

#	Name	Description
---	------	-------------

1	Workflow Level	Display the workflow escalation level.
2	Workflow Name	Display the workflow name.
3	Date Created	Display the date that this configuration is created by the user.
4	Date Updated	Display the date that this configuration is updated by the user.
5	Status	Display whether this configuration is active or inactive.
6	Action	1. Update: Allow to perform update on the primary configuration. 2. Delete: Allow to delete the workflow.

2.2.3 Add Workflow Level ▯ 4-Step Wizard

1. The add new workflow level is only applicable when workflow level is lesser compared to the total level escalation set in the primary configuration.
2. The "**Update**" button under action will display a 4-Step wizard (Refer to Figure 2.4) configuration and each of the wizard step has its own configuration.




Figure 2.5: 4-Step Wizard

(a) Step 1: Workflow Setup

• Workflow Level Setup

To configure workflow features

Workflow Level Setup

Workflow Name

Status

Inactive

Workflow Level

Figure 2.6: Workflow Level Setup

The information displayed is in the table below:

#	Name	Description
1	Workflow Name	Allow to update the workflow name.
2	Workflow Level	Display the workflow level number.
3	Status	Allow to select whether this configuration is active or inactive.

• Escalation Setup

Escalation Setup

1

Allow to pick up case at any level

2

Allow to reassign case

3

Allow to rework case

4

Allow to bypass case

Figure 2.7: Escalation Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to pick up case at any level	To allow higher level workflow to pick up case at the lower-level workflow.

2	Allow to reassign case	To allow the case to reassign to another user.
3	Allow to rework case	To allow the case to rework to user.
4	Allow bypass	To allow the case to be bypass from one level to another level without following the case workflow level sequence <i>*Note: This feature can only turn on if total level of escalation of workflow is more than 2 level.</i>

• **Case Setup**




Figure 2.8 : Case Setup

The information displayed is in the table below:

#	Name	Description
1	Allow to review case	1. Allow the case to be review after case is closed. 2. Allow to select which sub status for review case.
2	Allow to reopen case	1. Allow the case to be reopen after case is closed. 2. Allow to select which sub status for review case.

• **Draft Report Setup**

Draft Report Setup

☐ **Enable draft report** 1

☐ **Mandatory to draft report** 2

Figure 2.8: Draft Report Setup

The information displayed is in the table below:

#	Name	Description
1	Enable draft report	Allow to draft report. Current workflow level can draft CTR & STR reporting.
2	Mandatory to draft report	1. Allow to configure whether draft report is required. a. If enabled, STR report is mandatory to be drafter before button submission. b. If disabled, STR report is not mandatory to be drafted before button submission. 2. Mandatory to draft report radio switch can only be configured if the button is enabled.

• Others

Others

☐ **Allow manage exposure** 1

Back **Next**


Figure 2.9: Others

1. Allow Manage Exposure: Users allow to view manage exposure button while investigating the cases.
2. Current workflow level can perform exposure findings on match result.

3. Click on **"Next"** button to apply the changes made to the level setup.

(b) Step 2: Filtering Setup

To configure what kind of client case that the user can view and investigate.



The screenshot shows a 'Filtering Setup' interface. At the top, there are four steps: 'Workflow Setup', 'Filtering Setup' (which is the current step and has a red circle with a funnel icon), 'Button Setup' (with a red circle and a square icon), and 'Validation' (with a red circle and a checkmark icon). Below the steps, the 'Filtering Setup' section contains two radio button options. The first option is 'Disable filtering' with a red '1' next to it, and the second option is 'Enable filtering' with a red '2' next to it. At the bottom of the screen, there are two buttons: 'Back' on the left and 'Next' on the right.

Figure 2.10: Filtering Setup

The information displayed is in the table below:

#	Name	Description
1	Disable Filtering	No filtering requires and can view all type of client case. Default to "Disable filtering" option
2	Enable Filtering	Allow filtering and can only view specific client case depending on the filtering set.

When user click "Enable filtering" option, the system will automatically load the Conditions setup

"Enable Filtering"

- **Conditions filtering Setup**

Conditions

Meet ALL of the following condition:

1

▼

3

Table

▼

4

Field

▼

5

Formula

▼

6

Filtering Input

Filtering Input

2

▼

7

Operator

▼

AND

OR

X

▼

Table

▼

Field

▼

Formula

▼

Filtering Input

Filtering Input

▼

+ Add Condition

8

Back

Figure 2.11: Enabling Filtering - Conditions

The information displayed is in the table below:

#	Name	Description
1 & 2	Parentheses	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
3	Table	Allow to choose which database schema/table that the data resides.
4	Field	Allow to choose which field that the data resides on the table.
5	Formula	Allow to choose which formula to use on the filtering.
6	Filtering Input	Allow to input what is the filtering data. Field cannot be blank
7	Operator	1. Allow selection of operator to combine multiple condition : - AND - OR 2. Selection list must be select if add multiple condition
8	Add Condition	Allow to add new condition of filtering

(c) Step 3: Button Setup

Users click "Next" button below and navigate to the next wizard of **Button Setup** to configure each of the button features.

Workflow Setup

Filtering Setup

Button Setup

Validation

Button Setup

1

#

2

BUTTON NAME

3

DATE UPDATED

4

STATUS

5

ACTION

1	Recommend Cas...	20-Jun-2024	Active	
2	Drop Case L1	19-Jun-2024	Active	
3	Button 3	20-Jun-2024	Active	
4	Button 4	20-Jun-2024	Active	
5	Button 5	20-Jun-2024	Active	

<

1

>

Previous

Next

Figure 2.12: Button Setup

The information displayed is in the table below:

#	Name	Description
1	Button Number	Display the tab number.
2	Button Name	Display the button name.
3	Date Updated	Display the date that this configuration is updated by the user.
4	Status	Display whether this configuration is active or inactive.
5	Action	To update the button features.

• **Button Details**

When user click "Update" icon on any button configuration, the system will show a pop up screen to update specific button features of the case workflow, as shown in the figure below.

Button Details

1

Button Setup

Enable Button

2

Case Status Setup

Assign Status

+ Manage Custom Status

3

General Button Setup

Button Name*

4

STR Flag Setup

Allow STR Flag

5

PEP Flag Setup

Allow PEP Flag

6

Email Template Setup

Disable

Individual Email

Group Email

Save

Figure 2.12: Button Details

The information displayed is in the table below:

#	Name	Description
1	Button Setup	Enable Button: Allow users to activate or inactivate the button.
2	Case Status Setup	Display the assignee of assigned case status Assign Status: 1. Allow to assign the sub status to main case status 2. Allow selection of drop-down list of sub status to the main case status

		3. List of sub status is based on created sub status under "Manage Custom Status" +Manage Custom Status (Refer to section 2.2.2.1 below) 1. Allow to add new sub status. 2. Allow to update existing sub status. 3. Allow to change binding on sub status to the main status. 4. The sub case status library will display information in the table: • Sub Status No. • Sub Status • Main Status • Escalate to Level • Date Created • Date Updated • Status • Action - Allow user to update or delete sub status. 5. During new or update sub status, user is allowed to perform action on this field: • Sub Status No. (Only for new) • Sub Status Name • Bind to Main Status • Escalate to Level • Status
3	General Button Setup	Button Name: Allow to update the button name.
4	STR Flag Setup	Switch button to disable or enable to allow to flag the client with STR indicator. Allow STR Flag: • Allow to update client information with STR flag and insert new record of STR in XX table. Draft Report Status:

		• Allow to select the draft report status when clicking on the button a. Draft b. Final Select Table: • Display indicator update to STR table • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_STR field to update client information.
5	PEP Flag Setup	Switch button to disable or enable to allow to flag the client with PEP indicator. Allow PEP Flag: • Allow to update client information with PEP flag and insert new record of PEP in XX table. Select Table: • Hardcoded to CIF table selection. Select Field: • Hardcoded to FLAG_PEP field to update client information.
6	Email Template Setup	Allow routing and selection of email templates based on the specific case status. User can select any of email setup: Disable Individual Email • Email is routed based on the email address configure under People setting • Allow to approve the case via email Group Email • Allow to select whether when escalate case should send email. • Standard email will be sent to the group based on route type:

1. Centralized : Email recipient and cc based on Setting: General - Email Setup
2. Decentralized : Email recipient based on the Setting : General - Red Flag & Case Review

Selection Email Template:

- Select which template to be sent. The template can be configured under Setting - General: Email.

(d) Step 4: Validation

System to notified whether the configuration setup is successfully configured or fail.




Figure 2.13: Validation

1. The 4-Step Wizard can continue to the next page without any update or back to the previous page.
2. Each of the configuration during update will update to database directly when clicking the **"Save"** button.

2.2.3.1 Manage Custom Status

Manage Custom Status

9

+ Add Sub Status

1	2	3	4	5	6	7	8
SUB STATUS NO.	SUB STATUS	MAIN STATUS	ESCALATE TO LEVEL	DATE CREATED	DATE UPDATED	STATUS	ACTION
10	L3 Pickup Case	In-progress	Level 3	19-Jul-2024	19-Jul-2024	Active	 
100	Pending New	Unassign	Level 1	15-May-2024	17-May-2024	Active	 
101	L2 Picked Up Case	In-progress	Level 2	27-May-2024	19-Jun-2024	Active	 

#	Name	Description
1	Sub Status No	Display the sub status code number
2	Sub Status	Display the sub status description
3	Main Status	Display the main case status description
4	Escalate to Level	Display the case status will be escalate to which level
5	Date Created	Display the date first new record of sub status registered in the app
6	Date Updated	Display the record of sub status been updated
7	Status	Display whether the sub status is active or inactive
8	Action	Update: Allow to update the sub status details Delete: Allow to delete the sub status
9	Add Sub Status	Allow to add new sub status

● Add Sub Status

Manage Custom Status

Add Sub Status

Sub Status No. 1

Sub Status Name 2

Bind to Main Status 3

Escalate to Level 4

Status 5

Active

Back

Save

#	Name	Description
1	Sub Status No	1. Allow to input the sub status code number. 2. Does not allow to update during update action
2	Sub Status Name	Allow to input the sub status name
3	Bind to Main Status	Allow to bind status to main case status
4	Escalate to Level	Allow to input the next level of escalated case
5	Status	Allow selection of either active or inactive. Default to "Active"

2.3 Watchlist ▮ Rule Parameter

The rule parameter allows to add new rule, update rule parameter or delete rule parameter.




Figure 2.0: Rule Parameter

2.3.1 Rule Parameter Main Page

Rule Parameter							
1 RULE ID	2 WATCHLIST TYPE	3 SCENARIO TYPE	4 SCENARIO DESCRIPTION	5 DATE CREATED	6 DATE UPDATED	7 STATUS	8 ACTION
RLW001	Dow Jones	7101-Manual		03/01/2023	19/01/2024	Active	
RLW002	Dow Jones	7101-Delta customer vs full watchlist	SCREEN DELTA WATCHLIST AGAINST FULL CUSTOMER	03/01/2023	08/03/2024	Active	

Figure 2.1: Rule Parameter - Main Page

The information displayed is in the table below:

#	Name	Description
1	Rule ID	1. Display the rule ID. 2. Prefix the rule ID to start with RLWXXX.
2	Watchlist Type	Display the watchlist provider type.
3	Scenario Type	Display the rule scenario type 1. Daily client 2. Daily watchlist 3. Full to full

4	Scenario Description	Display the description of the rule scenario.
5	Date Created	Display the date that this configuration is created by the user.
6	Date Updated	Display the date that this configuration is updated by the user.
7	Status	Display whether this configuration is active or inactive.
8	Action	1. Update: Allow to perform update on the existing rule parameter. 2. Delete: Allow to delete the rule parameter.
9	+ Add Rule	Allows to add new rule parameter.

2.3.2 Add Rule ▯ 4-Step Wizard




Figure 2.2: 4-Step Wizard

(a) Step 1: Scenario Setup

To configure the general parameter of the rule's setup.

The screenshot shows the 'Scenario Setup' step of the wizard. At the top, there are four icons representing the steps: Scenario Setup (pencil), Screening Condition (bell), Scenario Filtering (funnel), and Validation (checkmark). Below the icons, the 'Scenario Setup' step is active. The form contains the following fields:

- Rule ID** (1): A text input field.
- Watchlist Type** (4): A dropdown menu with 'Please Select' as the current selection.
- Scenario Type** (2): A dropdown menu with 'Please Select' as the current selection.
- Scenario Description*** (5): A text area with a placeholder 'Write Something'.
- Status** (3): A toggle switch labeled 'Active'.

Figure 2.3: Scenario Setup

The information displayed is in the table below:

#	Name	Description
1	Rule ID	Allow to input the master template no. Prefix the rule ID to start with RLTXXX.
2	Scenario Type	1. Allow selection of scenario type. 2. Selection of list must be selected either: • Manual • Delta client vs full watchlist • Delta watchlist vs full client • Full watchlist vs full client • Onboard batch client vs full watchlist
3	Status	Allow to select whether this configuration is active or inactive.
4	Watchlist Type	1. Allow selection of watchlist provider. 2. Selection of list must be selected either: • Dow Jones • Thomson Reuters • LexisNexis • Acuris • Standard
5	Scenario Description	Allow to input description on the scenario type.

(b) Step 2: Screening Condition

• Screening Filters

To configure the screening filters.

Scenario Setup

Screening
Condition

Scenario Filtering

Validation

Screening Filters

1 FILTERS

2 SOURCE TABLE

3 SOURCE FIELD

4 DESTINATION TABLE

5 DESTINATION FIELD

6 DATE UPDATED

7 STATUS

8 ACTION

Name	CUSTOMER	Name	AW_NAME_DELTA	SINGLE_STRING_NAME2	11/03/2024	Inactive	
Native Name	CUSTOMER	Native Name	AW_NAME_DELTA	ORIGINAL_SCRIPT_NAME	11/03/2024	Inactive	

Figure 2.4: Screening Condition

The information displayed is in the table below:

#	Name	Description
1	Filters	Display the screening filter use for checking & filters.
2	Source Table	Display the screening selection from which source table.
3	Source Field	Display the screening selection from which source field.
4	Destination Table	Display the screening selection from which destination table.
5	Destination Field	Display the screening selection from which destination field.
6	Date Updated	Display the record of scenario condition been updated by the user.
7	Status	Display whether the scenario condition is active or inactive.
8	Action	Update: Allow to perform update on the scenario condition

• Update Scenario Condition

This section is to allow users to configure the screening filters. The system will display a pop up screen to update Screening Condition when user click "Edit" button.

Update Screening Condition

×

Filters

Name

Source Table

CUSTOMER

▼

Source Field

INFO_NAME_FULL

▼

Destination Table

AW_NAME_DELTA

▼

Destination Field

SINGLE_STRING_NAME2

▼

Status

☐

Inactive

Cancel

Save

Figure 2.5: Update Screening Condition

● Match Result

To configure the match result.

Match Result

1

☐

Generate strong and weak result

2

☒

Generate only strong result ⓘ

Figure 2.6: Match Result

#	Name	Description
1	Generate strong and weak result	1. Allow selection to activate and display both strong and weak match result. 2. Default to "Active" *If the switch is turn off, automatically active the "Generate only Strong Result"

2	Generate only strong result	1. Allow selection to activate and display both strong match result only *If the switch is turn off, automatically active the "Generate Strong and Weak result"
---	------------------------------------	---

• **Other Filters & Condition**

Allows to configure other conditions for the matching.

Other Filters & Condition

Include deceased records

Include inactive records

Use AND for Name and ID Reference combo

YOB Range

0

▼

Figure 2.7: Other Filters & Condition

#	Name	Description
1	YOB Range	1. Allow to input the year of birth range number up to 2 years 2. This number will be incremental and decremental based on the year of birth
2	Use AND for Name and ID Reference combo	1. Allow selection to activate using AND combination for both Name with ID. 2. Default the radio button to "Inactive" 3. If the switch is turn off, automatically use OR combination for both Name with ID

- Click "Next" to confirm the action and proceed to next wizard or "Back" button to return to the previous page.

(c) Step 3: Scenario Filtering

To configure the rule will detect against what type of filtering data to generate red flags.

WatchlistClient ProfileOnboardEDDTx ScreeningEOD Job

Scenario Setup

ScreeningCondition

Scenario Filtering

Validation

Conditions

Meet ALL of the following condition:

1

2

3

4

5

6

7

8

Table

Field

Formula

Filtering Input

Operator

X

Table

Field

Formula

Filtering Input

X

+ Add Condition

Back

Confirm and Submit

Figure 2.8: Scenario Filtering - Conditions

The information displayed is in the table below:

#	Name	Description
1 & 2	Parentheses	1. Allow to add or remove additional condition. 2. Adding condition will allow to choose to combine the condition either AND/OR.
3	Table	Allow to choose which database schema/table that the data resides.
4	Field	Allow to choose which field that the data resides on the table.
5	Formula	Allow to choose which formula to use on the filtering.
6	Filtering Input	Allow to input what is the filtering data. Field cannot be blank
7	Operator	1. Allow selection of operator to combine multiple condition : • AND

		• OR 2. Selection list must be select if add multiple condition
8	Add Condition	Allow to add new condition of filtering

- Click "Next" to confirm the action and proceed to next wizard or "Back" button to return to the previous page.

(d) Step 4: Validation

System to notify the wizard is a successful or fail setup.

- A button "Back to Rule Parameter" will return to the rule parameter setup page.




Figure 2.10: Validation

2.4 Watchlist Appearance

The appearance configuration allows to modify on what to display.

Settings

- General
- Tx Monitoring
- Watchlist
- Client Profile
- Onboard
- EDD
- Tx Screening
- EOD Job

- General
- Case Template
- Rule Parameter
- Appearance



Style



Validation

- ☐ Entity Type
- ☐ ID Reference
- ☐ Passport Verification
- ☐ Country
- ☐ Gender
- ☐ Year of Birth
- ☐ Category
- ☐ Scan Purpose

Next