

# 6.1 Case Workflow

Document Exported:

Document Control

| Rev. | Date Revised   | Section(s) | Description |
|------|----------------|------------|-------------|
| 1.0  | 05th June 2025 | All        |             |

Preface

1. Customer & TESS Definition

TESS Innovation Sdn Bhd is hereinafter referred as “TESS” of the other part in this document.

2. Document Confidentiality

This document contains information that is proprietary to TESS and The Customer. This document, or any part thereof, shall not be copied, reproduced, translated or reduced to any electronic medium or machine readable form or disclosed to any third party without the prior written consent or authorization of TESS and the Customer.

3. Purpose of Document

The purpose of this document is to clearly guide user to perform day by day operation

4. Intended Audience

- Project team from TESS
- Project team from The Customer

5. Document Control

This document is subject to change control. All changes to this document shall be documented and distributed as “Release Version”. It will consist of the following:-

- Full replacement of the document; or
- Full replacement of a section in the document; or
- An addendum to the document.

Each revision will be assigned with a unique “Release Version” number and date. All pages distributed within a Document Release Notice will have the appropriate Release Version and Release Date indicated.

6. Screenshots

All sample screenshots as attached are for the reader’s viewing purpose only. The actual screen displayed in the [iSEM.ai](#) system shall be based on the specification of The Customer’s as agreed upon.

7. Disclaimer

- All advice given or recommendations made in this document are made in good faith on the basis of the information provided and otherwise generally available or known to TESS at the time of writing.
- No advice given or statements or recommendations made shall be in any circumstances constitute or be deemed to constitute warranty by TESS as to the accuracy of such advices, statement and recommendations.
- Subject to the contents of the Supply of Software, Licensing and Service Agreement executed, TESS shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted to be made in connection with this document.
- **\*\*This document is subject to updates.** Please note that it may be revised periodically within the same version to reflect any changes.

8. Product Version

This document is based on product version 1.3. Any other product version may not be relevant to this specific document content and its information.


9. Abbreviation & Definitions

| Abbreviation | Definition                        |
|--------------|-----------------------------------|
| TXN          | Transaction                       |
| API          | Application Programming Interface |
|              |                                   |

# 1. About Transaction Screening □ Case Workflow

**About:** Each user will have cases that are directly generated without going through Portfolio stage to investigate suspicious activities. User can view details, perform investigations, and report for suspicious activity when the user uses the Txn Screening API system to perform screening on the customers' transaction.

## 1.1 Apps Process Flow to Manage Transaction Screening



## 2. Case Workflow

### 2.1 Case Workflow □ Case Workflow List

#### 2.1.1 How to View Cases List?

This section outlines how users can view cases list under Transaction Screening.

This section outlines how users can view the onboard cases list assigned to both themselves and in the organization overall.

#### Steps to View Onboard Cases List:




Figure 2.0: How to View Onboard Cases List

1. In this section, users can click **"My Cases"** tab to view all the onboard cases list picked up or reassigned to the user themselves.
2. Users can click **"All Cases"** tab to view all the onboard cases list in the organization.
3. If users want to filter columns of cases, click **"Columns"** tab to filter the searches.
4. If users want to include risks that are already closed in the onboard case together with the rest of the cases in the organization, click **"Show Closed"** tab.
5. If users want to filter values inside of onboard cases, click **"Filters"** tab to filter the searches.
6. If users want to export the onboard case list as an Excel file, users can click the **"Exports"** tab.
7. For further information about onboard case details, users can click on the **"Pencil"** button.

#### i. My Cases

Figure 2.1 shows the 'My Cases' tab selected in the 'Case Workflow List'. The table displays one record. Red boxes and numbers 1 through 11 highlight the following elements:

- Case ID
- Date Created
- Master No.
- Client No.
- Name
- Case Status
- Sub Status
- OS
- Assignee
- Case Level
- Action (Pencil icon)

| Case ID | Date Created | Master No.  | Client No.  | Name           | Case Status | Sub Status | OS | Assignee  | Case Level | Action   |
|---------|--------------|-------------|-------------|----------------|-------------|------------|----|-----------|------------|----------|
| 30272   | 14 May 2024  | KHM00000022 | KHM00000022 | Ponhearith Yem | In-progress | Pending    | 23 | EIZRIN_01 | 1          | [Pencil] |

1 record(s). < 1 >

Figure 2.1: Display of 'My Cases' under Case Workflow List

This section only displays cases assigned to the logged in user.

| #  | Name         | Description                                                                                   |
|----|--------------|-----------------------------------------------------------------------------------------------|
| 1  | Case ID      | Module case primary key ID number.                                                            |
| 2  | Date Created | The date that the case first created and escalate for review.                                 |
| 3  | Master No.   | Display the primary number (CIF number, ID number, etc.).                                     |
| 4  | Client No.   | Display the client CIF ID or other golden unique number.                                      |
| 5  | Name         | Display the client's full name.                                                               |
| 6  | Case Status  | The final status of the case.                                                                 |
| 7  | Sub Status   | The final sub status of the case.                                                             |
| 8  | OS           | Display total days of the red flag is open and outstanding.                                   |
| 9  | Assignee     | Display the user's name who are investigating the case.                                       |
| 10 | Case Level   | Display the user's case workflow level.                                                       |
| 11 | Action       | <b>Pencil:</b> Allow users to update the case and perform investigation to escalate the case. |

All Cases:

My Cases

All Cases

| 1       | 2            | 3          | 4          | 5                               | 6           | 7          | 8  | 9        | 10         | 11     |
|---------|--------------|------------|------------|---------------------------------|-------------|------------|----|----------|------------|--------|
| Case ID | Date Created | Master No. | Client No. | Name                            | Case Status | Sub Status | OS | Assignee | Case Level | Action |
| 30490   | 06 Jun 2024  | 00032084   | 00032084   | SAN TUN/12/-LA-MA-TA-(N)-002811 | In-progress | Pending    | 0  | WMO_01   | 1          |        |
| 30475   | 04 Jun 2024  | 21441414   | 21441414   | Maria                           | In-progress | Pending    | 2  | WMO_02   | 1          |        |

Figure 2.2: Display of 'All Cases' under Case Workflow List

The table below displays all cases available in the organization:

| # | Name         | Description                                                   |
|---|--------------|---------------------------------------------------------------|
| 1 | Case ID      | Module case primary key ID number.                            |
| 2 | Date Created | The date that the case first created and escalate for review. |
| 3 | Master No.   | Display the primary number (CIF number, ID number, etc.).     |
| 4 | Client No.   | Display the client CIF ID or other golden unique number.      |

|    |                  |                                                                                               |
|----|------------------|-----------------------------------------------------------------------------------------------|
| 5  | Name             | Display the client's full name.                                                               |
| 6  | Case Status      | The final status of the case.                                                                 |
| 7  | Sub Status       | The final sub status of the case.                                                             |
| 8  | OS (Outstanding) | Display total days of the red flag is open and outstanding.                                   |
| 9  | Assignee         | Display the user's name who are investigating the case.                                       |
| 10 | Case Level       | Display the user's case workflow level.                                                       |
| 11 | Action           | <b>Pencil:</b> Allow users to update the case and perform investigation to escalate the case. |

Functions of navigation buttons on Case Workflow page:




Figure 2.3: Display of general info panel located at the top of Case Workflow List page

The figure above explains each of the buttons and search functions at the Case Workflow List page screen:

| # | Name                    | Description                                                                                                                                                                                                                |
|---|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Case workflow info      | Displays the general information about the cases:                                                                                                                                                                          |
| 2 | Sorting button          | Click to sort based on ascending/descending format for each table's columns.                                                                                                                                               |
| 3 | Search bar              | Accepts user input to be searched for in database.                                                                                                                                                                         |
| 4 | Columns                 | To show/hide columns of portfolio list of tables as desired.                                                                                                                                                               |
| 5 | Show Closed / Show Open | Allow users to display cases when click in the options of: <ul style="list-style-type: none"><li>Show Closed : Display the list of closed cases</li><li>Show Open : Display the list of open / in progress cases</li></ul> |
| 6 | Filters                 | To search any information related to the table's column data. <ul style="list-style-type: none"><li>Can combine multiple data column using AND</li></ul>                                                                   |

|   |               |                                                                                                                                                                                                                   |
|---|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |               | <ul style="list-style-type: none"><li>• The filtering should display the item description instead the operator type.</li><li>• Condition for filtering item type: =, &gt;, &lt;, &gt;=, &lt;=, &lt;&gt;</li></ul> |
| 7 | Action button | Allow the user to update the case and perform an investigation to escalate the case.                                                                                                                              |
| 8 | Pagination    | <ul style="list-style-type: none"><li>• Can display 10/20/50/100 records of the client's portfolio per page.</li><li>• Can Click the button to search for the next or previous page of records.</li></ul>         |

## 2.2 Case Workflow List ▯ Case Workflow Detail

### 2.2.1 How to View Cases Workflow Information?

This section allows users to view cases workflow information of clients under Transaction Screening.




Figure 2.3: How to View Case Workflow Information

## 2.3 Case Workflow List ▯ Case Info

The general case info panel is on the left side of the page.




Figure 2.4: Display of 'Case Info' under Transaction Screening Case List page

The information displayed in the table below:

| #  | Name                       | Description                                                                                                                                                                                                                 |
|----|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Outstanding Days (OS Days) | Display total days of the red flag is open and outstanding.                                                                                                                                                                 |
| 2  | Case Status                | Display the final status of the case.                                                                                                                                                                                       |
| 3  | Sub Status                 | Display the final sub status of the case.                                                                                                                                                                                   |
| 4  | Case ID                    | Display module case primary key ID number. Each module is unique with prefix.                                                                                                                                               |
| 5  | Assignee                   | Display the user's name who are investigating the case.                                                                                                                                                                     |
| 6  | Message ID                 | Display the unique number to identify the message file.                                                                                                                                                                     |
| 7  | Direction                  | Display the direction of the transaction whether is a debit or credit transaction.                                                                                                                                          |
| 8  | Channel                    | Display the source channel where the transaction file is coming from.                                                                                                                                                       |
| 9  | Created on                 | Display the date that the case first created and escalated for investigation.                                                                                                                                               |
| 10 | Rework button              | <ul style="list-style-type: none"> <li>Only available for escalated cases. Allow the user to de-escalate the case to rework the case information.</li> <li>Can be configured whether the workflow can rework the</li> </ul> |



|    |                 |                                                                     |
|----|-----------------|---------------------------------------------------------------------|
|    |                 | case under Setting – WM: Case Template.                             |
| 11 | Reassign button | Allow the user to save the reassigned case to a different assignee. |

### 2.3.1 Why do we need to Rework and Reassign Case?

Reworking and Reassigning cases are common practices to ensure the effectiveness and efficiency of the compliance process. Further explanation for some scenario on rework and reassign case are displayed as below:

#### Rework

1. **Error Correction:** To correct errors or false positives generated by automated AML systems.
2. **Enhanced Investigation:** To conduct a more in-depth investigation or analysis of a suspicious activity.
3. **Quality Assurance:** To ensure that the compliance process is effective, and decisions are accurate.
4. **Regulatory Compliance:** To address cases that become relevant due to new information or regulatory updates.
5. **Timeliness:** To meet time-requirements or deadlines.
6. **Skill Development:** To provide training and skill development opportunities for compliance officers.
7. **Auditing and Oversight:** To review and assess previous decisions for compliance with policies and regulations.
8. **Lack of Information:** The information given by clients is incomplete and/or unclear.
9. **Attachments:** Uploaded attachments are unclear and/or obscure.

#### Reassign

1. **Workload Distribution:** To evenly distribute the caseload among compliance officers.
2. **Risk Management:** To prioritize high-risk cases and allocate resources effectively.
3. **Expertise Matching:** To assign cases to specialists or investigators with the right expertise.
4. **Resource Optimization:** To make sure that resources are allocated efficiently.
5. **Timeliness:** To ensure cases are reviewed and resolved within the required timeframe.
6. **Training and Skill Development:** To provide exposure to different aspects of AMLA for skill development.
7. **Auditing and Oversight:** To review and assess the decisions made by compliance officers in light of institutional policies and regulatory requirements.
8. **Assignee Availability:** There are no assignees working a case.

### 2.3.2 Rework Pop-up Screen

Rework Pop-up Screen

The information display in the Rework pop-up screen:

The screenshot shows a 'Rework Case' pop-up window. At the top, it displays 'Rework Case TM30359' (1). Below this, it shows the 'CURRENT ASSIGNEE' as 'A002' (2). The 'CURRENT CASE TEMPLATE & WORKFLOW' is 'Template 4 - L2 AML CO Supervisor - Level 2' (3). A section titled 'Rework this case. Search below for alternatives:' (4) contains three dropdown menus: 'Select a location', 'Select case template & workflow', and 'Select assignee'. Below these are fields for 'ID' (5), 'Name' (6), 'Email' (7), and 'Last Active' (8). A 'Justification' section (9) has a text area with the placeholder 'Write something...'. At the bottom is a red 'Update' button (10).

Figure 2.6: Rework Pop-up Screen Information Display

Explanation of the attributes displayed in the Rework Pop-up Screen:

| # | Name                             | Description                                                                                                                                                            |
|---|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Case ID                          | Display the module case primary key ID number.                                                                                                                         |
| 2 | Current Assignee                 | Display the user’s name who are investigating the case.                                                                                                                |
| 3 | Current Case Template & Workflow | Display the current case template & workflow used by the user.                                                                                                         |
| 4 | Rework details                   | 1. Location - Allow to select the location to rework.<br>2. Case Template & Workflow - Allow to select the case template & workflow to filter the specific's user case |

|    |               |                                                                                        |
|----|---------------|----------------------------------------------------------------------------------------|
|    |               | template.                                                                              |
|    |               | 3. Assignee - Allow to select user list based on the case template & workflow          |
| 5  | ID            | Display the new assignee's ID.                                                         |
| 6  | Name          | Display the new assignee's name.                                                       |
| 7  | Email         | Display the new assignee's email address.                                              |
| 8  | Last Active   | Display the new assignee's last active date.                                           |
| 9  | Justification | Allow user to comment/justify reasoning of de-escalating the case for rework purposes. |
| 10 | Update button | Allow and confirm to rework the case to new assignee.                                  |

### 2.3.3 Reassign Pop-up Screen

#### Reassign Pop-up Screen

The information display in the Reassign Pop-up Screen:

The screenshot shows a 'Reassign Pop-up Screen' for case TM30359. The interface includes the following elements highlighted by numbered red boxes:

- 1:** Title bar 'Assignee for TM30359'.
- 2:** 'CURRENT ASSIGNEE' label above the value 'A002'.
- 3:** A large red box enclosing the main reassignment section, which contains:
  - Instruction: 'Reassign this case. Search below for alternatives:'
  - 'Select a location' dropdown menu.
  - 'Select case template & workflow' dropdown menu, currently showing 'Template 4 - L2 AML CO Supervisor - Level 2'.
  - 'Select new assignee' dropdown menu.
- 4:** 'ID' label for the new assignee's details.
- 5:** 'Name' label for the new assignee's details.
- 6:** 'Email' label for the new assignee's details.
- 7:** 'Last Active' label for the new assignee's details.
- 8:** 'Justification' label for a text input area.
- 9:** 'Update' button at the bottom of the screen.

Figure 2.7: Reassign Pop-up Screen Information Display

Explanation of the attributes displayed in the Reassign Pop-up Screen:

| # | Name             | Description                                                                                                                                                                                                                                                                                                                                 |
|---|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Case ID          | Display the module case primary key ID number.                                                                                                                                                                                                                                                                                              |
| 2 | Current Assignee | Display the user's name who are investigating the case.                                                                                                                                                                                                                                                                                     |
| 3 | Reassign details | <ol style="list-style-type: none"> <li>1. Location - Allow to select the location to rework.</li> <li>2. Case Template &amp; Workflow - Allow to select the case template &amp; workflow to filter the specific's user case template.</li> <li>3. Assignee - Allow to select user list based on the case template &amp; workflow</li> </ol> |
| 4 | ID               | Display the new assignee's ID number.                                                                                                                                                                                                                                                                                                       |
| 5 | Name             | Display the new assignee's name.                                                                                                                                                                                                                                                                                                            |
| 6 | Email            | Display the new assignee's email address.                                                                                                                                                                                                                                                                                                   |
| 7 | Last Active      | Display the new assignee's last active date.                                                                                                                                                                                                                                                                                                |
| 8 | Justification    | Allow user to comment/justify reasoning of de-escalating the case for reassigning purposes.                                                                                                                                                                                                                                                 |
| 9 | Update button    | Allow and confirm to rework the case to new assignee.                                                                                                                                                                                                                                                                                       |

### 2.3.4 How to Rework and Reassign Case?

This section outlines how compliance users can rework and reassign cases while investigating red flags.

#### Steps to Rework and Reassign Case:

The image displays two side-by-side screenshots of a software interface for reworking and reassigning cases. The left screenshot is titled 'Rework Case' and the right is 'Assignee for OBC001'. Both show a 'CURRENT ASSIGNEE' of A002. The left interface has a 'Reassign this case. Search below for alternatives:' section with dropdowns for 'Select a location' (Petaling Jaya) and 'Select assignee' (Dustin Adreas). Below this is a table showing details for A005: Dustin Adreas, dustin.adreas@mail.com, and last active on 15 August 2022 12:15pm. A 'Justification' text area with a rich text editor is at the bottom. The right interface has a 'Re-assign this caseworkflow. Search below for alternatives:' section with similar dropdowns. Below is a table showing details for A005: Dustin Adreas, dustin.adreas@mail.com, and last active on 15 August 2022 12:15pm. A 'Justification' text area is also present. Both interfaces have a red 'Update' button at the bottom. Three callout boxes provide additional context: 'Select a location' allows selection of branches or departments; 'Select assignee' allows selection of people for further investigation; and 'Justification' allows input of reasoning for reworking or reassigning the case.

Figure 2.8: How to Rework and Reassign Case

- ## 2.4 Case Workflow List ▯ Transaction Info

This section allows users to view transaction information of clients.



This section allows users to view transaction information details of clients.



The display information is in the table below:

| # | Name                   | Description                                                                                                                                                      |
|---|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Red Flag               | Display the module red flag primary key ID number.                                                                                                               |
| 2 | Payment Instruction ID | Display the unique identification as assigned by an instructing party for an instructed party to unambiguously to identify the instruction.                      |
| 3 | Amount                 | Display the client's transaction amount between sender and beneficiary before deduction of charges expressed in the currency as ordered by the initiating party. |
| 4 | Date                   | Display the date the red flag is generated.                                                                                                                      |
| 5 | View                   | Displays the details of the transaction information provided from the Txn Screen API (Refer to Figure 2.11 - Transaction Information Details).                   |

Transaction Information Details

General Info

Settlement Date

Client Number

ID Number

Instructing BICFI

Instructing Agent Name

Instructing Agent Country

Intermediary BICFI

Intermediary Agent Name

Intermediary Agent Country

Intermediary BICFI 3

Intermediary Agent Name 3

Intermediary Agent Country 3

Settlement Method

Account Number

IBAN Number

Instructed BICFI

Instructed Agent Name

Instructed Agent Country

Intermediary BICFI 2

Intermediary Agent Name 2

Intermediary Agent Country 2

23683707994215

Test

BANK B

SG

Payment Info

Sender Info

Beneficiary Info

Master Info

File ID

Message ID

Opening Branch

Created Date

No. of Transactions

Total Amount

Currency

MT700

000000000000123456789123456789

KL

1

12345678

MYR

Remittance Info

Figure 2.11: Transaction Information Details

2.5 Case Workflow List    Service Type & Red Flag Matches

This section allows users to know which transaction info hit against the service type and detail out the possible red flags scenario and match record details.




Figure 2.12: Service Type & Red Flag Matches

The display information is in the table below:

| # | Name             | Description                                                                                                                                                                                                                                                                                                                                                          |
|---|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Service Type     | Displays that the case is hit against a service type sent by the TxnScreen API.                                                                                                                                                                                                                                                                                      |
| 2 | Red Flag Matches | <div>1. Display the possible red flag matches.</div> <div>2. If there is any matches found, the description will be sort on top which a tick sign.</div> <div>3. If there is no match found, the description will be sort below without a tick sign.</div> <div>4. Any match found will display a button that can view the details of the match records found.</div> |

2.5.1 Service Type & Red Flag Matches ▯ Red Flag Matches Bar Chart




Figure 2.13: Red Flag Matches Bar Chart

2.5.1.1 Watchlist Info

This section allows users to view details of the red flags match result hit against which watchlist record.

Steps on How to view Watchlist Info

**Step 1:** Click any of the "Match Record" (a) for the red flag, as shown in the Figure 2.14 below.





Figure 2.14: Match Record of Red Flag

**Step 2:** The system will display a pop up screen for the Watchlist info details of the Match Record. Users can click any Match record (a) to view the record further details (b) as shown in the *Figure 2.15 below*.

**Match Record:** Allow users to view details of the red flags match result hit against which watchlist record.

×

Watchlist Info

Match Record

Transaction Record

Search

Q

Manage Exposure

25 All

6 Instructed Agent Records

2 Intermediary Agent Records

3 Sender Records

3 Ultimate Sender Records

3 Sender Agent Records

2 Beneficiary Records

3 Ultimate Beneficiary Records

3 Beneficiary Agent Records

| Entity ID | Match  | Findings | Name     | ID Reference | Entity Type | Country | DOB       | Category                      | View |
|-----------|--------|----------|----------|--------------|-------------|---------|-----------|-------------------------------|------|
| DJ3208356 | Strong |          | Bo Bank  |              | Entity      |         |           | Special Interest Entity (SIE) | 👁    |
| DJ2992636 | Strong |          | BBU Bank |              | Entity      |         | 01 3 2005 | Special Interest Entity (SIE) | 👁    |
| DJ1400741 | Strong |          | BOS Bank |              | Entity      |         | 04 6 2001 | Special Interest Entity (SIE) | 👁    |
| DJ1335602 | Strong |          | Bay Bank |              | Entity      |         |           | Special Interest Entity (SIE) | 👁    |
| DJ1348071 | Strong |          | Bay Bank |              | Entity      |         |           | Special Interest Entity (SIE) | 👁    |
| DJ3218122 | Strong |          | Bay Bank |              | Entity      |         |           | Special Interest Entity (SIE) | 👁    |

<

1

>

Figure 2.15: Watchlist Info - Match Record

**Step 3:** Click "view" button (c), as shown in the Figure 2.16 below to view details of the transaction.

×

Match Record

⌵

DJ12245239

Entity ID

Name

Ahmad

Special Interest Person (SIP)

Category

Match

Weak

Comparison Data

Biography

Profile Notes

Sanction Info

Connection

Sources

1

2

3

4

5

6

FILTERING CRITERIA

INPUT DATA

WATCHLIST DATA

MATCH

Figure 2.16 : Match record details

**Step 4:** Pop up screen will be appear as shown in Figure 2.17 below.

×

Match Record

DJ3208356

Bo Bank

Special Interest Entity (SIE)

Strong

Comparison Data

Biography

Profile Notes

Sanction Info

Connection

Sources

Master Information

Entity ID

DJ3208356

Record Type

Entity

Information Type

DJ

Status

Active

Last Updated

24-Mar-2022

General Information

Gender

Date of Birth

Deceased

Place of Birth

Name Information

ID Information

Description Information

Date Information

Country Information

Address Information

Click to sort ascending

| NO. | NAME TYPE          | FIRST NAME | MIDDLE NAME | SURNAME | SUFFIX | MAIDEN NAME | SINGLE STRING NAME | ORIGINAL SCRIPT NAME |
|-----|--------------------|------------|-------------|---------|--------|-------------|--------------------|----------------------|
| 1   | Primary Name       |            |             |         |        |             | Bo Bank            |                      |
| 2   | Spelling Variation |            |             |         |        |             | Bo-Bank            |                      |

<

1

>

Figure 2.17: Match record details

**Step 5:** Click "Transaction Record" to view transaction details, as shown in the *Figure 2.18* below.

×

Watchlist Info

⌵

Match Record

Transaction Record

Search

🔍

1 All

1 4000-Sanction country/currency

| Type Hit                       | Input | Hit Value                 |
|--------------------------------|-------|---------------------------|
| 4000-Sanction country/currency | SY    | SY - SYRIAN ARAB REPUBLIC |

<

1

>

Figure 2.18: Watchlist Info - Transaction Record

## 2.6 Case Work Detail ☐ Manage Exposure

In the Case Workflow Detail page, there are section to Manage exposure that can be found on the Watchlist Info for the selected red flag.

### 2.6.1 How to View and Manage Exposure?

This section allows users to tag the watchlist record for any relevancy on the client as part of client exposure to the watchlist. It is also used as part of the process automation to reduce future red flags. It has two functionalities:

- Update multiple red flag – Allow to select multiple red flag and select multiple match record in each of the red flag to update the same findings and exposure.
- Update single red flag – Allow to select a single red flag and select multiple match record to update the same findings and exposure.

Figure below shown the steps on how to view and manage client's exposure for match records.




Figure 2.19: How to View and Manage Exposure

### Steps on How to Manage Exposure for Single Red Flag Selection

1. Click (a) as shown in the Figure 2.20 below to perform 'Manage exposure' for the red flags under the client's case.

×

Watchlist Info

Match Record

Transaction Record

(a)

Manage Exposure

25 All

6 Instructed Agent Records

2 Intermediary Agent Records

3 Sender Records

3 Ultimate Sender Records

3 Sender Agent Records

2 Beneficiary Records

3 Ultimate Beneficiary Records

3 Beneficiary Agent Records

| Entity ID | Match  | Findings | Name    | ID Reference | Entity Type | Country | DOB | Category                      | View |
|-----------|--------|----------|---------|--------------|-------------|---------|-----|-------------------------------|------|
| DJ4450746 | Strong |          | C1 Bank |              | Entity      |         |     | Special Interest Entity (SIE) | 👁    |
| DJ1107253 | Strong |          | K Bank  |              | Entity      |         |     | Special Interest Entity (SIE) | 👁    |

<

1

>

Figure 2.20

2. As shown in the *Figure 2.21* below, users click on the 'Single Red flag selection' (b) and user able to view the red flags list (c).




Figure 2.21

3. User click on any red flag as desired to view their match record results and click 'Eye' button to view 'Match Record' (d) as *figure 2.21* above.
4. User click "Next" (e) button as shown in the *Figure 2.21* above to proceed update exposure for the red flag selection.
5. User update the details of exposure and click "Update".




Figure 2.22

Steps on How to Manage Exposure for 'Multiple' Red Flag Selection

1. Click (a) as shown in the *Figure 2.23* below to perform 'Manage exposure' for the red flags under the client's case.

×

Watchlist Info

Match Record

Transaction Record

Search

Q

(a)

Manage Exposure

25 All

6 Instructed Agent Records

2 Intermediary Agent Records

3 Sender Records

3 Ultimate Sender Records

3 Sender Agent Records

2 Beneficiary Records

3 Ultimate Beneficiary Records

3 Beneficiary Agent Records

| Entity ID | Match  | Findings | Name    | ID Reference | Entity Type | Country | DOB | Category                      | View |
|-----------|--------|----------|---------|--------------|-------------|---------|-----|-------------------------------|------|
| DJ4450746 | Strong |          | C1 Bank |              | Entity      |         |     | Special Interest Entity (SIE) | 👁    |
| DJ1107253 | Strong |          | K Bank  |              | Entity      |         |     | Special Interest Entity (SIE) | 👁    |

<

1

>

Figure 2.23

2. As shown in the *Figure 2.24* below, users click on the 'Multiple Red flag selection' (b) and user able to view the red flags list (c).

Manage Exposure

(b)

Red Flag Selection

Select by: 

Single Red Flag Selection ⓘ

Multiple Red Flag Selection ⓘ

☑

Red Flag

☑

107665

☑

113311

(c)

| Type                                  | Description                                  | Date        | OS |
|---------------------------------------|----------------------------------------------|-------------|----|
| 7101-Delta customer vs full watchlist | Delta Customer VS Full Watchlist (Dow Jones) | 15 May 2024 | 23 |
| 7101-Manual                           |                                              | 31 May 2024 | 7  |

<

1

>

(d)

Next

Figure 2.24

3. User select multiple red flags on (c) and click "Next" (d) button as shown in the *Figure 2.24* above to proceed update the same findings and exposure.

4. User update the details of exposure and click "Update".


A screenshot of a web form titled "Manage Exposure" with a close button (X) in the top right corner. The form contains two dropdown menus labeled "Findings" and "Exposure". Below these is a large text area with the placeholder text "Write something...". At the bottom of the form are two buttons: a "Back" button and a red "Update" button.

Figure 2.25

## 2.7 Case Workflow □ Case Management Actions

**Disclaimer:** These guidelines are general and may not reflect your institution's specific workflow.

This section outlines the steps for users to perform case management actions using the 'Dropdown' button configurable in Settings. The actions as such of Escalating, De-escalating, Drop case, Recommend case, Recommending STR, and others.

### 2.7.1 Steps on how to perform case management actions (Dropdown button)

1. **Navigate to Case Workflow:** After the user has investigated across its tab in Case Workflow page, locate and click the 'Dropdown' button positioned at the top right corner of the page as you can see (a) on the Figure 2.21 below.






Figure 2.26

**2. Select Action:** From the dropdown menu, users should choose the desired action based on the configured buttons set in Settings to apply the investigated case.




Figure 2.27

**3. Observe Sub-status or status Changes:** User can monitor any changes in the "Sub-status" or "Status" associated with the actions performed on the cases, as shown in the Figure 2.28 (b) below.

Case Workflow Detail

Case Info

(b)

1 Outstanding Days

MAY THANT ZIN

Case Status

Sub-Status

In-progress

Escalate L1

Case ID

TMC30470

Assignee

EIZRIN\_01

Client No.

00030899

Master No.

00030899

Created on

03 Jun 2024 14:25pm

Files

Download All

Red Flags

KYC

Case History

Risk History

Insights

| RED FLAG              | TYPE | DESCRIPTION | CATEGORY | DATE                | OUTSTANDING |
|-----------------------|------|-------------|----------|---------------------|-------------|
| <input type="radio"/> | 7208 | RLT001      | Manual   | 03 Jun 2024 14:25pm | 1           |

Activity Log

EIZRIN\_01

Updated case:

Status: In-progress

Sub-Status: Escalate L1

05-06-2024 08:58am

Figure 2.28

**5. Closure:** Once all necessary actions has been completed, the case will proceed to the final level and be closed.

Case Workflow Detail

S

Syahir

Case Info

THUZA

Case Status

Sub Status

Close

L3 Approved...

Case ID

TMC30302

Assignee

CM\_L3

Client No.

00348737

Master No.

00348737

Created on

19 May 2024 22:16pm

Files

Red Flags

KYC

Case History

Risk History

Insights

| Red Flag              | Type | Description       | Category                                                                                          | Date             | OS                  |     |
|-----------------------|------|-------------------|---------------------------------------------------------------------------------------------------|------------------|---------------------|-----|
| <input type="radio"/> | 46   | Daily transaction | Identify large transactions above RM150,000                                                       | Money Laundering | 15 Feb 2024 16:34pm | 110 |
| <input type="radio"/> | 6683 | Daily transaction | Monthly >= RM500k for all High Risk Individual Customers (Classification Customer Risk Profiling) | Money Laundering | 08 May 2024 15:58pm | 27  |
| <input type="radio"/> | 6810 | Daily transaction | Monthly >= RM500k for all High Risk Individual Customers (Classification Customer Risk Profiling) | Money Laundering | 08 May 2024 15:58pm | 27  |

Figure 2.29

**5. View the updated sub-status:** Users can view the updated changes for the case under the "All Cases" tab, as shown in Figure 2.30 (c) below.




Figure 2.30

### 2.7.2 Steps on how to Bypass Escalation

To allow users to bypass escalation in a case management system within a multi-level workflow when necessary, follows these steps to skip level approval.

*Note:* This can be configured whether the workflow can enable bypass escalation under Setting – TS: Case Template.

1. **Navigate to Case Workflow:** After the user has investigated across its tab in Case Workflow page, locate and click the 'Dropdown' button positioned at the top right corner of the page as you can see (a) on the Figure 2.31 below.




Figure 2.31: Case management action button

2. A pop-up window will appear with the option of "Bypass Escalation" as shown in Figure 2.32 below. Click the checkbox labeled (b) to proceed with bypass escalation of the case to another level. If user decide not to bypass escalation, user may untick the bypass escalation checkbox.




Figure 2.32: Bypass escalation

3. After confirming the option to bypass escalation, the system will navigate to the next pop-up screen where user can select which workflow level to escalate to, as shown in Figure 2.33 (c) below.




Figure 2.33: To choose level to escalate case

4. Once you have selected the desired workflow level, user will return to the confirmation pop-up window to bypass escalation. Click "Save" to confirm the action or "Cancel" to abort the process.




Figure 2.34: Confirmation escalation case

5. The system will auto-refresh indicates that the case has been escalated to another level. User can see the updates on the "Sub-status" under "All Cases" on the Case Workflow page or in the "Activity Log" under the case itself, as shown in the Figure 2.35 below.

Activity Log

Add New Comment

EIZRIN\_01

Updated case:

Status: **In-progress**

Sub-Status: **L3 - Bypass**

Case has been escalated to Level 3 via Escalation Bypass

18-06-2024 02:14pm

Figure 2.35: Activity Log Bypass case

### 2.7.3 Steps on how to Pickup Case at any level

This section outlines the steps on how user can pickup case that is still unassigned at any level to investigate.

- This actions is being performed is due to few reasons such as urgency cases, outstanding cases, and others.

1. User click on any "**Unassign**" case listed on the "All Cases" workflow page. Click "Edit" button as shown in Figure 2.36 (a) on action column to investigate the case.

Case Workflow List

L

Level

Q Search

Show Closed

Columns

Filters

My Cases

All Cases

| Case ID | Date Created | Master No.  | Client No.  | Name            | Case Status | Sub Status | OS | Assignee | Case Level | Action          |
|---------|--------------|-------------|-------------|-----------------|-------------|------------|----|----------|------------|-----------------|
| 30613   | 21-Jun-2024  | KHM00000152 | KHM00000152 | Chankosal Touch | In-progress | Reassign   | 45 | WMO_01   | 1          |                 |
| 30577   | 18-Jun-2024  | 01723283    | 01723283    | PYAE PHYO KYAW  | In-progress | Unassign   | 48 | WMO_02   | 1          | <div>(a) </div> |

Figure 2.36

2. User will navigated to the Case Workflow detail page where user can begin investigate the case. Once any actions are performed, the cases automatically assigned to the according user, as shown in the Figure 2.37 (b) below.

Case Workflow List - WMC30706

Case Info

KHANT ZAW WIN

Case Status

Sub Status

In-progress

L1 Reccomend... ▾

Case ID

WMC30706

Assignee

A003

Client No.

01728815

Master No.

01728815

Created on

26-Jul-2024 09:25am

Rework

Reassign

Files

No files have been added

Add File

Red Flags

KYC

Case History

Red Flag

Type

Description

Date

113435

Manual

Manual Watchlist (Dow Jones)

26-Jul-2024

Activity Log

(b)

A003

Picked up case: WMC30706

WMO\_01

Created new case WMC30706 and added the following red flag:

Red Flag Id: 113435

Justification:

test

Add New Comment

Figure 2.37

Note: User can also check the current **assignee** on the "Case Info" panel on the left side of page.

< Case Workflow List - TMC30708

Case Info

RUTHRESSH

Case Status

Sub Status

In-progress

In-progress ▾

Case ID

TMC30708

Assignee

A003

Client No.

90111000

Master No.

90111000

Created on

29-Jul-2024 17:31pm

Rework

Reassign

Red

Figure 2.38

## 2.8 Case Workflow List □ Review or Reopen Case

### 2.8.1 How to Review or Reopen Case?

This section outlines how users can review or reopen cases under Transaction Screening.

#### Steps to Review or Reopen Case:

1. If there are Red Flags and Transaction Info with case status "**Closed**", it can still be reviewed. However, no changes can be made to the closed cases.




Figure 2.39: How to Review or Reopen Case

2. The "**Review**" and "**Reopen**" case buttons are located at the top right of the page.
3. If users click on the "**Review**" button, they are only allowed to add comments or justifications to a closed case.
4. If users click on the "**Reopen**" button, a reopen case pop-up screen will appear.
5. This section allows users to reopen cases that have been closed to re-investigate the case.
6. To reopen the case, the users need to select on "**reopen to Role Level**" as desired to.
7. After that, they need to select a "**location**" for the case to re-investigate.
8. The user can select a new or existing assignee for the re-investigation case on "**Select a new assignee**" button.
9. The information details of the assignee will be display down below. Users are require to add comments or justify in the empty section given before submitting reviews.
10. If user has completed fill in the details, click the "**Submit**" button to save it into the system for other users to see the case are being open & in-progress for investigation.

## 2.9 Case Work Detail ▢ Files

This Files panel located at the bottom left side of the page (under the Case Info section) where it allows users to add, or drag & drop attachment before escalating as optional process. This feature will allow multiple attachment at once and allow to download all the attachments at once.




Figure 2.40: List of Files

The display information is in the table below:

| # | Name            | Description                                        |
|---|-----------------|----------------------------------------------------|
| 1 | Download All    | Allows users to download all files simultaneously. |
| 2 | Download button | Allows users to download attachment file.          |
| 3 | Delete          | Allows users to delete attachment file.            |
| 4 | Add File        | Allow user to upload attachment.                   |

## 2.10 Case Work Detail ▢ Activity Log

There is an Activity Log panel located at bottom of the page where it will capture and display all the activity that happened on the client’s case:



| Activity Log                                                                                                |                    |
|-------------------------------------------------------------------------------------------------------------|--------------------|
|                           |                    |
| CM_L3<br>Reopened the case:<br><b>Case level:</b> 2<br><b>Assignee:</b> Unassigned<br><b>Justification:</b> | 27-05-2024 06:33pm |
| CM_L3<br>Updated case:<br>Status: <b>Close</b><br>Sub-Status: <b>L3 Approved STR</b>                        | 23-05-2024 10:59am |
| COS_L2<br>Updated case:<br>Status: <b>In-progress</b><br>Sub-Status: <b>L2 Recommend STR</b>                | 23-05-2024 10:37am |

*Figure 2.41: Display of 'Activity Log' under Watchlist case list page*


Such activity that will be captured and displayed :

1. Add New Comment (Justification)
2. ID
3. Last Active
4. Updated Exposure
5. Red Flag No.
6. Entity ID
7. Findings
8. Exposure
9. Status
10. Sub Status

**\*This parameter is configurable as not all clients will have the same options.**

#### 2.10.1 Add Case Justification

There is "Add New Comment" button on the Activity Log panel above the activity list.

A screenshot of a mobile application's 'Add Justification' pop-up screen. The screen has a white background with a grey border. At the top, the title 'Add Justification' is centered in a bold, dark grey font, with a close button (an 'X' icon) to its right. Below the title is a horizontal line. Underneath, the text 'Select a Canned Response:' is followed by a white dropdown menu with a blue border and a downward arrow icon on the right. Below this is the section header 'Justification' in bold. Underneath is a large, rounded rectangular text input area with a light grey border and the placeholder text 'Write something...'. At the bottom of the input area is a small double-slash icon. Below the text input area is a prominent red button with the text 'Add Justification' in white. At the very bottom of the screen, there is a grey bar containing a speech bubble icon and the text 'Add New Comment'.

*Figure 2.42: Add Case Justification button*

The display information in the pop up screen is in the table below:

| # | Name                   | Description                                                                                                                                 |
|---|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Select Canned Response | Allows users to select a predefined justification that will automatically populate into the comment/justification box for further detailing |
| 2 | Justification          | Allows users to provide comment/justification on the case investigation before escalating.                                                  |