Atlanta Wholesale LED

October 17, 2026

Commercial and industrial LED fixtures, sold by the case to the trade. Pricing quoted privately.

1810 Auger Dr, Ste A, Tucker, GA 30084 | (678) 462-8061 | patrick@atlantawholesaleled.com



LED Garage Canopy Light (40W)

40W | Surface mount

Compact low-profile canopy fixture for parking decks, garage ceilings and covered drive lanes.…

Wattage: 40W
Lens: Prismatic, square
Housing: Die-cast aluminum, white

Pricing on request



LED UFO High Bay Light

100 to 240W | Selectable | Two sizes

Round UFO high bay for warehouses, gyms and shop floors, in two selectable-wattage…

Wattage: 100/120/150W or
Housing: Die-cast aluminum, black,
Mounting: Hook, pendant

Pricing on request



LED Canopy Light (150W)

150W | 5700K | Surface mount

Square 150W canopy fixture with a finned white housing and prismatic center lens for fuel…

Wattage: 150W
Color temperature: 5700K
Lens: Prismatic, recessed

Pricing on request



LED Linear High Bay (320W Max)

320W | Twin module

Twin-module linear high bay for aisle lighting in warehouses, distribution centers and…

Wattage: 320W
Modules: 2, linear
Housing: White, die-cast with

Pricing on request

LED Backlit Panel 1×4 (40W Max, Selectable Wattage)

20 to 40W | Selectable | 1×4

Backlit 1×4 flat panel with an even, edge-free face for drop ceilings in offices, schools and…

Size: 1×4 ft

Pricing on request

LED Backlit Panel (2×4, 72W Max)

40 / 50 / 72W | Selectable | 2×4

Backlit 2×4 flat panel with an even, edge-free face and no visible hotspots for standard grid…

Size: 2×4 ft
Wattage: 40W, 50W or 72W,
Style: Backlit flat panel

Pricing on request


LED Backlit Panel (2×2, 45W Max)

20 / 45W | Selectable | 2×2

Backlit 2×2 flat panel with an even, edge-free face for grid ceilings in offices, hallways and…

Size: 2×2 ft
Wattage: 20W or 45W, selectable
Style: Backlit flat panel

Pricing on request



SKY LED Backlit Panel (2×2, 40W Max)

20 to 40W | Selectable | Sky print

Backlit 2×2 panel with a printed blue-sky-and-clouds diffuser for windowless offices, medical…

Size: 2×2 ft
Wattage: 20W, 25W, 30W, 35W or
Diffuser: Printed sky and clouds

Pricing on request



SKY LED Backlit Panel (2×4, 72W Max)

30 to 72W | Selectable | Sky print

Backlit 2×4 panel with a printed blue-sky-and-clouds diffuser for windowless offices, medical…

Size: 2×4 ft
Wattage: 30W, 40W, 50W, 60W or
Diffuser: Printed sky and clouds

Pricing on request



LED Frame Light (2×2, 40W Max)

20 / 30 / 40W | Selectable | 2×2

Edge-lit 2×2 frame fixture: a slim white frame that lights the ceiling tile beneath it, so the whole…

Size: 2×2 ft
Wattage: 20W, 30W or 40W,
Style: Edge-lit frame

Pricing on request



LED Frame Light (2×4, 50W Max)

30 / 40 / 50W | Selectable | 2×4

Edge-lit 2×4 frame fixture: a slim white frame that lights the ceiling tile beneath it, so the whole…

Size: 2×4 ft
Wattage: 30W, 40W or 50W,
Style: Edge-lit frame

Pricing on request



LED Ultra Slim Downlight (63, 12W)

12W | 6 inch | Canless

Canless 6-inch slim downlight with a remote junction box and spring clips, for new construction…

Size: 6 in
Wattage: 12W
Install: Canless, remote junction

Pricing on request



Shoebox Pole Light w/ Slipfitter Mount 300W Photocell

300W | Photocell | Slipfitter

Parking lot and area light with an adjustable slipfitter mount and dusk-to-dawn photocell.…

Wattage: 300W

Pricing on request



Shoebox Pole Light 3CCT 240/260/300W

240 / 260 / 300W | 3CCT | Selectable

Selectable area light for parking lots and roadways: wattage switch for 240W, 260W or 300W…

Wattage: 240W, 260W or 300W,
Color temperature: 3CCT, switch
Voltage: 120 to 277V AC

Pricing on request



Shoebox Pole Light 3CCT 100/120/150W

100 / 120 / 150W | 3CCT | Selectab

Smaller selectable area light for lots, drive lanes and perimeter poles: wattage switch for 100W…

Wattage: 100W, 120W or 150W,
Color temperature: 3CCT, switch
Voltage: 120 to 277V AC

Pricing on request



LED Shoebox Light (300W)

300W | Slipfitter

300W shoebox area light with an adjustable slipfitter mount for parking lots, car dealerships and…

Wattage: 300W
Mounting: Slipfitter, adjustable, 2
Housing: Die-cast aluminum

Pricing on request



LED Wallpack Light (15W / 30W)

15W / 30W | Photocell

Compact mini wall pack with a prismatic lens and built-in photocell for entries, stairwells…

Wattage: 15W or 30W
Control: Photocell, dusk to dawn
Lens: Prismatic polycarbonate

Pricing on request



LED Wallpack Light Photocell (80/100/120W)

80 / 100 / 120W | Selectable | Photocell

Traditional glass-refractor wall pack with selectable wattage and a built-in dusk-to-dawn…

Wattage: 80W, 100W or 120W,
Control: Photocell, dusk to dawn
Lens: Prismatic glass, hinged

Pricing on request



LED Wallpack Light (60W / 80W)

60W / 80W | Rotatable | 120 to 277

Rotatable wall pack with two tilting LED modules on a finned heat sink, so the beam can be…

Wattage: 60W or 80W
Color temperature: 5700K
Voltage: 120 to 277V AC

Pricing on request



LED Outdoor Flood Light

6W / 24W / 36W | 24V DC

Compact die-cast flood with a U-bracket mount for aiming at signage, façades, landscaping…

Wattage: 6W, 24W or 36W
Voltage: 24V DC
Mounting: U-bracket, adjustable

Pricing on request



LED Outdoor Flood Light RGB

3W to 48W | RGB | Remote

Color-changing die-cast flood with an IR remote for building accents, event lighting and…

Wattage: 3W, 6W, 12W, 24W, 36W
Color: RGB, IR remote included
Voltage: 120V AC

Pricing on request



LED Round Underground Light

6W / 36W / 48W | 24V DC | In-ground

Flush in-ground uplight with a stainless trim ring and sealed housing for walkways, columns…

Wattage: 6W, 36W, 36W blue or
Voltage: 24V DC
Trim: Stainless steel ring

Pricing on request



LED Exit Light (Red)

Red letters | 120 / 277 VAC | Batter

LED exit sign with red letters and knockout chevrons for commercial and industrial…

Letters: Red, with knockout
Voltage: 120 or 277 VAC
Backup: Battery, 90 minutes
Housing: White thermoplastic

Pricing on request



LED Exit Light (w/ Light)

Combo | 120 / 277 VAC | Battery backup

Exit sign and emergency light combo: red LED letters with knockout chevrons and two…

Letters: Red, with knockout
Heads: 2, adjustable square LED
Voltage: 120 or 277 VAC

Pricing on request



LED Emergency Light

Twin head | 120 / 277 VAC | Batter

Twin-head LED emergency light with adjustable square heads and battery backup for corridors…

Heads: 2, adjustable square LED
Voltage: 120 or 277 VAC
Backup: Battery, 90 minutes
Housing: White thermoplastic

Pricing on request



Indoor Power Supply

150W / 200W / 350W | 12V

Enclosed 12V DC switching power supply (Mean Well LRS series) for indoor LED strip…

Wattage: 150W, 200W or 350W
Output: 12V DC
Input: 100 to 240V AC
Type: Enclosed switching, screw

Pricing on request



Indoor DC Power Supply Adapter

5V / 12V / 24V | Plug-in | UL listed

Compact plug-in AC/DC adapter with a barrel connector for low-voltage LED strip, small…

Output: 5V, 12V or 24V DC
Input: 100 to 240V AC, 50/60Hz
Connector: Barrel plug

Pricing on request



LED Power Supply Waterproof Outdoor (120W / 250W / 400W)

120 / 250 / 400W | 12V DC | IP66

Constant-voltage LED power supply in 120W, 250W and 400W models for LED signage…

Wattage: 120W, 250W or 400W

Pricing on request



2×4 Panel Frame Kit

Surface mount | 2×4

White surface-mount frame for installing a 2×4 LED panel on drywall or hard ceilings where…

Fits: 2×4 panels
Mounting: Surface, pre-drilled
Finish: White
Material: Aluminum

Pricing on request



Trunnion Wall Mount

Wall or surface | Adjustable tilt

U-bracket trunnion for mounting shoebox and area lights to walls, soffits and flat surfaces, with…

Fits: Shoebox and area lights
Mounting: Wall, surface, keyhole
Adjustment: Tilt, locking side bolts
Hardware: Stainless steel bolts

Pricing on request



Universal Pole Mount

Round and square poles | Adjustable

Direct pole mount for shoebox and area lights that bolts to round or square poles with the…

Fits: Shoebox and area lights
Poles: Round and square
Adjustment: Tilt, graduated 0 to 90
Hardware: Stainless steel bolts

Pricing on request



Slipfitter Mount

2 3/8 in tenon | Adjustable tilt

Adjustable slipfitter for mounting shoebox and area lights on 2 3/8 in tenons, with a graduated tilt…

Tenon: 2 3/8 in
Adjustment: Tilt, graduated 0 to 90
Fits: Shoebox and area lights
Material: Die-cast aluminum, dark

Pricing on request



15 Ft Steel Round Light Pole

15 ft | 4 in diameter | 11 gauge

Round steel light pole with anchor-bolt base cover and hand-hole, for shoebox and area…

Height: 15 ft
Diameter: 4 in
Gauge: 11

Pricing on request