



Protean e-Sign Pro - APIs

Prepared For	Protean eGov Technologies
Project	e-Sign Pro
Document Type	eSign Single APIs with eStaming, eMandate, Digital Stamps, Webhook, eSign Verifier and Value Added APIs
Last Update Date	30 th April, 2026
Version	1.8

Table of Contents

Table of Contents.....	2
1. Overview.....	5
2. Legacy.....	5
2.1. Deprecated APIs.....	5
2.2. Upcoming Deprecations.....	5
3. Authentication - Rise With Protean.....	5
4. Single API for eSign with eStaming and Digital Stamp Flow.....	6
4.1. Document Status.....	6
4.2. Recipients Status.....	7
4.3. Master eSign.....	7
4.3.1. Request Sample Flow - Allowed [pdf, docx, xlsx, csv, tiff, jpeg, png].....	7
4.4. List of Request Parameters.....	8
4.4.1. Primary Request Parameter.....	8
4.4.1.1. Pre-Defined value for DocumentType.....	11
4.4.1.2. Additional Request Parameter.....	11
4.4.1.2.1. Document Attachment Request Parameter.....	13
4.4.1.3. Recipient Details Request Parameter.....	14
4.4.1.3.1. Pre-Defined value for the partytyp based on OrganizationRegType.....	19
4.4.1.3.2. Pre-Defined value for the lgcnstn based on OrganizationRegType.....	20
4.4.1.3.3. Pre-Defined value for the reltcntrct based on OrganizationRegType.....	20
4.4.1.3.4. Recipient Geo Location Request Parameter.....	20
4.4.1.3.5. Location Request Parameter.....	21
4.4.1.3.6. Recipient Seal Details Parameter.....	21
4.4.1.3.6.1. Custom Seal Data Request Parameter.....	22
4.4.1.4. Digital Stamp Request Parameter.....	22
4.4.1.5. eStamp Request Parameter (stampData).....	23
4.4.1.5.1. Stamps Request Parameter.....	24
4.4.1.5.2. e-Stamp: estampdtls.....	24
4.4.1.5.3. e-Stamp: loandtls (Loan Details).....	25
4.4.1.5.4. eStamp: scrtydtls (Security Details).....	26
4.4.1.5.4.1. Pre-Defined value for the asstyp based on OrganizationRegType.....	27
4.4.1.5.4.2. Pre-Defined value for the typofchrg based on OrganizationRegType.....	27
4.4.1.5.5. eStamp: enttydtls (Entity Details).....	27
4.4.1.6. Template Request Parameter.....	28
4.4.1.7. Terms and Conditions Request Parameter.....	29
4.5. Sample Payload for different Use-Cases.....	30
4.5.1. Sample Payload for the normal PDF Flow.....	30
4.5.2. Sample Payload for the Normal Template Flow.....	31
4.5.3. Sample Payload for Pdf flow with Digital Stamp.....	33
4.5.4. Sample Payload for Template Flow with Digital Stamp.....	35
4.5.5. Sample Payload for PDF Flow with eStamp for Loan-Individual.....	37
4.5.6. Sample Payload for PDF Flow with eStamp for Loan-NonIndividual.....	38
4.5.7. Sample Payload for PDF Flow with eStamp for Non-Loan Individual.....	39
4.5.8. Sample Payload for PDF Flow with eStamp for NonLoan NonIndividual.....	40

4.5.9. Sample Payload for Template Flow with eStamp for Loan-Individual.....	41
4.5.10. Sample Payload for Template Flow with eStamp for Loan-NonIndividual.....	43
4.5.11. Sample Payload for Template Flow with eStamp for NonLoan-Individual.....	45
4.5.12. Sample Payload for Template Flow with eStamp for NonLoan-NonIndividual.....	46
4.5.13. Sample Payload for Geo fencing is configured for the recipient and override is allowed.....	47
4.5.14. Sample Payload for Company seal stamp.....	48
4.5.14.1. When seal type selected organization and individual for the recipient.....	48
4.5.14.2. When seal type is individual for the recipient then their sub category as well.....	49
4.6. Sample Success Response.....	50
5. Value Added API's used to get data for the eSign Flows.....	55
5.1. To get the State List.....	55
5.2. To get Article Code for the stampType - DigitalStamp.....	55
5.3. To get the Stamp Value on eStamp for Special States.....	56
5.4. To get Article Code for the stampType e-Stamp.....	57
5.5. To fetch the PIN Code data using Pin Code.....	57
5.6. To fetch the Wallet Balance.....	58
5.7. To fetch the eSign URL.....	58
5.8. To Get all the publish Template.....	59
5.9. To fetch the template Data.....	60
5.10. Audit Trail.....	61
5.11. Re-send mail.....	62
5.12. Bulk eSign.....	62
5.13. Delete document in draft stage.....	63
5.14. Cancel Document.....	63
5.15. Refund Document.....	64
5.16. Update Recipients.....	65
5.16.1. Recipient Details Request Parameter.....	65
5.17. Marked Document As Partial Signed.....	66
5.18. Skip Recipient from Signing.....	67
5.19. Get Document Status.....	67
5.20. Get Document Pdf.....	68
6. Digital Stamping.....	69
6.1. Fetch Stamp Inventory.....	69
6.2. Fetch Stamp Inventory by Id.....	71
6.3. Download Stamp Inventory List.....	71
6.4. UpdateStatus: Blocked/Reserved→Available.....	71
6.5. UpdateStatus: Available→Reserved.....	72
6.6. UpdateStatus:Available,Reserved→Used.....	72
6.7. UpdateStatus:Available → Blocked.....	72
7. e-Sign Verifier.....	73
7.1. Verify Sign Document.....	73
7.2. e-Sign Verifier History.....	74
8. eMandate APIs.....	76
8.1. Create eMandate XML.....	76
8.1.1. Request.....	76
8.1.2. Response.....	76
8.2. List of Request Parameters.....	76

8.3. Get eMandate XML by ID.....	78
8.3.1. Request.....	78
8.3.2. Response if not Signed.....	78
8.3.3. Response if Signed.....	79
9. Webhook.....	79
9.1. Esign Webhook.....	79
9.1.1. Initiated.....	79
9.1.2. Awaiting Signing.....	80
9.1.3. Signed.....	80
9.1.4. Rejected.....	81
9.1.5. Failed.....	82
9.1.6. Payment Initiated.....	82
9.1.7. Payment Successful.....	83
9.1.8. Payment Failed.....	83
9.2. eMandate Webhook.....	84
9.2.1. Initiated.....	84
9.2.2. Signed.....	85
9.2.3. Rejected.....	85
9.3. Sample Code for Node.JS.....	85
10. Error Msg.....	86

1. Overview

Protean eGov Technologies Ltd. (formerly NSDL e-Governance Infrastructure Limited) is one of the key IT-enabled service providers engaged in conceptualising, developing and executing nationally critical and population-scale greenfield technology solutions. The company has extensively collaborated with the government over the last 30 years in creating digital public infrastructure and developing innovative citizen-centric e-governance solutions.

2. Legacy

2.1. Deprecated APIs

The following APIs – **Create Document, Update Document, and Submit Sent** – were permanently removed from eSignPro on 30 March 2026 and will no longer process any requests. These have been replaced by the unified [Master eSign API](#).

2.2. Upcoming Deprecations

Effective 31st July 2026, the **Approval API (/api/v1/esign/approvalrequest)** and **Fetch Data API (/api/v1/esign/fetchdata)** will be removed from eSignPro as part of our ongoing platform modernization efforts. To avoid service disruption, migrate to the updated alternatives before this date – requests to these endpoints will not be processed after removal. The recommended replacements are [Get Document Status](#) for the **Approval API** and [Get Document Pdf](#) for the **Fetch Data API**. Please review your integrations and complete all necessary changes well in advance.

3. Authentication - Rise With Protean

Authentication Requirement:

When using the **RiSE with Protean UAT/PROD URLs**, users must include their **login credentials** in the request payload for authentication.

RiSE with Protean UAT: <https://uat.risewithprotean.io>

RiSE with Protean PROD: <https://api.risewithprotean.io>

S. No.	Field Name	Parameter Type	Description
1	apikey	Mandatory	Specifies the Api Key
2	Authorization	Mandatory	Specifies the Bearer Token

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	emailOrMobile	String	Mandatory	User login email / mobile no	"emailOrMobile": "xx@gmail.com",
2	password	String	Mandatory	User login email / mobile no password.	"password": "xx@123",

Sample Payload:

```

curl --request POST \
--url https://uat.risewithprotean.io/api/v1/masteresign \
--header 'content-type: application/json' \
--header 'apikey: xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx' \
--header 'Authorization: Bearer aLojjYtDu5dAFwgDoRHTEhYHUUNR' \
--data '{
  "emailOrMobile": "xx@gmail.com", // Need to add this key for RiseWithProtean UAT/PROD URL's
  "password": "xx@123", // Need to add this key for RiseWithProtean UAT/PROD URL's
  "pdfFiles": [
    {
      "data": application/pdf;base64, JVBERi0xLjQKJSVFT0YK",
    },
    {
      "documentName": "piyush text doc",
      "documentType": "agreement",
      "isSequentialSign": true,
      "recipientData": [
        {
          "firstName": "Piyush",
          "emailId": "piyush.mittal@proteantech.in",
          "mobileNumber": "8130239851",
          "selectedSignType": "Aadhaar",
          "subSignType": [
            "OTP"
          ],
          "signOrder": 1
        }
      ]
    }
  ]
}'

```

4. Single API for eSign with eStaming and Digital Stamp Flow

4.1. Document Status

S.No.	Recipients Status	Description
1	Draft	The document is incomplete and not yet submitted.
2	Awaiting Approval	The document has been submitted and is pending reviewer approval.
3	Rejected Approval	The approver reviewed and rejected the document.
4	Procurement In Progress	The document has been forwarded to NESL for eStamp procurement.
5	Procurement Failed	NESL rejected the document due to incorrect or invalid data.
6	Payment Pending	The document is awaiting payment to proceed further.
7	Payment Failed	Payment attempt for the document was unsuccessful.
8	Payment Expired	The payment link associated with the document has expired.
9	Awaiting Signing	The document has been sent to recipients and is pending their signatures.
10	Signing Expired	The signing link sent to recipients has expired.
11	Verification Failed	Any of the recipients has failed in identity verification during the signing process.
12	Customer Rejected	Any of the recipients declined to sign the document.
13	Awaiting Edit Approval	The document has been modified and submitted for approval.
14	Rejected Edit Approval	The proposed changes to the document were rejected by the approver.
15	Awaiting Cancel Approval	A cancellation request has been raised and is pending approval.
16	Rejected Cancel Approval	The cancellation request for the document was rejected by the approver.
17	Cancelled	Document has been successfully cancelled.

18	eStamp Cancelled	The eStamp document has been cancelled.
19	Signed	The document has been signed by all required recipients.
20	Signed & Purged	The document has been fully signed, and its data has been permanently deleted.
21	Payment Blocked	Retries for payment are exhausted; the workflow is stuck on payment.
22	Verification Blocked	Retries for verification are exhausted; signing is stopped until it's fixed.

4.2. Recipients Status

S.No.	Recipients Status	Description
1	Pending	The recipient is in the queue and awaiting their turn to act.
2	Payment Awaited	The recipient is required to complete the payment to proceed.
3	Payment Expired	The payment link shared with the recipient has expired.
4	Payment Failed	The payment attempt made by the recipient was unsuccessful.
5	Payment Failed & Expired	The recipient's payment attempt has failed, and the payment link has also expired.
6	Awaited	The recipient is required to sign the document.
7	Expired	The signing link shared with the recipient has expired.
8	Rejected	The recipient has declined to sign the document.
9	Verification Failed	Recipient's identity verification has failed during the signing process.
10	Verification Failed & Expired	Recipient's identity verification has failed, and the signing link has also expired.
11	Cancelled	The document was marked as signed before this recipient's signature.
12	Signing Skipped	The recipient has been skipped from the signing process.
13	Signed	The recipient has successfully signed the document.
14	Payment Blocked	This recipient hit the max failed payment attempts.
15	Payment Blocked & Expired:	Payment blocked and the signing link is no longer valid.
16	Verification Blocked	This recipient hit the max failed verification attempts.
17	Verification Blocked & Expired	Verification blocked and the signing link is no longer valid.

4.3. Master eSign

RiseWithProtean: POST: /api/v1/masteresign

4.3.1. Request Sample Flow - Allowed [pdf, docx, xlsx, csv, tiff, jpeg, png]

```
{
  <Authentication Parameters>
  "pdfFiles": [
    // FOR PDF FILES USE THIS FORMAT
    "data: application/pdf;base64, JVBERUKJSVFT0YK",
    // FOR DOC FILES USE THIS FORMAT
    "data: application/vnd.openxmlformats-officedocument.wordprocessingml.document;base64, UE",
    // FOR XLSX FILES USE THIS FORMAT
    "data: application/vnd.openxmlformats-officedocument.spreadsheetml.sheet;base64, JV0YK",
    // FOR CSV FILES USE THIS FORMAT
    "data: text/csv;base64, JVBERJIZgo00TUKJSVFT0YK",
  ]
}
```

```

// FOR TIFF FILES USE THIS FORMAT
"data: image/tiff;base64, JVBERi0xLvbQKL1N1YnR5cGUgL1R5cGUxCi90YW1lIC9",
// FOR JPEG FILES USE THIS FORMAT
"data: image/jpeg;base64, JVBERi0xLjKL1N1YnR5cGUgL1R5cGUxCi90YW1lIC9",
// FOR PNG FILES USE THIS FORMAT
"data: image/png;base64, JVBERi0xLjQKMS1R5cGUgL0ZvbQKL1N1YnR5cGUgL1R5cGUxCi90YW1lIC9"
],
"documentName": "Tarun text doc",
"documentType": "agreement",
"isSequentialSign": true,
"recipientData": [
  {
    "firstName": "Piyush",
    "emailId": "test@gmail.com",
    "mobileNumber": "9090909090",
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1
  }
]
}
]
}

```

4.4. List of Request Parameters

4.4.1. Primary Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	referenceId	String	Optional	Reference ID for the document process Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like ", () _ - / .	"referenceId": "abc-123"
2	documentName	String	Mandatory	Name of the document Validation: Min: 1, Max: 100 Only alphanumeric characters allowed. Single white space is allowed between words (no leading, trailing, or multiple spaces)	"documentName": "Stand Alone Api"
3	documentType	String	Mandatory	Type/category of the document Validation: Min: 1, Max: 100 Only alphanumeric characters allowed. Single white space is allowed between words (no leading, trailing, or multiple spaces) Refer: Pre-defined values	"documentType": "NDA"
4	printDocumentId	Boolean	Conditional Mandatory	When Allow override is enabled from the e-Sign settings, then this key will pass in the payload with the Value: True or False	"printDocumentId": true,
5	printLegendOnStamp	Boolean	Conditional Mandatory	When Allow override is enabled from e-Sign settings, then this	"printLegendOnStamp": true,

				key will pass in the payload with the Value: True or False	
6	sendWithApproval	Boolean	Conditional Mandatory	When e-Sign Approval Flow Optional is enabled from e-Sign Approval Settings, then this key will pass with the Value: True or False	"sendWithApproval": false
7	pdfFiles	Array	Conditional Mandatory	An array of base64-encoded PDF, Docx, CSV, Xlsx, TIFF, and img, png and Jpeg files to process the flow. Validation: Min: 1, Max: 5 The array should contain base64-encoded strings	"pdfFiles": [// FOR PDF: "data: application/pdf;base64, JVBERi0x.....", // FOR DOCX: "data: application/vnd.openxmlf ormats-officedocument.w ordprocessingml.docume nt;base64, UEsDBB.....", // FOR XLXS: "data: application/vnd.openxmlf ormats-officedocument.s preadsheetml.sheet;base 64, JVBER.....", // FOR CSV: "data:text/csv;base64,JV BE.....", // FOR TIFF: "data: image/tiff;base64, JVBERi....." // FOR JPEG: "data:image/jpeg;base64, JVB.....", // FOR PNG "data: image/png;base64, JVBERi....."]
8	templateId	String	Conditional Mandatory	If you want to go with a template need to add the template ID Validation: UUID	"templateId": "f1805eb3-0240-411d-b8 0b-c502bd1cf6a7"
9	isSequentialSign	Boolean	Mandatory	Flag to determine sequential signing Validation: If value is true - sequential If value is false - parallel	"isSequentialSign": true
10	coordinateType	PreDefined	Optional	Type of coordinate system used for signature placement. If not provided, then in that case, "default" will be considered Valid Values: • default • custom • allPageCoordinate	"coordinateType": "default"
11	defaultSignLoc	PreDefined	Optional	Predefined sign location. If not	"defaultSignLocation":

	ation			provided, then in that case, 'Bottom - Right' will be considered as a default value. If coordinateType is custom or allPageCoordinate, then this field is not required Valid Values: • Top - Right • Bottom - Left • Top - Left • Bottom - Right	"Top - Right"
12	isStampDutyRequired	Boolean	Optional	Flag to apply a stamp on the document	"isStampDutyRequired": true
13	enableDownload	Boolean	Optional	Document download is required on successful signing. Default Value is true	"enableDownload": true
14	successRedirectUrl	String	Optional	URL to redirect on successful signingIf a value is set in the global settings, it will be used. But if a value is provided here, it will override the global setting. Validation: Min - 1, Max- 200 web address (must start with http or https)	"successRedirectUrl": "https://esign-proteantech.in/web-hook"
15	failedRedirectUrl	String	Optional	URL to redirect on signing failure If a value is set in the global settings, it will be used. But if a value is provided here, it will override the global setting. Validation: Min -1, Max- 200 web address (must start with http or https)	"failedRedirectUrl": "https://esign-proteantech.in/web-hook"
16	additionalData	Object	Optional	Additional Data to be captured for the Esign Flow Refer: Additional Request Parameter	"additionalData": { }
17	recipientData	Array of object	Mandatory	Recipient Data to be filled Refer: Recipient Details Request Parameter	"recipientData": [{ }
18	stampData	Object	Conditional Mandatory	Stamp Data is required when isStampDutyRequired is true Refer: Digital Stamp Request Parameter and eStamp Request Parameter	"stampData": { }
19	templateInfoConfig	Array of object	Conditional Mandatory	Template Data like recipient name, Signature, Date, checkbox, dropdown or text field Refer: Template Request Parameter	"templateInfoConfig": [{ }
20	termAndCondition	Object	Optional	Dynamic Terms and Conditions for the document. Refer: Terms and Conditions Request Parameter	"termAndCondition": { }

21	customSize	Boolean	Optional	Must be a true false value whether you want to customize the size	"customSize": true,
22	pageSize	String	Conditional Mandatory	Allowed Values : 'A3', 'A4', 'A5', 'Letter', 'Legal'	"pageSize": "A4",

4.4.1.1. Pre-Defined value for DocumentType

Field	Values
documentType	'NDA', 'Business Agreement', 'Employment Agreement', 'Loan Agreement', 'Purchase Agreement', 'MoU', 'Vendor Agreement', 'Consulting Agreement'

4.4.1.2. Additional Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	isAdditionalAmountRequired	Boolean	Conditional Mandatory	Flag to indicate if an additional payment amount is required from the recipient	isAdditionalAmountRequired: true
2	additionalAmount	Integer	Conditional Mandatory	Payment Amount to be Charged from Recipient Validation: Min: 0, Max: 99,999 Must be a whole number (decimals are not allowed)	"additionalAmount": 10,
3	documentExpiryTime	Integer	Optional	Expiry time (in minutes) of the email sent to the recipient. Validation: Min: 15, Max:259200	"documentExpiryTime": 15
4	additionalAmountPayeeEmailMob	String	Conditional Mandatory	Additional Amount to be Collected from Recipient's Email or Mobile No. Validation: Min: 3 ,Max: 75 Must match one of the email addresses or Mobile No from the recipientData list	"additionalAmountPayeeEmailMob": "test@example.com" or "9090909090"
5	additionalAmountDescription	String	Optional	Additional Amount Description for Payment to be collected from Recipient Validation: Min: 1,Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalAmountDescription": "test",
6	additionalDocumentAttachment	Array of object	Optional	To add the extra pdf or image as attachment in the eSign flow. Min: 1, Max: 5.	"additionalDocumentAttachment": []

				Refer: Document Attachment Request Parameter	
7	additionalParameter1	String	Optional	Extra information needs to be added to the document. Validation: Min: 1,Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter1": "p1"
8	additionalParameter2	String	Optional	Extra information needs to be added to the document. Validation: Min: 1,Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter2": "p2"
9	additionalParameter3	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter3": "p3"
10	additionalParameter4	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter4": "p4"
11	additionalParameter5	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter5": "p5"
12	additionalParameter6	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter6": "p6"
13	additionalParameter7	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter7": "p7"
14	additionalParameter8	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max:100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter8": "p8"
15	additionalParameter9	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100	"additionalParameter9": "p9"

				Allowed characters: letters, numbers, and special characters like , () _ - / .	
16	additionalParameter10	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter10": "p10"
17	additionalParameter11	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter11": "p11"
18	additionalParameter12	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter12": "p12"
19	additionalParameter13	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter13": "p13"
20	additionalParameter14	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter14": "p14"
21	additionalParameter15	String	Optional	Extra information needs to be added to the document. Validation: Min: 1, Max: 100 Allowed characters: letters, numbers, and special characters like , () _ - / .	"additionalParameter15": "p15"

4.4.1.2.1. Document Attachment Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	attachmentName	String	Conditional Mandatory	Name of the attachment. Validation: Only alphanumeric characters allowed. Single white space is allowed between words (no leading, trailing, or multiple spaces)	"attachmentName": "tnc"
2	attachmentFile	String	Conditional Mandatory	Base64 data of the attachment. Accepted formats: PDF, PNG, JPEG	"attachmentFile": "data:application/pdf; base64,JVBBERi0"

4.4.1.3. Recipient Details Request Parameter

S No	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	firstName	String	Mandatory	Recipient first Name Validation: Min: 1, Max: 50 Alphanumeric and special characters including (&, comma (,), apostrophe ('), parentheses (()), dot (.), space, forward slash (/), hyphen (-)) are allowed and total length of First, middle and last name would be 90 only	"firstName": "firstName",
2	middleName	String	Optional	Recipient Middle Name Validation: Min: 1, Max:50 Alphanumeric and special characters including (&, comma (,), apostrophe ('), parentheses (()), dot (.), space, forward slash (/), hyphen (-)) are allowed and total length of First, middle and last name would be 90 only	"middleName": "Singh",
3	lastName	String	Optional	Recipient Last Name Validation: Min: 1, Max:50 Alphanumeric and special characters including (&, comma (,), apostrophe ('),parentheses (()), dot (.), space, forward slash (/), hyphen (-)) are allowed and total length of First, middle and last name would be 90 only	"lastName": "lastName",
4	mobileNumber	Integer	Conditional Mandatory	If Optional email or mobile number enable from esign settings then either email or mobile number is required Recipient Mobile No Validation: Fixed-10, Should start with 6, 7, 8 or 9	"mobileNumber": 9999999999
5	emailId	String	Conditional Mandatory	If Optional email or mobile number enable from esign settings then either email or mobile number is required Recipient EmailId Validation: Min: 3, Max: 75 Must be a valid email address in lowercase .(e.g.,name@example.com)	"emailId": "jk@gmail.com",
6	pincodeId	PreDefined	Conditional Mandatory	The Pincode ID of the recipient's address is required (only if recipientPincodeMatch is true for SignType Aadhaar). Refer: To fetch the PIN Code data using Pin Code Validation:	"pincodeId": "b99cbca6-412c-45d6-9c43-416af9d7b38e"

				The Pincode ID should be a valid UUID v4 or v5	
7	streetAddress	String	Optional	Street address of the recipient. Validation: Min:- 3, Max: 150 Allowed characters: letters, numbers, and special characters like , () _ - / .	"streetAddress": "Sector 137",
8	selectedSignType	PreDefined	Mandatory	Signature type selected by the recipient. Valid Values: • Aadhaar • Virtual Sign • DSC	"selectedSignType": "Aadhaar",
9	subSignType	PreDefined	Conditional Mandatory	Sub-signature methods for Aadhaar sign. This field is required when selectedSignType Is Aadhaar or Virtual Sign Valid Values for Aadhaar: • OTP • Iris • Biometric • Face Valid Values for Virtual: • Draw Sign • Choose Sign • Upload Sign Not applicable for DSC	"subSignType":["OTP","Biometric","Iris","Face"] "subSignType": ["Choose Sign", "Draw Sign", "Upload Sign"]
10	signOrder	Integer	Conditional Mandatory	For sequential signing, set the order from 1 to 10. For Parallel signing, this field is not allowed	"signOrder": 1
11	signCoordinates	Array of object	Conditional Mandatory	Coordinates for Placing the Signature in the Document: If coordinateType is default, this field is not allowed. If coordinateType is custom, x, y, and pageNo are required. If coordinateType is allPageCoordinate, only x and y are required. pageNo = Page number x = x co-ordinate of page y = y co-ordinate of page	"signCoordinates": [{ "x": 405, "y": 782, "pageNo": 1 }]
12	enableOtp	Boolean	Conditional Mandatory	OTP-based Verification for the Recipient: This is mandatory if OTP verification is enabled at the Organization or Protean level and is marked as true in the security settings. If not, the default value will be set to false.	"enableOtp": true
13	enableSms	Boolean	Optional	SMS Notification to Recipient: This is optional, with the default	"enableSms": true

				value set to false (No sms will be sent in mobileNumber to the recipient for document signing). default value will be true	
14	enableEmail	Boolean	Optional	EmailNotification to Recipient: This is optional, with the default value set to false (No email will be sent to the recipient for document signing). default value will be true	"enableEmail": true
15	enableWhatsapp	Boolean	Optional	Whatsapp Notification to Recipient: This is optional, with the default value set to false (No whatsapp message will be sent to the recipient for document signing). default value will be true	"enableWhatsapp": true
16	recipientAadhaarMatch	Boolean	Conditional Mandatory	Aadhaar Last Digit Match Verification at Customer Gateway: This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. default value will be false	"recipientAadhaarMatch": true
17	recipientAadhaar	Integer	Conditional Mandatory	This is mandatory when the SignType is Aadhaar and recipientAadhaarMatch is set to true. Last 4 digits of the recipient's Aadhaar number. Validation: Must be a 4-digit integer (1000–9999)	"recipientAadhaar": 9774
18	recipientLocation	Boolean	Conditional Mandatory	Whether recipient's location This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. default value will be false	"recipientLocation": true
19	recipientNameMatch	Boolean	Conditional Mandatory	Flag to enable name matching at Customer Gateway (Mandatory for Aadhaar SignType) This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. default value will be false	"recipientNameMatch": true

20	nameMatch Percentage	Number (upto two decimal places)	Conditional Mandatory	Percentage threshold for name match verification. (Mandatory for Aadhaar SignType recipientNameMatch is true). Validation: Min: 50, Max-100 Decimal values up to 2 decimal places are allowed	"nameMatchPercentage": 80.5
21	recipientPin codeMatch	Boolean	Conditional Mandatory	Whether pincode verification is enabled at Customer Gateway . This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. .default value will be false	"recipientPincodeMatch": true
22	recipientStateMatch	Boolean	Conditional Mandatory	Whether state match verification is enabled at Customer Gateway This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. .default value will be false	"recipientStateMatch": true
23	recipientGenderMatch	Boolean	Conditional Mandatory	Whether Gender match verification is enabled at Customer Gateway This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. default value will be false	"recipientGenderMatch": true
24	recipientGender	PreDefined	Conditional Mandatory	Recipient's gender (Mandatory for Aadhaar SignType recipientGenderMatch is true). Valid Values: • Male • Female • Other	"recipientGender": "Male"
25	recipientYobMatch	Boolean	Conditional Mandatory	Whether year of birth match is enabled at Customer Gateway This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level. default value will be false	"recipientYobMatch": true
26	recipientYob	Integer	Conditional Mandatory	Recipient's year of Birth (Mandatory for Aadhaar SignType recipientYobMatch is	"recipientYob": 1990

				true). Format: YYYY Validation: Min: 1900, Max: current year	
27	recipientLiveness	Boolean	Conditional Mandatory	Whether liveness detection is enabled at Customer Gateway This is mandatory for Aadhaar SignType, Only if it is marked as applicable and mandatory (true) in the SecuritySettings at the Organization or Protean level.	"recipientLiveness": true
28	recipientDob	String	Conditional Mandatory	Recipient Date of Birth: This field is required when the eStamp flow is initiated. Format: YYYY-MM-DD Validation: Minimum age: 18 years Maximum age: 100 years	"recipientDob": "2007-03-31",
29	recipientLegalConstitution	PreDefined	Conditional Mandatory	Recipient Legal Constitution . This field is required when the eStamp flow is initiated. Refer: Pre-Defined value for the lgcnstn based on OrganizationRegType	"recipientLegalConstitution": "Resident Individual",
30	recipientPartyType	PreDefined	Conditional Mandatory	Recipient Party Type This field is required when the eStamp flow is initiated. Refer: Pre-Defined value for the partytyp based on OrganizationRegType	"recipientPartyType": "Indian Entity",
31	recipientRelationshipToContract	PreDefined	Conditional Mandatory	Recipient Relationship to Contract. This field is required when the eStamp flow is initiated. Refer: Pre-Defined value for the reltoctrct based on OrganizationRegType	"recipientRelationshipToContract": "Debtor",
32	recipientPan	String	Conditional Mandatory	Recipient PAN Number: Validation Rules: Must be exactly 10 characters long The first 5 characters should be alphabets (A-Z) .The next 4 characters should be numbers (0-9). The last character should be an alphabet (A-Z)	"recipientPan": "PANPC1234C",
33	recipientOvdType	String	Conditional Mandatory	Business Rule: Either PAN OR OVD details must be provided (for e-Stamp). Both PAN and OVD cannot be provided together for the same recipient. Allowed Values: Passport, Driving License, Voter ID, Others	"recipientOvdType": "Passport", or "recipientOvdType": "Driving License" or "recipientOvdType": "Voter ID", or "recipientOvdType": "Others"

34	recipientCustomOvdType	String	Conditional Mandatory	Business Rule: Either PAN OR OVD details must be provided (for e-Stamp). In OVD you can choose either predefined options or can choose others. and When recipientOvdType is Others then this key is required Validation: Min: 3, Max: 100. Alphanumeric only. Single space allowed between words.	"recipientCustomOvdType": "Employee ID"
35	recipientOvdNumber	String	Conditional Mandatory	Passport: Alphanumeric , Max 8 characters Voter ID: Alphanumeric , Max 10 characters Driving License: Alphanumeric , Max 15 characters Others : Alphanumeric , Min 1, Max 30 characters, cannot be exactly 12 numeric digits	"recipientOvdNumber": "AAA1234567" "recipientOvdNumber": "TN1020237788996" "recipientOvdNumber": "A1234567" "recipientOvdNumber": "A12345679484n845nnfu4r444"
36	recipientGeoLocation	Object	Conditional Mandatory	Object to enable/disable geo-location for the recipient Refer: Recipient Geo Location Request Parameter	"recipientGeoLocation": {},
37	locations	Array	Conditional Mandatory	This key is required only when geolocation is included in the payload. Array containing the location details. Validation: Max 50 location objects allowed. Refer: Recipient Location Parameter	"locations": []
38	recipientSealDetails	Object	Conditional Mandatory	Object for the seal details of the recipients. Refer: Recipient Seal Details Parameter	"recipientSealDetails": { }

4.4.1.3.1. Pre-Defined value for the partytyp based on OrganizationRegType

Field	OrganizationRegType	Values
partytyp	Loan-Individual Loan-NonIndividual NonLoan-Individual NonLoan-NonIndividual	Indian Entity Resident Individual Foreign Entity NRI/Foreign Individual

4.4.1.3.2. Pre-Defined value for the lglcnstn based on OrganizationRegType

Field	OrganizationRegType	Values
lglcnstn	Loan-Individual, Loan-NonIndividual, NonLoan-Individual, NonLoan-NonIndividual	Resident Individual Public Ltd Private Ltd LLP Proprietorship Partnership Entity Created by Statute Trust HUF Co-op Society Association of Persons Government Self Help Group Non-Resident Foreign Company

4.4.1.3.3. Pre-Defined value for the reltocntrct based on OrganizationRegType

Field	OrganizationRegType	Values
reltocntrct	Loan-Individual	Creditor Debtor Guarantor Co-Obligant
reltocntrct	Loan-NonIndividual	Creditor Debtor Guarantor Co-Obligant Beneficiary
reltocntrct	NonLoan-Individual	Creditor Debtor Guarantor Co-Obligant Customer
reltocntrct	NonLoan-NonIndividual	Creditor Debtor Guarantor Co-Obligant Customer

4.4.1.3.4. Recipient Geo Location Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	enable	Boolean	Required	Enable or disable geo-location for the recipient	"enable": true

4.4.1.3.5. Location Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	type	String	Mandatory	Type of location boundary. Valid Values: radius, boundary	"type": "boundary"
2	country	String	Conditional Mandatory	Required when type is boundary. Not allowed when type is radius	"country": "India"
3	countryCode	String	Conditional Mandatory	Required when type is boundary. Not allowed when type is radius	"countryCode": "IN"
4	boundaryType	String	Conditional Mandatory	Required when type is boundary. Valid Values: country, state, city. Not allowed when type is radius	"boundaryType": "country"
5	state	String	Conditional Mandatory	Required when type is boundary AND boundaryType is state or city. Optional when boundaryType is country. Not allowed when type is radius	"state": "Haryana"
6	stateCode	String	Conditional Mandatory	Required when type is boundary AND boundaryType is state or city. Optional when boundaryType is country. Not allowed when type is radius	"stateCode": "HR"
7	city	String	Conditional Mandatory	Required when type is boundary AND boundaryType is city. Optional when boundaryType is country or state. Not allowed when type is radius	"city": "Sonipat"
8	lat	Float	Conditional Mandatory	Required when type is radius. Validation: Min: -90, Max: 90. Not allowed when type is boundary	"lat": 28.571548
9	lng	Float	Conditional Mandatory	Required when type is radius. Validation: Min: -180, Max: 180. Not allowed when type is boundary	"lng": 77.213287
10	radiusInMeters	Integer	Conditional Mandatory	Required when type is radius. Validation: Min: 1. Not allowed when type is boundary	"radiusInMeters": 500
11	name	String	Conditional Mandatory	Required when type is radius. Not allowed when type is boundary	"name": "Delhi Office"

4.4.1.3.6. Recipient Seal Details Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	sealType	String	Mandatory	Seal type must be either Individual or Organisation	"sealType": "Organisation"
2	isSealMandatory	Boolean	Conditional Mandatory	Required when sealType is Individual. Not allowed when sealType is Organisation	"isSealMandatory": true
3	customSealData	Object	Conditional Mandatory	Only allowed when sealType is Individual. When customSealData is provided, isSealMandatory must be true. Refer: Custom Seal Data Request Parameter	"customSealData": {}

4.4.1.3.6.1. Custom Seal Data Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	sealType	String	Mandatory	Valid Values: authorised_signatory, director, custom	"sealType": "authorised_signatory"
2	organisationName	String	Conditional Mandatory	Required for authorised_signatory or director. Not allowed for custom. Validation: Min: 3, Max: 200	"organisationName": "Tarun Sharma"
3	color	String	Conditional Mandatory	Required for authorised_signatory or director. Not allowed for custom. Must follow hex format: #RRGGBB	"color": "#00008B"
4	imageBase64	String	Conditional Mandatory	Required when sealType is custom. Not allowed for other seal types. Format: data:image/png;base64,... or data:image/jpeg;base64,...	"imageBase64": "data:image/png;base64,iVBORw..."
5	opacity	Integer	Mandatory	Required when customSealData is provided. Validation: Min: 1, Max: 100	"opacity": 90

4.4.1.4. Digital Stamp Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	stateId	Number	Mandatory	State ID where the stamp is issued Refer: To get the State List	"stateId": 29
2	isRecipientToPayStamp	Boolean	Optional	Whether the recipient is paying for the stamp default value will be false	"isRecipientToPayStamp": true
3	stampAmount	Number	Mandatory	Amount of the stamp duty Digital Stamp: Min: 1, Max: 9,999,999 e-Stamp: Min: 10 (Min: 1 for special states), Max: 9,999,999	"stampAmount": 10,
4	stampType	PreDefined	Conditional Mandatory	Stamp Type whether Digital Stamp or e-Stamp stampType will be optional if stateId provide have a single stampType, else it is required when it have both Digital Stamp and e-Stamp Refer: To get the State List	"stampType": "Digital Stamp"
5	articleCode	PreDefined	Mandatory	Code for stamp article Present in your stamp Inventory for particular state Refer: To get Article Code for the stampType - DigitalStamp and To get Article Code for the stampType e-Stamp	"articleCode": "4 - Declaration (1002)"

6	secondPartyName	string	Conditional Mandatory	This will required only when digital stamp legend printing enable from settings or we have allowed override in our payload. Second Party Name Validation: Min: 1, Max: 40 Alphanumeric	"secondPartyName": "Tarun"
---	-----------------	--------	-----------------------	--	----------------------------

4.4.1.5. eStamp Request Parameter (stampData)

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	stateId	Number	Mandatory	State ID where the stamp is issued Refer: To get the State List	"stateId": 29
2	isRecipientToPayStamp	Boolean	Optional	Whether the recipient is paying for the stamp default value will be false	"isRecipientToPayStamp": true
3	stampType	PreDefined	Conditional Mandatory	Stamp Type whether Digital Stamp or eStamp stampType will be optional if stateId provide have a single stampType, else it is required when it have both Digital Stamp and e-Stamp Refer: To get the State List	"stampType": "e-Stamp"
4	considerationPrice	Integer	Mandatory	Consideration price of the agreement Validation - Min -1, Max- 9999999	"considerationPrice": 10
5	organizationRegType	PreDefined	Mandatory	Organization registration type. Valid Values: • Loan-Individual • Loan-NonIndividual • NonLoan-Individual • NonLoan-NonIndividual The above value will be taken based on your organization configuration	"organizationRegType": "Loan-Individual"
6	stamps	Array	Mandatory	Array of the objects of the articleCode and their StampAmount Upto 10 Article can be passed and can't be duplicate Refer: Stamps Request	"stamps":[]

				Parameter	
7	stampdutyPaidby	PreDefined	Mandatory	Defines who pays the stamp duty. Applicable for e-Stamp flow only. Valid Values: firstParty, secondParty	"stampdutyPaidby": "firstParty"
8	estampdtls	Object	Mandatory	Additional Details for e-Stamp Refer: e-Stamp: estampdtls	"estampdtls": { }
9	loandtls	Object	Conditional Mandatory	Loan Details for e-Stamp Refer: e-Stamp: loandtls (Loan Details)	"loandtls": { }
10	scrydtls	Object	Conditional Mandatory	Security Details for e-Stamp Refer: eStamp: scrydtls (Security Details)	"scrydtls": { }
11	enttydtls	Object	Conditional Mandatory	Entity Details for e-Stamp Refer: eStamp: enttydtls (Entity Details)	"enttydtls": { }

4.4.1.5.1. Stamps Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	articleCode	String	Mandatory	Code for stamp article. Present in your stamp inventory for the particular state. Refer: To get Article Code for stampType e-Stamp	"articleCode": "1 - Acknowledgement of a Debt (1097)"
2	stampAmount	Integer	Mandatory	Amount of the stamp duty. Validation: Min: 10 (Min: 1 for special states), Max: 9,999,999. Duplicate article codes are not allowed across stamps array.	"stampAmount": 100

4.4.1.5.2. e-Stamp: estampdtls

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	firstPartyName	String	Conditional Mandatory	First Party Name (Organization Name) Validation -Min: 1 max- 40 Alphanumeric. This field is allowed when first party edit is allowed at organization configuration else by default Organization Name will be picked	"firstPartyName": "Piyush Org"

2	firstPartyPin	Integer	Conditional Mandatory	First Party PinCode (Organization pincode) (required for the state - West Bengal and Madhya Pradesh). Validation: exactly 6 digits This field is required when first party edit value is true organization configuration else by default Organization pincode will be picked	"firstPartyPin": 110025
3	firstPartyPanNo	String	Conditional Mandatory	First Party Pan Number (Organization Pan Number) (required for the state - West Bengal). Validation -> First five characters should be alphabets, next 4 characters should be Numeric and the last character should be the alphabet. This field is required when first party edit value is true organization configuration else by default Organization panno will be picked	"firstPartyPanNo": "AZKDC2856K"
4	secondPartyName	String	Mandatory	Second Party Name Validation -Min: 1 max- 40 Alphanumeric	"secondPartyName": "Piyush Org S",
5	secondPartyPin	Integer	Conditional Mandatory	Second Party PinCode (required for the state - West Bengal and Madhya Pradesh) Validation: exactly 6 digits	"secondPartyPin": 110025
6	secondPartyPanNo	String	Conditional Mandatory	Second Party Pan Number (required for the state - West Bengal) Validation -> First five characters should be alphabets, next 4 characters should be Numeric and the last character should be the alphabet.	"secondPartyPanNo": "AZKDC2856K"

4.4.1.5.3. e-Stamp: loandtls (Loan Details)

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	loanno	String	Conditional Mandatory	Loan Number If snctnno is not provided then loanno is mandatory Validation: Alphanumeric Max -50	"loanno": "989189301"

2	snctnno	String	Conditional Mandatory	Sanction Number If loanno is not provided then snctnno is mandatory Validation: Alphanumeric Max -50	"snctnno": "3139301"
3	rtofint	Integer	Mandatory	Rate of Interest Validation: Min: 0 Max: 100 Decimal accepted	"rtofint": 12
4	snctnamt	Integer	Mandatory	Sanction Amount Validation: Min: 0 Max: 9999999	"snctnamt": 8911
5	tenure	Integer	Mandatory	Loan Tenure Validation: Min- 1 max - 50 (Year) Min- 1 max - 600 (Month) Min- 1 max - 18250 (Days)	"tenure": 10
6	tenureType	PreDefined	Mandatory	Tenure Unit Valid Values: •Year •Month • Days	"tenureType": "Year"
7	isacctclosed	PreDefined	Mandatory	Is Account Closed Valid Values: •Yes •No • Assigned	"isacctclosed": "Yes"
8	fundtyp	PreDefined	Mandatory	Fund Type Value - Funded	"fundtyp": "Funded"
9	fclynm	String	Mandatory	Facility Name Validation: Alphanumeric Min-1, Max- 150	"fclynm": "Rahul"
10	dtfsnctn	Date	Mandatory	Date of Sanction: Format: YYYY-MM-DD Validation:Date must be today or any date within the last 100 years from the current dateFuture dates are not allowed	"dtfsnctn": "2025-03-29"

4.4.1.5.4. eStamp: scrtydtls (Security Details)

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
---------	-------------------	--------------	----------------	------------------------	--------------

1	dscofscrty	String	Mandatory	Description of Security Validation: Alphanumeric Min: 1, Max: 150	"dscofscrty": "PrShipmentSecured"
2	asstyp	PreDefined	Mandatory	Asset Type Refer: Pre-Defined value for the asstyp based on OrganizationRegType	"asstyp": "Not Classified"
3	typofchrg	PreDefined	Mandatory	Type of Charge Refer: Pre-Defined value for the typofchrg based on OrganizationRegType	"typofchrg": "Mortgage"
4	assetid	String	Mandatory	Asset ID Validation: Max- 20	"assetid": "0"

4.4.1.5.4.1. Pre-Defined value for the asstyp based on OrganizationRegType

Filed	OrganizationRegType	Values
asstyp	Loan-NonIndividual	Movable Immovable Intangible Not Classified

4.4.1.5.4.2. Pre-Defined value for the typofchrg based on OrganizationRegType

Filed	OrganizationRegType	Values
typofchrg	Loan-NonIndividual	Mortgage Hypothecation Charge Assignment Pledge Lien Negative Lien Guarantee Others Not Classified

4.4.1.5.5. eStamp: enttydtls (Entity Details)

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	enttyPan	String	Mandatory	Entity PAN Number Validation -> First five characters should be alphabets, next 4 characters should be Numeric and the last	"enttyPan": "KANCH0807Q"

				character should be the alphabet. 4th letter of the PAN	
2	enttyName	String	Mandatory	Entity Name Validation: min-1, max-40	"enttyName": "Name"
3	lgcnstn	PreDefined	Mandatory	Legal Constitution Refer: Pre-Defined value for the lgcnstn based on OrganizationRegType	"lgcnstn": "Public Ltd"
4	doi	String	Mandatory	Date of Incorporation (YYYY-MM-DD)	"doi": "2025-03-29"
5	emailId	String	Mandatory	Email ID Validation: Min: 3, Max: 75 Must be a valid email address format (e.g., test@gmail.com)	"emailId": "test@gmail.com"
6	regAddr	String	Mandatory	Registered Address Validation: Min:1, Max: 150	"regAddr": "B15 house 307 delhi"
7	regPin	Integer	Mandatory	Registered Pin Code Validation: exactly 6 digits	"regPin": 201301
8	commAddr	String	Conditional Mandatory	Communication Address Validation: Min: 1, Max:150 Required when isSameAsRegAdd is false. Not allowed when isSameAsRegAdd is true.	"commAddr": "B15 house 307 delhi"
9	commPin	Number	Conditional Mandatory	Communication Pin Code Validation: Max: exactly 6 digits Required when isSameAsRegAdd is false. Not allowed when isSameAsRegAdd is true.	"commPin": 201301
10	cntctNo	Integer	Mandatory	Entity Contact Number Validation: Fixed: 10 Should start with 6,7,8 or 9	"cntctNo": 9988998899
11	isSameAsRegAdd	Boolean	Mandatory	Is Communication Address Same as Registered	"isSameAsRegAdd": false

4.4.1.6. Template Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description	Sample Value
1	id	String	Mandatory	Using id we can identify the place of the signature , Name etc. TS_ / TR_ — signature/recipient placeholders (need recipientEmailMobile to map to	"id": "TS_signQve76"

				a recipient) TT_ – text input field (needs value) TD_ – date field (needs value in YYYY-MM-DD) TO_ – option/dropdown (needs value) TC_ – checkbox (needs isChecked: true/false)	
2	value	String	Conditional Mandatory	Value for text (TT_), option/dropdown (TO_), or date (TD_) fields. For date fields, value must be in YYYY-MM-DD format. Forbidden for other id types.	"value": "new Esign"
3	isChecked	Boolean	Conditional Mandatory	Boolean value for checkbox (TC_) fields. Must be true or false. Forbidden for other id types.	"isChecked": true
4	recipientEmailMobile	String	Conditional Mandatory	Email or mobile number to map the signature/recipient placeholder (TR_, TS_) to a recipient. Accepts valid email or 10-digit mobile number starting with 6–9. Forbidden for other id types.	"recipientEmailMobile": "test@gmail.com" or 9090909090
5	recipientIndex	Number	Conditional Mandatory	Index to map the signature/recipient placeholder (TR_, TS_) to a specific recipient. Must be an integer starting from 1. Forbidden for other id types.	"recipientIndex": 1

4.4.1.7. Terms and Conditions Request Parameter

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	url	String	Conditional Mandatory	URL for Terms and Conditions. Required when title and content are not provided. Validation: Must be a valid URL starting with http or https. Cannot be used together with the title or content	"url": "https://esign-pr oteantech.in/"
2	title	String	Conditional Mandatory	Title for the Terms and Conditions. Required when content is provided. Cannot be used together with url	"title": "Conditions"
3	content	String	Conditional Mandatory	Content for the Terms and Conditions. Required when the title is provided. Cannot be used together with url	"content": "Terms and Conditions content"

4.5. Sample Payload for different Use-Cases

4.5.1. Sample Payload for the normal PDF Flow

```
{
  <Authentication Parameters>
  "referenceId": "New Document",
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0KJSVFT0YK"
  ],
  "documentName": "Document",
  "sendWithApproval": false,
  "documentType": "Business Agreement",
  "printDocumentId": true,
  "printLegendOnStamp": false
  "coordinateType": "default",
  "defaultSignLocation": "Top - Right",
  "enableDownload": true,
  "customSize": true,
  "pageSize": "A4",
  "termAndCondition": {
    "title": "Conditions",
    "content": "Terms and Conditions What we want to write"
  },
  "successRedirectUrl": "https://example.com/",
  "failedRedirectUrl": "https://example.com/",
  "isSequentialSign": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com",
    "additionalAmountDescription": "amount to be paid",
    "additionalParameter1": "Agreement Reference No AG12345",
    "additionalParameter2": "Effective Date- 01/06/2025",
    "additionalParameter3": "Contract Validity- 12 months",
    "additionalParameter4": "Authorized Signatory- Mr. Rajeev Singh",
    "additionalParameter5": "Organization PAN- AAAPL1234C",
    "additionalParameter6": "Registered Address- 101 Corporate Heights, New Delhi",
    "additionalParameter7": "Service Description IT Consulting Services",
    "additionalParameter8": "GST Number- 07ABCDE1234F1Z5",
    "additionalParameter9": "Contact Email",
    "additionalParameter10": "Contact Number- 9876543210",
    "additionalParameter11": "Bank Name- HDFC Bank",
    "additionalParameter12": "Account Number- 123456789012",
    "additionalParameter13": "IFSC Code- HDFC0000123",
    "additionalParameter14": "Payment Terms- Within 30 days of invoice",
    "additionalParameter15": "Jurisdiction- Delhi High Court",
    "additionalDocumentAttachment": [
      {
        "attachmentName": "PdfData",
        "attachmentFile": "data:application/pdf;base64,JVBERi0xLjQKMSAwI0YK"
      }
    ]
  },
  "recipientData": [
    {
      "firstName": "Piyush",
      "middleName": "Singh",
      "lastName": "Negi",
      "emailId": "test@gmail.com",
      "mobileNumber": 9090909090,
      "selectedSignType": "Aadhaar",
      "subSignType": [
        "OTP"
      ],
      "signOrder": 1,
      "streetAddress": "Noida",
      "pincodId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
    }
  ]
}
```

```

    "enableOtp": true,
    "enableSms": true,
    "enableEmail": true,
    "enableWhatsapp": true,
    "recipientAadhar": 5071,
    "recipientLocation": true,
    "recipientNameMatch": true,
    "recipientPincodeMatch": true,
    "recipientAadhaarMatch": true,
    "recipientGenderMatch": true,
    "recipientYobMatch": true,
    "recipientStateMatch": true,
    "recipientLiveness": true,
    "recipientGender": "Male",
    "recipientYob": 2001,
    "nameMatchPercentage": 67
  },
  {
    "firstName": "Piyush",
    "middleName": "Singh",
    "lastName": "Negi",
    "emailId": "test@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "streetAddress": "Noida",
    "signOrder": 2,
    "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
    "enableOtp": true,
    "enableSms": true,
    "enableEmail": true,
    "enableWhatsapp": true,
    "recipientAadhar": 5071,
    "recipientLocation": true,
    "recipientNameMatch": true,
    "recipientPincodeMatch": true,
    "recipientAadhaarMatch": true,
    "recipientGenderMatch": true,
    "recipientYobMatch": true,
    "recipientStateMatch": true,
    "recipientLiveness": true,
    "recipientGender": "Male",
    "recipientYob": 2001,
    "nameMatchPercentage": 80
  }
]
}

```

4.5.2. Sample Payload for the Normal Template Flow

```

{
  <Authentication Parameters>
  "referenceId": "LoanNonIndividual",
  "templateId": "f2551d90-56eb-48df-9594-df45c5e8f9a4",
  "documentName": "Loan-NonIndividual",
  "documentType": "Business Agreement",
  "isSequentialSign": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com",
    "additionalAmountDescription": "amount to be paid",
    "additionalParameter1": "Agreement Reference No AG12345",
    "additionalParameter2": "Effective Date- 01/06/2025",
    "additionalParameter3": "Contract Validity- 12 months",
    "additionalParameter4": "Authorized Signatory- Mr. Rajeev Singh",
    "additionalParameter5": "Organization PAN- AAAPL1234C",
  }
}

```

```

"additionalParameter6": "Registered Address- 101 Corporate Heights, New Delhi",
"additionalParameter7": "Service Description IT Consulting Services",
"additionalParameter8": "GST Number- 07ABCDE1234F1Z5",
"additionalParameter9": "Contact Email",
"additionalParameter10": "Contact Number- 9876543210",
"additionalParameter11": "Bank Name- HDFC Bank",
"additionalParameter12": "Account Number- 123456789012",
"additionalParameter13": "IFSC Code- HDFC0000123",
"additionalParameter14": "Payment Terms- Within 30 days of invoice",
"additionalParameter15": "Jurisdiction- Delhi High Court",
"additionalDocumentAttachment": [
  {
    "attachmentName": "PdfData",
    "attachmentFile": "data:application/pdf;base64,JVBER0YK"
  }
],
},
"recipientData": [
  {
    "firstName": "Piyush",
    "emailId": "test@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
    "enableOtp": true,
    "enableSms": true,
    "enableEmail": true,
    "enableWhatsapp": true,
    "recipientAadhar": 5071,
    "recipientLocation": true,
    "recipientNameMatch": true,
    "recipientPincodeMatch": true,
    "recipientAadhaarMatch": true,
    "recipientGenderMatch": true,
    "recipientYobMatch": true,
    "recipientStateMatch": true,
    "recipientLiveness": true,
    "recipientGender": "Male",
    "recipientYob": 2001,
    "nameMatchPercentage": 67
  },
  {
    "firstName": "Piyush",
    "emailId": "test@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 2,
    "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
    "enableOtp": true,
    "enableSms": true,
    "enableEmail": true,
    "enableWhatsapp": true,
    "recipientAadhar": 5071,
    "recipientLocation": true,
    "recipientNameMatch": true,
    "recipientPincodeMatch": true,
    "recipientAadhaarMatch": true,
    "recipientGenderMatch": true,
    "recipientYobMatch": true,
    "recipientStateMatch": true,
    "recipientLiveness": true,
    "recipientGender": "Male",
  }
]

```

```

    "recipientYob": 2001,
    "nameMatchPercentage": 80
  }
],
"templateInfoConfig": [
  {
    "id": "TS_SignatureField",
    "recipientEmailMobile": "test@example.com"
  },
  {
    "id": "TR_RecipientField",
    "recipientEmailMobile": "test@example.com"
  },
  {
    "id": "TD_AgreementDate",
    "value": "2025-06-01"
  },
  {
    "id": "TO_ContractType",
    "value": "Loan Agreement"
  },
  {
    "id": "TT_Description",
    "value": "This document is related to ..."
  },
  {
    "id": "TC_TermsAccepted",
    "isChecked": true
  }
]
}

```

4.5.3. Sample Payload for Pdf flow with Digital Stamp

```

{
  <Authentication Parameters>
  "referenceId": "Document",
  "pdfFiles": [
    "data:application/pdf;base64,JVBERiYK"
  ],
  "documentName": "Document",
  "documentType": "Business Agreement",
  "coordinateType": "default",
  "printDocumentId": true,
  "printLegendOnStamp": true,
  "defaultSignLocation": "Top - Right",
  "enableDownload": true,
  "successRedirectUrl": "https://example.com/",
  "failedRedirectUrl": "https://example.com/",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com",
    "additionalAmountDescription": "amount to be paid",
    "additionalParameter1": "Agreement Reference No AG12345",
    "additionalParameter2": "Effective Date- 01/06/2025",
    "additionalParameter3": "Contract Validity- 12 months",
    "additionalParameter4": "Authorized Signatory- Mr. Rajeev Singh",
    "additionalParameter5": "Organization PAN- AAAPL1234C",
    "additionalParameter6": "Registered Address- 101 Corporate Heights, New Delhi",
    "additionalParameter7": "Service Description IT Consulting Services",
    "additionalParameter8": "GST Number- 07ABCDE1234F1Z5",
    "additionalParameter9": "Contact Email",
    "additionalParameter10": "Contact Number- 9876543210",
    "additionalParameter11": "Bank Name- HDFC Bank",
    "additionalParameter12": "Account Number- 123456789012",
    "additionalParameter13": "IFSC Code- HDFC0000123",
  }
}

```

```
"additionalParameter14": "Payment Terms- Within 30 days of invoice",
"additionalParameter15": "Jurisdiction- Delhi High Court",
"additionalDocumentAttachment": [
  {
    "attachmentName": "PdfData",
    "attachmentFile": "data:application/pdf;base64,JVBERi0xLjQKMSAN0T0YK"
  }
],
"stampData": {
  "stateId": 3,
  "stampAmount": 1,
  "stampType": "Digital Stamp",
  "articleCode": "2 - Administration Bond (1002)",
  "secondPartyName": "name"
},
"recipientData": [
  {
    "firstName": "Piyush",
    "middleName": "Singh",
    "lastName": "Negi",
    "emailId": "test@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "streetAddress": "Noida",
    "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
    "enableOtp": true,
    "enableSms": true,
    "enableEmail": true,
    "enableWhatsapp": true,
    "recipientAadhar": 5071,
    "recipientLocation": true,
    "recipientNameMatch": true,
    "recipientPincodeMatch": true,
    "recipientAadhaarMatch": true,
    "recipientGenderMatch": true,
    "recipientYobMatch": true,
    "recipientStateMatch": true,
    "recipientLiveness": true,
    "recipientGender": "Male",
    "recipientYob": 2001,
    "nameMatchPercentage": 67
  },
  {
    "firstName": "Piyush",
    "middleName": "Singh",
    "lastName": "Negi",
    "emailId": "test@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "streetAddress": "Noida",
    "signOrder": 2,
    "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
    "enableOtp": true,
    "enableSms": true,
    "enableEmail": true,
    "enableWhatsapp": true,
    "recipientAadhar": 5071,
    "recipientLocation": true,
    "recipientNameMatch": true,
    "recipientPincodeMatch": true,
    "recipientAadhaarMatch": true,
```

```

    "recipientGenderMatch": true,
    "recipientYobMatch": true,
    "recipientStateMatch": true,
    "recipientLiveness": true,
    "recipientGender": "Male",
    "recipientYob": 2001,
    "nameMatchPercentage": 80
  }
]
}

```

4.5.4. Sample Payload for Template Flow with Digital Stamp

```

{
  <Authentication Parameters>
  "referenceId": "Template Flow",
  "templateId": "f2551d90-56eb-48df-9594-df45c5e8f9a4",
  "documentName": "Template Flow",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com",
    "additionalAmountDescription": "amount to be paid",
    "additionalParameter1": "Agreement Reference No AG12345",
    "additionalParameter2": "Effective Date- 01/06/2025",
    "additionalParameter3": "Contract Validity- 12 months",
    "additionalParameter4": "Authorized Signatory- Mr. Rajeev Singh",
    "additionalParameter5": "Organization PAN- AAAPL1234C",
    "additionalParameter6": "Registered Address- 101 Corporate Heights, New Delhi",
    "additionalParameter7": "Service Description IT Consulting Services",
    "additionalParameter8": "GST Number- 07ABCDE1234F1Z5",
    "additionalParameter9": "Contact Email",
    "additionalParameter10": "Contact Number- 9876543210",
    "additionalParameter11": "Bank Name- HDFC Bank",
    "additionalParameter12": "Account Number- 123456789012",
    "additionalParameter13": "IFSC Code- HDFC0000123",
    "additionalParameter14": "Payment Terms- Within 30 days of invoice",
    "additionalParameter15": "Jurisdiction- Delhi High Court",
    "additionalDocumentAttachment": [
      {
        "attachmentName": "PdfData",
        "attachmentFile": "data:application/pdf;base64,JVBBERi0xLjQUJSVFt0Yk"
      }
    ]
  },
  "stampData": {
    "stateId": 3,
    "isRecipientToPayStamp": true,
    "stampAmount": 10,
    "stampType": "Digital Stamp",
    "articleCode": "2 - Administration Bond (1002)"
  },
  "recipientData": [
    {
      "firstName": "Piyush",
      "emailId": "test@gmail.com",
      "mobileNumber": 9090909090,
      "selectedSignType": "Aadhaar",
      "subSignType": [
        "OTP"
      ],
      "signOrder": 1,
      "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
      "enableOtp": true,
      "enableSms": true,
      "enableEmail": true,
    }
  ]
}

```

```
"enableWhatsapp": true,
"recipientAadhar": 5071,
"recipientLocation": true,
"recipientNameMatch": true,
"recipientPincodeMatch": true,
"recipientAadhaarMatch": true,
"recipientGenderMatch": true,
"recipientYobMatch": true,
"recipientStateMatch": true,
"recipientLiveness": true,
"recipientGender": "Male",
"recipientYob": 2001,
"nameMatchPercentage": 67
},
{
  "firstName": "Piyush",
  "emailId": "test@gmail.com",
  "mobileNumber": 9090909090,
  "selectedSignType": "Aadhaar",
  "subSignType": [
    "OTP"
  ],
  "signOrder": 2,
  "pincodeId": "0a3bc0c9-e648-457e-babc-d897c31b84b7",
  "enableOtp": true,
  "enableSms": true,
  "enableEmail": true,
  "enableWhatsapp": true,
  "recipientAadhar": 5071,
  "recipientLocation": true,
  "recipientNameMatch": true,
  "recipientPincodeMatch": true,
  "recipientAadhaarMatch": true,
  "recipientGenderMatch": true,
  "recipientYobMatch": true,
  "recipientStateMatch": true,
  "recipientLiveness": true,
  "recipientGender": "Male",
  "recipientYob": 2001,
  "nameMatchPercentage": 80
}
],
"templateInfoConfig": [
  {
    "id": "TS_SignatureField",
    "recipientEmailMobile": "test@example.com",
    "recipientIndex": 1
  },
  {
    "id": "TR_RecipientField",
    "recipientEmailMobile": "test@example.com",
    "recipientIndex": 2
  },
  {
    "id": "TD_AgreementDate",
    "value": "2025-06-01"
  },
  {
    "id": "TO_ContractType",
    "value": "Loan Agreement"
  },
  {
    "id": "TT_Description",
    "value": "This document is related to ..."
  },
  {
    "id": "TC_TermsAccepted",
    "isChecked": true
  }
]
```

```
]
}
```

4.5.5. Sample Payload for PDF Flow with eStamp for Loan-Individual

```
{
  <Authentication Parameters>
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0xLo0OTUKJSVFT0YK"
  ],
  "documentName": "Loan-Individual",
  "documentType": "agreement",
  "printDocumentId": true,
  "printLegendOnStamp": true,
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "stampData": {
    "stateId": 29,
    "stampType": "e-Stamp",
    "considerationPrice": 100,
    "organizationRegType": "Loan-Individual",
    "stampdutyPaidby": "firstParty",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      },
      {
        "articleCode": "5 - General Agreement (1003)",
        "stampAmount": 200
      },
      {
        "articleCode": "34 - Indemnity Bond (1099)",
        "stampAmount": 150
      }
    ]
  },
  "estampdtls": {
    "firstPartyName": "Tarun Vashisth",
    "secondPartyName": "Tarun Sharma"
  },
  "loandtls": {
    "loanno": "00049010026",
    "snctnno": "",
    "rtoftnt": 27,
    "snctnamt": 9999,
    "tenure": 20,
    "tenureType": "Month",
    "isacctclosed": "No",
    "fundtyp": "Funded",
    "fcltynm": "Pre Shipment - Secured",
    "dtofsncn": "2021-05-21"
  }
},
  "recipientData": [
    {
      "firstName": "Piyush",
      "emailId": "test@gmail.com",
      "mobileNumber": 9090909090,
      "selectedSignType": "Aadhaar",
      "subSignType": [
        "OTP"
      ],
      "signOrder": 1,
      "recipientDob": "2000-12-08",
      "recipientLegalConstitution": "Proprietorship",
      "recipientPartyType": "Indian Entity",
      "recipientRelationshipToContract": "Debtor",
      "recipientPan": "PANPC1234C"
    }
  ],
}
```

```

{
  "firstName": "Piyush",
  "emailId": "testt@gmail.com",
  "mobileNumber": 9090909090,
  "selectedSignType": "Aadhaar",
  "subSignType": [
    "OTP"
  ],
  "signOrder": 2,
  "recipientDob": "2000-12-08",
  "recipientLegalConstitution": "Proprietorship",
  "recipientPartyType": "Indian Entity",
  "recipientRelationshipToContract": "Guarantor",
  "recipientOvdType": "Passport",
  "recipientOvdNumber": "A1234567"
}
]
}

```

4.5.6. Sample Payload for PDF Flow with eStamp for Loan-NonIndividual

```

{
  <Authentication Parameters>
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0xLjQKMSAwIG9iSVFT0YK"
  ],
  "documentName": "Loan-NonIndividual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "stampData": {
    "stateId": 29,
    "stampType": "e-Stamp",
    "considerationPrice": 100,
    "organizationRegType": "Loan-NonIndividual",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      },
      {
        "articleCode": "5 - General Agreement (1003)",
        "stampAmount": 200
      },
      {
        "articleCode": "34 - Indemnity Bond (1099)",
        "stampAmount": 150
      }
    ]
  },
  "stampdutyPaidby": "firstParty",
  "estampdtls": {
    "firstPartyName": "Tarun Vashisth",
    "secondPartyName": "Tarun Sharma"
  },
  "loandtls": {
    "loanno": "DOC21PTY00049010026",
    "snctnno": "",
    "dtofsncn": "2025-03-29",
    "rtoftnt": 27,
    "snctnamt": 9999,
    "tenure": 20,
    "tenureType": "Month",
    "isacctclosed": "No",
    "fundtyp": "Funded",
    "fcltynm": "Pre Shipment - Secured"
  },
  "enttydtls": {
    "enttyPan": "ABCCH0807Q",
    "enttyName": "Piyush",

```

```

    "lgcnstn": "Public Ltd",
    "doi": "2025-03-29",
    "emailId": "test@gmail.com",
    "regAddr": "B15 house 307 delhi",
    "regPin": 110025,
    "commAddr": "B15 house 307 delhi",
    "commPin": 153073,
    "cntctNo": 9323213232,
    "isSameAsRegAdd": false
  },
  "scrtydtls": {
    "dscofscrty": "PrShipmentSecured",
    "asstyp": "Not Classified",
    "typofchrg": "Mortgage",
    "assetid": "0"
  }
},
"recipientData": [
  {
    "firstName": "Piyush",
    "emailId": "test2@gmail.com",
    "mobileNumber": 9191919191,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Debtor",
    "recipientOvdType": "Others",
    "recipientCustomOvdType": "Employee ID",
    "recipientOvdNumber": "TN1020237788996"
  },
  {
    "firstName": "Piyush",
    "emailId": "test3@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 2,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Guarantor",
    "recipientOvdType": "Voter ID",
    "recipientOvdNumber": "AAA1234567"
  }
]
}

```

4.5.7. Sample Payload for PDF Flow with eStamp for Non-Loan Individual

```

{
  <Authentication Parameters>
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0xLjQKMSAYXJ0eHJIZgo0OTUKJSVFT0YK"
  ],
  "documentName": "NonLoan-Individual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "stampData": {
    "stateld": 29,
    "stampType": "e-Stamp",
    "considerationPrice": 100,

```

```

"organizationRegType": "NonLoan-Individual",
"stampdutyPaidby": "firstParty",
"stamps": [
  {
    "articleCode": "1 - Acknowledgement of a Debt (1097)",
    "stampAmount": 100
  }
],
"estampdtls": {
  "firstPartyName": "Tarun",
  "secondPartyName": "Tarun Sharma"
},
"recipientData": [
  {
    "firstName": "Piyush",
    "emailId": "test@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Customer",
    "recipientPan": "PANPC1234C"
  }
]
}

```

4.5.8. Sample Payload for PDF Flow with eStamp for NonLoan NonIndividual

```

{
  <Authentication Parameters>
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0CnN0YXJ0eHJlZgo0OTUKJSVFT0YK"
  ],
  "documentName": "NonLoan-NonIndividual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "stampData": {
    "stateId": 29,
    "stampType": "e-Stamp",
    "considerationPrice": 100,
    "organizationRegType": "NonLoan-NonIndividual",
    "stampdutyPaidby": "firstParty",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      }
    ]
  },
  "estampdtls": {
    "firstPartyName": "Tarun",
    "secondPartyName": "Tarun Sharma"
  },
  "enttydtls": {
    "enttyPan": "KANCH0807Q",
    "enttyName": "Piyush",
    "Iglcnstn": "Public Ltd",
    "doi": "2025-03-29",
    "emailId": "test@gmail.com",
    "regAddr": "B15 house 307 delhi",
    "regPin": 110025,
    "isSameAsRegAdd": true,
    "cntctNo": 9323213232
  }
}

```

```

    }
  },
  "recipientData": [
    {
      "firstName": "Piyush",
      "emailId": "test1@gmail.com",
      "mobileNumber": "9090909090",
      "selectedSignType": "Aadhaar",
      "subSignType": [
        "OTP"
      ],
      "signOrder": 1,
      "recipientDob": "2000-12-08",
      "recipientLegalConstitution": "Proprietorship",
      "recipientPartyType": "Indian Entity",
      "recipientRelationshipToContract": "Customer",
      "recipientPan": "PANPC1234C"
    }
  ]
}

```

4.5.9. Sample Payload for Template Flow with eStamp for Loan-Individual

```

{
  <Authentication Parameters>
  "templateId": "f2551d90-56eb-48df-9594-df45c5e8f9a4",
  "documentName": "Loan-Individual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com",
    "additionalAmountDescription": "amount to be paid",
    "additionalParameter1": "Agreement Reference No AG12345",
    "additionalParameter2": "Effective Date- 01/06/2025",
    "additionalParameter3": "Contract Validity- 12 months",
    "additionalParameter4": "Authorized Signatory- Mr. Rajeev Singh",
    "additionalParameter5": "Organization PAN- AAAPL1234C",
    "additionalParameter6": "Registered Address- 101 Corporate Heights, New Delhi",
    "additionalParameter7": "Service Description IT Consulting Services",
    "additionalParameter8": "GST Number- 07ABCDE1234F1Z5",
    "additionalParameter9": "Contact Email",
    "additionalParameter10": "Contact Number- 9876543210",
    "additionalParameter11": "Bank Name- HDFC Bank",
    "additionalParameter12": "Account Number- 123456789012",
    "additionalParameter13": "IFSC Code- HDFC0000123",
    "additionalParameter14": "Payment Terms- Within 30 days of invoice",
    "additionalParameter15": "Jurisdiction- Delhi High Court",
    "additionalDocumentAttachment": [
      {
        "attachmentName": "PdfData",
        "attachmentFile": "data:application/pdf;base64,JVBERi0MCBSCj4+go00TUKJSVFT0YK"
      }
    ]
  },
  "stampData": {
    "isRecipientToPayStamp": true,
    "statId": 3,
    "stampType": "e-Stamp",
    "considerationPrice": 23,
    "organizationRegType": "Loan-Individual",
    "stampdutyPaidby": "firstParty",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      }
    ]
  }
}

```

```
    },
    "estampdtls": {
      "firstPartyName": "Tarun",
      "secondPartyName": "Tarun Sharma"
    },
    "loandtls": {
      "loanno": "00049010026",
      "snctnno": "",
      "rtofin": 27,
      "snctnamt": 9999,
      "tenure": 20,
      "tenureType": "Month",
      "isacctclosed": "No",
      "fundtyp": "Funded",
      "fcltynm": "Pre Shipment - Secured",
      "dtofsnctn": "2021-05-21"
    }
  },
  "recipientData": [
    {
      "firstName": "Piyush",
      "emailId": "test1@gmail.com",
      "mobileNumber": 9090909090,
      "selectedSignType": "Aadhaar",
      "subSignType": [
        "OTP"
      ],
      "signOrder": 1,
      "recipientDob": "2000-12-08",
      "recipientLegalConstitution": "Proprietorship",
      "recipientPartyType": "Indian Entity",
      "recipientRelationshipToContract": "Debtor",
      "recipientPan": "PANPC1234C"
    },
    {
      "firstName": "Piyush",
      "emailId": "test2@gmail.com",
      "mobileNumber": 9191919191,
      "selectedSignType": "Aadhaar",
      "subSignType": [
        "OTP"
      ],
      "signOrder": 2,
      "recipientDob": "2000-12-08",
      "recipientLegalConstitution": "Proprietorship",
      "recipientPartyType": "Indian Entity",
      "recipientRelationshipToContract": "Guarantor",
      "recipientPan": "PANPC1234D"
    }
  ],
  "templateInfoConfig": [
    {
      "id": "TS_SignatureField",
      "recipientEmailMobile": "test2@example.com"
    },
    {
      "id": "TR_RecipientField",
      "recipientEmailMobile": "test2@example.com"
    },
    {
      "id": "TD_AgreementDate",
      "value": "2025-06-01"
    },
    {
      "id": "TO_ContractType",
      "value": "Loan Agreement"
    },
    {
      "id": "TT_Description",
```

```

    "value": "This document is related to ..."
  },
  {
    "id": "TC_TermsAccepted",
    "isChecked": true
  }
]
}

```

4.5.10. Sample Payload for Template Flow with eStamp for Loan-NonIndividual

```

{
  <Authentication Parameters>
  "templateId": "f2551d90-56eb-48df-9594-df45c5e8f9a4",
  "documentName": "Loan-NonIndividual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com",
    "additionalAmountDescription": "amount to be paid",
    "additionalParameter1": "Agreement Reference No AG12345",
    "additionalParameter2": "Effective Date- 01/06/2025",
    "additionalParameter3": "Contract Validity- 12 months",
    "additionalParameter4": "Authorized Signatory- Mr. Rajeev Singh",
    "additionalParameter5": "Organization PAN- AAAPL1234C",
    "additionalParameter6": "Registered Address- 101 Corporate Heights, New Delhi",
    "additionalParameter7": "Service Description IT Consulting Services",
    "additionalParameter8": "GST Number- 07ABCDE1234F1Z5",
    "additionalParameter9": "Contact Email",
    "additionalParameter10": "Contact Number- 9876543210",
    "additionalParameter11": "Bank Name- HDFC Bank",
    "additionalParameter12": "Account Number- 123456789012",
    "additionalParameter13": "IFSC Code- HDFC0000123",
    "additionalParameter14": "Payment Terms- Within 30 days of invoice",
    "additionalParameter15": "Jurisdiction- Delhi High Court",
    "additionalDocumentAttachment": [
      {
        "attachmentName": "PdfData",
        "attachmentFile": "data:application/pdf;base64,JVBERi0xLIZgo0OTUKJSVFT0YK"
      }
    ]
  },
  "stampData": {
    "stateId": 29,
    "stampType": "e-Stamp",
    "isRecipientToPayStamp": true,
    "considerationPrice": 100,
    "organizationRegType": "Loan-NonIndividual",
    "stampdutyPaidby": "firstParty",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      }
    ]
  },
  "estampdtls": {
    "firstPartyName": "Tarun",
    "secondPartyName": "Tarun Sharma"
  },
  "loandtls": {
    "loanno": "DOC21PTY00049010026",
    "snctnno": "",
    "dtofsncn": "2025-03-29",
    "rtoftnt": 27,
    "snctnamt": 9999,
    "tenure": 20,
  }
}

```

```
"tenureType": "Month",
"isacctclosed": "No",
"fundtyp": "Funded",
"fclynm": "Pre Shipment - Secured"
},
"enttydtls": {
  "enttyPan": "ABCCH0807Q",
  "enttyName": "Piyush",
  "Iglcnstn": "Public Ltd",
  "doi": "2025-03-29",
  "emailld": "test1@gmail.com",
  "regAddr": "B15 house 307 delhi",
  "regPin": 110025,
  "commAddr": "B15 house 307 delhi",
  "commPin": 153073,
  "cntctNo": 9323213232,
  "isSameAsRegAdd": false
},
"scrtydtls": {
  "dscofscrty": "PrShipmentSecured",
  "asstyp": "Not Classified",
  "typofchrg": "Mortgage",
  "assetid": "0"
}
},
"recipientData": [
  {
    "firstName": "Piyush",
    "emailld": "test2@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Debtor",
    "recipientPan": "PANPC1234C"
  },
  {
    "firstName": "Piyush",
    "emailld": "test3@gmail.com",
    "mobileNumber": 9191919191,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 2,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Guarantor",
    "recipientPan": "PANPC1234D"
  }
],
"templateInfoConfig": [
  {
    "id": "TS_SignatureField",
    "recipientEmailMobile": "test2@example.com"
  },
  {
    "id": "TR_RecipientField",
    "recipientEmailMobile": "test2@example.com"
  },
  {
    "id": "TD_AgreementDate",
    "value": "2025-06-01"
  }
]
```

```

    },
    {
      "id": "TO_ContractType",
      "value": "Loan Agreement"
    },
    {
      "id": "TT_Description",
      "value": "This document is related to ..."
    },
    {
      "id": "TC_TermsAccepted",
      "isChecked": true
    }
  ]
}

```

4.5.11. Sample Payload for Template Flow with eStamp for NonLoan-Individual

```

{
  <Authentication Parameters>
  "templateId": "f2551d90-56eb-48df-9594-df45c5e8f9a4",
  "documentName": "NonLoan-Individual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com"
  },
  "stampData": {
    "isRecipientToPayStamp": true,
    "stateId": 3,
    "stampType": "e-Stamp",
    "considerationPrice": 23,
    "organizationRegType": "NonLoan-Individual",
    "stampdutyPaidby": "firstParty",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      }
    ]
  },
  "estampdtls": {
    "firstPartyName": "Tarun",
    "secondPartyName": "Tarun Sharma"
  }
},
"recipientData": [
  {
    "firstName": "Piyush",
    "emailId": "test1@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Customer",
    "recipientPan": "PANPC1234C"
  }
],
"templateInfoConfig": [
  {
    "id": "TS_SignatureField",
    "recipientEmailMobile": "test1@example.com"
  }
]
}

```

```

    },
    {
      "id": "TR_RecipientField",
      "recipientEmailMobile": "test1@example.com"
    },
    {
      "id": "TD_AgreementDate",
      "value": "2025-06-01"
    },
    {
      "id": "TO_ContractType",
      "value": "Loan Agreement"
    },
    {
      "id": "TT_Description",
      "value": "This document is related to ..."
    },
    {
      "id": "TC_TermsAccepted",
      "isChecked": true
    }
  ]
}

```

4.5.12. Sample Payload for Template Flow with eStamp for NonLoan-NonIndividual

```

{
  <Authentication Parameters>
  "templateId": "f2551d90-56eb-48df-9594-df45c5e8f9a4",
  "documentName": "NonLoan-NonIndividual",
  "documentType": "agreement",
  "isSequentialSign": true,
  "isStampDutyRequired": true,
  "additionalData": {
    "isAdditionalAmountRequired": true,
    "additionalAmount": 10,
    "additionalAmountPayeeEmailMob": "test@gmail.com"
  },
  "stampData": {
    "isRecipientToPayStamp": true,
    "stateId": 3,
    "stampType": "e-Stamp",
    "considerationPrice": 23,
    "organizationRegType": "NonLoan-NonIndividual",
    "stampdutyPaidby": "firstParty",
    "stamps": [
      {
        "articleCode": "1 - Acknowledgement of a Debt (1097)",
        "stampAmount": 100
      }
    ]
  },
  "estampdtls": {
    "firstPartyName": "Tarun",
    "secondPartyName": "Tarun Sharma"
  },
  "enttydtls": {
    "enttyPan": "KANCH0807Q",
    "enttyName": "Piyush",
    "lgcnstn": "Public Ltd",
    "doi": "2025-03-29",
    "emailId": "test1@gmail.com",
    "regAddr": "B15 house 307 delhi",
    "regPin": 110025,
    "isSameAsRegAdd": true,
    "cntctNo": 9323213232
  },
  "recipientData": [
    {

```

```

    "firstName": "Piyush",
    "emailId": "test2@gmail.com",
    "mobileNumber": 9090909090,
    "selectedSignType": "Aadhaar",
    "subSignType": [
      "OTP"
    ],
    "signOrder": 1,
    "recipientDob": "2000-12-08",
    "recipientLegalConstitution": "Proprietorship",
    "recipientPartyType": "Indian Entity",
    "recipientRelationshipToContract": "Customer",
    "recipientPan": "PANPC1234C"
  }
],
"templateInfoConfig": [
  {
    "id": "TS_SignatureField",
    "recipientEmailMobile": "test2@gmail.com"
  },
  {
    "id": "TR_RecipientField",
    "recipientEmailMobile": "test2@gmail.com"
  },
  {
    "id": "TD_AgreementDate",
    "value": "2025-06-01"
  },
  {
    "id": "TO_ContractType",
    "value": "Loan Agreement"
  },
  {
    "id": "TT_Description",
    "value": "This document is related to ..."
  },
  {
    "id": "TC_TermsAccepted",
    "isChecked": true
  }
]
}

```

4.5.13. Sample Payload for Geo fencing is configured for the recipient and override is allowed

```

{
  <Authentication Parameters>
  "referenceId": "New Document",
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0xLOTUKJSVFT0YK"
  ],
  "documentName": "Document",
  "documentType": "agreement",
  "coordinateType": "default",
  "defaultSignLocation": "Top - Right",
  "enableDownload": true,
  "successRedirectUrl": "https://example.com/",
  "failedRedirectUrl": "https://example.com/",
  "isSequentialSign": false,
  "recipientData": [
    {
      "firstName": "Sunny",
      "emailId": "test@gmail.com",
      "mobileNumber": 9090909090,
      "selectedSignType": "Aadhaar",
      "recipientLocation": true,
      "subSignType": [

```

```

      "OTP"
    ],
    "recipientGeoLocation": {
      "enable": true
    },
    "locations": [
      {
        "type": "boundary",
        "country": "India",
        "countryCode": "IN",
        "boundaryType": "country"
      }
    ]
  },
  {
    "firstName": "Tarun",
    "emailId": "test1@gmail.com",
    "selectedSignType": "Aadhaar",
    "recipientLocation": true,
    "subSignType": [
      "OTP"
    ],
    "recipientGeoLocation": {
      "enable": true
    },
    "locations": [
      {
        "type": "radius",
        "lat": 28.571548,
        "lng": 77.213287,
        "radiusInMeters": 500,
        "name": "Delhi Office"
      }
    ]
  }
]
}

```

4.5.14. Sample Payload for Company seal stamp

4.5.14.1. When seal type selected organization and individual for the recipient.

```

{
  <Authentication Parameters>
  "pdfFiles": [
    "data:application/pdf;base64,JpFVAplbmRzdHJlYW0KZW5kb2JqCnhyZOTUKJSVFT0YK"
  ],
  "documentName": "Document",
  "documentType": "agreement",
  "coordinateType": "custom",
  "isSequentialSign": false,
  "recipientData": [
    {
      "firstName": "Sunny",
      "lastName": "Sharma",
      "mobileNumber": 9090909090,
      "selectedSignType": "Virtual Sign",
      "subSignType": [
        "Draw Sign"
      ]
    },
    {
      "recipientSealDetails": {
        "sealType": "Organisation"
      }
    }
  ],
  {
    "firstName": "Sunny",
    "lastName": "Sharma",
  }
}

```

```

    "mobileNumber": 9191919191,
    "selectedSignType": "Virtual Sign",
    "subSignType": [
      "Choose Sign"
    ],
    "signCoordinates": [
      {
        "x": 405,
        "y": 782,
        "pageNo": 1
      }
    ],
    "recipientSealDetails": {
      "sealType": "Individual",
      "isSealMandatory": true
    }
  },
  {
    "firstName": "Sunny",
    "lastName": "Sharma",
    "mobileNumber": 9292929292,
    "selectedSignType": "Virtual Sign",
    "subSignType": [
      "Draw Sign"
    ],
    "signCoordinates": [
      {
        "x": 405,
        "y": 782,
        "pageNo": 1
      }
    ],
    "recipientSealDetails": {
      "sealType": "Individual",
      "isSealMandatory": true
    }
  }
]
}

```

4.5.14.2. When seal type is individual for the recipient then their sub category as well

```

{
  <Authentication Parameters>
  "pdfFiles": [
    "data:application/pdf;base64,JVBERi0xLjQKMSAwIG9iago8PC9yIDAgUgovTW"
  ],
  "documentName": "Document",
  "documentType": "agreement",
  "coordinateType": "default",
  "defaultSignLocation": "Top - Right",
  "isSequentialSign": false,
  "recipientData": [
    {
      "firstName": "Sunny",
      "lastName": "Sharma",
      "mobileNumber": 9090909090,
      "selectedSignType": "Virtual Sign",
      "subSignType": [
        "Draw Sign"
      ],
      "recipientSealDetails": {
        "sealType": "Individual",
        "isSealMandatory": true,

```

```

"customSealData": {
  "sealType": "director",
  "organisationName": "Tarun Sharma",
  "color": "#00008B",
  "opacity": 90
}
},
{
  "firstName": "Tarun",
  "lastName": "Vashisth",
  "emailId": "test@gmail.com",
  "selectedSignType": "Virtual Sign",
  "subSignType": [
    "Upload Sign"
  ],
  "recipientSealDetails": {
    "sealType": "Individual",
    "isSealMandatory": true,
    "customSealData": {
      "sealType": "authorised_signatory",
      "organisationName": "Tarun Sharma",
      "color": "#00008B",
      "opacity": 90
    }
  }
},
{
  "firstName": "Aakash",
  "lastName": "Sharma",
  "mobileNumber": 9191919191,
  "selectedSignType": "Aadhaar",
  "subSignType": [
    "OTP"
  ],
  "recipientSealDetails": {
    "sealType": "Individual",
    "isSealMandatory": true,
    "customSealData": {
      "sealType": "custom",
      "imageBase64": "data:image/png;base64,JVBBERi0xLjQKMSAwIG9iago8RhbG9nCPgpl",
      "opacity": 90
    }
  }
}
]
}

```

4.6. Sample Success Response

Status	Code	Success Message	Response
200	5050	Documents has been successfully sent to Checker for approval	Without Stamp: <pre> { "status": 200, "message": "Documents has been successfully sent to Checker for approval", "code": "5050", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "emailId": "test@example.com", "mobileNumber": 9090909090 }] } } </pre>

			<pre> }] } } With Digital Stamp { "status": 200, "message": "Documents has been successfully sent to Checker for approval", "code": "5050", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "emailId": "test@example.com", "mobileNumber": 9090909090 }], "stampData": [{ "stampInventoryId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "stampCertificateId": "IN-XX000000000000000X", "stampDenomination": "100", "articleCode": "2 - Administration Bond (1002)", "stateName": "Assam" }] } } } With e-Stamp: { "status": 200, "message": "Documents has been successfully sent to Checker for approval", "code": "5050", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "emailId": "test@example.com", "mobileNumber": 9090909090 }], "stampData": { "stateName": "Assam", "stamps": [{ "articleCode": "2 - Administration Bond (1002)", "stampAmount": 100 }] } } } } </pre>
200	5051	Payment Request has been successfully sent to the Recipient	Without Stamp: <pre> { "status": 200, "message": "Payment Request has been successfully sent to the Recipient", "code": "5051", </pre>

			<pre>"data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test@example.com", "mobileNumber": 9090909090 }], "redirectUrl": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }] } }</pre> With Digital Stamp: <pre>{ "status": 200, "message": "Payment Request has been successfully sent to the Recipient", "code": "5051", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test@example.com", "mobileNumber": 9090909090 }], "stampData": [{ "stampInventoryId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "stampCertificateId": "IN-XX000000000000000X", "stampDenomination": "100", "articleCode": "2 - Administration Bond (1002)", "stateName": "Assam" }], "redirectUrl": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }] } }</pre> With e-Stamp: <pre>{ "status": 200, "message": "Payment Request has been successfully sent to the Recipient", "code": "5051", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test@example.com", "mobileNumber": 9090909090 }] } }</pre>
--	--	--	---

			<pre> }], "stampData": { "stateName": "Assam", "stamps": [{ "articleCode": "2 - Administration Bond (1002)", "stampAmount": 100 }] }, "redirectUrl": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }] } </pre>
200	5052	Document has been successfully sent to the Recipients for eSigning	Without Stamp: <pre> { "status": 200, "message": "Document has been successfully sent to the Recipients for eSigning", "code": "5052", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "emailId": "test1@example.com", "mobileNumber": 9090909090 }, { "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "emailId": "test2@example.com", "mobileNumber": 9191919191 }] }, "redirectUrl": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }, { "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }] } </pre> With Digital Stamp: <pre> { "status": 200, "message": "Document has been successfully sent to the Recipients for eSigning", "code": "5052", "data": { </pre>

			<pre>"documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test1@example.com", "mobileNumber": 9090909090 }, { "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test2@example.com", "mobileNumber": 9191919191 }], "stampData": [{ "stampInventoryId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "stampCertificateId": "IN-XX000000000000000X", "stampDenomination": "100", "articleCode": "2 - Administration Bond (1002)", "stateName": "Assam" }], "redirectUrl": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }, { "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }] } } With e-Stamp: { "status": 200, "message": "Document has been successfully sent to the Recipients for eSigning", "code": "5052", "data": { "documentId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "recipientData": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test1@example.com", "mobileNumber": 9090909090 }, { "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx", "emailId": "test2@example.com", "mobileNumber": 9191919191 }], "stampData": { "stateName": "Assam", "stamps": [{ "articleCode": "2 - Administration Bond (1002)", "stampAmount": 100 }] } } }</pre>
--	--	--	---

			<pre> }] }, "redirectUrl": [{ "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }, { "recipientId": "xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx", "redirectUrl": "https://example.com/esign/esign-verify?token=<JWT_TOKEN>" }] } } </pre>
--	--	--	---

5. Value Added API's used to get data for the eSign Flows

5.1. To get the State List

RiseWithProtean: POST: /api/v1/esign/stampstates

Response:

```

{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": [
    {
      "stateId": 1,
      "stateName": "Andhra Pradesh",
      "stampType": [
        "e-Stamp",
        "Digital Stamp"
      ],
      "isSpecialState": false
    },
    {
      "stateId": 3,
      "stateName": "Assam",
      "stampType": [
        "e-Stamp",
        "Digital Stamp"
      ],
      "isSpecialState": false
    }
  ]
}

```

5.2. To get Article Code for the stampType - DigitalStamp

RiseWithProtean: POST: /api/v1/esign/ArticleCodeFetchDigitalStamp

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	stateCode	String	Mandatory	Id of the State. Valid: 1- 37	"stateCode": "29"

Request:

```
{
  <Authentication Parameters>
  "stateCode": "xx"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": {
    "articleCode": []
  }
}
```

5.3. To get the Stamp Value on eStamp for Special States

RiseWithProtean: /api/v1/esign/eStamp/considerationPrice

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	stateId	Number	Mandatory	Id of the State. Valid: 1- 37	"stateId": "29"
2	considerationPrice	Number	Mandatory	The consideration price/amount for the e-Stamp. Must be a number with a minimum value 1	100
3	articleCode	String	Mandatory	The article code for the stamp duty. Must be a valid article code from the state's articleCodeData list. Also validated against organization's allowed Article Codes if configured.	"1 - Acknowledgement of a Debt (1097)"

Request:

```
{
  <Authentication Parameters>
  "stateId": "28",
  "considerationPrice": "100",
  "articleCode": "4 - Affidavit (4)"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "stampDutyAmount": "100"
}
```

5.4. To get Article Code for the stampType e-Stamp

RiseWithProtean: POST: /api/v1/esign/ArticleCodeFetchEstamp

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	stateCode	String	Mandatory	Id of the State. Valid: 1- 37	"stateCode": "29"

Request:

```
{
  <Authentication Parameters>
  "stateCode": "xx"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": {
    "articleCode": [
      "1 - Acknowledgement of a Debt (1097)",
      "4 - Declaration (1002)",
      "4 - Affidavit (1078)",
      "5 - General Agreement (1003)",
      "6(2)(a) - Title Deed Agreement (1006)",
      "34 - Indemnity Bond (1099)",
      "40 - Mortgage / Hypothecation (1037)",
      "26 - Customs Bond (1098)",
      "Bank Guarantee (1081)"
    ]
  }
}
```

5.5. To fetch the PIN Code data using Pin Code

RiseWithProtean: POST: /api/v1/esign/pincode

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	pincode	String	Mandatory	Pincode should be exactly 6 characters long	"pincode": 201305

Request:

```
{
  <Authentication Parameters>
  "pincode": 201305
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": [
    {
      "pincodeId": "930de019-1d0f-461a-9e3d-f897281325d0",
      "pincode": "201305",
      "localityName": "Nagla Charandas",
      "subDistrictName": "Ghaziabad",
    }
  ]
}
```

```

    "districtName": "Ghaziabad",
    "stateName": "Uttar Pradesh",
    "country": "India"
  },
  {
    "pincodeId": "d2be1ba8-8cad-4620-a85c-86cb7dc7767b",
    "pincode": "201305",
    "localityName": "NEPZ",
    "subDistrictName": "Gautam Buddha Nagar **",
    "districtName": "Gautam Buddha Nagar",
    "stateName": "Uttar Pradesh",
    "country": "India"
  },
  {
    "pincodeId": "8fe7d7d9-c0c1-41a7-ad3c-8a4fb1e983bb",
    "pincode": "201305",
    "localityName": "Chhaprauli Bangar",
    "subDistrictName": "Ghaziabad",
    "districtName": "Ghaziabad",
    "stateName": "Uttar Pradesh",
    "country": "India"
  }
]

```

5.6. To fetch the Wallet Balance

RiseWithProtean: POST: /api/v1/esign/wallet

Response:

```

{
  "status": 200,
  "message": "Success",
  "code": "5008",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": {
    "usedAmount": "20.06",
    "billingType": "Postpaid",
    "creditLimit": "10000.00"
  }
}

```

5.7. To fetch the eSign URL

RiseWithProtean: POST: /api/v1/esign/RedirectUrl

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	emailId	String	Conditional Mandatory	Recipient EmailId Validation: Min: 3 Max: 75 Must be a valid email address (e.g.,name@example.com)	"emailId": "xyz@gmail.com",
2	documentId	String	Conditional Mandatory	Must be a valid Document UUID Id	"documentId": "2XXXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2",
3	mobileNo	String	Conditional Mandatory	Recipient Mobile No Validation: Fixed-10 Should start with 6, 7, 8 or 9	"mobileNo": "xxxxxxxxxx",

4	referenceId	String	Optional	Must be alphanumeric and can include single spaces between words and special characters like , () _ - / .	"referenceId": "REF-12345",
5	recipientId	String	Optional	Must be a valid Recipient UUID Id	"recipientId": "2XXXXXXe-71b2-4613-aaa8-6XXXX XXXXXXX2"

Request:

```
{
  <Authentication Parameters>
  "emailId": "xyz@gmail.com",
  "documentId": "2XXXXXXe-71b2-4613-aaa8-6XXXXXXX2",
  "mobileNo": "xxxxxxxx",
  "referenceId": "REF-12345",
  "recipientId": "2XXXXXXe-71b2-4613-aaa8-6XXXXXXX2"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": []
}
```

5.8. To Get all the publish Template

RiseWithProtean: POST: /api/v1/esign/template

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	page	String	Mandatory	Page number and allowed [1-50,000]	"page": "1"
2	limit	String	Mandatory	Limit must be from 10, 25, 50	"limit": "50"
3	templateStatus	String	Mandatory	Template must be from 'Published', 'Draft'	"templateStatus": "Published"

Request:

```
{
  <Authentication Parameters>
  "page": "1",
  "limit": "50",
  "templateStatus": "Published"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": [
    {
      "templateId": "458ad613-7c95-41f2-baee-af3115fe8161",
    }
  ]
}
```

```

    "templateName": "new temp 1",
    "templateThumbnail": "data:image/png;base64,iVBORw0KGgoAAAANSUHEUgAABKQAAAaRCAYAFFFA
ACeC1XnAAAAAXNSR1/mnrXgE3Zt07d0ZOgMDKBFz3VubmUwQIElgKpAVS45Mz5VcHJ8qhY1PRfasjQIAAgTUkcNO2gfKpe4bLyDr
BVDdOouxuzbpw1YyZA4FoEXPewECBHpYQCDVnZPrxqw7582oCRBYuYDr3srtfJIAAQIRAYFUREkNAQIECKQJCKTSKNvayl1ZW7ntjA
CBBgi47jVgEgyBAIGeFhBI9fT0OjgCBAg0T0Ag1bw5iYzljVIESQ0BAr0k4LrXS7PpWAgQaKKAQKqJs2JMBAGQ6GEBgVR3Tq4bs"
  }
}
]
```

5.9. To fetch the template Data

RiseWithProtean: POST: /api/v1/esign/templateData

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	templateId	String	Mandatory	Must be a valid UUID	"templateId": "xxeaeexx-dddf-xx0e-xxxx-6axxaxx1xxxx4"

Request:

```
{
  <Authentication Parameters>
  "templateId": "xxeaeexx-dddf-xx0e-xxxx-6axxaxx1xxxx4"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d057d-774f-7431-9f26-77062879c5c9",
  "data": {
    "templateId": "458ad613-7c95-41f2-baee-af3115fe8161",
    "templateName": "new temp 1",
    "templateThumbnail": "iVBORw0KGgoAAAANSUHEUgAABKQAAAaRCAYAAACeC1XnAAAAAXNSR0IArs4c6FGGGFF
ABJREFUeF7s3fmfVeWdJ/CnNopiE0RA3MW4YGuiSUxiEmMn3ekkJr3NTKanu/++6fQy09Nblu4snUSzL+0WFQEVFRFBUIJaiNqrm9d
yisKgqqC/Ft+4999b7/KJS3/s9z3k",
    "templateHtml": "<div style=\"width: 796px;\"><p>&nbsp;&nbsp;&nbsp;<span class=\" html-object- em be d ck-widget\"
data-html-object-embed-label=\"HTML object\" contenteditable=\"false\"><input class=\"html-object-embed_content
template-input template-input-selector template-recipient template-recipient-input-color\" type=\"text\" id=\"recipientGWwwz\"
name=\"\" data-type=\"recipient\" placeholder=\" [Recipient 1]\" value=\" [Recipient 1]\"></span>&nbsp;&nbsp;&nbsp;<span
class=\"html-object-embed ck-widget\" data-html-object-embed-label=\"HTML object\" contenteditable=\"false\"><input
class=\"html-object-embed_content template-input template-input-selector template-esign template-value_check\" type=\"text\"
id=\"signNsOGX\" name=\"\" data-type=\"esign\" placeholder=\" [R1 Sign]\" value=\" [R1 Sign]\" label=\" [R1 Sign]\"
required=\"true\"></span>&nbsp;&nbsp;&nbsp;</p></div>",
    "templateStatus": "Published",
    "createdBy": "f34a45b8-fe08-4d61-8af1-a9ebaaa0e004",
    "orgId": "59e56643-2",
    "templateConfig": {
      "fields": [
        {
          "id": "recipientGWwwz",
          "max": "",
          "min": "",
          "type": "text",
          "value": " [Recipient 1]",
          "required": false,
          "fieldname": "",
          "isChecked": false,
          "isrecipient": "recipient",
          "placeholder": " [Recipient 1]"
        }
      ]
    }
  }
}
```

```

        "id": "signNsOGX",
        "max": "",
        "min": "",
        "type": "text",
        "coord": {
            "x": 323.59375,
            "y": 81.3984375
        },
        "value": " [R1 Sign]",
        "required": true,
        "fieldname": "",
        "isChecked": false,
        "isrecipient": "esign",
        "placeholder": " [R1 Sign]"
    }
},
    "rawHtml": "<div style=\"width: 796px;\"><p>&nbsp;&nbsp;&nbsp;<span class=\"html-object-e mbed ck-widget\" data-html-object-embed-label=\"HTML object\" contenteditable=\"false\"><input class=\"html-object-embed__content template-input template-input-selector template-recipient template-recipient-input-color\" type=\"text\" id=\"recipientGWwwz\" name=\"\" data-type=\"recipient\" placeholder=\" [Recipient 1]\" value=\" [Recipient 1]\"></span>&nbsp;&nbsp;&nbsp;<span class=\"html-object-embed ck-widget\" data-html-object-embed-label=\"HTML object\" contenteditable=\"false\"><input class=\"html-object-embed__content template-input template-input-selector template-esign template-value_check\" type=\"text\" id=\"signNsOGX\" name=\"\" data-type=\"esign\" placeholder=\" [R1 Sign]\" value=\" [R1 Sign]\" label=\" [R1 Sign]\" required=\"true\"></span>&nbsp;&nbsp;&nbsp;</p></div>",
    "borderData": "{ \"border\":0, \"bordertype\":\"solid\" }",
    "marginData": "{ \"top\":\"1\", \"left\":\"1\", \"bottom\":\"1\", \"right\":\"1\" }",
    "stampConfig": {},
    "dropdownField": [],
    "editorPageSize": "",
    "pageOrientation": "Portrait",
    "isAdditionalAmountRequired": false
},
"templatePdf": null,
"templateAttachment": {}
}
}

```

5.10. Audit Trail

RiseWithProtean: POST: /api/v1/esign/audit

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax x1xxxx4"

Request:

```

{
  <Authentication Parameters>
  "documentId": "2XXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
}

```

Response:

```

{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",
  "data": "base64 output "
}

```

5.11. Re-send mail

RiseWithProtean: POST: /api/v1/esign/resendmail

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax1xxxx4"
2	documentExpiryTime	Number	Optional	Allowed [15- 259200]	"documentExpiryTime": 30

Request:

```
{
  <Authentication Parameters>
  "documentId": "2XXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2",
  "documentExpiryTime": 30
}
```

Response:

```
{
  "status": 200,
  "message": "Email sent to remaining recipients only",
  "code": "5032",
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b"
}
```

5.12. Bulk eSign

RiseWithProtean: POST: /api/v1/esign/bulkesign

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	attachmentName	String	Mandatory	Must be a valid with csv or xlsx extension	"attachmentName": "esign 09 SEPT 2024 .xlsx",
2	attachmentType	String	Mandatory	Valid types [('csv', 'xlsx')]	"attachmentType": "xlsx",
3	attachmentFile	String	Mandatory	Must be a base64 with a valid prefix	"attachmentFile": "data:application/xlsx;base64,XXXXXXXXXX"

Request:

```
{
  <Authentication Parameters>
  "attachmentName": "esign 09 SEPT 2024 .xlsx",
  "attachmentType": "xlsx",
  "attachmentFile": "data:application/xlsx;base64,XXXXXXXXXX"
}
```

Response:

```
{
  "status": 200,
```

```
"message": "Attachment Updated Successfully",
"code": "5010",
"eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",
"data": {
  "createdAt": "2024-09-26T05:47:15.773Z",
  "updatedAt": "2024-09-26T05:47:15.773Z",
  "bulkDocumentId": "cXXXX6-f570-4fe5-a856-60XXXXXXd",
  "documentName": "esign 09 SEPT 2024 .csv",
  "documentPath": {
    "9XXXXX8-02df-4ee5-be4a-0XXXXXXXXX7": {
      "path": "templates/92191add86/attachments/9XXXXX8-02df-4ee5-be40-XXXXXX7.csv",
      "type": "data:application/csv;base64",
      "attachmentName": "esignApistatus 09 SEPT 2024 .csv"
    }
  },
  "processStages": "Initiate",
  "createdBy": "8XXXXX2-cb91-444f-a58d-5XXXXXXXXX6",
  "updatedBy": "86762a22-cb91-444f-a58d-5XXXXXXXXX6",
  "orgId": "9XXXXXXXXX6",
  "totalCount": 0,
  "successCount": 0,
  "failedCount": 0,
  "notProcessed": 0,
  "statusComments": null
}
```

5.13. Delete document in draft stage

RiseWithProtean: POST: /api/v1/esign/delete

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax1xxxx4"

Request:

```
{
  <Authentication Parameters>
  "documentId": "2XXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
}
```

Response:

```
{
  "status": 200,
  "message": "Deleted Successfully",
  "code": "5011",
  "eSignProRequestId": "ef9db88f-a869-73a9-8646-b059350081f2"
}
```

5.14. Cancel Document

RiseWithProtean: POST: /api/v1/esign/document/cancel

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax1xxxx4"
2	feedback	String	Mandatory	must be 1 to 250 characters long, use only letters, numbers, and special characters like () , _ - /, with single spaces between words and no consecutive spaces.	"feedback": "Customer requested cancellation due to changes in requirements."

Request:

```
{
  <Authentication Parameters>
  "documentId": "2XXXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
  "feedback": "Customer requested cancellation due to changes in requirements."
}
```

Response:

```
{
  "status": 200,
  "message": "Workflow cancelled successfully",
  "code": "5035",
  "eSignProRequestId": "ef9d3347-c8e5-7ee2-8dec-5f591c3a6535"
}
```

5.15. Refund Document

RiseWithProtean: POST: /api/v1/esign/esign-refund

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax1xxxx4"
2	remarks	String	Mandatory	must be 1 to 250 characters long, use only letters, numbers, and special characters like () , _ - /, with single spaces between words and no consecutive spaces.	"remarks": "Refund initiated."

Request:

```
{
  <Authentication Parameters>
  "documentId": "2XXXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
  "remarks": "Refund initiated."
}
```

Response:

```
{
  "status": 200,
```

```

"message": "Amount Refunded Successfully",
"code": "5036",
"eSignProRequestId": "ef9d334c-13e9-7876-8917-ad7f06e11b19"
}

```

5.16. Update Recipients

RiseWithProtean: **POST:** /api/v1/esign/update-recipients

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax x1xxxx4"
2	recipients	Array	Mandatory	Array of Recipients Min 1 Object Required Refer: Recipient Details Request Parameter	"recipients": [{ }]

5.16.1. Recipient Details Request Parameter

S No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	recipientId	String	Mandatory	Must be a valid UUID	"recipientId": "2b98c50e-08e5-4bbd-b9ea-526c 4c2f01eb",
2	firstName	String	Mandatory	Recipient first Name Validation: Min: 1, Max: 50 Alphanumeric and special characters including (&, comma (,), apostrophe ('), parentheses (()), dot (.), space, forward slash (/), hyphen (-)) are allowed and total length of First, middle and last name would be 90 only	"firstName": "firstName",
3	middleName	String	Optional	Recipient Middle Name Validation: Min: 1, Max:50 Alphanumeric and special characters including (&, comma (,), apostrophe ('), parentheses (()), dot (.), space, forward slash (/), hyphen (-)) are allowed and total length of First, middle and last name would be 90 only	"middleName": "Singh",
4	lastName	String	Optional	Recipient Last Name Validation: Min: 1, Max:50 Alphanumeric and special characters including (&, comma (,), apostrophe ('), parentheses (()), dot (.), space, forward slash (/),	"lastName": "lastName",

				hyphen (-)) are allowed and total length of First, middle and last name would be 90 only	
5	mobileNo	Integer	Conditional Mandatory	If Optional email or mobile number enable from esign settings then either email or mobile number is required Recipient Mobile No Validation: Fixed-10, Should start with 6, 7, 8 or 9	"mobileNo": 9999999999
6	email	String	Conditional Mandatory	If Optional email or mobile number enable from esign settings then either email or mobile number is required Recipient EmailId Validation: Min: 3, Max: 75 Must be a valid email address in lowercase. (e.g.,name@example.com)	"email": "jk@gmail.com",

Request:

```
{
  //<Authentication Parameters>
  "documentId": "dc1cf442-12f9-4f22-a852-a0301eda2943",
  "recipients": [
    {
      "recipientId": "2b98c50e-08e5-4bbd-b9ea-526c4c2f01eb",
      "firstName": "absssc",
      "middleName": "jke",
      "lastName": "wdc",
      "mobileNo": "9898989898",
      "email": "test@gmail.com"
    }
  ]
}
```

Response:

```
{
  "status": 200,
  "message": "Updated Successfully",
  "code": "5010",
  "eSignProRequestId": "ef9d3354-9621-7725-8ef0-083a1f48024e"
}
```

5.17. Marked Document As Partial Signed

RiseWithProtean: POST: /api/v1/esign/mark-partial-signed

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax x1xxxx4"

Request:

```
{
  <Authentication Parameters>
  "documentId": "2XXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
}
```

Response:

```
{
  "status": 200,
  "message": "Document marked as Signed successfully",
  "code": "5086",
  "eSignProRequestId": "ef9d335f-6257-7311-bea7-a145991e3d8c"
}
```

5.18. Skip Recipient from Signing

RiseWithProtean: POST: /api/v1/esign/skip-recipient

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax x1xxxx4"
2	recipientId	String	Mandatory	Must be a valid UUID	"recipientId": "2XXXXXe-71b2-4613-aaa8-6XXX XXXXXX2"

Request:

```
{
  <Authentication Parameters>
  "documentId": "2XXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
  "recipientId": "2XXXXXe-71b2-4613-aaa8-6XXXXXXXXXX2"
}
```

Response:

```
{
  "status": 200,
  "message": "Recipient skipped successfully",
  "code": "5085",
  "eSignProRequestId": "ef9d3364-a301-746b-8a52-f426e02e2ea7"
}
```

5.19. Get Document Status

RiseWithProtean: POST: /api/v1/esign/document-status

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax x1xxxx4"
2	referenceId	String	Optional	Must be alphanumeric and can include single spaces between words and special characters	"referenceId": "REF-12345"

				like , () _ - / .	
--	--	--	--	--------------------	--

Request:

```
{
  <Authentication Parameters>
  "documentId": "0022e51d-146b-xxxx-xxxx-5e7fa2b2c1e3",
  "referenceId": "REF-12345"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d34fe-d127-7247-a9a8-7247c9b6209b",
  "data": [
    {
      "documentId": "e7ca8983-b38a-xxxx-xxxx-8e841be104eb",
      "referenceId": null,
      "templateId": null,
      "documentName": "verification checking",
      "status": "Draft",
      "isSequential": true,
      "stampType": "Digital Stamp",
      "stateName": "Chandigarh",
      "statId": 30,
      "stampAmount": 10,
      "additionalAmount": 0,
      "amountPayeeResipientId": null,
      "feedback": null,
      "isPurged": false,
      "purgingOn": null,
      "purgedAt": null,
      "approvedAt": null,
      "orgId": "7f9d6xxxxf",
      "documentAttachment": [],
      "recipientData": [
        {
          "recipientId": "63ced265-878c-xxxx-xxxx-baf15880ebca",
          "recipientFirstName": "Tarun",
          "recipientMiddleName": null,
          "recipientLastName": "Vashisth",
          "recipientEmail": "test@gmail.com",
          "recipientMobile": "9090909090",
          "recipientAddress": null,
          "recipientOrder": 1,
          "recipientPincode": null,
          "recipientCity": null,
          "recipientState": null,
          "recipientCountry": "India",
          "status": "Pending"
        }
      ]
    }
  ]
}
```

5.20. Get Document Pdf

RiseWithProtean: POST: /api/v1/esign/document-pdf

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxaxx1xxxx4"
2	referenceId	String	Optional	Must be alphanumeric and can include single spaces between words and special characters like , () _ - / .	"referenceId": "REF-12345"

Request:

```
{
  <Authentication Parameters>
  "documentId": "0022e51d-146b-xxxx-xxxx-5e7fa2b2c1e3",
  "referenceId": "REF-12345"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9d3501-4be0-xxxx-xxxx-4186ef5fa6e2",
  "data": [
    {
      "documentId": "e7ca8983-b38a-xxxx-xxxx-8e841be104eb",
      "referenceId": null,
      "documentName": "verification checking",
      "documentPdf": "data:application/pdf;base64,JVBERi0xLjcK.....",
      "isDocumentPurged": false
    }
  ]
}
```

6. Digital Stamping

6.1. Fetch Stamp Inventory

RiseWithProtean: **POST:** /api/v1/ESignUpdateStatus/Inventorylist

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	page	Number	Mandatory	Page number to see limited data	"page": 1,
2	limit	Number	Mandatory	Must be from 10.25 and 50	"limit": 10,
3	stateId	Number	Mandatory	Must be a Valid state Id	"stateId": 3

Request:

```
{
  <Authentication Parameters>
  "page": 1,
  "limit": 10,
  "stateId": 3
}
```

```
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched successfully",
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",
  "columns": [
    {
      "field": "stateName",
      "headerName": "State Name",
      "sorting": false,
      "sortingDefaultIcon": null,
      "filter": false
    },
    {
      "field": "stampCertificateId",
      "headerName": "Stamp Certificate ID",
      "sorting": true,
      "sortingDefaultIcon": null,
      "filter": false
    },
    {
      "field": "stampDenomination",
      "headerName": "Stamp Denomination",
      "sorting": true,
      "sortingDefaultIcon": null,
      "filter": false
    },
    {
      "field": "articleCode",
      "headerName": "Article Code",
      "sorting": true,
      "sortingDefaultIcon": null,
      "filter": false
    },
    {
      "field": "status",
      "headerName": "Status",
      "sorting": true,
      "sortingDefaultIcon": null,
      "filter": false
    }
  ],
  "data": [
    {
      "stampInventoryId": "xxxxxx-3183-4c9c-92fb-4e4646b93c68",
      "statId": 3,
      "stateName": "Assam",
      "stampCertificateId": "108",
      "stampDenomination": "100",
      "articleCode": null,
      "status": "Used"
    },
    {
      "stampInventoryId": "xxxxxx-9fff-423d-a090-2c1152f7fc6e",
      "statId": 3,
      "stateName": "Assam",
      "stampCertificateId": "104",
      "stampDenomination": "100",
      "articleCode": null,
      "status": "In-Progress"
    }
  ],
  "totalPages": 1,
  "totalCount": 2,
  "currentPage": "1",
  "currentLimit": "49"
}
```

6.2. Fetch Stamp Inventory by Id

RiseWithProtean: POST: /api/v1/EsignUpdateStatus/InventoryID

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	stampInventoryId	String	Mandatory	Must be a valid UUID	"stampInventoryId": "xxxxxxx-d71f-468c-99a5-5665860c9ab7"

Request:

```
{  
  <Authentication Parameters>  
  "stampInventoryId": "xxxxxxx-d71f-468c-99a5-5665860c9ab7"  
}
```

Response:

```
{  
  "status": 200,  
  "message": "Fetched successfully",  
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",  
  "data": {  
    "stateId": 3,  
    "stateName": "Assam",  
    "stampCertificateId": "103",  
    "stampDenomination": "100",  
    "articleCode": null,  
    "status": "In-Progress",  
    "remark": []  
  }  
}
```

6.3. Download Stamp Inventory List

RiseWithProtean: POST: api/v1/EsignUpdateStatus/download

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	type	String	Mandatory	Valid types [('csv', 'xlsx')]	"type": "xlsx",
2	stateId	Number	Mandatory	Must be a Valid state Id	"stateId": 3

Request:

```
{  
  <Authentication Parameters>  
  "type": "xlsx",  
  "stateId": 3  
}
```

Response:

```
{  
  "status": 200,  
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",  
  "base64Data": "XXXXXXXXXX3RhbmRhbG9uZT0ieWVzlj8W1hcy5vcGVueG1sZ",  
  "message": "Downloaded Successfully"  
}
```

6.4. UpdateStatus: Blocked/Reserved→Available

RiseWithProtean: POST: /api/v1/EsignUpdateStatus/available

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	remark	String	Mandatory	Validation: min- 1, max -250	remark": "Update remark",
2	stampInventoryId	Array	Mandatory	Must be a valid UUID	"stampInventoryIds": ["xxxxxx-d71f-468c-99a5-5665860c9ab7"]

Request:

```
{
  <Authentication Parameters>
  "remark": "Update remark",
  "stampInventoryIds": [
    "xxxxxx-d71f-468c-99a5-5665860c9ab7"
  ]
}
```

Response:

```
{
  "status": 200,
  "message": "Status updated successfully to Available",
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",
}
```

6.5. UpdateStatus: Available→Reserved

RiseWithProtean: POST: /api/v1/EsignUpdateStatus/Reserved

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	remark	String	Mandatory	Validation: min- 1, max -250	remark": "Update remark",
2	stampInventoryId	Array	Mandatory	Must be a valid UUID	"stampInventoryIds": ["xxxxxx-d71f-468c-99a5-5665860c9ab7"]

Request:

```
{
  <Authentication Parameters>
  "remark": "Reserve remark",
  "stampInventoryIds": [
    "xxxxxx-d71f-468c-99a5-5665860c9ab7"
  ]
}
```

Response:

```
{
```

```

"status": 200,
"message": "Status updated successfully to Reserved",
"eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b"
}

```

6.6. UpdateStatus:Available,Reserved→Used

RiseWithProtean: POST: api/v1/EsignUpdateStatus/used

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	remark	String	Mandatory	Validation: min- 1, max -250	remark": "Update remark",
2	stampInventoryId	Array	Mandatory	Must be a valid UUID	"stampInventoryIds": ["xxxxxx-d71f-468c-99a5-5665860c9ab7"]

Request:

```

{
  <Authentication Parameters>
  "remark": "Used remark",
  "stampInventoryIds": [
    "xxxxxx-d71f-468c-99a5-5665860c9ab7"
  ]
}

```

Response:

```

{
  "status": 200,
  "message": "Status updated successfully to Used",
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b",
  "base64Data": "XXXXXXXXdGFtcU3RhdfTzSxTdGFtc="
}

```

6.7. UpdateStatus:Available → Blocked

RiseWithProtean: POST: api/v1/EsignUpdateStatus/blocked

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	remark	String	Mandatory	Validation: min- 1, max -250	remark": "Update remark",
2	stampInventoryId	Array	Mandatory	Must be a valid UUID	"stampInventoryIds": ["xxxxxx-d71f-468c-99a5-5665860c9ab7"]

Request:

```

{
  <Authentication Parameters>
  "remark": "Block remark",
  "stampInventoryIds": [
    "xxxxxx-d71f-468c-99a5-5665860c9ab7"
  ]
}

```

```
]
}
```

Response:

```
{
  "status": 200,
  "message": "Status updated successfully to Blocked",
  "eSignProRequestId": "ef9cc79a-9640-73b8-b774-8b9e91bfe06b"
}
```

7. e-Sign Verifier

7.1. Verify Sign Document

RiseWithProtean: POST /api/v1/esign/verify-sign-document

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentBase64	String	Mandatory	Must be a valid base64	"documentBase64": "JVBERi0xL
2	fileName	String	Mandatory	Must end with .pdf and cannot contain invalid characters	"fileName": "document.pdf"

Request:

```
{
  <Authentication Parameters>
  "documentBase64": "JVBERi0xLjcKJYGBgYEKcJlgMCBvYmoKPDwKL0xlbmd0aCAzNTI1Ci9TdWJ0eXBliC9YTUwKR5cGUgL01ldGFkYXRhCj4+CnN0cmVhbQo8P3hwYWNrZXQgYmVnaW49Iu=",
  "fileName": "document.pdf"
}
```

Response:

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9bdbb1-a5fd-771e-9943-f81ff0e24b3f",
  "data": {
    "fileName": "document.pdf",
    "status": "Success",
    "remark": "Verification successfully completed",
    "totalUniqueSigners": 1,
    "validSignatures": 1,
    "invalidSignatures": 0,
    "uniqueSigners": [
      {
        "id": 1,
        "certificateSerialNumber": "08",
        "signatureType": "DSC",
        "signerName": "Sunny Sindhi",
        "organization": "Protean",
        "country": "IN",
        "state": "Uttar Pradesh",
        "aadhaarLastFourDigits": null,

```

```

    "yearOfBirth": null,
    "gender": null,
    "pinCode": null,
    "issuerCertificates": [
      {
        "subject": "Test CA",
        "issuer": "Test CA",
        "serialNumber": "01",
        "validFrom": "Wed, 31 Dec 2025 12:50:29",
        "validTo": "Sat, 29 Dec 2035 12:50:29"
      }
    ],
    "signatureValidFrom": "Wed, 31 Dec 2025 13:07:18",
    "signatureValidTo": "Thu, 31 Dec 2026 13:07:18",
    "isValid": true,
    "signedAt": null
  }
}
}

```

7.2. e-Sign Verifier History

RiseWithProtean: POST /api/v1/esign/history/document-verifier

Response:

```

{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9db488-611f-7a32-95fe-9993f8fe80c4",
  "data": {
    "columns": [
      {
        "field": "fileName",
        "headerName": "File Name",
        "sorting": true,
        "sortingDefaultIcon": null,
        "filter": true,
        "type": "string"
      },
      {
        "field": "totalUniqueSigners",
        "headerName": "Total Signers",
        "sorting": true,
        "sortingDefaultIcon": null,
        "filter": true,
        "type": "number"
      },
      {
        "field": "validSignatures",
        "headerName": "Valid Signatures",
        "sorting": true,
        "sortingDefaultIcon": null,
        "filter": true,
        "type": "number"
      },
      {
        "field": "invalidSignatures",
        "headerName": "Invalid Signatures",
        "sorting": true,
        "sortingDefaultIcon": null,
        "filter": true,
        "type": "number"
      },
      {
        "field": "status",
        "headerName": "Status",
        "sorting": true,
        "sortingDefaultIcon": null,

```

```

        "filter": true,
        "type": "singleSelect",
        "valueOptions": [
            {
                "value": "Success",
                "label": "Success"
            },
            {
                "value": "Invalid",
                "label": "Invalid"
            }
        ]
    },
    {
        "field": "remark",
        "headerName": "Remark",
        "sorting": true,
        "sortingDefaultIcon": null,
        "filter": true,
        "type": "string"
    },
    {
        "field": "createdAt",
        "headerName": "Date Time",
        "sorting": true,
        "sortingDefaultIcon": "desc",
        "filter": true,
        "type": "date"
    }
],
"result": [
    {
        "orgId": "5f7d550f79",
        "fileName": "document.pdf",
        "totalUniqueSigners": 1,
        "validSignatures": 1,
        "invalidSignatures": 0,
        "status": "Success",
        "remark": "Verification successfully completed",
        "createdAt": "04:18 PM, Mar 19th, 2026"
    },
    {
        "orgId": "5f7d550f79",
        "fileName": "document.pdf",
        "totalUniqueSigners": 1,
        "validSignatures": 1,
        "invalidSignatures": 0,
        "status": "Success",
        "remark": "Verification successfully completed",
        "createdAt": "04:17 PM, Mar 19th, 2026"
    },
    {
        "orgId": "5f7d550f79",
        "fileName": "document.pdf",
        "totalUniqueSigners": 1,
        "validSignatures": 1,
        "invalidSignatures": 0,
        "status": "Success",
        "remark": "Verification successfully completed",
        "createdAt": "04:02 PM, Mar 19th, 2026"
    },
    {
        "orgId": "5f7d550f79",
        "fileName": "document.pdf",
        "totalUniqueSigners": 1,
        "validSignatures": 1,
        "invalidSignatures": 0,
        "status": "Success",
        "remark": "Verification successfully completed",
        "createdAt": "03:45 PM, Mar 19th, 2026"
    },
    {
        "orgId": "5f7d550f79",
        "fileName": "document.pdf",

```

```

        "totalUniqueSigners": 1,
        "validSignatures": 1,
        "invalidSignatures": 0,
        "status": "Success",
        "remark": "Verification successfully completed",
        "createdAt": "03:42 PM, Mar 19th, 2026"
    },
    ],
    "totalDisplayCount": "5",
    "totalPages": 1,
    "totalCount": "5",
    "currentPage": "1",
    "currentLimit": "10"
}
}

```

8. eMandate APIs

8.1. Create eMandate XML

RiseWithProtean: POST: /api/v1/esign/emandate/xml

8.1.1. Request

```

{
  <Authentication Parameters>
  "referenceId": "TESTING69167fab778f",
  "instgAgentMmbld": "TEST0080511",
  "instgAgentName": "Protean eGov Technologies",
  "instructedAgentId": "TEST0801607",
  "instructedAgentName": "UNION BANK OF INDIA",
  "creditorName": "Protean eGov Technologies",
  "creditorAccountId": "TEST00587000011165",
  "mandateTypeCategoryCode": "L001",
  "sequenceType": "RCUR",
  "localInstrument": "DEBIT",
  "occurrenceFrequencyType": "MNTH",
  "firstCollectionDate": "2026-03-19",
  "finalCollectionDate": "2051-01-19",
  "amount": 56236,
  "currency": "INR",
  "debtorName": "Piyush Mittal",
  "consumerReferenceNumber": "NP61176882251978965",
  "schemeReferenceNumber": "NP61176882251978965",
  "mobileNumber": "9632546987",
  "debtorAccountId": "016012010002306",
  "debtorAccountType": "SAVINGS",
  "contactName": "000000001302",
  "successRedirectUrl": "https://dev.esign-proteantech.in/api/wfms/api-docs/#/",
  "failedRedirectUrl": "https://dev.esign-proteantech.in/statistics"
}

```

8.1.2. Response

```

{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9c9d9e-1d97-7eee-b66c-34a1bb78d49a",
  "data": {
    "documentEMandateId": "eb64b4a9-1b09-4160-a828-cef1f4cfea40",
    "referenceId": "TESTING69167fab778",
    "redirectUrl": "https://uat.esign-proteantech.in/esign/emandate?token=eyJhbGcMc"
  }
}

```

}

8.2. List of Request Parameters

Sl. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	referenceId	String	Mandatory	Unique mandate identifier (MsgId/MndtReqId). Max 64 chars. Must be unique per org.	"referenceId": "TESTING69167fab778"
2	instgAgentMmbld	String	Mandatory	Instructing agent (creditor FI) member ID. Max 32 chars	"instgAgentMmbld": "TEST0080511"
3	instgAgentName	String	Mandatory	Instructing agent (creditor FI) name. Max 255 chars	"instgAgentName": "Protean eGov Technologies"
4	instructedAgentId	String	Mandatory	Member ID of debtor's bank. Max 32 chars	"instructedAgentId": "TEST0801607"
5	instructedAgentName	String	Mandatory	Name of debtor's bank. Max 255 chars	"instructedAgentName": "UNION BANK OF INDIA"
6	creditorName	String	Mandatory	Creditor name. Max 255 chars	"creditorName": "Protean eGov Technologies"
7	creditorAccountId	String	Mandatory	Creditor account identifier. Max 64 chars	"creditorAccountId": "TEST00587000011165"
8	mandateTypeCategoryCode	String	Mandatory	Mandate service level/category code (e.g. L001). Max 16 chars	"mandateTypeCategoryCode": "L001"
9	sequenceType	String	Mandatory	Sequence type (e.g. RCUR, OOFF). Max 16 chars	"sequenceType": "RCUR"
10	localInstrument	String	Mandatory	Local instrument (e.g. DEBIT). Max 16 chars	"localInstrument": "DEBIT"
11	occurrenceFrequencyType	String	Mandatory	Collection frequency (e.g. MNTH). Max 16 chars	"occurrenceFrequencyType": "MNTH"
12	firstCollectionDate	String	Mandatory	First collection date. Format: YYYY-MM-DD. Must not be in the past	"firstCollectionDate": "2026-03-19"
13	finalCollectionDate	String	Mandatory	Final collection date. Format: YYYY-MM-DD. Must not be in the past and must be $\geq$ firstCollectionDate	"finalCollectionDate": "2051-01-19"
14	amount	Number	Mandatory	Maximum mandate amount. Positive, 2 decimal places	"amount": 56236.0

15	currency	String	Mandatory	Currency code. Exactly 3 chars (e.g. INR)	"currency": "INR"
16	debtorName	String	Mandatory	Debtor (customer) name. Max 255 chars	"debtorName": "Piyush Mittal"
17	consumerReferenceNumber	String	Mandatory	Consumer/mandate reference number. Max 64 chars	"consumerReferenceNumber": "NP61176882251978965"
18	schemeReferenceNumber	String	Mandatory	Scheme reference. Max 64 chars	"schemeReferenceNumber": "NP61176882251978965"
19	mobileNumber	String	Mandatory	Debtor mobile. 10 digits, Indian (starts with 6-9). Pattern: <code>^[6-9]\d{9}\$</code>	"mobileNumber": "9632546987"
20	debtorAccountId	String	Mandatory	Debtor account identifier. Max 64 chars	"debtorAccountId": "016012010002306"
21	debtorAccountType	String	Mandatory	Debtor account type (e.g. SAVINGS, CURRENT). Max 32 chars	"debtorAccountType": "SAVINGS"
22	contactName	String	Mandatory	Contact name or customer ID. Max 128 chars	"contactName": "000000001302"
23	expireTime	Number	Optional	Token expiry in hours (positive integer). Default: 24	"expireTime": 24
24	successRedirectUrl	String	Optional	Success redirect URL. Max 500 chars. Must be valid http/https URI	"successRedirectUrl": "https://example.com/success"
25	failedRedirectUrl	String	Optional	Failed redirect URL. Max 500 chars. Must be valid http/https URI	"failedRedirectUrl": "https://example.com/success"

8.3. Get eMandate XML by ID

RiseWithProtean: POST: `/api/v1/esign/emandate/xml/id`

Request Parameter:

S. No.	Request Parameter	Request Type	Parameter Type	Description/Validation	Sample Value
1	documentId	String	Mandatory	Must be a valid UUID	"documentId": "xxeaeexx-dddf-xx0e-xxxx-6axxax1xxxx4"

8.3.1. Request

```
{
  <Authentication Parameters>
  "documentId": "0022e51d-146b-xxxx-xxxx-5e7fa2b2c1e3"
}
```

8.3.2. Response if not Signed

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9c9d9e-1d97-7eee-b66c-34a1bb78d49a",
  "data": {
    "documentEMandateId": "eb64b4a9-1b09-4160-a828-cef1f4cfea40",
    "status": "Created",
    "redirectUrl": "https://uat.esign-proteantech.in/esign/emandate?token=eyJhbGciOiMc"
  }
}
```


8.3.3. Response if Signed

```
{
  "status": 200,
  "message": "Fetched Successfully",
  "code": "5001",
  "eSignProRequestId": "ef9c9d9e-1d97-7eee-b66c-34a1bb78d49a",
  "data": {
    "documentEMandateId": "eb64b4a9-1b09-4160-a828-cef1f4cfea40",
    "status": "Created",
    "xmlBase64": "VGhpcyBpcyBhIGR1bW15IEJhc2U2NCBzdHJpbmcgZm9yIHRLc3Rpbmcu"
  }
}
```

9. Webhook

The structure of payloads received via eSignPro webhook events and provides a sample implementation for secure webhook signature verification using HMAC-SHA256.

9.1. Esign Webhook

The screenshot shows the eSignPro user interface for configuring webhooks. At the top, there's a header with the user's name 'Hello, Tarun Vashisth' and several action buttons: 'Bulk e-Sign', '+ New e-Sign', '+ e-Sign Verifier', 'Individual', 'Business', and 'TV'. Below the header is a navigation bar with tabs: 'UAM', 'Master', 'E-Sign' (which is selected), 'Approval Flow', 'Developer Settings', and 'Notification'. Under the 'E-Sign' tab, there's a sub-navigation bar with options: '<', 'Security', 'Notification', 'Watermark', 'Company Seal', and 'Webhook' (which is selected). The 'Webhook' section contains a toggle switch labeled 'is Active' which is turned on. Below this, there are three input fields: 'URL Endpoint', 'Key/Salt', and 'Webhook Event Type'. The 'Webhook Event Type' dropdown menu is open, showing a list of events: 'Rejected', 'Failed', 'Payment Initiated', 'Payment Successful', and 'Payment Failed'. A 'Save' button is located at the bottom right of the configuration area.

To configure webhooks in eSignPro:

1. Log in to your eSignPro account.
2. Navigate to Settings > eSign > Webhook.
3. Specify your desired Webhook URL, a secure Key/Salt, and the Webhook Events you wish to subscribe to.
4. Submit your configuration.

9.1.1. Initiated

This event indicates that a document process has been initiated.

```
{
  "orgId": "59e56643-2",
  "documentId": "3c4a9662-2ccd-45ef-862c-b8f7cae0a9ca",
  "documentName": "old",
  "isSequentialSign": true,
  "webhookEventType": "Initiated",
  "webhooklogId": "cca87532-30af-4395-b999-a4dcd7214958",
  "recipientData": [
    {
      "name": "Piyush M",
      "status": "Pending",
      "emailId": "test2@abc.com",
      "recipientId": "3f9e5984-c0c4-43d9-a6ec-4ed68984c98f",
      "mobileNumber": "9999999991"
    },
    {
      "name": "Piyush",
      "status": "Pending",
      "emailId": "test1@abc.com",
      "recipientId": "82b9d459-11ad-4acc-a02f-ed65cc995b4f",
      "mobileNumber": "9999999993"
    },
    {
      "name": "Piyush Mittal",
      "status": "Pending",
      "emailId": "test3@abc.com",
      "recipientId": "24b794ba-7bcb-4175-8e89-18065656f2d6",
      "mobileNumber": "9999999992"
    }
  ]
}
```

9.1.2. Awaiting Signing

Triggered when a document is sent and awaiting recipient's signature.

```
{
  "orgId": "59e56643-2",
  "documentId": "3c4a9662-2ccd-45ef-862c-b8f7cae0a9ca",
  "documentName": "old",
  "webhooklogId": "cb9c6ee7-342b-4cf4-a35e-69d442219721",
  "isSequentialSign": true,
  "webhookEventType": "Awaiting Signing",
  "recipientlistData": [
    {
      "name": "Piyush M",
      "status": "Pending",
      "emailId": "test2@abc.com",
      "recipientId": "3f9e5984-c0c4-43d9-a6ec-4ed68984c98f",
      "mobileNumber": "9999999991"
    },
    {
      "name": "Piyush",
      "status": "Pending",
      "emailId": "test1@abc.com",
      "recipientId": "82b9d459-11ad-4acc-a02f-ed65cc995b4f",
      "mobileNumber": "9999999993"
    },
    {
      "name": "Piyush Mittal",
      "status": "Pending",
      "emailId": "test3@abc.com",
      "recipientId": "24b794ba-7bcb-4175-8e89-18065656f2d6",
      "mobileNumber": "9999999992"
    }
  ]
}
```

```
}  
]  
}
```

9.1.3. Signed

Triggered when a recipient successfully sign a document. This shows that the recipient has completed the signing of the document.

```
{  
  "orgId": "59e56643-2",  
  "documentId": "3c4a9662-2ccd-45ef-862c-b8f7cae0a9ca",  
  "documentName": "old",  
  "webhooklogId": "f0fb2ef6-efed-4826-b1d5-cd7501daae2c",  
  "isSequentialSign": true,  
  "webhookEventType": "Signed",  
  "signedRecipientData": {  
    "name": "Piyush M",  
    "status": "Signed",  
    "emailId": "test2@abc.com",  
    "recipientId": "3f9e5984-c0c4-43d9-a6ec-4ed68984c98f",  
    "mobileNumber": "9999999991"  
  },  
  "recipientData": [  
    {  
      "name": "Piyush M",  
      "status": "Signed",  
      "emailId": "test2@abc.com",  
      "recipientId": "3f9e5984-c0c4-43d9-a6ec-4ed68984c98f",  
      "mobileNumber": "9999999991"  
    },  
    {  
      "name": "Piyush",  
      "status": "Pending",  
      "emailId": "test1@abc.com",  
      "recipientId": "82b9d459-11ad-4acc-a02f-ed65cc995b4f",  
      "mobileNumber": "9999999993"  
    },  
    {  
      "name": "Piyush Mittal",  
      "status": "Pending",  
      "emailId": "test3@abc.com",  
      "recipientId": "24b794ba-7bcb-4175-8e89-18065656f2d6",  
      "mobileNumber": "9999999992"  
    }  
  ]  
}
```

9.1.4. Rejected

Triggered when a recipient refuses to sign a document. This indicates that the recipient has declined to proceed with signing the document.

```
{  
  "orgId": "59e56643-2",  
  "documentId": "3c4a9662-2ccd-45ef-862c-b8f7cae0a9ca",  
  "documentName": "old",  
  "webhooklogId": "c693ec11-9573-46c2-b7ab-0a5028cb0a21",  
  "isSequentialSign": true,  
  "webhookEventType": "Rejected",  
  "rejectedRecipientData": {  
    "name": "Piyush Mittal",  
    "status": "Rejected",  
    "emailId": "test3@abc.com",  
    "recipientId": "24b794ba-7bcb-4175-8e89-18065656f2d6",  
    "mobileNumber": "9999999992"  
  }  
}
```

```

},
"recipientData": [
  {
    "name": "Piyush",
    "status": "Signed",
    "emailId": "test1@abc.com",
    "recipientId": "82b9d459-11ad-4acc-a02f-ed65cc995b4f",
    "mobileNumber": "9999999993"
  },
  {
    "name": "Piyush Mittal",
    "status": "Rejected",
    "emailId": "test3@abc.com",
    "recipientId": "24b794ba-7bcb-4175-8e89-18065656f2d6",
    "mobileNumber": "9999999992"
  },
  {
    "name": "Piyush M",
    "status": "Signed",
    "emailId": "test2@abc.com",
    "recipientId": "3f9e5984-c0c4-43d9-a6ec-4ed68984c98f",
    "mobileNumber": "9999999991"
  }
]
}

```

9.1.5. Failed

Indicates that the document process failed.

```

{
  "documentId": "46bf76d3-eed7-4924-938a-e2b47ceece9b",
  "webhooklogId": "721d14c6-0dfa-412a-a8c1-3e8748e33a8b",
  "orgId": "5f7d550f79",
  "webhookEventType": "Failed",
  "documentName": "digital stamp parallel",
  "failedRecipientData": {
    "recepientId": "ad5fe94b-0d1c-4dc3-a51c-4e5ab01c5c06",
    "name": "Piyush",
    "mobileNumber": "9090909090",
    "emailId": "test@example.com",
    "status": "Awaited"
  },
  "recipientData": [
    {
      "recipientId": "ad5fe94b-0d1c-4dc3-a51c-4e5ab01c5c06",
      "name": "Piyush",
      "emailId": "test@example.com",
      "mobileNumber": "9090909090",
      "status": "Awaited"
    }
  ]
}

```

9.1.6. Payment Initiated

Indicates that the Payment process has been initiated.

```

{
  "webhooklogId": "b701e95e-xxxx-xxxx-9f51-877f2c0a47e4",
  "documentId": "b98fd569-57d3-xxxx-xxxx-ec42e7c9e18c",
  "orgId": "cc571566ba",
  "webhookEventType": "Payment Initiated",
  "documentName": "cd",
  "amount": 11,
  "currency": "INR",
  "recipentlistData": [

```

```

{
  "recipientId": "6b652b78-675b-4797-8473-a6e74c458b34",
  "name": "Piyush Yadav",
  "mobileNumber": null,
  "emailId": "test@example.com",
  "status": "Payment Awaited"
}
],
"recipientData": [
  {
    "recipientId": "af51bfc2-2484-4ca0-89ce-c4e7a650d4e5",
    "name": "john",
    "emailId": "test@example.com",
    "mobileNumber": null,
    "status": "Pending"
  },
  {
    "recipientId": "6b652b78-675b-4797-8473-a6e74c458b34",
    "name": "Piyush Yadav",
    "emailId": "test@example.com",
    "mobileNumber": null,
    "status": "Payment Awaited"
  }
]
}

```

9.1.7. Payment Successful

Indicates that the Payment process was successful.

```

{
  "webhooklogId": "b701e95e-xxxx-xxxx-9f51-877f2c0a47e4",
  "documentId": "b98fd569-57d3-xxxx-xxxx-ec42e7c9e18c",
  "orgId": "cc571566ba",
  "webhookEventType": "Payment Successful",
  "documentName": "cd",
  "amount": 11,
  "currency": "INR",
  "recipientlistData": [
    {
      "recipientId": "6b652b78-675b-4797-8473-a6e74c458b34",
      "name": "Piyush Yadav",
      "mobileNumber": null,
      "emailId": "test@example.com",
      "status": "Awaited"
    }
  ],
  "recipientData": [
    {
      "recipientId": "af51bfc2-2484-4ca0-89ce-c4e7a650d4e5",
      "name": "john",
      "emailId": "test@example.com",
      "mobileNumber": null,
      "status": "Pending"
    },
    {
      "recipientId": "6b652b78-675b-4797-8473-a6e74c458b34",
      "name": "Piyush Yadav",
      "emailId": "test@example.com",
      "mobileNumber": null,
      "status": "Awaited"
    }
  ]
}

```

9.1.8. Payment Failed

Indicates that the Payment process was Failed.

```
{
  "webhooklogId": "b701e95e-xxxx-xxxx-9f51-877f2c0a47e4",
  "documentId": "b98fd569-57d3-xxxx-xxxx-ec42e7c9e18c",
  "orgId": "cc571566ba",
  "webhookEventType": "Payment Failed",
  "documentName": "cd",
  "amount": 11,
  "currency": "INR",
  "recipientlistData": [
    {
      "recipientId": "6b652b78-675b-4797-8473-a6e74c458b34",
      "name": "Piyush Yadav",
      "mobileNumber": null,
      "emailId": "test@example.com",
      "status": "Payment Failed"
    }
  ],
  "recipientData": [
    {
      "recipientId": "af51bfc2-2484-4ca0-89ce-c4e7a650d4e5",
      "name": "john",
      "emailId": "test@example.com",
      "mobileNumber": null,
      "status": "Pending"
    },
    {
      "recipientId": "6b652b78-675b-4797-8473-a6e74c458b34",
      "name": "Piyush Yadav",
      "emailId": "test@example.com",
      "mobileNumber": null,
      "status": "Payment Failed"
    }
  ]
}
```

9.2. eMandate Webhook

To configure webhooks in eSignPro:

5. Log in to your eSignPro account.
6. Navigate to Settings > eMandate > Webhook.
7. Specify your desired Webhook URL, a secure Key/Salt, and the Webhook Events you wish to subscribe to.
8. Submit your configuration.

Hello, Suny Sindhi

Bulk e-Sign + Digital Stamp Order + New e-Mandate + New e-Sign + e-Sign Verifier Individual Business SS

UAM Master E-Sign **eMandate** Approval Flow Developer Settings Notification

General **Webhook**

URL Endpoint Is Active ☒

https://webhook.site/eca518d4-83b5-49c0-b3fd-313f6048

Key/Salt

abc

Webhook Event Type

Select webhook events

- Initiated
- Signed
- Rejected

Save

9.2.1. Initiated

```
{
  "webhooklogId": "b3bb0bf1-f195-42d1-905a-e21394de1823",
  "documentEmandateId": "f36bcbeb-70bb-411e-b9c8-7bb8eb450ce1",
  "orgId": "e92b2c9522",
  "webhookEventType": "Initiated",
  "referenceId": "dsfghji98765490787"
}
```

9.2.2. Signed

```
{
  "webhooklogId": "9bba9ed7-cc69-414f-b082-8f0cee60a84c",
  "documentEmandateId": "cb1ebf1a-a76f-4a19-aeed-6a121cc35f47",
  "orgId": "e92b2c9522",
  "webhookEventType": "Signed",
  "status": "Signed",
  "referenceId": "dsfghji98765498"
}
```

9.2.3. Rejected

```
{
  "webhooklogId": "c84192da-e9fc-4e92-a35e-337164e6fdea",
  "documentEmandateId": "ff902a59-f9e8-4b8e-ba35-12ad312f0511",
  "orgId": "e92b2c9522",
  "webhookEventType": "Rejected",
  "status": "Rejected",
  "reason": "User terminated eKYC process after OTP Generation"
}
```

9.3. Sample Code for Node.JS

```
const CryptoJS = require('crypto-js');
const express = require('express');
const bodyParser = require('body-parser');
const app = express();
app.use(bodyParser.json());
const SALT_KEY = process.env.SALT_KEY || 'secret123';

function verifyHmacSignature(data, signature, saltKey) {
  const dataString = typeof data === 'string' ? data : JSON.stringify(data);
```

```

const expectedHash = CryptoJS.HmacSHA256(dataString, saltKey);
const expectedSignature = expectedHash.toString(CryptoJS.enc.Hex);
return expectedSignature === signature;
}

app.post('/webhook/callback', (req, res) => {
  try {
    const signature = req.headers['x-signature'];
    const payload = req.body;

    console.log('Received webhook:');
    console.log('Payload:', payload);
    console.log('Signature:', signature);

    if (!signature) {
      return res.status(400).json({ success: false, message: 'Missing signature header' });
    }

    const isValid = verifyHmacSignature(payload, signature, SALT_KEY);

    if (isValid) {
      console.log('Signature verified successfully');
      res.status(200).json({ success: true, message: 'Webhook received and signature verified' });
    } else {
      console.log('Signature verification failed');
      res.status(400).json({ success: false, message: 'Invalid signature' });
    }
  } catch (error) {
    console.error('Error processing webhook:', error);
    res.status(500).json({ success: false, message: 'Error processing webhook', error: error.message });
  }
});

const PORT = process.env.PORT || 3000;
app.listen(PORT, () => {
  console.log('Webhook listener running on port ${PORT}');
});

```

10. Error Msg

You can download the Error message list after logging your organization

To configure Error Msg List in eSignPro:

1. Log in to your eSignPro account.
2. Navigate to Settings > Developer Settings > Error List.
3. There you can download the Excel/csv File.

