

Exam 1

Instructions: You have 110 minutes to complete this exam. You may use your prep work journals as a reference on this exam provided they have been cleared with the instructor before you begin. Use of a scientific calculator is permitted. No other notes or electronic devices of any kind will be allowed on this exam. Failure to comply with this policy may result in earning no credit for any portion of this exam (up to and including all credit) as well as a report to the university for academic misconduct.

For each of the following questions, write your solutions neatly in the space provided. If you do not have enough space, you may continue your work onto a separate sheet of colored paper. In this case, please clearly label which work corresponds to each exam question. Each question's weight is displayed at the beginning of the problem. There are 110 points, but this exam will be graded out of 100 points, meaning there are 10 points of extra credit.

1. Consider the differential equation

$$\frac{d^2y}{dx^2} - 2x\frac{dy}{dx} + 2y = 0.$$

(a) Determine the order of the equation above. Justify your answer.

(b) Is the equation ordinary or partial? How do you know?

(c) Is the equation linear or nonlinear? How do you know?

(d) Is this equation homogeneous? How do you know?

2. Use separation of variables to find a solution to the initial-value problem

$$\frac{dy}{dx} = \frac{2x + 1}{2y}; \quad y(-2) = -1.$$

3. Consider the differential equation

$$4y \, dx = 4(x + y^6) \, dy$$

- (a) Find the general solution of the equation by any method.

- (b) Give the largest possible interval of existence for the solution you gave in part (a).

4. Solve the differential equation

$$(x + ye^{y/x}) dx - xe^{y/x} dy = 0.$$

using the substitution $u = y/x$.

5. Newton's Law of Cooling says that the rate at which a body cools is proportional to the difference in its temperature T and the ambient temperature T_m .

(a) Write a differential equation that models Newton's Law of Cooling.


(b) Find a general solution to the model you wrote in part (a).

(c) Suppose a thermometer is taken out of a 70°F room and placed outside where the ambient temperature is 10°F . After 30 seconds, the thermometer has fallen to 50°F . Use your answer from part (b) to write a model for the temperature of the thermometer T after t seconds.

(d) Determine how long will it take the thermometer to reach 15°F .

(e) In your own words, explain the difference between the model you gave in part (a) and part (c).

6. Write the first-order ODE that corresponds to the slope field picture below.




7. Consider the IVP

$$\frac{dy}{dx} = y^2 - 3y.$$

(a) Identify the slope function of this differential equation.

(b) Find all equilibria (nullclines) for the system.

(c) Use your answer(s) for part (b) to plot a phase portrait of the system on the set of axes below. Clearly sketch and label all equilibria and identify regions of increasing/decreasing slope.



(d) Classify the equilibria you found in part (b) as stable, unstable, or neither. Use the phase portrait you produced in part (c) to justify your answer.