Computerized Control - analysis of discrete-time systems

Kjartan Halvorsen


2019-09-05

Result from quizz

- ► Very good results!
- ► Nyquist plot + criterion
- ► Robustness

Pole-placement and time-response

Pair the pole-placement with the correct time-response (from HW1)



Mapping of poles from continuous time to discrete time

Continuous time

Discrete time


$$Y(s) \triangleq \mathcal{L}\left\{y(t)\right\}$$


$$Y(z) \triangleq \mathcal{Z} \{ y(kh) \}$$

$$Y(s) = G(s)U(s) = \frac{b}{s+a}U(s)$$

$$Y(z) = H(z)U(z) = \frac{\beta}{z+\alpha}U(z)$$








The s-domain of continuous-time systems is related to the z-domain of discrete-time systems as

$$z = e^{sh}$$

Mapping of poles from continuous time to discrete time

Do excercise on paper!

Root locus: A brief review



► The loop pulse-transfer function (loop gain) becomes

$$L(z) = H(z)F(z) = K\underbrace{\frac{B(z)D(z)}{A(z)C(z)}}_{P(z)} = K\frac{Q(z)}{P(z)}.$$

- ▶ The roots of Q(z) are called the open loop zeros.
- ▶ The roots of P(z) are called the open loop poles.
- ▶ The characteristic equation for the closed-loop system is

$$1 + K \frac{Q(z)}{P(z)} = 0 \quad \Leftrightarrow \quad P(z) + KQ(z) = 0$$



Root locus: Definition

Let

$$\begin{cases} P(z) &= z^n + a_1 z^{n-1} + \dots + a_n = (z - p_1)(z - p_2) \dots (z - p_n) \\ Q(z) &= z^m + b_1 z^{m-1} + \dots + b_m = (s - q_1)(z - q_2) \dots (z - q_m) \end{cases}, \quad n \ge m$$

The root locus shows how the solution to the characteristic equation

$$P(z) + K \cdot Q(z) = 0, \quad 0 \le K < \infty$$
 (1)

depend on the parameter K. The root locus consists of the set of all points in the complex plane that are solutions to (1) for some non-negative value of K.

Root locus: Characteristics

Start points The n roots of P(z), marked by crosses

End points The m roots of Q(z), marked by circles

Asymptotes Number equal to the pole excess n-m

Real axis Some segments of the real axis belong to the root locus

Root locus: Direction of the asymptotes

The characteristic equation P(z) + KQ(z) = 0 can be written $\frac{P(z)}{Q(z)} = -K$ and for large z it can be approximated as

$$\frac{z^n}{z^m} = -K \quad \Leftrightarrow \quad z^{n-m} = -K.$$

Taking the argument of both sides of the equation gives $(n-m)\arg z=\pi+k2\pi,\ k\in\mathbb{Z}$ So, the directions of the asymptotes are given by the expression

$$heta_k = \arg z = \frac{(2k+1)\pi}{n-m}, \ k \in \mathbb{Z}$$

Root locus: The asymptotes' intersection with the real axis

$$z_{ip} = \frac{\sum_{i=0}^{n} p_i - \sum_{i=0}^{m} q_i}{n - m},$$

where $\{p_i\}$ are the starting points (open-loop poles) and $\{q_i\}$ are the end points (open-loop zeros).


Root locus exerise: Pair the pulse-trf fcn and root locus


$$G_1(z) = K \frac{(z+2.9)(z+0.2)}{(z-1)^2(z-0.3)}$$


$$G_2(z) = K \frac{(z - 0.5)(z + 0.4)}{(z - 1)(z - 0.3)(z - 0.1)}$$


$$G_3(z) = K \frac{(z - 0.5)(z + 0.8)}{(z - 1)^2(z - 0.3)}$$

$$G_4(z) = K \frac{z - 0.6}{(z - 1)(z - 0.3)}$$










Draw a root locus


Level control in a hydro power plant dam



Discrete-time model: $y(k+1) - y(k) = \frac{h}{A}u(k) + \frac{h}{A}v(k)$, where y(k) is the deviation in water level from a standard level, u(k) is the (negative) deviation in flow through the dam ports and v(k) is a deviation in other flows (disturbance).

What happens if the poles are on the unit circle?

Say, in
$$z=\mathrm{e}^{\pm i\omega_0}$$




$$H_c(z) = \frac{kz}{(z - e^{i\omega_0})(z - e^{-i\omega_0})} + \cdots$$

.

What happens if the poles are on the unit circle?

Say, in $z = e^{\pm i\omega_0}$



$$H_c(z) = rac{kz}{(z - e^{i\omega_0})(z - e^{-i\omega_0})} + \cdots$$

$$= rac{kz}{z^2 - 2\cos\omega_0 z + 1} + \cdots$$

If $\omega_0 = \frac{\pi}{6}$ and the sampling period is $0.4~\mathrm{s}$, what is the frequency (in $~\mathrm{rad/s}$ and in Hz) of the oscillations in the pulse response?

Bode diagram and Nyquist plots

Sine in — sine out

$$u(kh) = \sin(\omega kh) \qquad y(kh) = |H(e^{i\omega h})| \sin(\omega kh + \arg H(e^{i\omega h}))$$

Sine in — sine out

$$u(kh) = \sin(\omega kh) \xrightarrow{\qquad \qquad } H(z) \xrightarrow{\qquad \qquad } y(kh) = |H(e^{i\omega h})| \sin(\omega kh + \arg H(e^{i\omega h}))$$

Prove it! Some hints:

- Write $\sin(\omega kh) = \operatorname{Im}\{e^{i\omega kh}\}.$
- ▶ Use $H(z)U(z) \stackrel{Z}{\leftrightarrow} h(k) * u(k)$, and write out the discrete-time convolution $h * u = \sum_{n=-\infty}^{\infty} h(n)u(k-n) = \sum_{n=0}^{\infty} h(n)u(k-n)$
- ▶ Try to rewrite to obtain as a factor $\sum_{n=0}^{\infty} h(n) e^{-i\omega nh} = H(e^{i\omega h})$.

The Nyquist plot

Example of a Nyquist plot or frequency curve.




Figure 3.3 The frequency curve of (3.6) (dashed) and for (3.6) sampled with zero-order hold when $h={\rm o.4}$ (solid).

The system $G(s) = \frac{1}{s^2+1.4s+1}$ is sampled with ZOH-sampling $(h=0.4~{\rm s})$ to get $H(z) = \frac{0.066z+0.055}{z^2-1.45z+0.571}$

Simplified Nyquist criterion





Figure 3.3 The frequency curve of (3.6) (dashed) and for (3.6) sampled with zero-order hold when h=0.4 (solid).

Consider the loop pulse-transfer function L(z) of a closed-loop system. If L(z) is stable (no poles outside the unit circle), then the closed-loop system with characteristic equation 1 + L(z) = 0 will be stable iff L(z) evaluated on the unit circle (i.e, the Nyquist plot of L) has the point -1 to the left.


Stability margins - phase margin



- Cross-over frequency: The frequency ω_c for which $|L(e^{i\omega h})| = 1$.
- Phase margin: The angle φ_m to the negative real axis for the point where the Nyquist curve intersects the unit circle.

$$arphi_{m}= {
m arg} \ L({
m e}^{i\omega_{c}h}) - (-180^{\circ}) = {
m arg} \ L({
m e}^{i\omega_{c}h}) + 180^{\circ}$$

Stability margins - gain margin



- ▶ phase-cross-over frequency: The frequency ω_p for which arg $L(e^{i\omega h}) = -180^\circ$.
- ▶ Gain margin: The gain K = A that would make the Nyquist curve of $KL(e^{i\omega h})$ go through the point -1 + i0. This means that

$$|L(e^{i\omega_p h})| = \frac{1}{A}.$$

The relationship between Bode diagrams and frequency curves (Nyquist plots)

They are both showing the value of a pulse-transfer function H(z) evaluated for $z = e^{i\omega h}$, $0 < \omega \le \frac{\pi}{h}$.




Figure 3.3 The frequency curve of (3.6) (dashed) and for (3.6) sampled with zero-order hold when h = 0.4 (solid).




Figure 3.4 The Bode diagram of (3.6) (dashed) and of (3.6) sampled with zero-order hold when h = 0.4 (solid).