API - POSTMAN
Screeny
1)GET

API_cv / User addition verification

GET https://gorest.co.in/public/v2/users/722716 Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL Text

Body Cookies Headers (22) Test Results (3/3) 200 OK 189 ms 1.09 KB Save as Example

Pretty Raw Preview Visualize JSON

```
{
    "id": 722716,
    "name": "Bala Agarwal",
    "email": "agarwal_bala@olson.biz",
    "gender": "female",
    "status": "active"
}
```

API_cv / User addition verification

GET https://gorest.co.in/public/v2/users/722716 Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

```
pm.test("Status code is 200", function () {
    pm.response.to.have.status(200);
});
pm.test("Check name", function () {
    pm.expect(pm.response.text()).to.include("Bala Agarwal");
});
pm.test("Check gender", function () {
    var jsonData = pm.response.json();
    pm.expect(jsonData.gender).to.eql("female");
});
```

Body Cookies Headers (22) Test Results (3/3) 200 OK 189 ms 1.09 KB Save as Example

All Passed Skipped Failed

PASS Status code is 200

PASS Check name

PASS Check gender

2)PATCH

API_cv / Verification of updating part of the post

Save

PATCH https://jsonplaceholder.typicode.com/posts/3 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
    "title": "Zmiana"
}
```

Body Cookies Headers (23) Test Results 200 OK 251 ms 1.18 KB Save as Example

Pretty Raw Preview Visualize JSON

```
{
    "userId": 1,
    "id": 3,
    "title": "Zmiana",
    "body": "et iusto sed quo iure\nvoluptatem occaecati omnis eligendi aut ad\nvoluptatem doloribus vel
        accusantium quis pariatur\nmolestiae porro eius odio et labore et velit aut"
}
```

3)PUT

PUT https://jsonplaceholder.typicode.com/posts/4 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
"userId": 1,
    "id": 4,
    "title": "11eum et est occaecati33",
    "body": "11ullam et saepe reiciendis voluptatem adipisci\nsit amet autem assumenda provident rerum
        culpa\nquis hic commodi nesciunt rem tenetur doloremque ipsam iure\nquis sunt voluptatem rerum
        illo velit33"
    }
```

Body Cookies Headers (23) Test Results (1/1) 200 OK 248 ms 1.23 KB Save as Example

Pretty Raw Preview Visualize JSON

```
{
    "userId": 1,
    "id": 4,
    "title": "11eum et est occaecati33",
    "body": "11ullam et saepe reiciendis voluptatem adipisci\nsit amet autem assumenda provident rerum
        culpa\nquis hic commodi nesciunt rem tenetur doloremque ipsam iure\nquis sunt voluptatem rerum
        illo velit33"
}
```

4)DELETE

API_cv / Verification of deleting post

Save

DELETE https://jsonplaceholder.typicode.com/posts/4 Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
"userId": 1,
    "id": 4,
    "title": "eum et est occaecati33",
    "body": "ullam et saepe reiciendis voluptatem adipisci\nsit amet autem assumenda provident rerum
        culpa\nquis hic commodi nesciunt rem tenetur doloremque ipsam iure\nquis sunt voluptatem rerum
        illo velit"
}
```

Body Cookies Headers (22) Test Results (1/1) 200 OK 282 ms 953 B Save as Example

Pretty Raw Preview Visualize JSON

```
{}
```

5)POST

API_cv / Verification of posting post

Save

POST https://jsonplaceholder.typicode.com/posts Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
    "title": "{{$randomFullName}}",
    "body": "nowy post"
}
```

Body Cookies Headers (24) Test Results (1/1) 201 Created 339 ms 1.1 KB Save as Example

Pretty Raw Preview Visualize JSON

```
{
    "title": "Guy Yost",
    "body": "nowy post",
    "id": 101
}
```

6)GET - zmienna





7)POST -zmienna + testy

API_cv / **Verification of posting post**

Save

POST http://{{host}}:3000/posts **Send**

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
{
    "title":"{{title}}",
    "author":"{{author}}"
}
```

Body Cookies Headers (15) Test Results (2/2) 201 Created 37 ms 564 B Save as Example

Pretty Raw Preview Visualize JSON

```
{
    "title": "tytul1",
    "author": "autor1",
    "id": 52
}
```

API_cv / **Verification of posting post**

Save

POST http://{{host}}:3000/posts **Send**

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

```
pm.test("Status code is 201", function () {
    pm.response.to.have.status(201);
});
pm.environment.get("title");

pm.test("Check title", function () {
    var jsonData = pm.response.json();
    pm.expect(jsonData.title).to.eql(pm.environment.get("title"));
});
```

Body Cookies Headers (15) Test Results (2/2) 201 Created 37 ms 564 B Save as Example

All Passed Skipped Failed

PASS Status code is 201

PASS Check title

8)AUTORYZACJA

Auth / basic auth

Save

GET https://postman-echo.com/basic-auth Send

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Type Basic A...

The authorization header will be automatically generated when you send the request. Learn more about authorization ↗

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about variables ↗

Username postman

Password ••••••••

Body Cookies (1) Headers (6) Test Results 200 OK 577 ms 338 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2     "authenticated": true
3 }
```

9)AUTORYZACJA

Auth / Digest auth

Save

GET https://postman-echo.com/digest-auth Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Cookies

Type Digest...

The authorization header will be automatically generated when you send the request. Learn more about authorization ↗

By default, Postman will extract

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about variables ↗

Username postman

Password ••••••••

Body Cookies (1) Headers (6) Test Results 200 OK 141 ms 340 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2     "authenticated": true
3 }
```