

suidev080

Sui 0.75L

- New `SqlDialectConverter` engine — DB2 ↔ BigQuery SQL translation (bidirectional)
- DB2 → BQ: strips `WITH UR/CS/RR/RS`, rewrites `CURRENT_TIMESTAMP/DATE/TIME` → BQ equivalents, removes `SYSIBM.SYSDUMMY1/DUAL`, `FETCH FIRST n ROWS ONLY` → `LIMIT n`
- DB2 → BQ: interval arithmetic — `CURRENT_TIMESTAMP - 7 DAYS` → `TIMESTAMP_SUB(CURRENT_TIMESTAMP(), INTERVAL 7 DAY)` and `+/-` variants
- DB2 → BQ: function transforms — `YEAR/MONTH/DAY/HOUR/MINUTE/SECOND` → `EXTRACT`, `CHAR/VARCHAR` → `CAST STRING`, `INTEGER/INT` → `CAST INT64`, `FLOAT/DOUBLE` → `CAST FLOAT64`, `STRIP` → `TRIM`, `LOCATE/POSSTR` → `STRPOS` (args reversed)
- DB2 → BQ: CTE column-list push-down — inlines `(col, ...)` aliases as `AS` clauses on `SELECT` items, removes the column list from the `WITH` clause
- BQ → DB2: backtick identifiers → double-quoted, splits `project.dataset.table` segments; `CURRENTTIMESTAMP()/DATE()/TIME()` → *DB2 special registers*; `STRPOS` → *LOCATE (args reversed)*, `IF` → `CASE WHEN`, `IFNULL` → `COALESCE`, `TOHEX` → `HEX`, `SAFE_CAST` → `CAST` with warning
- New `ConvertSqlDialog` — "Convert SQL Dialect (experimental)": From/To combo (default DB2→BQ, combos enforce opposite selection), result + warnings areas, "Format using Extended Format SQL" checkbox, target schema field; settings persisted across invocations
- "Convert SQL Dialect..." added to query right-click popup
- Bug fix: Query History Viewer URL filter field was invisible on first open — width capped at 200 px
- Bug fix: Query History Viewer `NullPointerException` during filter navigation when history entry has no SQL text
- Bug fix: executing a query when not connected now shows "Query cannot be executed - not connected" instead of a `NullPointerException`

Sui 0.75K

- SQL Object Tree: index sub-tree per table — Indexes folder with `UNIQUE/NON-UNIQUE` entries and column children; enabled by new "Include indexes" checkbox (left of "Include routines")
- Preferences → Start Up: "Include indexes in SQL Tree" checkbox — controls default checked state of the SQL Tree indexes checkbox
- SQL Object Tree right-click table: Count Rows (`COUNT_BIG(*)` for DB2, `COUNT(*)` otherwise)
- SQL Object Tree right-click table: List Referential Integrity (uses `getImportedKeys`)
- SQL Object Tree right-click column: Column Statistics — `MIN`, `MAX`, `COUNT DISTINCT` in one query
- SQL Object Tree right-click column: Sample Unique Values — `SELECT DISTINCT col` limited by Max Rows setting
- Bug fix: "Build SQL" no longer shows spurious "SQL opened in SQLBox" message
- ShowSQL right-click popup: "Exec. → Append" added
- "Exec. → Derby" replaced by "Exec. → SQLite" in query right-click popup; checks for SQLite JDBC driver in both system and Sui dynamic class loaders before opening
- New `CopyToSQLite` dialog: SQLite DB file path, table name, max rows, drop/re-create option; file path persisted between invocations
- `RunDerby / CreateDDL`: full SQLite support — schema-less `CREATE TABLE / DROP TABLE / INSERT INTO`; automatic table creation for SQLite URLs; inserting into an existing table without re-create no longer errors
- Bug fix: `setReadOnly(true)` on source connection silently ignored when driver rejects it mid-transaction (e.g. BigQuery → SQLite copy)
- Bug fix (Mimer): `AbstractMethodError` on `getFunctionColumns()` caught; falls back to `getProcedureColumns()`
- Bug fix (Mimer): dummy table corrected from `SYSTEM_ONEROW` to `SYSTEM. ONEROW`

Sui 0.75J

- Preferences → Query: new Ext Format SQL panel — dialect, indent, uppercase, lines between queries, max column length, skip whitespace near parentheses, comma position (trailing/leading)
- Ext Format SQL: leading comma post-processing option moves trailing commas to the beginning of the next line
- SQL Editor: Trim Trailing Whitespace — Edit menu (Ctrl+Shift+X) and right-click menu
- SQL Object Tree right-click: "Additional Table Info" for DB2 (LUW and z/OS) and BigQuery
- SQL Object Tree right-click: "Table Space Information" for DB2 (LUW and z/OS, tables only)
- SQL Object Tree right-click: "View definition" for DB2 and BigQuery (view nodes only)
- SQL Object Tree: BigQuery table/column names now preserve original case (case-sensitive JDBC driver fix)
- Bug fix: F6 / F7 / F8 DB2 actions now correctly distinguish DB2 for z/OS from DB2 LUW
- Bug fix: BigQuery unbounded STRING columns no longer excluded from Query Report filter row
- Replaced `dead.com.foundationdb:fdb-sql-parser` (2015) with `com.github.jsqlparser:jsqlparser:4.9` (Apache 2.0, actively maintained)
- Right-click menu: "Syntax Validate by Prepare" — validates selected SQL via the active JDBC connection (shown only when connected)
- Query History Viewer: every executed query now records a timestamp and connection URL (up to 9000 entries, configurable in Preferences → Query)
- Query History Viewer: URL filter combobox — browse history for a specific connection only
- Query History Viewer: AND/OR/IN advanced search syntax in the Find field
- Query History Viewer: status bar shows timestamp + URL for the current entry; tooltip summarises entry count and date range
- Preferences → Query: configurable variable substitution character (default &, e.g. : for JDBC-style) stored as `SUI.VARSUBS.CHAR`
- SQL Object Tree right-click table: "Generate DDL" — generates CREATE TABLE statement from database metadata including columns, types, defaults, NOT NULL and primary key constraint
- SQL Object Tree: "Include Stored Procedures" checkbox — when enabled, schemas show a Tables group and a Stored Procedures group
- SQL Object Tree right-click stored procedure: "Draw Stored Procedure (F9)" and "Execute Stored Procedure" (draw + run in one step)
- SQL Object Tree right-click function: "Draw Function" — inserts `SELECT schema.func(&p1, ?)` snippet using the configured substitution character
- SQL Object Tree: SP and Function nodes are draggable — drop on the query window generates the `{CALL ...}` or `SELECT func(...)` snippet
- SQL Object Tree: "Build SQL to clipboard" renamed to "Build SQL"
- SQL Object Tree: "Include routines" checkbox (renamed from "Include Stored Procedures") — shows a Routines group per schema; default checked state set in Start Up preferences
- SQL Object Tree: BigQuery user-defined functions now loaded (via `getFunctions()`); function parameters fetched via `getFunctionColumns()`
- SQL Object Tree: Draw Function respects the "Draw SQL to SQLBox" preference
- ShowSQL dialog: right-click context menu (execute, format, copy, copy to query sheet)
- QueryBox Viewer: right-click context menu — same popup as ShowSQL
- Preferences → Misc: "Draw SQL to SQLBox" — Draw Insert, Draw SP, Draw Function and Build SQL open in a new SQLBox window instead of copying to clipboard
- Preferences → Start Up: "Include routines in SQL Tree" — controls default checked state of the SQL Tree routines checkbox
- Toolbar: Query File Tree button icon replaced with OS-native folder icon at correct 16×16 size (was an oversized 26×26 `pages.gif`)

Sui 0.75G

- Toggle Comment on selected lines (Ctrl+7)
- Go to Line dialog (Ctrl+G)
- Block Indent / Unindent (Tab / Shift+Tab with selection)
- Uppercase / Lowercase Selection (Ctrl+Shift+U / Ctrl+Shift+L)
- Parenthesis matching highlight — enable/disable from right-click menu

- Cursor position indicator (Ln / Col) displayed above query tabs
- SQL Object Tree: Schema / Table filter fields with titled border
- SQL Object Tree: Better icons — table grid for SQL Tree, pages for Query Tree toolbar buttons
- SQL Object Tree: Frame icon switches between `db.gif` (SQL tree) and `pages.gif` (file tree)
- Query Editor popup: "Build IN List from Selection" — converts selected values to SQL `IN (...)` clause
- Query Editor popup: "Copy Columns from Selection..." — extracts fixed-position column range to clipboard
- Query Report popup: "Copy WHERE clause from row" — builds `WHERE col = val AND ...` from the selected row
- Bug fix: Status message not cleared before showing "Columns copied to clipboard"

Sui 0.75F

- New `SQLTreePanel` — lazy-loading JTree of schemas → tables → columns
- Toolbar buttons to show SQL Object Tree / Query File Tree
- Right-click table node: "Build SQL to clipboard", "Draw SQL (SELECT)", "Draw SQL (INSERT)"
- Drag table node to query window — choose `schema.table` or full `SELECT` statement
- Drag column node to query window — inserts column name at caret
- DB2: `SQLCODE -4471` resolved — `conn.commit()` added after every metadata `ResultSet` close
- DB2: System schemas (`SYSIBM`, `SYSCAT`, `SYSSTAT`, etc.) filtered from tree
- DB2: `getColumns()` called with `null` column-name pattern instead of `%` wildcard
- BigQuery: OAuth connection cache preserved — `closeConn()` is a no-op for BigQuery
- BigQuery: Schema list filtered to current project only (extracted from JDBC URL `ProjectId=`)
- BigQuery: `project.dataset` schema name prefix stripped before `getTables()` call
- Mimer SQL: Tables now load — `null` catalog and `null` table-type filter used in `getTables()`
- Mimer SQL: Schema name uppercased for Mimer and DB2 before metadata calls

Sui 0.75C

- Fixed decimal precision for `NUMERIC/DECIMAL` columns in query results panel and CSV export
- Fixed compilation error in "Send query to" mail feature (`java.awt.Desktop` name clash)

Sui 0.75B

- Security fix: command injection vulnerability in "Send query to" mail feature eliminated
- `DatabaseManager` now delegates to `ConnDB`, ensuring `SuiConnPref.pro` properties (including BigQuery OAuth settings) are always applied
- Connection and classpath preferences now saved immediately when the preferences dialog is closed, not only at application shutdown
- Fixed file-handle leak in profile store (`StoreProf`)
- Added credential handling documentation (`docs/CredentialHandling.md`)

Sui 0.75A

- BigQuery connections now kept in a cache with a 10-hour TTL, reducing repeated connection overhead
- Row limit enforced for BigQuery result sets to prevent runaway memory use
- All cached connections are closed gracefully at application exit
- `DConnInf` completely rewritten — now displays approximately 80 JDBC metadata properties
- Fixed compatibility issues with older JDBC drivers (`AbstractMethodError`, `MimerSQLException`)
- Improved thread safety: all `7.pro` file save methods are now synchronized
- Fixed Garbage background thread (interrupt handling, dead code removal)
- Build version and timestamp are now baked into the jar and shown in the About dialog
- New `DatabaseManager` helper class added
- All image assets moved to `src/imgs/` subfolder

- Unused source files moved to src/unused/
- Updated POM dependencies to remove known security vulnerabilities
- Added new documentation: USAGE.md and several docs/ files

Sui 0.74

- New Option to blank out password, when a new not previously not connected URL is selected (Misc properties set PW Blank is not connected)
- Added function to customize lookandFeel, added Flatlaf Sample Sui.ini to use a black theme:
`SuiHome=c:\SuiDev;`
`font=consolas,13;`
`pyjamas=false;`
`LookandFeel=com.formdev.flatlaf.FlatDarkLaf;`
- New function to format/Make a JSON string readable from

Sui 0.73

Version 0.73 up to 0.73K

- Added function to mark SQL at cursor (based on usage of Semicolon as delimiter) (Shift f1)
 Example : Place cursor att the second row and press Shift-F1, SELECT * FROM SYSIBM.SYSCOLUMNS is marked.
- Added function to execute SQL at cursor (based on usage of Semicolon as delimiter) (Shift f2)
- Corrected some issues in Export Excel
- Added DB2 specific functions to list columns (F6) and Tablespace (F7)
- Improved handling using the SuiConnPref.pro file
- Changed the syntax for include statement, the syntax is now: c:\folder\file (Where c:\folder\file is a fully qualified file name)
- Changed source for extended Format SQL to make it generally available
- Removed built in support for Derby
- Did some cleanup in Find-Replace logic

Version 0.73L

- Made it possible to only execute marked SQL from query box
- Made it possible to run SQL and get result directly to Excel from query box
- Built function to search for text strings in Sheets Version (querysheetviewer) right click and query window and select from list)
- Added F8 option to list content of View only avaiable for DB2 in same way as F6 to list columns and F7 to List tablespace)
- Made it possible to use variable when setting suihome variabeln for SuiConnPref
- Made it possible to use variable when setting suihome for SuiCPProp
- Fixed nullpointer eception in startup when deleteing temp datasets
- Added confirm dialog for delete from file tree