Keymap

- Mappings marked (**LSP**) require an active language server for the file.
- Mappings marked (**TS**) require a tree-sitter grammar for the filetype.

Normal mode

Movement

> NOTE: Unlike vim, `f`, `F`, `t` and `T` are not confined to the current line.

Key	Description	Command
`h`, `Left`	Move left	`move_char_left`
`j`, `Down`	Move down	`move_line_down`
`k`, `Up`	Move up	`move_line_up`
`l`, `Right`	Move right	`move_char_right`
`w`	Move next word start	`move_next_word_start`
`b`	Move previous word start	`move_prev_word_start`
`e`	Move next word end	`move_next_word_end`

`W`	Move next WORD start	`move_next_long_word_start`
`B`	Move previous WORD start	`move_prev_long_word_start`
`E`	Move next WORD end	`move_next_long_word_end`
`t`	Find 'till next char	`find_till_char`
`f`	Find next char	`find_next_char`
`T`	Find 'till previous char	`till_prev_char`
`F`	Find previous char	`find_prev_char`
`G`	Go to line number `<n>`	`goto_line`
`Alt-.`	Repeat last motion (`f`, `t` or `m`)	`repeat_last_motion`
`Home`	Move to the start of the line	`goto_line_start`
`End`	Move to the end of the line	`goto_line_end`
`Ctrl-b`, `PageUp`	Move page up	`page_up`
`Ctrl-f`, `PageDown`	Move page down	`page_down`
`Ctrl-u`	Move half page up	`half_page_up`
`Ctrl-d`	Move half page down	`half_page_down`
`Ctrl-i`	Jump forward on the jumplist	`jump_forward`
`Ctrl-o`	Jump backward on the jumplist	`jump_backward`
`Ctrl-s`	Save the current selection to the jumplist	`save_selection`

Changes

Key	Description	Command
`r`	Replace with a character	`replace`
`R`	Replace with yanked text	`replace_with_yanked`
`~`	Switch case of the selected text	`switch_case`
`` ` ``	Set the selected text to lower case	`switch_to_lowercase`
`Alt-` `	Set the selected text to upper case	`switch_to_uppercase`
`i`	Insert before selection	`insert_mode`
`a`	Insert after selection (append)	`append_mode`
`I`	Insert at the start of the line	`prepend_to_line`
`A`	Insert at the end of the line	`append_to_line`
`o`	Open new line below selection	`open_below`
`O`	Open new line above selection	`open_above`
`.`	Repeat last change	N/A
`u`	Undo change	`undo`
`U`	Redo change	`redo`
`Alt-u`	Move backward in history	`earlier`
`Alt-U`	Move forward in history	`later`

`y`	Yank selection	`yank`
`p`	Paste after selection	`paste_after`
`P`	Paste before selection	`paste_before`
`"<reg>`	Select a register to yank to or paste from	`select_register`
`>`	Indent selection	`indent`
`<`	Unindent selection	`unindent`
`=`	Format selection (currently nonfunctional/disabled) (**LSP**)	`format_selections`
`d`	Delete selection	`delete_selection`
`Alt-d`	Delete selection, without yanking	`delete_selection_noyank`
`c`	Change selection (delete and enter insert mode)	`change_selection`
`Alt-c`	Change selection (delete and enter insert mode, without yanking)	`change_selection_noyank`
`Ctrl-a`	Increment object (number) under cursor	`increment`
`Ctrl-x`	Decrement object (number) under cursor	`decrement`
`Q`	Start/stop macro recording to the selected register (experimental)	`record_macro`
`q`	Play back a recorded macro from the selected register (experimental)	`replay_macro`

Shell

Key	Description	Command
`|`	Pipe each selection through shell command, replacing with output	`shell_pipe`
`Alt-|`	Pipe each selection into shell command, ignoring output	`shell_pipe_to`
`!`	Run shell command, inserting output before each selection	`shell_insert_output`
`Alt-!`	Run shell command, appending output after each selection	`shell_append_output`
`$`	Pipe each selection into shell command, keep selections where command returned 0	`shell_keep_pipe`

Selection manipulation

Key	Description	Command
`s`	Select all regex matches inside selections	`select_regex`
`S`	Split selection into subselections on regex matches	`split_selection`
`Alt-s`	Split selection on newlines	`split_selection_on_newline`
`&`	Align selection in columns	`align_selections`
`_`	Trim whitespace from the selection	`trim_selections`

`;`	Collapse selection onto a single cursor	`collapse_selection`
`Alt-;`	Flip selection cursor and anchor	`flip_selections`
`Alt-:`	Ensures the selection is in forward direction	`ensure_selections_forward`
`,`	Keep only the primary selection	`keep_primary_selection`
`Alt-,`	Remove the primary selection	`remove_primary_selection`
`C`	Copy selection onto the next line (Add cursor below)	`copy_selection_on_next_line`
`Alt-C`	Copy selection onto the previous line (Add cursor above)	`copy_selection_on_prev_line`
`(`	Rotate main selection backward	`rotate_selections_backward`
`)`	Rotate main selection forward	`rotate_selections_forward`
`Alt-(`	Rotate selection contents backward	`rotate_selection_contents_backward`
`Alt-)`	Rotate selection contents forward	`rotate_selection_contents_forward`
`%`	Select entire file	`select_all`
`x`	Select current line, if already selected, extend to next line	`extend_line`
`X`	Extend selection to line bounds (line-wise selection)	`extend_to_line_bounds`
`J`	Join lines inside selection	`join_selections`
`K`	Keep selections matching the regex	`keep_selections`

`Alt-K`	Remove selections matching the regex	`remove_selections`
`Ctrl-c`	Comment/uncomment the selections	`toggle_comments`
`Alt-k`, `Alt-up`	Expand selection to parent syntax node (**TS**)	`expand_selection`
`Alt-j`, `Alt-down`	Shrink syntax tree object selection (**TS**)	`shrink_selection`
`Alt-h`, `Alt-left`	Select previous sibling node in syntax tree (**TS**)	`select_prev_sibling`
`Alt-l`, `Alt-right`	Select next sibling node in syntax tree (**TS**)	`select_next_sibling`

Search

Search commands all operate on the `/` register by default. Use `"<char>` to operate on a different one.

Key	Description	Command
`/`	Search for regex pattern	`search`
`?`	Search for previous pattern	`rsearch`
`n`	Select next search match	`search_next`
`N`	Select previous search match	`search_prev`
`*`	Use current selection as the search pattern	`search_selection`

Minor modes

These sub-modes are accessible from normal mode and typically switch back to normal mode after a command.

Key	Description	Command
`v`	Enter select (extend) mode	`select_mode`
`g`	Enter goto mode	N/A
`m`	Enter match mode	N/A
`:`	Enter command mode	`command_mode`
`z`	Enter view mode	N/A
`Z`	Enter sticky view mode	N/A
`Ctrl-w`	Enter window mode	N/A
`Space`	Enter space mode	N/A

View mode

View mode is intended for scrolling and manipulating the view without changing the selection. The "sticky" variant of this mode is persistent; use the Escape key to return to normal mode after usage (useful when you're simply looking over text and not actively editing it).

Key	Description	Command
`z`, `c`	Vertically center the line	`align_view_center`

`t`	Align the line to the top of the screen	`align_view_top`
`b`	Align the line to the bottom of the screen	`align_view_bottom`
`m`	Align the line to the middle of the screen (horizontally)	`align_view_middle`
`j`, `down`	Scroll the view downwards	`scroll_down`
`k`, `up`	Scroll the view upwards	`scroll_up`
`Ctrl-f`, `PageDown`	Move page down	`page_down`
`Ctrl-b`, `PageUp`	Move page up	`page_up`
`Ctrl-d`	Move half page down	`half_page_down`
`Ctrl-u`	Move half page up	`half_page_up`

Goto mode

Jumps to various locations.

Key	Description	Command
`g`	Go to line number `<n>` else start of file	`goto_file_start`
`e`	Go to the end of the file	`goto_last_line`
`f`	Go to files in the selection	`goto_file`
`h`	Go to the start of the line	`goto_line_start`
`l`	Go to the end of the line	`goto_line_end`

`s`	Go to first non-whitespace character of the line	`goto_first_nonwhitespace`
`t`	Go to the top of the screen	`goto_window_top`
`c`	Go to the middle of the screen	`goto_window_center`
`b`	Go to the bottom of the screen	`goto_window_bottom`
`d`	Go to definition (**LSP**)	`goto_definition`
`y`	Go to type definition (**LSP**)	`goto_type_definition`
`r`	Go to references (**LSP**)	`goto_reference`
`i`	Go to implementation (**LSP**)	`goto_implementation`
`a`	Go to the last accessed/alternate file	`goto_last_accessed_file`
`m`	Go to the last modified/alternate file	`goto_last_modified_file`
`n`	Go to next buffer	`goto_next_buffer`
`p`	Go to previous buffer	`goto_previous_buffer`
`.`	Go to last modification in current file	`goto_last_modification`

Match mode

Enter this mode using `m` from normal mode. See the relavant section in Usage for an explanation about surround and textobject usage.

Key	Description	Command
`m`	Goto matching bracket (**TS**)	`match_brackets`

`s` `<char>`	Surround current selection with `<char>`	`surround_add`
`r` `<from><to>`	Replace surround character `<from>` with `<to>`	`surround_replace`
`d` `<char>`	Delete surround character `<char>`	`surround_delete`
`a` `<object>`	Select around textobject	`select_textobject_around`
`i` `<object>`	Select inside textobject	`select_textobject_inner`

TODO: Mappings for selecting syntax nodes (a superset of `[`).

Window mode

This layer is similar to vim keybindings as kakoune does not support window.

Key	Description	Command
`w`, `Ctrl-w`	Switch to next window	`rotate_view`
`v`, `Ctrl-v`	Vertical right split	`vsplit`
`s`, `Ctrl-s`	Horizontal bottom split	`hsplit`
`f`	Go to files in the selection in horizontal splits	`goto_file`
`F`	Go to files in the selection in vertical splits	`goto_file`
`h`, `Ctrl-h`, `Left`	Move to left split	`jump_view_left`
`j`, `Ctrl-j`, `Down`	Move to split below	`jump_view_down`
`k`, `Ctrl-k`, `Up`	Move to split above	`jump_view_up`

`l`, `Ctrl-l`, `Right`	Move to right split	`jump_view_right`
`q`, `Ctrl-q`	Close current window	`wclose`
`o`, `Ctrl-o`	Only keep the current window, closing all the others	`wonly`

Space mode

This layer is a kludge of mappings, mostly pickers.

Key	Description	Command
`f`	Open file picker	`file_picker`
`b`	Open buffer picker	`buffer_picker`
`k`	Show documentation for item under cursor in a popup (**LSP**)	`hover`
`s`	Open document symbol picker (**LSP**)	`symbol_picker`
`S`	Open workspace symbol picker (**LSP**)	`workspace_symbol_picker`
`r`	Rename symbol (**LSP**)	`rename_symbol`
`a`	Apply code action (**LSP**)	`code_action`
`'`	Open last fuzzy picker	`last_picker`
`w`	Enter window mode	N/A
`p`	Paste system clipboard after selections	`paste_clipboard_after`
`P`	Paste system clipboard before selections	`paste_clipboard_before`

`y`	Join and yank selections to clipboard	`yank_joined_to_clipboard`
`Y`	Yank main selection to clipboard	`yank_main_selection_to_clipboard`
`R`	Replace selections by clipboard contents	`replace_selections_with_clipboard`
`/`	Global search in workspace folder	`global_search`
`?`	Open command palette	`command_palette`

> TIP: Global search displays results in a fuzzy picker, use `space + '` to bring it back up after opening a file.

Popup

Displays documentation for item under cursor.

Key	Description
`Ctrl-u`	Scroll up
`Ctrl-d`	Scroll down

Unimpaired

Mappings in the style of vim-unimpaired.

Key	Description	Command
`[d`	Go to previous diagnostic (**LSP**)	`goto_prev_diag`

`]d`	Go to next diagnostic (**LSP**)	`goto_next_diag`
`[D`	Go to first diagnostic in document (**LSP**)	`goto_first_diag`
`]D`	Go to last diagnostic in document (**LSP**)	`goto_last_diag`
`]f`	Go to next function (**TS**)	`goto_next_function`
`[f`	Go to previous function (**TS**)	`goto_prev_function`
`]c`	Go to next class (**TS**)	`goto_next_class`
`[c`	Go to previous class (**TS**)	`goto_prev_class`
`]a`	Go to next argument/parameter (**TS**)	`goto_next_parameter`
`[a`	Go to previous argument/parameter (**TS**)	`goto_prev_parameter`
`]o`	Go to next comment (**TS**)	`goto_next_comment`
`[o`	Go to previous comment (**TS**)	`goto_prev_comment`
`[space`	Add newline above	`add_newline_above`
`]space`	Add newline below	`add_newline_below`

Insert Mode

We support many readline/emacs style bindings in insert mode for convenience. These can be helpful for making simple modifications without escaping to normal mode, but beware that you will not have an undo-able "save point" until you return to normal mode.

Key	Description	Command
`Escape`	Switch to normal mode	`normal_mode`
`Ctrl-x`	Autocomplete	`completion`
`Ctrl-r`	Insert a register content	`insert_register`
`Ctrl-w`, `Alt-Backspace`	Delete previous word	`delete_word_backward`
`Alt-d`	Delete next word	`delete_word_forward`
`Alt-b`, `Alt-Left`	Backward a word	`move_prev_word_end`
`Ctrl-b`, `Left`	Backward a char	`move_char_left`
`Alt-f`, `Alt-Right`	Forward a word	`move_next_word_start`
`Ctrl-f`, `Right`	Forward a char	`move_char_right`
`Ctrl-e`, `End`	Move to line end	`goto_line_end_newline`
`Ctrl-a`, `Home`	Move to line start	`goto_line_start`
`Ctrl-u`	Delete to start of line	`kill_to_line_start`
`Ctrl-k`	Delete to end of line	`kill_to_line_end`
`Ctrl-j`, `Enter`	Insert new line	`insert_newline`
`Backspace`, `Ctrl-h`	Delete previous char	`delete_char_backward`
`Delete`, `Ctrl-d`	Delete previous char	`delete_char_forward`
`Ctrl-p`, `Up`	Move to previous line	`move_line_up`

`Ctrl-n`, `Down`	Move to next line	`move_line_down`
`PageUp`	Move one page up	`page_up`
`PageDown`	Move one page down	`page_down`
`Alt->`	Go to end of buffer	`goto_file_end`
`Alt-<`	Go to start of buffer	`goto_file_start`

Select / extend mode

This mode echoes Normal mode, but changes any movements to extend selections rather than replace them. Goto motions are also changed to extend, so that `vgl` for example extends the selection to the end of the line.

Search is also affected. By default, `n` and `N` will remove the current selection and select the next instance of the search term. Toggling this mode before pressing `n` or `N` makes it possible to keep the current selection. Toggling it on and off during your iterative searching allows you to selectively add search terms to your selections.

Picker

Keys to use within picker. Remapping currently not supported.

Key	Description
`Up`, `Ctrl-k`, `Ctrl-p`	Previous entry

`PageUp`, `Ctrl-b`	Page up
`Down`, `Ctrl-j`, `Ctrl-n`	Next entry
`PageDown`, `Ctrl-f`	Page down
`Home`	Go to first entry
`End`	Go to last entry
`Ctrl-space`	Filter options
`Enter`	Open selected
`Ctrl-s`	Open horizontally
`Ctrl-v`	Open vertically
`Escape`, `Ctrl-c`	Close picker

Prompt

Keys to use within prompt, Remapping currently not supported.

Key	Description
`Escape`, `Ctrl-c`	Close prompt
`Alt-b`, `Alt-Left`	Backward a word
`Ctrl-b`, `Left`	Backward a char

`Alt-f`, `Alt-Right`	Forward a word
`Ctrl-f`, `Right`	Forward a char
`Ctrl-e`, `End`	Move prompt end
`Ctrl-a`, `Home`	Move prompt start
`Ctrl-w`	Delete previous word
`Alt-d`	Delete next word
`Ctrl-u`	Delete to start of line
`Ctrl-k`	Delete to end of line
`backspace`, `Ctrl-h`	Delete previous char
`delete`, `Ctrl-d`	Delete next char
`Ctrl-s`	Insert a word under doc cursor, may be changed to Ctrl-r Ctrl-w later
`Ctrl-p`, `Up`	Select previous history
`Ctrl-n`, `Down`	Select next history
`Tab`	Select next completion item
`BackTab`	Select previous completion item
`Enter`	Open selected