Class10

Jae Kim

Comparative structure analysis of ADK

Q10. Which of the packages above is found only on BioConductor and not CRAN?

msa

Q11. Which of the above packages is not found on BioConductor or CRAN?:

bio3d-view

Q12. True or False? Functions from the devtools package can be used to install packages from GitHub and BitBucket? ## Search and Retrieve ADK Structures

True

Search and Retrieve ADK structures

```
library(bio3d)

aa <- get.seq("1ake_A")
```

```
Warning in get.seq("1ake_A"): Removing existing file: seqs.fasta
```

```
Fetching... Please wait. Done.
```

```
aa
```

```
              1        .         .         .         .         .         60
pdb|1AKE|A    MRIILLGAPGAGKGTQAQFIMEKYGIPQISTGDMLRAAVKSGSELGKQAKDIMDAGKLVT
              1        .         .         .         .         .         60

             61        .         .         .         .         .         120
pdb|1AKE|A    DELVIALVKERIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFDVPDELIVDRI
             61        .         .         .         .         .         120

            121        .         .         .         .         .         180
pdb|1AKE|A    VGRRVHAPSGRVYHVKFNPPKVEGKDDVTGEELTTRKDDQEETVRKRLVEYHQMTAPLIG
            121        .         .         .         .         .         180

            181        .         .         .   214
pdb|1AKE|A    YYSKEAEAGNTKYAKVDGTKPVAEVRADLEKILG
            181        .         .         .   214

Call:
  read.fasta(file = outfile)

Class:
  fasta

Alignment dimensions:
  1 sequence rows; 214 position columns (214 non-gap, 0 gap)

+ attr: id, ali, call
```

Q13. How many amino acids are in this sequence, i.e. how long is this sequence?

214

We can run BLAST with this sequence:

```
# Blast or hmmer search
# b <- blast.pdb(aa)
```

```
# hits <- plot(b)
```

Let's see what is in our `hits`object.

```
# hits$pdb.id

hits <- NULL
```

```
hits$pdb.id <- c('1AKE_A','6S36_A','6RZE_A','3HPR_A','1E4V_A','5EJE_A','1E4Y_A','3X2S_A','
```

Now we can download all of these PDB structures:

```
# Download related PDB files
files <- get.pdb(hits$pdb.id, path="pdbs", split=TRUE, gzip=TRUE)
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1AKE.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6S36.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6RZE.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3HPR.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4V.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/5EJE.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/1E4Y.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3X2S.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAP.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/6HAM.pdb exists. Skipping download

Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4K46.pdb exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/3GMT.pdb exists. Skipping download
```

```
Warning in get.pdb(hits$pdb.id, path = "pdbs", split = TRUE, gzip = TRUE):
pdbs/4PZL.pdb exists. Skipping download
```

```
  |
  |                                                                      |   0%
  |
  |=====                                                                 |   8%
  |
  |===========                                                           |  15%
  |
  |================                                                      |  23%
  |
  |======================                                                |  31%
  |
  |============================                                          |  38%
  |
  |==================================                                    |  46%
  |
  |========================================                              |  54%
  |
  |============================================                          |  62%
  |
  |================================================                      |  69%
  |
  |====================================================                  |  77%
  |
  |============================================================          |  85%
  |
  |====================================================================  |  92%
  |
  |======================================================================| 100%
```

Now I want to align and superpose these structures which are all over the place.

```
pdbs <- pdbaln(files, fit=TRUE, exefile="msa")
```

```
Reading PDB files:
```

```
pdbs/split_chain/1AKE_A.pdb
pdbs/split_chain/6S36_A.pdb
pdbs/split_chain/6RZE_A.pdb
pdbs/split_chain/3HPR_A.pdb
pdbs/split_chain/1E4V_A.pdb
pdbs/split_chain/5EJE_A.pdb
pdbs/split_chain/1E4Y_A.pdb
pdbs/split_chain/3X2S_A.pdb
pdbs/split_chain/6HAP_A.pdb
pdbs/split_chain/6HAM_A.pdb
pdbs/split_chain/4K46_A.pdb
pdbs/split_chain/3GMT_A.pdb
pdbs/split_chain/4PZL_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
..   PDB has ALT records, taking A only, rm.alt=TRUE
....   PDB has ALT records, taking A only, rm.alt=TRUE
.   PDB has ALT records, taking A only, rm.alt=TRUE
...

Extracting sequences

pdb/seq: 1   name: pdbs/split_chain/1AKE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 2   name: pdbs/split_chain/6S36_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 3   name: pdbs/split_chain/6RZE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 4   name: pdbs/split_chain/3HPR_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 5   name: pdbs/split_chain/1E4V_A.pdb
pdb/seq: 6   name: pdbs/split_chain/5EJE_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 7   name: pdbs/split_chain/1E4Y_A.pdb
pdb/seq: 8   name: pdbs/split_chain/3X2S_A.pdb
pdb/seq: 9   name: pdbs/split_chain/6HAP_A.pdb
pdb/seq: 10   name: pdbs/split_chain/6HAM_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 11   name: pdbs/split_chain/4K46_A.pdb
   PDB has ALT records, taking A only, rm.alt=TRUE
pdb/seq: 12   name: pdbs/split_chain/3GMT_A.pdb
```

```
pdb/seq: 13   name: pdbs/split_chain/4PZL_A.pdb
```

Let's have a look at our `pdbs` object.

```
pdbs
```

```
                                 1        .         .         .         40
[Truncated_Name:1]1AKE_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:2]6S36_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:3]6RZE_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:4]3HPR_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:5]1E4V_A.pdb     ----------MRIILLGAPVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:6]5EJE_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:7]1E4Y_A.pdb     ----------MRIILLGALVAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:8]3X2S_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:9]6HAP_A.pdb     ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:10]6HAM_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMEKYGIPQIS
[Truncated_Name:11]4K46_A.pdb    ----------MRIILLGAPGAGKGTQAQFIMAKFGIPQIS
[Truncated_Name:12]3GMT_A.pdb    ----------MRLILLGAPGAGKGTQANFIKEKFGIPQIS
[Truncated_Name:13]4PZL_A.pdb    TENLYFQSNAMRIILLGAPGAGKGTQAKIIEQKYNIAHIS
                                           **^*****  *******  *  *^ *  **
                                 1        .         .         .         40

                                41        .         .         .         80
[Truncated_Name:1]1AKE_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:2]6S36_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:3]6RZE_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:4]3HPR_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:5]1E4V_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:6]5EJE_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDACKLVTDELVIALVKE
[Truncated_Name:7]1E4Y_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVKE
[Truncated_Name:8]3X2S_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDCGKLVTDELVIALVKE
[Truncated_Name:9]6HAP_A.pdb      TGDMLRAAVKSGSELGKQAKDIMDAGKLVTDELVIALVRE
[Truncated_Name:10]6HAM_A.pdb     TGDMLRAAIKSGSELGKQAKDIMDAGKLVTDEIIIALVKE
[Truncated_Name:11]4K46_A.pdb     TGDMLRAAIKAGTELGKQAKSVIDAGQLVSDDIILGLVKE
[Truncated_Name:12]3GMT_A.pdb     TGDMLRAAVKAGTPLGVEAKTYMDEGKLVPDSLIIGLVKE
[Truncated_Name:13]4PZL_A.pdb     TGDMIRETIKSGSALGQELKKVLDAGELVSDEFIIKIVKD
                                  ****^*  ^* *^ **   *  ^*   ** *  ^^ ^*^^
                                41        .         .         .         80

                                81        .         .         .         120
[Truncated_Name:1]1AKE_A.pdb      RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
```

```
[Truncated_Name:2]6S36_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:3]6RZE_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:4]3HPR_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:5]1E4V_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:6]5EJE_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:7]1E4Y_A.pdb    RIAQEDCRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:8]3X2S_A.pdb    RIAQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:9]6HAP_A.pdb    RICQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:10]6HAM_A.pdb   RICQEDSRNGFLLDGFPRTIPQADAMKEAGINVDYVLEFD
[Truncated_Name:11]4K46_A.pdb   RIAQDDCAKGFLLDGFPRTIPQADGLKEVGVVVDYVIEFD
[Truncated_Name:12]3GMT_A.pdb   RLKEADCANGYLFDGFPRTIAQADAMKEAGVAIDYVLEID
[Truncated_Name:13]4PZL_A.pdb   RISKNDCNNGFLLDGVPRTIPQAQELDKLGVNIDYIVEVD
                                *^   *   *^* ** **** **  ^   *^ ^**^^* *
                               81        .         .         .         120

                              121        .         .         .         160
[Truncated_Name:1]1AKE_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:2]6S36_A.pdb    VPDELIVDKIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:3]6RZE_A.pdb    VPDELIVDAIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:4]3HPR_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDGTG
[Truncated_Name:5]1E4V_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:6]5EJE_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:7]1E4Y_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:8]3X2S_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:9]6HAP_A.pdb    VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:10]6HAM_A.pdb   VPDELIVDRIVGRRVHAPSGRVYHVKFNPPKVEGKDDVTG
[Truncated_Name:11]4K46_A.pdb   VADSVIVERMAGRRAHLASGRTYHNVYNPPKVEGKDDVTG
[Truncated_Name:12]3GMT_A.pdb   VPFSEIIERMSGRRTHPASGRTYHVKFNPPKVEGKDDVTG
[Truncated_Name:13]4PZL_A.pdb   VADNLLIERITGRRIHPASGRTYHTKFNPPKVADKDDVTG
                                *    ^^^ ^ *** *  *** **  ^*****  *** **
                              121        .         .         .         160

                              161        .         .         .         200
[Truncated_Name:1]1AKE_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:2]6S36_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:3]6RZE_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:4]3HPR_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:5]1E4V_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:6]5EJE_A.pdb    EELTTRKDDQEECVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:7]1E4Y_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:8]3X2S_A.pdb    EELTTRKDDQEETVRKRLCEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:9]6HAP_A.pdb    EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
[Truncated_Name:10]6HAM_A.pdb   EELTTRKDDQEETVRKRLVEYHQMTAPLIGYYSKEAEAGN
```

```
[Truncated_Name:11]4K46_A.pdb   EDLVIREDDKEETVLARLGVYHNQTAPLIAYYGKEAEAGN
[Truncated_Name:12]3GMT_A.pdb   EPLVQRDDDKEETVKKRLDVYEAQTKPLITYYGDWARRGA
[Truncated_Name:13]4PZL_A.pdb   EPLITRTDDNEDTVKQRLSVYHAQTAKLIDFYRNFSSTNT
                                * *  * ** *^ *  **  *   *  ** ^*
                               161        .         .         .         200

                               201        .         .      227
[Truncated_Name:1]1AKE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:2]6S36_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:3]6RZE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:4]3HPR_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:5]1E4V_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:6]5EJE_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:7]1E4Y_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:8]3X2S_A.pdb    T--KYAKVDGTKPVAEVRADLEKILG-
[Truncated_Name:9]6HAP_A.pdb    T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:10]6HAM_A.pdb   T--KYAKVDGTKPVCEVRADLEKILG-
[Truncated_Name:11]4K46_A.pdb   T--QYLKFDGTKAVAEVSAELEKALA-
[Truncated_Name:12]3GMT_A.pdb   E-------NGLKAPA-----YRKISG-
[Truncated_Name:13]4PZL_A.pdb   KIPKYIKINGDQAVEKVSQDIFDQLNK
                                         *
                               201        .         .      227

Call:
  pdbaln(files = files, fit = TRUE, exefile = "msa")

Class:
  pdbs, fasta

Alignment dimensions:
  13 sequence rows; 227 position columns (204 non-gap, 23 gap)

+ attr: xyz, resno, b, chain, id, ali, resid, sse, call
```

Now we have our aligned and supersposed structures we can perform all sorts of analysis on them. Let's do PCA…

```
pc.xray <- pca(pdbs)
plot(pc.xray)
```



Results of PCA on Adenylate kinase X-ray structures. Each dot represents one PDB structure.

We can cluster the structures by RMSD (or any other method).

```
rd <- rmsd(pdbs)
```

```
Warning in rmsd(pdbs): No indices provided, using the 204 non NA positions
```

```
hc.rd <- hclust(dist(rd))
grps <- cutree(hc.rd, k=3)

plot(pc.xray, 1:2, col=grps)
```



Optional further visualization

We can make a wee movie - also called a trajectory of the major differences (i.e. structural displacements) of ADK.

```
# Visualizae first principal component
pc1 <- mktrj(pc.xray, pc=1, file="pc_1.pdb")
```