

## Improvements

Improvements made are implementation of wire diagrams. Initially pages had only navbar and navigation to other pages. Now all the pages have information displayed in an attractive way. All the content is designed to also support smaller screen with the help of bootstrap.

## Index

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link href="./main.css" rel="stylesheet">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="https://getbootstrap.com/docs/5.3/assets/css/docs.css" rel="stylesheet">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@48,400,0,0" />
  <title>5.3</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.bundle.min.js"></script>
</head>

<body>
  <!--Navbar is fixed so navbar controls are always accessible-->
  <nav class="navbar fixed-top navbar-expand-lg navbar-dark bd-red-600">
    <a class="navbar-brand" href="./index.html">
      <!--Navbar has a blue butterfly icon to match with website theme-->
      

</a>

<button class="navbar-toggler ms-auto" type="button" data-bs-  
toggle="collapse" data-bs-target="#navbarNav"  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle  
navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav me-auto mb-2 mb-lg-0">

<li class="nav-item" style="padding-right: 20px;">

```

        <a class="navbar-brand active" href="./Sport.html">Sport</a>
    </li>
    <li class="nav-item" style="padding-right: 20px;">
        <a class="navbar-brand" href="./News.html">News</a>
    </li>
    <li class="nav-item" style="padding-right: 20px;">
        <a class="navbar-brand" href="./Worklife.html">Worklife</a>
    </li>
    <li class="nav-item" style="padding-right: 20px;">
        <a class="navbar-brand" href="./Travel.html">Travel</a>
    </li>
</ul>
<form class="d-flex" role="search">
    <div class="input-group col-sm">
        <div class="input-group-text"><span class="material-symbols-
outlined">search</span></div>
        <input class="me-2" type="text" placeholder="Search" aria-
label="Search">
    </div>
    <button class="btn btn-light" type="button">Search</button>
    <button class="btn btn-light ">
        <a href="./signin.html"><span class="material-symbols-
outlined">person</span></a>
    </button>
</form>

</div>
</nav>
<div class="container mt-4">
    <div class="row">
        <div class="col-sm-6">
            <div class="card mb-3">
                
                <div class="card-body">
                    <h5 class="card-title">Eight Killed in shooting</h5>
                    <p class="card-text">A police officer on an unrelated call at the
mall in Allen killed the gunman after
                    hearing shots.</p>
                    <p class="card-text"><small class="text-muted">Last updated 3 mins
ago</small></p>
                </div>
            </div>
        </div>
        <div class="col-sm-6">

```

```

<div class="card mb-3">
  <div class="row g-0">
    <div class="col-md-4">
      
    </div>
    <div class="col-12 col-md-8">
      <div class="card-body">
        <h5 class="card-title">King Charles Coronation</h5>
        <p class="card-text">The King was coronated at the age of 75.</p>
        <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
      </div>
    </div>
  </div>
</div>
<div class="row">
  <div class="card">
    <div class="card-body">
      <blockquote class="blockquote mb-0">
        <p>Alvarez dominates Ryder in Mexico Homecoming</p>
        <footer class="blockquote-footer"><cite title="Source Title"><a
href="./Sport.html"> Sports </a></cite>
      </footer>
      </blockquote>
    </div>
  </div>
</div>
<div class="row mt-1">
  <div class="card">
    <div class="card-body">
      <blockquote class="blockquote mb-0">
        <p>What side-hustlers are really making</p>
        <footer class="blockquote-footer"><cite title="Source Title"><a
href="./Sport.html"> Worklife
      </a></cite></footer>
      </blockquote>
    </div>
  </div>
</div>
<div class="row mt-1">
  <div class="card">
    <div class="card-body">
      <blockquote class="blockquote mb-0">
        <p>The real meaning of carne asada</p>

```

```

                <footer class="blockquote-footer"><cite title="Source Title"><a
href="./Sport.html"> Travel </a></cite>
            </footer>
        </blockquote>
    </div>
</div>
</div>
</div>

</div>

</div>

</body>

<footer>
    <div class="container ">
        2023 dKin News</div>
</footer>

</html>

```

## Sports

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="./main.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet">
    <link href="https://getbootstrap.com/docs/5.3/assets/css/docs.css" rel="stylesheet">
    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@48,400,0,0" />
    <title>5.3</title>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.bundle.min.js"></script>
</head>

<body>
    <!--Navbar is fixed so navbar controls are always accessible-->
    <nav class="navbar fixed-top navbar-expand-lg navbar-dark bd-red-600 ">

```

```
<a class="navbar-brand" href="./index.html">
  <!--Navbar has a blue butterfly icon to match with website theme-->
  
    </a>
    <button class="navbar-toggler ms-auto" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav"
        aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0">
            <li class="nav-item" style="padding-right: 20px;">
                <a class="navbar-brand active" href="/Sport.html">Sport</a>
            </li>
            <li class="nav-item" style="padding-right: 20px;">
                <a class="navbar-brand" href="/News.html">News</a>
            </li>
            <li class="nav-item" style="padding-right: 20px;">
                <a class="navbar-brand" href="/Worklife.html">Worklife</a>
            </li>
            <li class="nav-item" style="padding-right: 20px;">
                <a class="navbar-brand" href="/Travel.html">Travel</a>
            </li>
        </ul>
        <form class="d-flex" role="search">
            <div class="input-group col-sm">
                <div class="input-group-text"><span class="material-symbols-
outlined">search</span></div>
                <input class="me-2" type="text" placeholder="Search" aria-
label="Search">
            </div>
            <button class="btn btn-light" type="button">Search</button>
            <button class="btn btn-light ">
                <a href="/signin.html"><span class="material-symbols-
outlined">person</span></a>
            </button>
        </form>

    </div>
</nav>
<div class="container">
    <div class="row mt-5 mt-sm-5">
        <div class="col-12 mt-5 mt-sm-0">
```



```

        <div class="card text-bg-dark mt-5 mt-sm-0">
            
            <div class="card-img-overlay">
                <h5 class="card-title mt-5 mt-sm-0">Card title</h5>
                <p class="card-text">This is a wider card with supporting text below
as a natural lead-in to additional
                content.
                This content is a little bit longer.</p>
                <p class="card-text"><small>Last updated 3 mins ago</small></p>
            </div>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-12 col-sm-6 mt-5 mt-sm-2">
        <div class="card mb-3">
            <div class="row g-0">
                <div class="col-md-4">
                    
                </div>
                <div class="col-md-8">
                    <div class="card-body">
                        <h5 class="card-title">King Charles Coronation</h5>
                        <p class="card-text">The King was coronated at the age of 75.</p>
                        <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="col-12 col-sm-6 mt-5 mt-sm-2">
        <div class="card mb-3">
            <div class="row g-0">
                <div class="col-md-4">
                    
                </div>
                <div class="col-md-8">
                    <div class="card-body">
                        <h5 class="card-title">King Charles Coronation</h5>
                        <p class="card-text">The King was coronated at the age of 75.</p>

```



```

                <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
            </div>
        </div>
    </div>
</div>

</div>

</div>

</body>

<footer>
    <div class="container ">
        2023 dKin News</div>
</footer>

</html>

```

Travel

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link href="./main.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet">
    <link href="https://getbootstrap.com/docs/5.3/assets/css/docs.css" rel="stylesheet">
    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@48,400,0,0" />
    <title>5.3</title>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.bundle.min.js"></script>
</head>

<body>
    <!--Navbar is fixed so navbar controls are always accessible-->
    <nav class="navbar fixed-top navbar-expand-lg navbar-dark bd-red-600">
        <a class="navbar-brand" href="./index.html">
            <!--Navbar has a blue butterfly icon to match with website theme-->

```

  
    </a>  
    <button class="navbar-toggler ms-auto" type="button" data-bs-  
toggle="collapse" data-bs-target="#navbarNav"  
        aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle  
navigation">  
        <span class="navbar-toggler-icon"></span>  
    </button>  
    <div class="collapse navbar-collapse" id="navbarNav">  
        <ul class="navbar-nav me-auto mb-2 mb-lg-0">  
            <li class="nav-item" style="padding-right: 20px;">  
                <a class="navbar-brand active" href="/Sport.html">Sport</a>  
            </li>  
            <li class="nav-item" style="padding-right: 20px;">  
                <a class="navbar-brand" href="/News.html">News</a>  
            </li>  
            <li class="nav-item" style="padding-right: 20px;">  
                <a class="navbar-brand" href="/Worklife.html">Worklife</a>  
            </li>  
            <li class="nav-item" style="padding-right: 20px;">  
                <a class="navbar-brand" href="/Travel.html">Travel</a>  
            </li>  
        </ul>  
        <form class="d-flex" role="search">  
            <div class="input-group col-sm">  
                <div class="input-group-text"><span class="material-symbols-  
outlined">search</span></div>  
                <input class="me-2" type="text" placeholder="Search" aria-  
label="Search">  
            </div>  
            <button class="btn btn-light" type="button">Search</button>  
            <button class="btn btn-light ">  
                <a href="/signin.html"><span class="material-symbols-  
outlined">person</span></a>  
            </button>  
        </form>  
  
    </div>  
</nav>  
<div class="container mt-5 mt-sm-0">  
    <div style="height: 100px;"> &nbsp;</div>  
    <div class="row mt-5 mt-sm-0">  
        <div id="carouselExampleCaptions" class="carousel slide mt-5 mt-sm-0">  
            <div class="carousel-indicators">
```

```

        <button type="button" data-bs-target="#carouselExampleCaptions" data-
bs-slide-to="0" class="active"
        aria-current="true" aria-label="Slide 1"></button>
        <button type="button" data-bs-target="#carouselExampleCaptions" data-
bs-slide-to="1"
        aria-label="Slide 2"></button>
        <button type="button" data-bs-target="#carouselExampleCaptions" data-
bs-slide-to="2"
        aria-label="Slide 3"></button>
    </div>
    <div class="carousel-inner">
        <div class="carousel-item active">
            
            <div class="carousel-caption d-none d-md-block">
                <h5>First slide label</h5>
                <p>Some representative placeholder content for the first slide.</p>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block">
                <h5>Second slide label</h5>
                <p>Some representative placeholder content for the second
slide.</p>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block">
                <h5>Third slide label</h5>
                <p>Some representative placeholder content for the third slide.</p>
            </div>
        </div>
    </div>
    <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions"
    data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions"
    data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>

```

```

        </button>
    </div>
</div>
<div class="row mt-sm-0">
    <div class="col-12 col-sm-6 mt-5 mt-sm-2">
        <div class="card mb-3">
            <div class="row g-0">
                <div class="col-md-4">
                    
                </div>
                <div class="col-md-8">
                    <div class="card-body">
                        <h5 class="card-title">King Charles Coronation</h5>
                        <p class="card-text">The King was coronated at the age of 75.</p>
                        <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-12 col-sm-6 mt-5 mt-sm-2">
    <div class="card mb-3">
        <div class="row g-0">
            <div class="col-md-4">
                
            </div>
            <div class="col-12 col-md-8">
                <div class="card-body">
                    <h5 class="card-title">King Charles Coronation</h5>
                    <p class="card-text">The King was coronated at the age of 75.</p>
                    <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>

```

```

    </div>
</body>

<footer>
  <div class="container ">
    2023 dKin News</div>
</footer>

</html>

```

Worklife

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link href="./main.css" rel="stylesheet">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="https://getbootstrap.com/docs/5.3/assets/css/docs.css" rel="stylesheet">
  <link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@48,400,0,0" />
  <title>5.3</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.bundle.min.js"></script>
</head>

<body>
  <!--Navbar is fixed so navbar controls are always accessible-->
  <nav class="navbar fixed-top navbar-expand-lg navbar-dark bd-red-600">
    <a class="navbar-brand" href="./index.html">
      <!--Navbar has a blue butterfly icon to match with website theme-->
      

</a>

<button class="navbar-toggler ms-auto" type="button" data-bs-  
toggle="collapse" data-bs-target="#navbarNav"  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle  
navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav me-auto mb-2 mb-lg-0">



```

        <li class="nav-item" style="padding-right: 20px;">
            <a class="navbar-brand active" href="/Sport.html">Sport</a>
        </li>
        <li class="nav-item" style="padding-right: 20px;">
            <a class="navbar-brand" href="/News.html">News</a>
        </li>
        <li class="nav-item" style="padding-right: 20px;">
            <a class="navbar-brand" href="/Worklife.html">Worklife</a>
        </li>
        <li class="nav-item" style="padding-right: 20px;">
            <a class="navbar-brand" href="/Travel.html">Travel</a>
        </li>
    </ul>
    <form class="d-flex" role="search">
        <div class="input-group col-sm">
            <div class="input-group-text"><span class="material-symbols-
outlined">search</span></div>
            <input class="me-2" type="text" placeholder="Search" aria-
label="Search">
        </div>
        <button class="btn btn-light" type="button">Search</button>
        <button class="btn btn-light ">
            <a href="/signin.html"><span class="material-symbols-
outlined">person</span></a>
        </button>
    </form>

</div>
</nav>
<div class="container mt-5 mt-sm-0">
    <div style="height: 100px;"> &nbsp;</div>
    <div class="row mt-5 mt-sm-0">
<div id="carouselExampleCaptions" class="carousel slide mt-5 mt-sm-0">
    <div class="carousel-indicators">
        <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="0" class="active"
            aria-current="true" aria-label="Slide 1"></button>
        <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="1" aria-label="Slide 2"></button>
        <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-
slide-to="2" aria-label="Slide 3"></button>
    </div>
    <div class="carousel-inner">
        <div class="carousel-item active">
            

```

```

        <div class="carousel-caption d-none d-md-block">
            <h5>First slide label</h5>
            <p>Some representative placeholder content for the first slide.</p>
        </div>
    </div>
    <div class="carousel-item">
        
        <div class="carousel-caption d-none d-md-block">
            <h5>Second slide label</h5>
            <p>Some representative placeholder content for the second slide.</p>
        </div>
    </div>
    <div class="carousel-item">
        
        <div class="carousel-caption d-none d-md-block">
            <h5>Third slide label</h5>
            <p>Some representative placeholder content for the third slide.</p>
        </div>
    </div>
</div>
<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleCaptions" data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
</button>
</div>
</div>
<div class="row mt-sm-0">
    <div class="col-12 col-sm-6 mt-5 mt-sm-2">
        <div class="card mb-3">
            <div class="row g-0">
                <div class="col-md-4">
                    
                </div>
                <div class="col-md-8">
                    <div class="card-body">
                        <h5 class="card-title">King Charles Coronation</h5>
                        <p class="card-text">The King was coronated at the age of
75.</p>

```

```

                <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
            </div>
        </div>
    </div>
</div>

<div class="col-12 col-sm-6 mt-5 mt-sm-2">
    <div class="card mb-3">
        <div class="row g-0">
            <div class="col-md-4">
                
            </div>
            <div class="col-12 col-md-8">
                <div class="card-body">
                    <h5 class="card-title">King Charles Coronation</h5>
                    <p class="card-text">The King was coronated at the age of
75.</p>
                    <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
                </div>
            </div>
        </div>
    </div>
</div>

</div>

</div>
</body>

<footer>
    <div class="container ">
        2023 dKin News</div>
</footer>

</html>

```

News

```

<!DOCTYPE html>
<html lang="en">

<head>

```

```
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="./main.css" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet">
<link href="https://getbootstrap.com/docs/5.3/assets/css/docs.css" rel="stylesheet">
<link rel="stylesheet"
  href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@48,400,0,0" />
<title>5.3</title>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.bundle.min.js"></script>
</head>

<body>
  <!--Navbar is fixed so navbar controls are always accessible-->
  <nav class="navbar fixed-top navbar-expand-lg navbar-dark bd-red-600 ">
    <a class="navbar-brand" href="./index.html">
      <!--Navbar has a blue butterfly icon to match with website theme-->
      

</a>

<button class="navbar-toggler ms-auto" type="button" data-bs-  
toggle="collapse" data-bs-target="#navbarNav"  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle  
navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav me-auto mb-2 mb-lg-0">

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand active" href="/Sport.html">Sport</a>

</li>

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand" href="/News.html">News</a>

</li>

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand" href="/Worklife.html">Worklife</a>

</li>

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand" href="/Travel.html">Travel</a>

</li>

</ul>

<form class="d-flex" role="search">

```

        <div class="input-group col-sm">
            <div class="input-group-text"><span class="material-symbols-
outlined">search</span></div>
            <input class=" me-2" type="text" placeholder="Search" aria-
label="Search">
        </div>
        <button class="btn btn-light" type="button">Search</button>
        <button class="btn btn-light  ">
            <a href="./signin.html"><span class="material-symbols-
outlined">person</span></a>
        </button>
    </form>

</div>
</nav>
<div class="container">
    <div class="row mt-5 mt-sm-5">
        <div class="col-12 mt-5 mt-sm-0">
            <div class="card text-bg-dark mt-5 mt-sm-0">
                
                <div class="card-img-overlay">
                    <h5 class="card-title mt-5 mt-sm-0">Card title</h5>
                    <p class="card-text">This is a wider card with supporting text below
as a natural lead-in to additional
                    content.
                    This content is a little bit longer.</p>
                    <p class="card-text"><small>Last updated 3 mins ago</small></p>
                </div>
            </div>
        </div>
    </div>
    <div class="row">
        <div class="col-12 col-sm-6 mt-5 mt-sm-2">
            <div class="card mb-3">
                <div class="row g-0">
                    <div class="col-md-4">
                        
                    </div>
                    <div class="col-md-8">
                        <div class="card-body">
                            <h5 class="card-title">King Charles Coronation</h5>
                            <p class="card-text">The King was coronated at the age of 75.</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
        </div>
    </div>
</div>
<div class="col-12 col-sm-6 mt-5 mt-sm-2">
    <div class="card mb-3">
        <div class="row g-0">
            <div class="col-md-4">
                
            </div>
            <div class="col-md-8">
                <div class="card-body">
                    <h5 class="card-title">King Charles Coronation</h5>
                    <p class="card-text">The King was coronated at the age of 75.</p>
                    <p class="card-text"><small class="text-muted">Last updated 3
mins ago</small></p>
                </div>
            </div>
        </div>
    </div>

</div>

</div>

</div>
</body>

<footer>
    <div class="container ">
        2023 dKin News</div>
</footer>

</html>

```

Signin

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">

```



```

<meta name="viewport" content="width=device-width, initial-scale=1">
<link href="./main.css" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css" rel="stylesheet">
<link href="https://getbootstrap.com/docs/5.3/assets/css/docs.css" rel="stylesheet">
<link rel="stylesheet" href="https://fonts.googleapis.com/css2?family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@48,400,0,0" />
<title>5.3</title>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/js/bootstrap.bundle.min.js"></script>
<script src="main.js"></script>

</head>

<body>
  <!--Navbar is fixed so navbar controls are always accessible-->
  <nav class="navbar fixed-top navbar-expand-lg navbar-dark bd-red-600">
    <a class="navbar-brand" href="./index.html">
      <!--Navbar has a blue butterfly icon to match with website theme-->
      

</a>

<button class="navbar-toggler ms-auto" type="button" data-bs-  
toggle="collapse" data-bs-target="#navbarNav"  
aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle  
navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav me-auto mb-2 mb-lg-0">

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand active" href="/Sport.html">Sport</a>

</li>

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand" href="/News.html">News</a>

</li>

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand" href="/Worklife.html">Worklife</a>

</li>

<li class="nav-item" style="padding-right: 20px;">

<a class="navbar-brand" href="/Travel.html">Travel</a>

</li>

```

    </ul>
    <form class="d-flex" role="search">
      <div class="input-group col-sm">
        <div class="input-group-text"><span class="material-symbols-
outlined">search</span></div>
        <input class="me-2" type="text" placeholder="Search" aria-
label="Search">
      </div>
      <button class="btn btn-light" type="button">Search</button>
      <button class="btn btn-light">
        <a href="/signin.html"><span class="material-symbols-
outlined">person</span></a>
      </button>
    </form>

  </div>
</nav>
<div class="text-center">
<main class="form-signin w-100 m-auto">
  <div class="row mt-5 mt-sm-2 mt-lg-0">
    <div class="col-12 col-md-4 offset-md-4">
      <form class="mt-5 mt-sm-5 mt-lg-0" onsubmit="return Validation(); return
false;">
        <!---->
        
<h1 class="h3 mb-3 fw-normal">Please sign in</h1>

<div class="form-floating">
  <input type="email" class="form-control" id="userEmail"
placeholder="name@example.com">
  <label for="floatingInput">Email address</label>
</div>
<div class="form-floating">
  <input type="password" class="form-control" id="UserPassword"
placeholder="Password">
  <label for="floatingPassword">Password</label>
</div>
<button class="w-100 btn btn-lg btn-primary" type="submit">Sign
in</button>
<p class="mt-5 mb-3 text-body-secondary">© 2023</p>
</form>
```

```
<div class="row">
  <div class="col-md-4 offset-md-4">
    <div id="warning">

    </div>
  </div>

</div>

</div>

</div>

</main>
</div>

</body>

<footer>
  <div class="container ">
    2023 dKin News</div>
</footer>

</html>
```