Kent Kraus Courses@CS CS Department csX Lab Faculty Office Hours Course Archives

CS6312: Program Construction II [S18] Home ► My courses ► Spring 2018 ► CS6312 [S18] [N] ► Designing Classes (Ch 10) ► Q01 Started on Sunday, January 14, 2018, 6:53 PM QUIZ NAVIGATION State Finished Completed on Sunday, January 14, 2018, 7:03 PM Time taken 9 mins 28 secs Grade 9.00 out of 10.00 (90%) Show one page at a time Question 1 Which of the following statements will convert a string s into a double value d? Finish review Correct Select one: 1.00 points out of a. d = Double.valueOf(s).doubleValue(); b. d = (new Double(s)).doubleValue(); Flag question c. d = Double.parseDouble(s); d. All of these. Question 2 What is displayed by the following code? Correct public static void main(String[] args) { 1.00 points out of String[] tokens = "Welcome to Java".split("o"); 1.00 for (int i = 0; i < tokens.length; i++) { System.out.print(tokens[i] + " "); Flag question } Select one: a. Welc me to Java b. Welc me t Java c. Welcome to Java d. Welcome t Java Question 3 Assume StringBuilder strBuf is "ABCDEFG", after invoking strBuf contains "AEFG". Incorrect Select one: 0.00 points out of a. strBuf.delete(2, 4) 1.00 b. strBuf.delete(1, 3) X Flag question c. strBuf.delete(0, 3) d. strBuf.delete(1, 4) Question 4 Assume StringBuilder strBuf is "ABCCEFC", after invoking strBuf contains "ABTTEFT". Correct Select one: 1.00 points out of a. strBuf.replace("C", "T") b. strBuf.replace("CC", "TT") Flag question c. strBuf.replace('C', 'T') d. strBuf.replace('C', "TT") e. strBuf.replace(2, 7, "TTEFT") </ Question 5 You cannot append a string to a string buffer if the resulting new string exceeds the capacity. Correct Select one: 1.00 points out of a. false 1.00 b. true Flag question Question 6 In JDK 1.5, you may directly assign a primitive data type value to a wrapper object. This is called \_ Correct Select one: 1.00 points out of a. auto unboxing b. auto conversion Flag question c. auto casting d. auto boxing Question 7 BigInteger and BigDecimal are immutable Correct Select one: 1.00 points out of a. true 1.00 b. false Flag question Question 8 Assume s is "ABCABC", the method \_\_\_\_\_\_ returns a new string "aBCaBC". Correct Select one or more: 1.00 points out of a. s.replace('a', 'A') 1.00 ø b. s.replace('A', 'a') 

√ Flag question c. s.toLowerCase(s) d. s.toLowerCase() e. s.replace("ABCABC", "aBCaBC") < Question 9 Assume s is "ABCABC", the method \_\_\_\_\_ returns an array of characters. Correct Select one: 1.00 points out of a. toChars(s) 1.00 b. String.toCharArray() Flag question c. s.toCharArray() d. s.toChars() e. String.toChars() Question 10 The following program displays Correct public class Test { 1.00 points out of public static void main (String [] args) { 1.00 String s = "Java"; StringBuilder buffer = new StringBuilder(s); Flag question change(s); System.out.println(s); private static void change (String s) { s = s +" and HTML"; } Select one: a. and HTML b. Java 🗸

c. Java and HTML

d. nothing is displayed