```
In [4]: import pandas as pd
       import numpy as np
       import matplotlib.pyplot as plt
       import seaborn as sns
       import warnings
       warnings.filterwarnings('ignore')
In [5]: # load the data and info and shape
       data = pd.read_csv('data_final.csv')
       print("The shape of the data is:", data.shape)
       print(" The columns in the data are : ", data.columns)
       data.info()
       The shape of the data is: (217, 8)
       ************
        The columns in the data are : Index(['title', 'authors', 'year',
       'page_count', 'book_type', 'rating',
              'rating count', 'review count'],
            dtype='object')
       *************
       <class 'pandas.core.frame.DataFrame'>
       RangeIndex: 217 entries, 0 to 216
       Data columns (total 8 columns):
            Column
                        Non-Null Count
                                       Dtype
        0
           title
                        217 non-null
                                       object
           authors
        1
                        217 non-null
                                       object
        2
                        217 non-null
                                       float64
           year
           page_count
                        217 non-null
        3
                                       object
        4
                        217 non-null
           book_type
                                       object
        5
                        217 non-null
                                       float64
           rating
        6
            rating_count 217 non-null
                                       float64
        7
            review count 217 non-null
                                       float64
       dtypes: float64(4), object(4)
       memory usage: 13.7+ KB
In [6]: # check for the fill rate of each of the columns
       def calculate_fill_rate(df, column_name):
         total_rows = len(df)
         non null count = df[column name].count()
         fill_rate = (non_null_count / total_rows) * 100
         return fill_rate# check for any null values in the data
       column_name = 'rating'# Columns name
       fill_rate = calculate_fill_rate(data, column_name)# method call
       print(f"Fill rate of column '{column_name}': {fill_rate:.2f}%")
```


http://localhost:8888/notebooks/EDA_Task1.ipynb#

Fill rate of column 'rating': 100.00%

```
In [7]: # Type conversions in the data for our convenience
        data['year'] = pd.to_datetime(data['year']).astype(np.int64)
        data['rating count'] = data['rating count'].astype(np.int64)
        data['review_count'] = data['review_count'].astype(np.int64)
        data = data.drop(155)# During extraction, this index row has a valu
        data['page count'] = data['page count'].astype(np.int64)
        data.info()
        <class 'pandas.core.frame.DataFrame'>
        Index: 216 entries, 0 to 216
        Data columns (total 8 columns):
                           Non-Null Count
         #
             Column
                                           Dtype
                           216 non-null
         0
             title
                                           object
             authors
         1
                           216 non-null
                                           object
                           216 non-null
                                           int64
         2
             year
         3
                           216 non-null
             page_count
                                           int64
         4
             book_type
                           216 non-null
                                           object
         5
                           216 non-null
                                           float64
             rating
         6
             rating_count 216 non-null
                                           int64
         7
             review count 216 non-null
                                           int64
        dtypes: float64(1), int64(4), object(3)
        memory usage: 15.2+ KB
In [8]: # Seperating out the object type, date time type, numerical type co
        text_col_list = data.select_dtypes(include=['object']).columns.to_l
        time_col_list = ['year']
        a = text_col_list + time_col_list
        b = data.columns.tolist()
        num col list = list(set(b) - set(a))
```

Check for any correlation


In [9]: # corrlation heatmap for all variables
plt.figure(figsize=(8, 6))
sns.heatmap(data[num_col_list].corr(), annot=True, cmap='coolwarm',
plt.title('Correlation Heatmap')
plt.show()



EDA


```
In [14]: # Group by book type and get the count
book_type_counts = data['book_type'].value_counts()
plt.figure(figsize=(10, 6))
sns.barplot(x=book_type_counts.values, y=book_type_counts.index, pa

# Adding labels and title
plt.xlabel('Count', fontsize=14)
plt.ylabel('Book Type', fontsize=14)
plt.title('Counts of Book Types', fontsize=16)
for index, value in enumerate(book_type_counts):
    plt.text(value, index, str(value), ha='left', va='center', fontsi
plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
plt.show()
```




```
In [11]: plt.figure(figsize=(10, 6))
   plt.hist(data['rating'], bins=20, color='skyblue', edgecolor='black

# Adding labels and title
   plt.xlabel('Rating', fontsize=14)
   plt.ylabel('Frequency', fontsize=14)
   plt.title('Frequency of Ratings', fontsize=16)
   plt.grid(True, linestyle='--', alpha=0.7)# Adding grid
   plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
   plt.show()
```




```
In [12]: plt.figure(figsize=(10, 6))
    plt.hist(data['page_count'], bins=20, color='lightgreen', edgecolor

# Adding labels and title
    plt.xlabel('Page Count', fontsize=14)
    plt.ylabel('Frequency', fontsize=14)
    plt.title('Frequency of Page Counts', fontsize=16)
    plt.grid(True, linestyle='--', alpha=0.7)# Adding grid
    plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
    plt.show()
```




```
In [15]: plt.figure(figsize=(10, 6))
    plt.hist(data['year'], bins=6, color='salmon', edgecolor='black')

# Adding labels and title
    plt.xlabel('Year', fontsize=14)
    plt.ylabel('Frequency', fontsize=14)
    plt.title('Frequency of Years', fontsize=16)
    plt.grid(True, linestyle='--', alpha=0.7)# Adding grid
    plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
    plt.show()
```




```
In [16]: # year on year trend of different book types
         def _plot_series(series, series_name, series_index=0):
           palette = list(sns.palettes.mpl palette('Dark2'))
           counted = (series['year']
                         .value_counts()
                       .reset index(name='counts')
                       .rename({'index': 'year'}, axis=1)
                       .sort_values('year', ascending=True))
           xs = counted['year']
           vs = counted['counts']
           plt.plot(xs, ys, label=series name, color=palette[series index %
         fig, ax = plt.subplots(figsize=(10, 5.2), layout='constrained')
         df_sorted = data.sort_values('year', ascending=True)
         for i, (series_name, series) in enumerate(df_sorted.groupby('book_t
           _plot_series(series, series_name, i)
           fig.legend(title='book_type', bbox_to_anchor=(1, 1), loc='upper l
         plt.xlabel('Year')
         plt.ylabel('Count')
         plt.title('Count of Book Types Over Years')
         sns.despine(fig=fig, ax=ax, top=True, right=True)
         plt.xlabel('year')
```

Out[16]: Text(0.5, 0, 'year')




```
In [17]: figsize = (12, 1.2 * len(data['book_type'].unique()))
    plt.figure(figsize=figsize)
    sns.violinplot(data, x='review_count', y='book_type', inner='stick'
    sns.despine(top=True, right=True, bottom=True, left=True)

# Add labels and titles
    plt.xlabel('Review Count', fontsize=14)
    plt.ylabel('Book Type', fontsize=14)
    plt.title('Distribution of Review Count Across Book Types', fontsize)
    plt.show()
```




```
In [18]: figsize = (12, 1.2 * len(data['book_type'].unique()))
plt.figure(figsize=figsize)
sns.violinplot(data, x='rating_count', y='book_type', inner='stick'
sns.despine(top=True, right=True, bottom=True, left=True)

# Add labels and titles
plt.xlabel('Rating Count', fontsize=14)
plt.ylabel('Book Type', fontsize=14)
plt.title('Distribution of Rating Count Across Book Types', fontsiz
plt.show()
```




```
In [19]: figsize = (12, 1.2 * len(data['book_type'].unique()))
plt.figure(figsize=figsize)
sns.violinplot(data, x='rating', y='book_type', inner='stick', pale
sns.despine(top=True, right=True, bottom=True, left=True)

# Add labels and titles
plt.xlabel('Rating', fontsize=14)
plt.ylabel('Book Type', fontsize=14)
plt.title('Distribution of Rating Across Book Types', fontsize=16)
plt.show()
```




```
In [20]: figsize = (12, 1.2 * len(data['book_type'].unique()))
    plt.figure(figsize=figsize)
    sns.violinplot(data, x='page_count', y='book_type', inner='stick',
    sns.despine(top=True, right=True, bottom=True, left=True)

# Add labels and titles
    plt.xlabel('Page Count', fontsize=14)
    plt.ylabel('Book Type', fontsize=14)
    plt.title('Distribution of Page Counts Across Book Types', fontsize
    plt.show()
```




```
In [21]: mean_ratings = data.groupby('book_type')['rating'].mean()# Group by
    plt.figure(figsize=(10, 6))
    mean_ratings.plot(kind='bar', color='skyblue')

# Adding labels and title
    plt.xlabel('Book Type', fontsize=14)
    plt.ylabel('Mean Rating', fontsize=14)
    plt.title('Mean Rating Across Book Types', fontsize=16)
    for i, mean_rating in enumerate(mean_ratings):
        plt.text(i, mean_rating, f'{mean_rating:.2f}', ha='center', va='b
        plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
        plt.show()
```




```
In [22]: mean_rating_counts = data.groupby('book_type')['rating_count'].mean
    plt.figure(figsize=(10, 6))
    mean_rating_counts.plot(kind='bar', color='lightgreen')

# Adding labels and title
    plt.xlabel('Book Type', fontsize=14)
    plt.ylabel('Mean Rating Count', fontsize=14)
    plt.title('Mean Rating Count Across Book Types', fontsize=16)
    for i, mean_rating_count in enumerate(mean_rating_counts):
        plt.text(i, mean_rating_count, f'{mean_rating_count:.2f}', ha='ce
        plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
        plt.show()
```



```
In [23]: mean_review_counts = data.groupby('book_type')['review_count'].mean
    plt.figure(figsize=(10, 6))
    mean_review_counts.plot(kind='bar', color='salmon')


# Adding labels and title
    plt.xlabel('Book Type', fontsize=14)
    plt.ylabel('Mean Review Count', fontsize=14)
    for i, mean_review_count in enumerate(mean_review_counts):
        plt.text(i, mean_review_count, f'{mean_review_count:.2f}', ha='ce
    plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
        plt.show()
```



```
In [24]: data['no_of_authors'] = data['authors'].str.split(',').str.len()# N
    plt.figure(figsize=(6, 6))
    data['no_of_authors'].value_counts().sort_index().plot(kind='bar',

# Adding labels and title
    plt.xlabel('Number of Authors', fontsize=14)
    plt.ylabel('Count', fontsize=14)
    plt.title('Distribution of Number of Authors per Book', fontsize=16
    plt.gca().spines[['top', 'right']].set_visible(False)# Removing top
    plt.show()
```

Distribution of Number of Authors per Book



In []:


Binning some features to look into more insights

Assumption 1 : Converting the Ratings feature to categorical feature where

- if ratings is < 3.9 it is categorized as Average
- if rating si more than 3.9, it is categorized as Good


```
In [25]: # Convert ratings to categorical
bins = [0, 3.9, 5.0] # Defining the bin edges
labels = ['Average', 'Good'] # Define the labels for each bin
data['rating_cat'] = pd.cut(data['rating'], bins=bins, labels=label
```

```
In [26]: rating_cat_counts = data['rating_cat'].value_counts()# Number in ea
plt.figure(figsize=(8, 6))
    rating_cat_counts.plot(kind='bar', color='skyblue')
    plt.xlabel('Rating Category', fontsize=14)
    plt.ylabel('Count', fontsize=14)
    plt.title('Counts of Rating Categories', fontsize=16)
    for i, count in enumerate(rating_cat_counts):
        plt.text(i, count, str(count), ha='center', va='bottom', fontsize
    plt.show()
```




```
In [27]: mean_reviews_by_rating = data.groupby('rating_cat')['review_count']
    rating_counts = data['rating_cat'].value_counts()
    plt.figure(figsize=(10, 6))
    mean_reviews_by_rating.plot(kind='bar', color='skyblue')

# Adding labels and title
    plt.xlabel('Rating Category', fontsize=14)
    plt.ylabel('Mean # Reviews', fontsize=14)
    plt.title('Mean # Reviews count by Rating category', fontsize=16)
    for i, mean_review in enumerate(mean_reviews_by_rating):
        plt.text(i, mean_review, f'{mean_review:.2f}', ha='center', va='b
        plt.show()
```




```
In [28]: mean_ratings_by_rating = data.groupby('rating_cat')['rating_count']
    rating_counts = data['rating_cat'].value_counts()
    plt.figure(figsize=(10, 6))
    mean_ratings_by_rating.plot(kind='bar', color='skyblue')

# Adding labels and title
    plt.xlabel('Rating Category', fontsize=14)
    plt.ylabel('Mean # Ratings', fontsize=14)
    plt.title('Mean #ratings by Rating category', fontsize=16)
    for i, mean_rating in enumerate(mean_ratings_by_rating):
        plt.text(i, mean_rating, f'{mean_rating:.2f}', ha='center', va='b
        plt.show()
```




```
In [29]: rating_counts = data['rating_cat'].value_counts()
    page_counts_by_rating = data.groupby('rating_cat')['page_count'].me
    plt.figure(figsize=(10, 6))
    page_counts_by_rating.plot(kind='bar', color='skyblue')

# Adding labels and title
    plt.xlabel('Rating Category', fontsize=14)
    plt.ylabel('Mean Page Count', fontsize=14)
    plt.title('Mean Page Count by Rating Category', fontsize=16)
    for i, page_count in enumerate(page_counts_by_rating):
        plt.text(i, page_count, f'{page_count:.2f}', ha='center', va='bot
    plt.show()
```




```
In [30]: pivot_table = data.pivot_table(index='year', columns='rating_cat',

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean Page Count by Year and Rating Category')
plt.xlabel('Rating Category')
plt.ylabel('Year')
plt.show()
```




```
In [31]: pivot_table = data.pivot_table(index='year', columns='rating_cat',

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean rating_count by Year and Rating Category')
plt.xlabel('Rating Category')
plt.ylabel('Year')
plt.show()
```




```
In [32]: pivot_table = data.pivot_table(index='year', columns='rating_cat',

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean review_count by Year and Rating Category')
plt.xlabel('Rating Category')
plt.ylabel('Year')
plt.show()
```



```
In [33]: pivot_table = data.pivot_table(index='book_type', columns='rating_c

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean Page Count by book_type and Rating Category')
plt.xlabel('Rating Category')
plt.ylabel('Year')
plt.show()
```




```
In [34]: pivot_table = data.pivot_table(index='book_type', columns='rating_c

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean rating_count by book_type and Rating Category')
plt.xlabel('Rating Category')
plt.ylabel('Year')
plt.show()
```



```
In [35]: pivot_table = data.pivot_table(index='book_type', columns='rating_c

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean review_count by book_type and Rating Category')
plt.xlabel('Rating Category')
plt.ylabel('Year')
plt.show()
```




In []:

Assumption 2 : Converting the page_count feature to categorical feature where

- if page_count is < 100 it is categorized as short
- if page_count si >=100 and less than 400, it is categorized as Medium-Length
- if page_count is >=400, and less than 1220, it is categorized as long books


```
In [36]: # Convert ratings to categorical
bins = [0, 100, 400, 1220] # Defining the bin edges
labels = ['Short Books', 'Medium-Length Books', 'Long Books'] # De
data['page_count_cat'] = pd.cut(data['page_count'], bins=bins, labe
```

```
In [37]: page_count_cat_counts = data['page_count_cat'].value_counts()# Numb
    plt.figure(figsize=(8, 6))
    page_count_cat_counts.plot(kind='bar', color='pink')
    plt.xlabel('page count Category', fontsize=14)
    plt.ylabel('Count', fontsize=14)
    plt.title('# of page count Categories', fontsize=16)
    for i, count in enumerate(page_count_cat_counts):
        plt.text(i, count, str(count), ha='center', va='bottom', fontsize
    plt.show()
```




```
In [38]: mean_reviews_by_page_count = data.groupby('page_count_cat')['review
    page_counts = data['page_count_cat'].value_counts()
    plt.figure(figsize=(10, 6))
    mean_reviews_by_page_count.plot(kind='bar', color='pink')

# Adding labels and title
    plt.xlabel('Page count Category', fontsize=14)
    plt.ylabel('Mean # Reviews', fontsize=14)
    plt.title('Mean # Reviews by page count Categories', fontsize=16)
    for i, mean_review in enumerate(mean_reviews_by_page_count):
        plt.text(i, mean_review, f'{mean_review:.2f}', ha='center', va='b
        plt.show()
```




```
In [39]: mean_ratings_by_page_count = data.groupby('page_count_cat')['rating
rating_counts = data['page_count_cat'].value_counts()
plt.figure(figsize=(10, 6))
mean_ratings_by_page_count.plot(kind='bar', color='pink')

# Adding labels and title
plt.xlabel('Page count Category', fontsize=14)
plt.ylabel('Mean # Ratings', fontsize=14)
plt.title('Mean # Ratings by page count Categories', fontsize=16)
for i, mean_rating in enumerate(mean_ratings_by_page_count):
    plt.text(i, mean_rating, f'{mean_rating:.2f}', ha='center', va='b
plt.show()
```




```
In [40]: rating_counts = data['page_count_cat'].value_counts()
    page_counts_by_rating = data.groupby('page_count_cat')['rating'].me
    plt.figure(figsize=(10, 6))
    page_counts_by_rating.plot(kind='bar', color='pink')

# Adding labels and title
    plt.xlabel('Page count Category', fontsize=14)
    plt.ylabel('rating ', fontsize=14)
    plt.title('Mean rating by Page count Category', fontsize=16)
    for i, page_count in enumerate(page_counts_by_rating):
        plt.text(i, page_count, f'{page_count:.2f}', ha='center', va='bot plt.show()
```




```
In [41]: pivot_table = data.pivot_table(index='year', columns='page_count_ca

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean rating by Year and page count Category')
plt.xlabel('page count Category')
plt.ylabel('Year')
plt.show()
```




```
In [42]: pivot_table = data.pivot_table(index='year', columns='page_count_ca

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean rating count by Year and page count Category')
plt.xlabel('Page count Category')
plt.ylabel('Year')
plt.show()
```




```
In [43]: pivot_table = data.pivot_table(index='year', columns='page_count_ca

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean review_count by Year and page count Category')
plt.xlabel('page count Category')
plt.ylabel('Year')
plt.show()
```




```
In [44]: pivot_table = data.pivot_table(index='book_type', columns='page_cou
# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean rating by book type and page count Category')
plt.xlabel('page count Category')
plt.ylabel('book type')
plt.show()
```




```
In [45]: pivot_table = data.pivot_table(index='book_type', columns='page_cou

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean rating count by book type and page count Category')
plt.xlabel('Page count Category')
plt.ylabel('Book Type')
plt.show()
```



```
In [46]: pivot_table = data.pivot_table(index='book_type', columns='page_cou

# Plotting heatmap
plt.figure(figsize=(12, 8))
sns.heatmap(pivot_table, cmap='YlGnBu', annot=True, fmt=".2f", line
plt.title('Mean review_count by book type and page count Category')
plt.xlabel('page count Category')
plt.ylabel('book type')
plt.show()
```




In [47]: sorted_data = data.sort_values(by='rating', ascending=False)[:5]# t
sorted_data[['title', 'rating']]

title rating


Out [47]:

	uue	raung
32	God of War (Legacy of Gods, #6)	4.63
121	Our Bodies, Their Battlefields: War Through th	4.62
4	Rhythm of War (The Stormlight Archive, #4)	4.62
88	War Lord (The Saxon Stories, #13)	4.60
167	The Long March Home: A World War II Novel of t	4.59

```
In [48]: top_five_books = sorted_data[['title', 'rating']]
book_titles = top_five_books['title'].tolist()
ratings = top_five_books['rating'].tolist()
plt.figure(figsize=(10, 6))
plt.barh(book_titles, ratings, color='green')
plt.xlabel('Rating')
plt.ylabel('Book Title')
plt.title('Top Five Books by Rating')
for index, value in enumerate(ratings):
    plt.text(value, index, str(value), ha='left', va='center', fontsiplt.gca().invert_yaxis()
plt.show()
```



```
In [49]: top_five_books = sorted_data[['title', 'rating_count']]
    book_titles = top_five_books['title'].tolist()
    ratings_count = top_five_books['rating_count'].tolist()
    plt.figure(figsize=(10, 6))
    plt.barh(book_titles, ratings_count, color='blue')
    plt.xlabel('# Ratings')
    plt.ylabel('Book Title')
    plt.title('Top Five Books by # Ratings ')
    for index, value in enumerate(ratings_count):
        plt.text(value, index, str(value), ha='left', va='center', fontsi
    plt.gca().invert_yaxis()
    plt.show()
```



```
In [50]: top_five_books = sorted_data[['title', 'review_count']]
book_titles = top_five_books['title'].tolist()
review_count = top_five_books['review_count'].tolist()
plt.figure(figsize=(10, 6))
plt.barh(book_titles, review_count, color='red')
plt.xlabel(' # Reviews')
plt.ylabel('Book Title')
plt.title('Top Five Books by # Reviews ')
for index, value in enumerate(review_count):
    plt.text(value, index, str(value), ha='left', va='center', fontsi
plt.gca().invert_yaxis()
plt.show()
```

