

BF400725_C8-6



电批；好帮手；A
SA-BS6000扭力：
0.20-1.50N.m（
BS6000T）

B9700140_C9-1



YAMAHA控制器专用
电池;品牌: YAMA
HA 型号: ER175
0 电压: 3.6V
2750mAh

B9700137_H12-1



插头连接线连接器（
公）；品牌HD-LI
NK；型号：YL-SMG
-9M；

B9700100_E4-6



电磁阀; 品牌: S
MC; 型号: SY522
0-5LZD-C8

B9700086_H1-6



电源适配器；品
牌：景赛 型号
： 24v2.5A 接
头5.5mm

B9700056_D3-19



金属接近开关;品
牌: 天工; PY-MD
12NS;

B9700032_D2-18



感应开关；欧姆
龙；E3S-LS3NW；
无；

B9700024_H1-7



USB转RS232串口
线公头 ； 品牌
： 绿联 ； 型号：
长度1.5M； DB9 （
M6-2）

B9700019_C5-1



自复带灯圆形按钮开关；品牌金宏电器；尺寸16MM；型号K16-271；颜色绿色（G）；工作电压24VDC；

B9200797_D1-19



天工槽型光电开
关;GU05N-303;

B9200787_D8-5



天工反射光纤;TG
RS-M310;

B9200785_D3-17



天工接近开关;PY
-MD8NS;

B9200784_D8-3



欧姆龙光纤+放大
器;E32-T11R2M

B9200691_C8-6



电批; 好帮手; A
SA-3000扭力: 0.
05-0.50N. m

B9200581_C9-4



绝缘胶带； 3M

B9200520_H10-5



超五/六/七类屏
蔽水晶头；安普；
6-569530-2；
山泽；WJ6A010U
(P88Y50P-6-B
) WL-7010

B9200476_H12-3



4插位带开关无线
插排;公牛;414K;
220VAC

B9200471_H12-2



公牛三脚电源插
头；规格250VAC.
10A；

B9200389_G2-4



开关电源； 品牌
： 明纬； 型号： E
DR-120-24；5A；

B9200332_D2-2



对射光电开关；
松下；EX-13EB；

B9200331_D7-2



磁性开关； 品牌
： SMC； 型号： D-
M9NV；

B9200327_D6-4



磁性开关； 品牌
： CHELIC； 型号
： CS-9D；

B9200280_A4-15



消音器-气力可;S
LB-02

B9200268_D3-9



金属感应开关-SI
CK;IME08-04NNS
ZW2K

B9200217_C5-13



旋钮开关;NP2;正
泰(NP2-BE102)红

B9200098_C2-5



按钮开关;LAY7-1
1BN;平头;黄;

B9100081_H9-3



航空插头;上丰电
气;16A3孔

B8700003_G1-6



分板铣刀;LE1.5*
8;无;亿立

B7700524_A8-1



减压阀; FESTO;
571298_VPPM-8L
-L-1-G14-0L6H-
V1

B7700366_F1-5



进口型平皮带；
规格长*宽*厚： 1
750*10*1.5mm

B7700354_A3-12



T型三通;气立可;
PEG12-10

B7700354_A2-15



T型三通接头; PE
G10-12(两边10中
间12)

B7700326_A1-5



气管单向阀; SMC
AKH06

B7700321_C9-7



油压缓冲器；亚
德客ACA1007-1N

B7700321_C6-4



油压缓冲器；亚
德客ACA1007-1N

B7700257_C8-4



烙铁头清洁海绵;
品牌: 小岩科技;
型号: SCLN
2245G04;

B7700251_C10-7



缠绕管束线管; 颜色: 白色 规格: 12mm

B7700250_C10-6



缠绕管束线管; 颜色: 黑色 规格: 12mm

B7700247_A2-12



T型三通接头;气
立可;SQE8-6

B7700163_C6-3



空气过滤接头;SM
C;ZFC200-06B;
无

B7700060_A4-8



快速接头;品牌:
CHELIC; 型号: S
QC6-01;

B7700030_F2-1



进口型平皮带；
规格长*宽*厚： 2
010*10*1.5mm

B7700029_F2-7



进口型平皮带；
规格长*宽*厚： 2
300*10*1.5mm

B7700028_F1-1



进口型平皮带；
规格长*宽*厚： 1
380*10*1.5mm

B7700027_F1-1



进口型平皮带；
规格长*宽*厚： 1
400*10*1.5mm

B7700024_F1-6



进口型平皮带；
规格长*宽*厚： 1
860*10*1.5mm

B7700023_F3-6



进口型平皮带；
规格长*宽*厚： 3
100*10*1.5mm

B7700022_F4-4



进口型平皮带；
规格长*宽*厚： 3
420*10*1.5mm

B7700019_F1-21



进口型平皮带；
规格长*宽*厚：1
720*10*1.5mm

B7700018_F2-3



进口型平皮带；
规格长*宽*厚： 2
100*10*1.5mm

B7700007_H2-3



焊枪线束
5DM

STCL2

B7401463_A4-10



气管接头;SQC6-0
2;气立可

B7400308_A4-5



快速接头;品牌:
CHELIC; 型号: S
QC4-01;

B7400307_A4-13



气管接头;SQC8-0
2;气立可

B7202034_A5-2



调压阀; SMC; IR10
20-01

B7201851_F1-6



进口型平皮带；
规格长*宽*厚： 1
850*10*1.5mm

B7201851_F1-3



进口型平皮带；
规格长*宽*厚： 1
850*10*1.5mm

B7201849_F1-3



进口型平皮带；
规格长*宽*厚： 1
570*10*1.5mm

B7201848_F2-6



进口型平皮带；
规格长*宽*厚： 2
200*10*1.5mm

B7201847_F4-2



进口型平皮带；
规格长*宽*厚： 3
300*10*1.5mm

B7201846_F3-2



进口型平皮带；
规格长*宽*厚： 2
730*10*1.5mm

B7201844_F3-1



进口型平皮带；
规格长*宽*厚： 2
560*10*1.5mm

B7201843_F2-4



进口型平皮带；
规格长*宽*厚： 2
170*10*1.5mm

B7201842_F2-2



进口型平皮带；
规格长*宽*厚： 2
030*10*1.5mm

B7201816_B3-10



气缸;气立可;TB2
12X30-SD2

B7201815_B3



旋转气缸;气立可
;RTB3

B7201672_A1-11



两通气管接头;气
立可; $\Phi 10$

B7201547_A4-7



消音器；型号：S
PL-02；品牌：气
立可；

B7201459_C8-3



平皮带用惰轮(带
轴承);品牌: 怡
合达; 型号: ENG
01-D20-T11;

B7201341_A4-11



气动快速接头;
型号: PC8-01;

B7201271_A2-1



节流阀; SMC; SL4-
M3 (ASL4M3)

B7201247_C12-3



尼龙扎带；型号
规格：5*350mm；

B7201187_F5-3



同步带；型号：1
40XL；材质：聚氨
酯钢丝/橡胶 宽
度10MM；

B7201153_G2-2



发热芯（加热芯）；材质：陶瓷；厂家：小岩科技；型号：MYAC-HET-U110-P150（HET110200）

B7201148_C7-5



锡丝导管;小岩科技;TT-622-650

B7201077_A2-13



T型三通接头;MAK
E;PEG12-8

B7200650_A3-11



气管快速接头公
头；型号：SP30+
PP30；

B7200594_C9-5



生料帶； 品牌：
潛水艇； 型号： A
1225； 材料： 聚四
氟乙烯；

B7200592_C12-1



尼龙扎带;三耐塑
料;宽度*长度3*2
50mm;无 4*250

B7200591_G1-1



一次性乳胶手套
； 材质： 橡胶；
型号： M； 医用手
套

B7200551_J9



空压气管；品牌
：山耐斯；材质
：TPU；规格：PU
12*8mm；颜色：
白色；使用温度
：-5度+50度；标

B7200549_J13



空压气管；品牌
：山耐斯；材质
：TPU；规格：PU
6*4mm；颜色：白
色；使用温度：-
5度+50度；标准

B7200548_J14



空压气管；品牌
：山耐斯；材质
：TPU；规格：PU
4*2.5mm ；；颜色
：白色；使用温
度：-5度+50度：

B7200414_F5-2



同步带；型号：1
38XL-10；宽度10m
m；

B7200413_F5-1



同步带；型号：1
22XL

B7200332_A3-4



节流阀;气立可;Q
SC 8-01

B7200326_A2-5



调速接头;气立可
;QSN 4 (PSL4M
5A)

B7200314_A2-7



调速接头(节流阀)
);气立可;QSC 6
-M5

B7200291_A4-1



气管开关 $\Phi 12$;
品牌: 气立可;
型号: QHV 12;

B7200014_A4-14



快换接头;JTC6-0
2;

B7200011_A1-15



气管三通接头;气
立可; $\Phi 4$

700000050409_B19-1



气缸;MRD32*250

700000048279_C9-3



门禁磁性感应开
关;OMRON;TYPE
GLS-S1

7000000048277_C9-2



门禁磁性感应开
关;OMRON;TYPE
GLS-M1

700000048112_K7



线束包布黑色

700000048057_D1-12



槽型感应器;T0Y0
;T74P2

700000047257_H9-2



接地铜排; 淘宝; 3
孔/2*15; 无

700000046048_K7



线束包布灰色

700000045698_H10-6



濾波器;omnicom;
220V CW4H-60A

700000044650_B6-3



滑台气缸;亚德客
;HLQ16*50SB

700000044647_C1-1



压力传感器;鑫精
诚;xjc-y08-50k
g

700000044357_B14-3



气缸;AIRTAC;MI1
2X160SU

700000043614_K8



白色PVC塑料波纹
管阻燃;华宇;加
厚外径32内径25
毫米/25米;PVC

700000043613_L4



白色PVC塑料波纹
管阻燃;华宇;加
厚外径50内径40
毫米;PVC

700000042586_M1



单通道 可编程直
流电源; ITECH; IT
6800A/B系列

700000042078_H12-4



工业插排;公牛;1
0插位无线款 E-1
0A0

700000042077_H10-4



空气开关带漏电
保护器；品牌；
正泰；；型号；2P
额定电流 40A

700000042076_H10-3



空气开关带漏电
保护器；品牌；
正泰；；型号；2P
额定电流 32A

700000042075_H10-2



空气开关带漏电
保护器；品牌；
正泰；；型号；2P
额定电流 25A

700000042074_H10-1



空气开关带漏电
保护器；品牌；
正泰；；型号；2P
额定电流 20A

700000042046_M6



聚乙薄膜

700000041930_H12-6



工业插排;公牛;5
位无线款 GNE-10
50W

700000041928_H12-5



工业插排;公牛;8
位无线款 GNE-10
80W

700000041278_L6



电缆线;起帆牌;R
VV3*1.5mm²

700000040509_A2-3



调速阀;亚德客;P
TL4M5A-M

700000039413_C1-2



压力传感器;鑫精
诚;XJC-FD-R4F

700000038374_B1-3



滑台气缸;;亚德
客;HLQ6X10S

700000037856_G2-3



开关电源;明纬;N
DR-480-24

700000037476_C7-4



负压表;松下;DP-
101A

700000037470_B22



键盘;小袋鼠;DS-
3000 (有线)

700000037468_C7-3




气压表;松下;DP-
100 (实物是DP
-102)

700000034083_B1-6



滑台气缸;亚德客
;HLQL6 X 20SA

700000033707_A2-4



调速阀;亚德客;P
SA4;无

700000033706_A3-2



调速阀;亚德客;P
SA6;无

700000033705_C8-1



螺钉偶;上海虹天
;LDM6 * 2000;无

700000033646_B2-4



滑台气缸;AIRTAC
;HLQ12x10SAS

700000033640_B2-5



滑台气缸;亚德客
;HLQ12X20SBS

700000032946_B19-6



滑台气缸;亚德客
;RMT16×350SA
30-J-X

700000032437_A8-2



比例减压阀;FEST
0;VPPM8L-L-1-G
140L10HA4P-S1C

1

700000030017_G1-2



防静电有线手环
测试仪;卫特斯;W
TS-518-11 静电
环报警器

700000029934_A2-2



推锁型调速阀; 亚
德客; PH4M5-S
; PH4-M5

700000029612_D1-6



光电传感器;欧姆
龙;EE-SX952-R
(EE-SX952-W)

700000029206_D1-2



槽型光电感应器;
OMRON; EE-SX672
SX8U

700000028595_F7-6



同步带;怡合达;E
CX11-S5M-100-4
465;无

700000028592_F7-5



同步带;怡合达;E
CX11-S5M-100-3
225;无

700000028591_F7-2



同步带;怡合达;E
CX11-S5M-100-2
930;无

700000028590_F7-1



同步带; 怡合达; E
CX11-S5M-100-2
650; 无 LTBNS5M
100-530 (2650)
10-STD5M-530Z
(2650)

700000028579_F6-1



同步带;怡合达;E
CX11-S5M-100-1
375;无

700000028578_F6-2



同步带;怡合达;E
CX11-S5M-100-1
350;无

700000028568_F5-6



同步带;怡合达;E
CX11-S5M-100-1
135;无

700000028544_F7-4



同步带;SQR;10T5
-2980;无

700000028413_H1-5



电源线10米;三菱
;MR-PWS1CBL10M
-A1-H

700000028082_F7-3



同步带;SQR;10T5
-2960;无

700000027428_B12-10



旋转气缸;亚德客
;HRQ20A

700000026625_B1-9



滑台气缸;亚德客
;HLQ6X50SA

700000026158_D8-4



环形传感器; Dani
kor; D15-M12P4-
NPN

700000025309_A5-1



慢启阀;亚德客;G
V30010F1B
(GFC30010C1)

700000024578_B3-6



导杆气缸;亚德客
;TCL12*40S

700000024578_B3



导杆气缸;亚德客
;TCL12*40S

700000024574_B3-4



气缸亚德客 TCL1

2×20S

700000024397_A8-3



比例减压阀;FEST
0;VPPM8L-L-1-G
14-0L6H-V1P-S1
C1

700000023846_B12-3



气缸; SMC; CDU10-
10D

700000023844_B16-3



紧凑型气缸;FEST
0;ADN-20-60-1-
P-A

700000022371_F5-5



同步带;MISUMI;H
TBN350S5M-150;
无

700000022192_D4-3



磁性开关;亚德客
;CMSSG-020

700000022191_E4-2



电磁阀;亚德客;4
V21006B;无

700000022189_E4-1



亚德克电磁阀;4V
11006-B;

700000022178_D2-1



光电开关 品牌：
松下 型号：EX-1
4A

700000022169_H2-6



编码器线8米;三
菱;MR-J3ENCBL8
M-A1-H

700000022166_H2-4



电源线8米;三菱;
MR-PWS1CBL8M-A
1-H

700000022160_B1-12



滑台气缸;亚德客
;HLQ8X30S

700000021103_D1-13



光电开关;HPJ-T2
1; (HPJ-R21)

700000021102_C8-5



电动螺丝刀;SKD-
B830LC19;无

700000021100_D4-2



感应开关;亚德客
;DMSH-020

700000020865_B4-3



带导杆气缸;亚德
客;TCM12X10S

700000020817_B5-2



双轴气缸;亚德客
;TN10X20S

700000020302_B1-5



滑台气缸;亚德客
;HLQ6X30S

700000020261_H2-5



编码器线5米（高
柔）；三菱；MR-J3
ENCBL5M-A1-H

700000018803_F5-4



同步帶;S0BLCS;S
T 525-S5M (S
TS-525-S5M)

700000018529_E4-3



电磁阀;亚德客;3
V2MNC

700000018476_B1-11



滑台气缸;亚德客
;HLQ8×20SBS

700000016622_C11-1



柏油清洁剂;标榜
;450ml;无

700000016027_L7



超六类网线;;讯
道; 型号;超六类
对对屏蔽【690型
黄色】305米

700000013899_A1-10



变径气管接头;亚
德客;PG12-8;无

700000013897_A1-6



变径气管接头;亚
德客;PG8-6;

700000013888_A1-7



变径气管接头;亚
德客;PG10-6;无

700000013887_A1-13



变径气管接头;亚
德客;PG12-10;无

700000013734_L6



RVV电缆线;品牌
起帆牌;型号: 5*
6mm □;

700000013734_L2



电缆线;起帆牌;R
VV5*6mm²

700000012996_A3-1



推锁型调速阀;亚
德客;PTL601A

700000012977_A1-8



气管接头;亚德克
;PU8

700000012976_A1-4



气管接头;亚德客
;PU6

700000012975_A1-1



气管接头;亚德克
;PU4

700000012963_A1-16



气管三通;亚德客
;PE6;无

700000011736_B2-6



滑台气缸;亚德客
;HLQ12X30SB

700000011732_B8-6



夹爪气缸;亚德客
;HFZ16+DMSH-02
0;(HFZ16)

700000011727_B4-7



导杆气缸;亚德客
;TCM12X100S+DM
SG-020

700000011726_B4-6



导杆气缸;亚德客
;TCM12X30S+DMS
G020

700000011725_B4-4



导杆气缸;亚德客
;TCM12X20S+DMS
G020 (MGPM1
2-20Z)

700000011715_B5-1



双轴气缸;亚德客
;TN10X10S+DMSJ
-020

700000011706_B6-10



双轴气缸;亚德客
;TR10X10S+DMSG
-020

700000010834_C10-2



除尘气枪;质辉;
铜嘴吹尘枪+3米
弹簧管

700000009295_C10-1



缓冲器;亚德客;A
CA1210-1;无

700000009295_C6-6



油压缓冲器; ACA
1210-1

700000009291_G5-2



0型圈; 淘宝; 外径
72x3.5mm; 黑色

700000009137_A2-6



速度控制阀; SMC;
AS1002F-04

700000009132_B12-9



气缸;亚德客;HRQ
10A

700000009131_B1-8



滑台气缸;亚德客
;HLQ6X40SAS

700000009130_B1-4



滑台气缸;亚德客
;HLQ6X20SAS

700000009128_B8-4



夹爪气缸;亚德客
;HFKL16

700000009125_B1-2



夹爪气缸;亚德客
;HFD8X15

700000009124_A7-4



调压阀;亚德客;A
R15001

700000009114_D2-2



对射光电;松下;E
X-11A

700000009112_E4-7



电磁阀;亚德客;4
V230C06B

700000009111_E4-4



电磁阀;亚德客;3
V206NCB

700000009105_D1-11



感应开关连接线;
OMRON; EE-1006
2M线

700000008851_C11-3



单层信号灯;5i-i
3;0NNM4T-1ABFT
-50 三色灯

700000007637_F5-2



同步带；型号：1
28XL

700000007052_D3-14



金属感应器;洛施
达;P/N: I1B1202
N0-22C

700000006819_C9-6



缓冲器;亚德客;A
CA0806-1;无

700000006819_C6-5



缓冲器;亚德客;A
CA0806-1;无

700000006253_C10-3



软毛刷;亿协;E32

0 119*29*47.5;

无 板刷

700000005830_G1-3



PLC; 三菱; FX3U-3
2MT

700000004754_D1-3



SMT 安达涂覆机TF
-450S 传感器EE-S
X674

700000004753_D2-14



光电开关；品牌
：欧姆龙；型号
：E3Z-D61；漫反
射型；

700000004062_L6



单芯多股软纯铜

线

颜色多股纯铜软线

RV0.5平方

700000003857_B7-14



夹爪气缸;亚德客
;HFKL10

700000002621_H9-7



小型断路器;正泰

;DZ47-63 C25 2

P;无;无 (NXB-

63 2P C25A)

700000001744_D7-3



磁性开关;SMC;D-
M9P;无;无

7000000000846_E5-3



电磁阀； 品牌SMC
；型号VT307 DC24
V；气压范围0-0.7
Mpa；

700000000582_F6-5



同步帶; SQR; 10T5
-1852 (1850) 1
855

700000000548_C12-2



尼龙扎带;康哲;
宽度*长度5*300m
m ;无

700000000539_G5-6



0型圈; 型号: 5
5 × 4mm;

7000000000482_H2-2



打印机数据线品
牌：绿联 型号：
（USB转方口）US
369 USB-A 2.0

7000000000400_C8-7



中间继电器；品
牌：欧姆龙；型
号：MY2N-GS DC
24V； MY2N-J

7000000000342_H6-1



按钮开关（自复
位型绿色）；品
牌：天博；型号
：LAY39；

7000000000339_G2-3



24V电源开关品牌
：明纬 NES-15-
24 (RS-25-24)

700000000332_A2-14



气管三通接头;山
奈斯;WPE-T型-12

700000000324_D9-11



磁性开关； 品牌
： FESTO； 型号：
SME-8M-DS-24V-
K0, 3-M8D；

7000000000270_D1-2



槽型光电开关;品
牌: OMRON; 型号
: EE-SX672;

700000000222_B15-2



定制气缸;FESTO;
ADVC-10-10-A-P
-A

700000000163_A1-3



两通气管接头;FE
ST0;QS-8-4

700000000158_A1-2



变径气管接头;亚
德客;PG6-4;无

7000000000140_F6-7



同步带;怡合达;
长*宽*厚1860*4*
1mm

6000000047489_A1-17



气管三通;亚德客
;PE8;无

6000000047472_A1-14



气管直通;亚德客
;PG12;无

6000000047461_A1-9



气管直通;亚德客
;PG10-8;无

600000035551_H1-3



射频线;中冀联合

;GSS405/SMA-JB

2-4 200CM;EOL

测试 (3F25-200

CM)

600000035550_H1-2



射频线;中冀联合

;GSS405/SMA-JB

2-4 100CM;EOL

测试 (3F25-100

CM)

600000035549_H1-1



射频线;中冀联合
;GSS405/SMA-JB
2-4 50CM;EOL测
试 (3C26-50CM)

6000000035546_A5-3



精密调压阀; SMC;
IR2000-02-R-DI
L00073; 无

600000025819_A6-2



调压阀;亚德客;G
FR300-15;S3线用

600000025818_A6-1



调压阀;亚德客;G
FR200-08;S3线用

600000022127_D4-6



磁性开关;亚德客
;DMSH-030;无

600000021930_D9-2



光纤传感器;松下
;FD-Z20w;无

6000000019952_G1-5



分板圆形刀片;亿
协;100×22×0.4
/0.6×160T-FN-
PLT彩

6000000015020_C11-2



润滑脂;松下;N51
0006423AA毛毛虫
;无

600000012038_H9-7



断路器;正泰;DZ4
7-2P/32A;无 (NX
B-63-2P-C32A)

99999017_H2-8



山泽工业超六类
网线 GD6A050 (5米)

51701686_E4-5



双电控电磁阀;
气立可; SM-5100
-C4-24-L-M5

51701290_C11-5



电极;焊头料号83
3.14227 electr
ode; S1线组装设
备专用;

51701289_C11-4



电极； 焊头料号8
33.14229 elect
rode ;S1线组装
设备专用；

51701120_C10-4



润滑油； 型号：
3BET00021；规格
： 美沙摩2升罐；

51012773_D1-1



SMT安达涂覆机TF
-450S传感器EE-S
X671

B7201077_A3-14



T型三通接头;MAK
E;PEG12-8