

TaleDates Customer Support Solution

Agentforce Configuration Document

TaleDates Support Assistant | Salesforce Agentforce

Prepared by	Naif Almalki
Organization	TaleDates
Agent	TaleDates Support Assistant
Platform	Salesforce Agentforce
Environment	Salesforce Developer Edition
Date	August 2026

1. Agentforce Configuration Overview

The TaleDates Support Assistant was configured in Salesforce Agentforce to assist customer-support users with common TaleDates inquiries while grounding order-specific responses in Salesforce data. The agent uses a router and specialized subagents so that different types of customer-support requests can be handled by the most appropriate reasoning path.

The implemented Agentforce configuration includes:

- TaleDates Support Assistant as the main AI agent.
- Agent Router as the entry point for conversation routing.
- Order Status & Shipping subagent.
- Product Information subagent.
- Returns & Damaged Orders subagent.
- Ambiguous Question handling.
- Off Topic handling.
- Get TaleDates Order Information action connected to a Salesforce Autolaunched Flow.
- Versioned deployment with Version 1 activated after testing.




Figure 1. Active TaleDates Support Assistant showing the Agent Router and five routed subagents.

2. Agent Architecture and Routing

The agent follows a hub-and-spoke structure. The Agent Router receives the user request first and determines which subagent best matches the user's intent. This separates responsibilities and keeps each subagent focused on a specific support domain.

Component	Role
TaleDates Support Assistant	Main Agentforce agent that coordinates the customer-support experience.

Agent Router	Entry point that selects the best subagent based on user intent and conversation context.
Order Status & Shipping	Handles order-status, shipping-progress, tracking, and delivery inquiries.
Product Information	Handles TaleDates product and product-related questions.
Returns & Damaged Orders	Handles damaged-product, incorrect-product, return, and replacement-related support.
Ambiguous Question	Handles requests that do not contain enough information to route confidently.
Off Topic	Handles requests outside the configured TaleDates support scope.

2.1 Routing Behavior

- The Agent Router is the starting subagent.
- Order and shipping requests transition to Order Status & Shipping.
- Product questions transition to Product Information.
- Damage, return, and replacement requests transition to Returns & Damaged Orders.
- Unclear requests transition to Ambiguous Question.
- Requests outside the support scope transition to Off Topic.

3. Order Status & Shipping Subagent

Order Status & Shipping is the main data-grounded subagent in the implementation. It is responsible for customer-support questions that require current order information from Salesforce.

3.1 Purpose

- Identify the customer's order before providing order-specific information.
- Use TaleDates Order records as the source of truth for order status and tracking information.
- Provide concise order information useful to a customer-support agent.
- Return a controlled not-found response when no matching order exists.
- Avoid inventing tracking numbers, order statuses, customer information, or delivery details.

3.2 Agent Action

Configuration	Value
Action Name	Get TaleDates Order Information
Action Type	Salesforce Flow action
Input	Order number supplied by the user or conversation context
Data Source	TaleDates Order custom object
Success Result	Order number, status, tracking number, shipping city, product summary, and total amount
Failure Result	Controlled Order Not Found message

4. Salesforce Flow Integration

The Agentforce action invokes the Get TaleDates Order Information Autolaunched Flow. The Flow receives an order number, retrieves the matching TaleDates Order record, evaluates whether a record was found, and returns either formatted order information or an Order Not Found response.

4.1 Flow Logic

- Input variable receives the TaleDates order number.
- Get Records searches TaleDates Order using the order Name / order number.
- Order Found? decision checks whether a matching record exists.
- Set Order Information assembles the successful response when a record is found.
- Set Order Not Found Message assembles the fallback response when no record is found.




Figure 2. Get TaleDates Order Information Flow showing the success and not-found branches.

5. Agentforce Live Test

The active Agentforce configuration was tested through Live Test using a real test record in the TaleDates Order object. The request asked the assistant to check order TD-1002.

Test Element	Observed Result
User Request	Check the status of order TD-1002.
Selected Subagent	Order Status & Shipping
Action Invoked	Get TaleDates Order Information
Order Status	Shipped
Tracking Number	TRK1002
Shipping City	Jeddah
Product	Sukkari Package
Total Amount	159 SAR

Overall Result: PASS




Figure 3. Agentforce Live Test successfully routing TD-1002 to Order Status & Shipping and invoking the order-information action.

5.1 Trace Verification

The Live Test trace verifies the execution path from the user input to the Order Status & Shipping subagent and then to the Get TaleDates Order Information action. This provides evidence that the agent is not answering from free-form generation alone; it is using the configured Salesforce action to obtain order data.

6. Invalid Order Handling

A separate negative test was performed with order number TD-9999. No matching TaleDates Order record was found, so the Flow executed the default branch and set the Order Not Found message. This behavior prevents the agent from fabricating order details when Salesforce does not contain a matching order.

Test	Expected Behavior	Observed Behavior	Result
TD-9999	No order details should be generated.	Get Records returned no records; default outcome executed; Order Not Found message was set.	Pass

Debug → ×

Setup **Details**

[Expand All](#)  Basic Debug Log 

 Search this list...

 **How the Interview Started** 

Details

naif almalki (005fj00000LToRx) started the flow interview.
API Version for Running the Flow: 67
Some of this flow's variables were set when the interview started.
inputOrderNumber = TD-9999
Flow start time: 20 أغسطس 2026 في 10:57 م

 **Get Records: Get TaleDates Order** 

We couldn't retrieve any records.

 Details

 **Decision: Order Found?** 

The **default** outcome was executed.

 Details

 **Assignment: Set Order Not Found Message** 

1 variable was updated.

 Details

 **How the Interview Finished**

Details

The flow interview ran for 0.69 seconds and finished on 20 أغسطس 2026 at 10:57 م.

Figure 4. Negative order lookup test showing no record retrieved and the Order Not Found branch executed.

7. Grounding, Safety, and Responsible AI Controls

The TaleDates Support Assistant was configured to reduce the risk of inaccurate or unauthorized AI responses. The implementation combines Agentforce reasoning instructions with Salesforce data access controls and deterministic Flow behavior.

Control	Implementation
Grounded Responses	Order-specific answers use TaleDates Order records retrieved through Salesforce Flow.
Hallucination Prevention	The Order Status & Shipping subagent is instructed not to invent order, tracking, customer, status, or delivery information.
Invalid Order Handling	A dedicated Flow branch returns an Order Not Found message when no matching record exists.
Least Privilege	Support users have read-only object access to TaleDates Orders through the configured permission set.
Private Record Access	TaleDates Orders and Cases use Private Organization-Wide Defaults.
Data Minimization	The Flow returns only information required for the order-support scenario.
Human-Controlled Changes	Agentforce changes are versioned, tested, and activated deliberately.

No separate custom Einstein Trust Layer policy was configured as part of this capstone. The solution relies on Salesforce platform-level trust and security capabilities together with the application-level controls described above.

8. Version Management and Activation

The final tested configuration was committed and activated as Version 1 of the TaleDates Support Assistant. Activation occurred only after the routing, order action, valid-order response, and invalid-order handling had been tested.

- Version 1 is the active Agentforce version used for final project evidence.
- New changes should be developed in a new version rather than modifying the active version without testing.
- A new version should be tested in Agentforce Preview / Live Test before activation.
- If a new version introduces unexpected behavior, it can be deactivated while a previously tested configuration is restored.

9. Agentforce Verification Summary

Verification Item	Result
Agent Router transitions to Order Status & Shipping for an order-status request	Pass
Get TaleDates Order Information action is available to the subagent	Pass
Valid order TD-1002 returns Salesforce-backed order information	Pass
Agent response includes Shipped / TRK1002 / Jeddah / Sukkari Package / 159 SAR	Pass
Invalid order TD-9999 follows the Order Not Found path	Pass
Agent is activated as Version 1 after testing	Pass

10. Maintenance and Future Enhancements

Ongoing Agentforce maintenance should focus on routing accuracy, Flow reliability, data quality, and safe version management.

- Review Agent Router instructions when new support intents are introduced.
- Retest the order action after changes to TaleDates Order fields or the Autolaunched Flow.
- Create a new Agentforce version for significant prompt, instruction, or routing changes.
- Review Live Test traces when the agent selects the wrong subagent or action.
- Monitor the accuracy and completeness of TaleDates Order test and production data.
- Future versions could add customer-facing channels, richer product knowledge, returns automation, or additional Salesforce actions.

11. Conclusion

The TaleDates Support Assistant demonstrates a practical Agentforce implementation that combines intent routing, specialized subagents, Salesforce Flow actions, deterministic not-found handling, and responsible AI controls. The agent can retrieve real TaleDates order data for support users while avoiding fabricated order information when no matching record exists.

This document serves as the configuration reference for the Agentforce Configuration Document deliverable.