

TaleDates Customer Support Solution

Salesforce & Agentforce Capstone Project

Final Project Documentation

Prepared by	Naif Almalki
Program	SmartBridge Salesforce Program
Platform	Salesforce Developer Edition
Project Organization	TaleDates
Date	August 2026

Confidentiality note: This report uses test and demonstration data from a Salesforce Developer Edition environment.

Contents

- 1. Project Overview
- 2. Business Problem
- 3. Project Objectives
- 4. Project Scope
- 5. Functional Requirements
- 6. Non-Functional Requirements
- 7. Solution Architecture
- 8. Data Model
- 9. Security Model
- 10. Salesforce Configuration & User Experience
- 11. Automation & Flows
- 12. Lightning Web Component
- 13. Agentforce
- 14. Reports & Dashboard
- 15. Testing & User Acceptance Testing
- 16. Deployment, Maintenance, Troubleshooting & Responsible AI
- 17. Future Enhancements
- 18. Conclusion
- Appendix A. Complete Evidence Screenshots

1. Project Overview

TaleDates is an e-commerce business that requires an organized and scalable way to manage customer support requests related to orders, shipping, products, damaged items, and replacements.

The TaleDates Customer Support Solution was developed on Salesforce to centralize customer support operations and provide support agents with the information and tools required to resolve cases efficiently.

The solution combines Salesforce Service capabilities, custom data modeling, Flow automation, Lightning user interfaces, security controls, analytics, a custom Lightning Web Component (LWC), and Agentforce.

A custom TaleDates Order object stores order-related information and is connected to Salesforce Cases through the Related Order field. This allows support agents to view relevant order information directly from the Case record.

Agentforce was implemented to provide an AI-assisted support experience. The TaleDates Support Assistant can identify customer-support intent, route requests to specialized subagents, and retrieve actual TaleDates order information through Salesforce Flow.

The implemented solution includes custom objects and fields, security configuration, validation rules, Screen and Autolaunched Flows, a Record-Triggered Flow, Dynamic Forms, a Lightning Web Component, reports, dashboards, and an active Agentforce assistant.

2. Business Problem

Before the proposed Salesforce solution, customer-support information could be distributed across different processes and require support staff to manually locate order details before responding to customers.

This creates several operational challenges:

- Support agents may need additional time to find order status, tracking information, or product details.
- Support cases may be created without the required order information.
- High-priority customer issues may not be identified consistently.
- Damaged-product cases require information that is not relevant to every other type of support request.
- Support managers need better visibility into case categories, priorities, and order statuses.
- AI-generated responses must not invent order or shipping information.
- Access to customer and order data must be controlled according to employee responsibilities.

The project addresses these problems by creating a centralized Salesforce support workspace connected directly to TaleDates order data.

3. Project Objectives

The primary objective of the project is to create a secure and intelligent customer-support solution that helps TaleDates manage support cases and order-related inquiries through Salesforce.

The main objectives are:

1. Centralize customer-support cases in Salesforce.
2. Connect Cases with TaleDates order records.
3. Provide agents with relevant order information directly on the Case page.
4. Enforce data quality through validation rules.
5. Automate repetitive support processes using Salesforce Flow.
6. Automatically identify high-priority cases that require attention.
7. Display damaged-product information only when relevant.
8. Provide support analytics using Salesforce Reports and Dashboards.
9. Implement role-based and least-privilege access controls.
10. Use Agentforce to assist with common customer-support requests.
11. Ground AI order responses in actual Salesforce records.
12. Prevent the AI assistant from inventing order, tracking, or delivery information.
13. Maintain auditability through Case History Tracking.
14. Create a solution that can be maintained and extended as TaleDates support requirements evolve.

Major changes are intended to pass User Acceptance Testing (UAT) before activation.

4. Project Scope

4.1 In Scope

Customer Support Management

- Salesforce Case management.
- Support Category classification.
- Case Priority management.
- Related TaleDates Order lookup.
- Escalation Reason.
- Damage Details.
- Replacement Requested.
- AI Summary field.

Order Management Integration

A custom TaleDates Order object contains the information required by support staff, including:

- Order Number.
- Customer.
- Customer Contact.
- Status.
- Product Summary.
- Tracking Number.
- Shipping City.
- Total Amount.

Automation

- Validation of required Related Order information.
- Screen Flow for creating support cases.
- Autolaunched Flow for order lookup.
- Record-Triggered Flow for high-priority escalation.

User Experience

- TaleDates Support Workspace.
- Custom Lightning Home Page.
- Customized Case Lightning Record Page.
- Dynamic Forms.
- TaleDates Order Snapshot Lightning Web Component.

Agentforce

- TaleDates Support Assistant.
- Agent Router.
- Order Status & Shipping subagent.
- Product Information subagent.
- Returns & Damaged Orders subagent.
- Ambiguous Question handling.
- Off Topic handling.
- Get TaleDates Order Information action.

Analytics

- Cases by Support Category.
- Cases by Priority.
- Orders by Status.
- TaleDates Support Dashboard.

Security

- Custom support profile.
- Permission Set.
- Role Hierarchy.
- Organization-Wide Defaults.
- Object and Field-Level Security.
- Case History Tracking.

4.2 Out of Scope

- Direct integration with the live TaleDates e-commerce store.
- Live synchronization of production orders.
- Automatic communication with shipping providers.
- Production customer data migration.
- Full customer-facing chatbot deployment.
- Payment or refund processing.
- WhatsApp, email, or social-media integration.
- Production deployment to a live Salesforce organization.

- A separately configured custom Einstein Trust Layer policy.

The project currently relies on Salesforce platform-level trust and security controls together with application-level controls implemented in the solution.

5. Functional Requirements

ID	Functional Requirement
FR-01	The system shall allow support staff to create and manage Salesforce Cases.
FR-02	The system shall classify Cases using a Support Category field.
FR-03	The system shall allow a Case to reference a TaleDates Order.
FR-04	The system shall require a Related Order for applicable order-related support categories.
FR-05	The system shall display linked TaleDates order information directly on the Case page.
FR-06	The system shall display a clear message when no TaleDates Order is linked to the Case.
FR-07	The system shall display damage and replacement fields when the Case concerns a damaged product.
FR-08	The system shall automatically populate an Escalation Reason when a Case becomes High priority.
FR-09	The system shall provide a Screen Flow for creating support cases.
FR-10	The system shall provide an Autolaunched Flow for retrieving TaleDates order information.
FR-11	The order lookup Flow shall return an Order Not Found result when no matching order exists.
FR-12	Agentforce shall route order and shipping inquiries to the appropriate subagent.
FR-13	Agentforce shall use Salesforce order records when answering order-specific inquiries.
FR-14	Agentforce shall not invent order status, tracking numbers, customer details, or delivery information.
FR-15	The solution shall provide reports for support categories, priorities, and order statuses.
FR-16	The solution shall provide a support dashboard for operational visibility.

ID	Functional Requirement
FR-17	The system shall record selected Case field changes using Field History Tracking.

6. Non-Functional Requirements

ID	Category	Requirement
NFR-01	Security	Access to Cases and TaleDates Orders shall follow Salesforce security controls and least-privilege principles.
NFR-02	Privacy	Cases and TaleDates Orders shall use Private Organization-Wide Defaults.
NFR-03	Data Integrity	Validation rules shall prevent incomplete order-related support records.
NFR-04	Accuracy	Agentforce order responses shall be grounded in Salesforce records.
NFR-05	Maintainability	Flows, Agentforce versions, reports, and permissions shall be reviewable and updateable without redesigning the entire solution.
NFR-06	Auditability	Important Case changes shall be available through Field History Tracking.
NFR-07	Usability	Support agents shall access the main customer-support information through a dedicated Lightning Workspace.
NFR-08	Reliability	Invalid order numbers shall follow a controlled Order Not Found path rather than returning fabricated information.
NFR-09	Scalability	The data model and support categories shall support future extension of the TaleDates support process.
NFR-10	Testability	Major changes shall be tested through defined UAT scenarios before activation.

7. Solution Architecture

The TaleDates solution is organized as a layered Salesforce architecture in which the user experience, process automation, data model, security, analytics, and AI capabilities work together.

Layer	Implementation
Experience Layer	TaleDates Support Workspace, Lightning Record Pages, Dynamic Forms, TaleDates Order Snapshot LWC.
Process & Automation Layer	Screen Flow, Autolaunched order lookup Flow, high-priority Record-Triggered Flow, and validation rules.
Data Layer	Salesforce Case, TaleDates Order, Account, Contact, and the Related Order relationship.
AI Layer	TaleDates Support Assistant, Agent Router, specialized subagents, and the Get TaleDates Order Information action.
Security Layer	Profile, Permission Set, OWD, role hierarchy, field-level access, and Case History Tracking.
Analytics Layer	Support reports and the TaleDates Support Dashboard.

7.1 Agentforce Routing Architecture

The Agent Router evaluates user intent and routes the request to one of five specialized subagents. The Order Status & Shipping subagent can invoke the Get TaleDates Order Information action, which uses Salesforce Flow to retrieve the matching TaleDates Order record.




Figure 1. TaleDates Support Assistant architecture with Agent Router and specialized subagents.

8. Data Model

The solution extends the standard Salesforce Case model with a custom TaleDates Order object. The Related Order lookup on Case creates the key relationship used by support agents, automation, the LWC, and Agentforce.

8.1 TaleDates Order

Field	Purpose
Name / Order Number	Text/Auto-number-style record identifier used for order lookup.
Customer	Lookup to Account.
Customer Contact	Lookup to Contact.
Status	Picklist representing the order lifecycle.
Product Summary	Text describing the ordered product.
Tracking Number	Text value used for shipment tracking.
Shipping City	Text field for destination city.
Total Amount	Currency value for the order total.

SETUP > OBJECT MANAGER TaleDates Order					
Details	Fields & Relationships 12 Items, Sorted by Field Label Q Quick Find New Deleted Fields Field Dependencies Set History Tracking				
Fields & Relationships	FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Page Layouts	Created By	CreatedById	Lookup(User)		
Lightning Record Pages	Customer	Customer__c	Lookup(Account)		✓
Buttons, Links, and Actions	Customer Contact	Customer_Contact__c	Lookup(Contact)		✓
Compact Layouts	Last Modified By	LastModifiedById	Lookup(User)		
Field Sets	Order Date	Order_Date__c	Date		
Object Limits	Order Number	Name	Text(80)		✓
Record Types	Owner	OwnerId	Lookup(User/Group)		✓
Related Lookup Filters	Product Summary	Product_Summary__c	Long Text Area(1000)		
Restriction Rules	Shipping City	Shipping_City__c	Text(80)		
Scoping Rules	Status	Status__c	Picklist		
Object Access	Total Amount	Total_Amount__c	Currency(18, 0)		
Field Access	Tracking Number	Tracking_Number__c	Text(50)		
Triggers					
Flow Triggers					
Validation Rules					
Conditional Field Formatting					

Figure 2. TaleDates Order custom object fields and relationships.

8.2 Case Extensions

Custom Case Field	Purpose
Support Category	Classifies the type of support request.
Related Order	Lookup to the TaleDates Order record.
Damage Details	Captures damage information when relevant.
Replacement Requested	Indicates whether a replacement is requested.
Escalation Reason	Stores the reason for high-priority escalation.
AI Summary	Reserved for AI-assisted summary information.

Case			
Details	Fields & Relationships 48 Items, Sorted by Field Label		
Fields & Relationships	Internal Comments	Comments	Text Area(200)
Case Page Layouts	Escalation Reason	Escalation_Reason__c	Text(30)
Case Close Page Layouts	Escalated	IsEscalated	Checkbox
Lightning Record Pages	Enrollment Name	EnrollmentName	Lookup(Enrollment) ✓
Buttons, Links, and Actions	Engineering Req Number	EngineeringReqNumber__c	Text(12)
Compact Layouts	Description	Description	Long Text Area(2200)
Field Sets	Date/Time Opened	CreateDate	Date/Time ✓
Object Limits	Date/Time Closed	CloseDate	Date/Time ✓
Record Types	Damage Details	Damage_Details__c	Long Text Area(1000)
Related Lookup Filters	Created By	CreateBy	Lookup(Star) ✓
Search Layouts	Contact Phone	ContactPhone	Phone
List View Button Layout	Contact Name	ContactID	Lookup(Contact) ✓
Hierarchy Columns	Contact Mobile	ContactMobile	Phone
Scoping Rules	Contact Fax	ContactFax	Phone
Object Access	Contact Email	ContactEmail	Email
Field Access	Closed When Created	IsClosedOnCreate	Checkbox
Triggers	Case Source	SourceId	Lookup(Email Message Messaging Session) ✓
Flow Triggers	Case Reason	Reason	Picklist ✓
Validation Rules	Case Owner	OwnerId	Lookup(Buyer Group) ✓
Conditional Field Formatting	Case Origin	Origin	Picklist ✓
	Case Number	CaseNumber	Auto Number ✓
	Business Hours	BusinessHoursId	Lookup(Business Hours) ✓
	Asset	AssetId	Lookup(Asset) ✓
	All Summary	All_Summary__c	Long Text Area(2000) ✓
	Account Name	AccountId	Lookup(Account) ✓

Figure 3. Case fields and relationships - configuration view (part 1).

Case			
Details	Fields & Relationships 48 Items, Sorted by Field Label		
Fields & Relationships	FIELD LABEL	FIELD NAME	DATA TYPE
Case Page Layouts	Web Phone	SuppliedPhone	Text(40)
Case Close Page Layouts	Web Name	SuppliedName	Text(80)
Lightning Record Pages	Web Email	SuppliedEmail	Email
Buttons, Links, and Actions	Web Company	SuppliedCompany	Text(80)
Compact Layouts	Type	Type	Picklist
Field Sets	Support Category	Support_Category__c	Picklist
Object Limits	Subject	Subject	Text(255)
Record Types	Stopped Since	StopStartDate	Date/Time
Related Lookup Filters	Stopped	IsStopped	Checkbox
Search Layouts	Status	Status	Picklist
List View Button Layout	SLA Violation	SLAViolation__c	Picklist
Hierarchy Columns	SLA Policy Start Time	SLAStartDate	Date/Time
Scoping Rules	SLA Policy End Time	SLAEndDate	Date/Time
Object Access	Service Contract	ServiceContractId	Lookup(Service Contract)
Field Access	Replacement Requested	Replacement_Requested__c	Checkbox
Triggers	Related Order	Related_Order__c	Lookup(TaleDates Order)
Flow Triggers	Product	ProductId	Lookup(Product)
Validation Rules	Product	Product__c	Picklist
Conditional Field Formatting	Priority	Priority	Picklist

Figure 4. Case fields and relationships - configuration view (part 2).

9. Security Model

The security design follows a least-privilege approach. Access is controlled through a custom support profile, a TaleDates Support Agent permission set, Private Organization-Wide Defaults, role hierarchy, and field-level permissions.

Security Control	Configuration
Role Hierarchy	TaleDates Support Manager is positioned above TaleDates Support Agent to support managerial visibility.
TaleDates Order OWD	Private.

Security Control	Configuration
Case OWD	Private.
TaleDates Orders permission	Read enabled; Create, Edit, Delete, View All, and Modify All are not enabled for the support permission set.
Cases permission	Read, Create, and Edit enabled; Delete, View All, and Modify All are not enabled.
Field-Level Security	Selected Case fields are controlled through the TaleDates Support Agent permission set.
Auditability	Case History Tracking records selected field changes.

SETUP Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click **Add Role**.

Your Organization's Role Hierarchy Show in tree view

Collapsible All Expand All

- Tale Talebati Dates
 - Add Role
 - CEO Edit | Del | Assign
 - Add Role
 - CEO Edit | Del | Assign
 - Add Role
 - COO Edit | Del | Assign
 - Add Role
 - SVP, Customer Service & Support Edit | Del | Assign
 - Add Role
 - SVP, Human Resources Edit | Del | Assign
 - Add Role
 - SVP, Sales & Marketing Edit | Del | Assign
 - Add Role
 - TaleDates Support Manager Edit | Del | Assign
 - Add Role
 - TaleDates Support Agent Edit | Del | Assign
 - Add Role

Figure 5. TaleDates support role hierarchy.

SETUP Permission Sets

Permission Set TaleDates Support Agent

Find Settings... Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > **Object Settings** **TaleDates Orders**

TaleDates Orders Edit

Tab Settings

| Available | Visible |
|--------------------------|---|
| ☐ | ☐ i |

Object Permissions

| Permission Name | Enabled |
|--------------------|-------------------------------------|
| Read | ☒ |
| Create | ☐ |
| Edit | ☐ |
| Delete | ☐ |
| View All Records | ☐ |
| Modify All Records | ☐ |
| View All Fields | ☐ |

Field Permissions

Figure 6. TaleDates Support Agent permission set - TaleDates Orders object permissions.

SETUP
Permission Sets

Permission Set
TaleDates Support Agent

Find Settings... Clone Delete Edit Properties Manage Assignments View Summary

Permission Set Overview > Object Settings Cases

Cases Edit

Tab Settings

| Available | Visible |
|--------------------------|----------------------------|
| ☐ | ☐ i |

Object Permissions

| Permission Name | Enabled |
|--------------------|-------------------------------------|
| Read | ☒ |
| Create | ☒ |
| Edit | ☒ |
| Delete | ☐ |
| View All Records | ☐ |
| Modify All Records | ☐ |
| View All Fields | ☐ |

Figure 7. TaleDates Support Agent permission set - Case object permissions.

SETUP
Sharing Settings

| Object | Default Internal Access | Default External Access | Grant Access Using Hierarchies |
|----------------------|----------------------------|-------------------------|-------------------------------------|
| Lead | Public Read/Write/Transfer | Private | ☒ |
| Account and Contract | Public Read/Write | Private | ☒ |
| Contact | Controlled by Parent | Controlled by Parent | ☒ |
| Order | Controlled by Parent | Controlled by Parent | ☒ |
| Asset | Controlled by Parent | Controlled by Parent | ☒ |
| Opportunity | Public Read/Write | Private | ☒ |
| Case | Private | Private | ☒ |
| Campaign | Public Full Access | Private | ☒ |

Figure 8. Sharing Settings showing Case configured as Private.

SETUP
Sharing Settings

| | | | |
|-----------------|---------|---------|-------------------------------------|
| TaleDates Order | Private | Private | ☒ |
|-----------------|---------|---------|-------------------------------------|

Figure 9. Sharing Settings showing TaleDates Order configured as Private.


SETUP
Permission Sets

Permission Set
TaleDates Support Agent

Clone
Delete
Edit Properties
Manage Assignments
View Summary

Permission Set Overview > Object Settings ▼ Cases ▼

Cases Edit

Tab Settings

| Available | Visible |
|--------------------------|--------------------------|
| ☐ | ☐ |

Object Permissions

| Permission Name | Enabled |
|--------------------|-------------------------------------|
| Read | ☒ |
| Create | ☒ |
| Edit | ☒ |
| Delete | ☐ |
| View All Records | ☐ |
| Modify All Records | ☐ |
| View All Fields | ☐ |

Field Permissions

| Field Name | Field API Name | Read Access | Edit Access |
|------------------------|-------------------------|-------------------------------------|-------------------------------------|
| Account Name | AccountId | ☒ | ☒ |
| AI Summary | AI_Summary__c | ☒ | ☐ |
| Asset | AssetId | ☐ | ☐ |
| Business Hours | BusinessHoursId | ☐ | ☐ |
| Case Number | CaseNumber | ☒ | ☐ |
| Case Origin | Origin | ☐ | ☐ |
| Case Owner | OwnerId | ☒ | ☒ |
| Case Reason | Reason | ☐ | ☐ |
| Case Source | SourceId | ☐ | ☐ |
| Closed When Created | IsClosedOnCreate | ☐ | ☐ |
| Contact Email | ContactEmail | ☒ | ☐ |
| Contact Fax | ContactFax | ☒ | ☐ |
| Contact Mobile | ContactMobile | ☒ | ☐ |
| Contact Name | ContactId | ☒ | ☒ |
| Contact Phone | ContactPhone | ☒ | ☐ |
| Created By | CreatedById | ☒ | ☐ |
| Damage Details | Damage_Details__c | ☒ | ☒ |
| Date/Time Closed | ClosedDate | ☐ | ☐ |
| Date/Time Opened | CreatedDate | ☒ | ☐ |
| Description | Description | ☒ | ☒ |
| Engineering Req Number | EngineeringReqNumber__c | ☐ | ☐ |
| Entitlement Name | EntitlementId | ☐ | ☐ |
| Escalated | IsEscalated | ☐ | ☐ |
| Escalation Reason | Escalation_Reason__c | ☒ | ☐ |

Figure 10. Sample field-level permissions for Case fields.

10. Salesforce Configuration & User Experience

10.1 TaleDates Support Workspace

The dedicated Lightning workspace provides support agents with Cases, Accounts, Contacts, TaleDates Orders, Reports, and Dashboards in a single working environment. The Home page surfaces the support dashboard and recently viewed cases for quick operational access.




Figure 11. TaleDates Support Home page with dashboard and recently viewed cases.

10.2 Case Lightning Record Page and Dynamic Forms

The Case record page is customized to show a TaleDates Order Snapshot alongside Case information and history. Dynamic Forms are used so that damage and replacement fields appear only when the support category is relevant to damaged products.




Figure 12. Case page showing linked TaleDates order information, Case History, and escalation details.

TaleDates Order Snapshot

| | |
|----------------------------|-------------------------|
| Order Number
TD-1005 | Status
Delivered |
| Product
Ajwa 3KG | Shipping City
Qassim |
| Tracking Number
TRK1005 | Total Amount
111 SAR |

Case History (1)

| Date | Field | User | Original Value | New Value |
|--------------------|---------|--------------|----------------|-----------|
| 8/17/2026, 1:26 AM | Created | naif almalki | | |

[View All](#)

Case Information

| | |
|--|----------------------|
| Case Owner
naif almalki | Status
New |
| Case Number
00001030 | Priority
High |
| Contact Name | Contact Phone |
| Account Name
Khalid Alhamami | Contact Email |
| Type | Case Origin
Email |
| Case Reason | |
| Support Category
Damaged Product | |
| Related Order
TD-1005 | |
| Escalation Reason
High priority case requires immediate attention | |

Damage & Replacement Details

| | |
|----------------|-----------------------|
| Damage Details | Replacement Requested |
|----------------|-----------------------|

Web Information

| | |
|-----------|-------------|
| Web Email | Web Company |
| Web Name | Web Phone |

Figure 13. Damaged Product case with the Damage & Replacement Details section visible.

TaleDates Order Snapshot

No TaleDates order is linked to this case.

Case History (1)

| Date | Field | User | Original Value | New Value |
|--------------------|---------|--------------|----------------|-----------|
| 8/17/2026, 8:27 AM | Created | naif almalki | | |

[View All](#)

Case Information

| | |
|--------------------------------------|----------------------|
| Case Owner
naif almalki | Status
New |
| Case Number
00001032 | Priority
High |
| Contact Name | Contact Phone |
| Account Name
Ahmed Alharbi | Contact Email |
| Type | Case Origin
Email |
| Case Reason | |
| Support Category
Order & Shipping | |
| Related Order | |
| Escalation Reason | |

Figure 14. Case without a Related Order showing the LWC fallback message.

10.3 Validation and History Configuration

A validation rule enforces the presence of a Related Order for applicable order-related categories. Field History Tracking captures selected Case changes such as Priority and other tracked fields.

Case Validation Rule

[Back to Case Validation Rules](#)

[Help for this Page](#)

Validation Rule Detail

Rule Name: Require_Related_Order_For_Order_Cases [Edit](#) [Close](#)

Active: ☒

Error Condition Formula: `AND( OR( ISPICKVAL(Support_Category__c, 'Order & Shipping'), ISPICKVAL(Support_Category__c, 'Damaged Product'), ISPICKVAL(Support_Category__c, 'Return & Replacement') ), ISBLANK(Related_Order__c) )`

Error Message: A related TaleDates order is required for this support category. Requires a TaleDates order to be linked when the support case concerns shipping, damage, returns, or replacements.

Error Location: Related Order

Created By: naif almalki, 8/20/2026, 12:18 PM [Edit](#) [Close](#)

Modified By: naif almalki, 8/20/2026, 12:18 PM

Figure 15. Related Order validation rule configuration.

Support Category

Damaged Product

Related Order

Search TaleDates Orders...

A related TaleDates order is required for this support category.

Escalation Reason

Web Information

Web Email

Web Name

☐ Send notification email to contact

We hit a snag.

Review the following fields

- Related Order

Figure 16. Validation rule preventing a Damaged Product case from being saved without a Related Order.

Case Field History Help for this Page

This page allows you to select the fields you want to track on the Case History related list. Whenever a user modifies any of the fields selected below, the old and new field values are added to the History related list as well as the date, time, nature of the change, and user making the change. Note that multi-select picklist and large text field values are tracked as edited; their old and new field values are not recorded.

Deselect all fields

| Track old and new values | |
|--------------------------|-------------------------------------|
| Account Name | ☐ |
| Business Hours | ☐ |
| Case Owner | ☐ |
| Case Source | ☐ |
| Contact Name | ☐ |
| Entitlement Name | ☐ |
| Escalation Reason | ☐ |
| Potential Liability | ☐ |
| Product | ☐ |
| Related Order | ☒ |
| SLA Violation | ☐ |
| SLA Policy Start Time | ☐ |
| Stopped | ☐ |
| Support Category | ☒ |
| Asset | ☐ |
| Case Origin | ☐ |
| Case Reason | ☐ |
| Closed When Created | ☐ |
| Engineering Req Number | ☐ |
| Escalated | ☐ |
| Parent Case | ☐ |
| Priority | ☒ |
| Product | ☒ |
| Replacement Requested | ☐ |
| Service Contract | ☐ |
| Status | ☒ |
| Subject | ☐ |
| Type | ☐ |

| Track changes only | |
|--------------------|-------------------------------------|
| AI Summary | ☐ |
| Description | ☒ |
| Damage Details | ☐ |

Figure 17. Case Field History Tracking configuration.

11. Automation & Flows

11.1 High-Priority Case Escalation

A Record-Triggered Flow runs when a Case is created or updated and meets the configured high-priority condition. The Flow uses a fast field update to populate Escalation Reason.




Figure 18. Record-Triggered Flow for high-priority Case escalation.

11.2 Support Case Screen Flow

The Screen Flow provides a guided method for creating support cases. It captures subject, description, support category, priority, customer account, and related order before creating the Case record.

The screenshot displays the 'Debug' window of the TaleDates interface, specifically the 'Details' tab. At the top, there are navigation icons and a search bar labeled 'Search this list...'. Below this, the 'Basic Debug Log' is visible. The log contains three main entries:

- How the Interview Started**: A green play button icon and a dropdown arrow.
- Screen: Support Case Details**: A blue play button icon and a dropdown arrow. Below this, a list of screen components is shown:
 - Textbox: Subject
 - Long Text Area: Description
 - Dropdown List: Support_Category
 - Dropdown List: Priority
 - Screen Component: CustomerAccount
 - Screen Component: RelatedOrder
- Create Records: Create Support Case**: A red play button icon and a dropdown arrow. Below this, the following details are listed:
 - One or more **Case** records are ready to be created.
 - Details**:
 - Create one Case record where
 - Accountid = ({CustomerAccount.recordId}) (001f00001gwnyyAAA)
 - Description = ({Description}) (Testing the TaleDates case creation flow)
 - Origin = Web
 - Priority = ({Priority}) (Medium)
 - Related_Order__c = ({RelatedOrder.recordId}) (a00f000027ny1DAAQ)
 - Status = New
 - Subject = ({Subject}) (Test support case)
 - Support_Category__c = ({Support_Category}) (Order & Shipping)
 - Result**: A record is ready to be created when the next screen, pause, or local action is executed or when the interview finishes. 500f00002910xAAI
- How the Interview Finished**: A red stop button icon and a dropdown arrow.

Figure 19. Screen Flow debug result showing successful support Case creation.

11.3 Order Lookup Autolaunched Flow

The Get TaleDates Order Information Flow accepts an order number, retrieves the matching TaleDates Order, evaluates whether a record was found, and returns either formatted order information or a controlled Order Not Found message.




Figure 20. Valid order lookup Flow execution and decision path.




Figure 21. Invalid order lookup test using TD-9999 and the Order Not Found branch.

12. Lightning Web Component

The TaleDates Order Snapshot LWC is embedded on the Case Lightning page. When a Related Order exists, the component displays the order number, status, product, shipping city, tracking number, and total amount. When the lookup is empty, it presents a clear fallback message instead of displaying incomplete data.

The screenshot shows the TaleDates Support Worksp... interface. The top navigation bar includes Home, Cases, Accounts, Contacts, TaleDates Orders, Reports, and Dashboards. The main content area is divided into two sections: TaleDates Order Snapshot and Case Information.

TaleDates Order Snapshot

| | |
|-----------------------------------|--------------------------------|
| Order Number
TD-1004 | Status
Processing |
| Product
Medjool Dates | Shipping City
Riyadh |
| Tracking Number
TRK1004 | Total Amount
195 SAR |

Case History (2)

| Date | Field | User | Original Value | New Value |
|--------------------|----------|--------------|----------------|-----------|
| 8/17/2026, 7:59 AM | Priority | naif almalki | Low | High |
| 8/17/2026, 1:25 AM | Created. | naif almalki | | |

[View All](#)

Case Information

- Case Owner**: naif almalki
- Case Number**: 00001029
- Contact Name**: [Edit]
- Account Name**: Abdullah Almutairi
- Type**: [Edit]
- Case Reason**: [Edit]
- Support Category**: Product Information
- Related Order**: TD-1004
- Escalation Reason**: High priority case requires immediate attention

Figure 22. TaleDates Order Snapshot LWC displaying linked order TD-1004.

The screenshot shows the TaleDates Support Worksp... interface. The top navigation bar includes Home, Cases, Accounts, Contacts, TaleDates Orders, Reports, and Dashboards. The main content area is divided into two sections: TaleDates Order Snapshot and Case Information.

TaleDates Order Snapshot

No TaleDates order is linked to this case.

Case History (1)

| Date | Field | User | Original Value | New Value |
|--------------------|----------|--------------|----------------|-----------|
| 8/17/2026, 8:27 AM | Created. | naif almalki | | |

[View All](#)

Case Information

- Case Owner**: naif almalki
- Case Number**: 00001032
- Contact Name**: [Edit]
- Account Name**: Ahmed Alharbi
- Type**: [Edit]
- Case Reason**: [Edit]
- Support Category**: Order & Shipping
- Related Order**: [Edit]
- Escalation Reason**: [Edit]

Figure 23. TaleDates Order Snapshot LWC when no TaleDates Order is linked.

13. Agentforce

13.1 TaleDates Support Assistant

The TaleDates Support Assistant is an active Agentforce implementation composed of an Agent Router and five subagents: Order Status & Shipping, Product Information, Returns & Damaged Orders, Ambiguous Question, and Off Topic.




Figure 24. Active TaleDates Support Assistant and subagent routing structure.

13.2 Order Status & Shipping Action

For order-specific inquiries, the assistant routes to Order Status & Shipping and invokes the Get TaleDates Order Information action. The action is grounded in the Salesforce TaleDates Order record, which prevents the assistant from fabricating order status, tracking, or delivery information.




Figure 25. Agentforce Live Test retrieving and returning TaleDates order TD-1002.

14. Reports & Dashboard

The solution includes reports and a dashboard that provide an operational overview of support demand and order activity. The dashboard visualizes Cases by Support Category, Cases by Priority, and Orders by Status.




Figure 26. TaleDates Support Dashboard showing category, priority, and order status analytics.




Figure 27. Support Home page combining dashboard analytics with recently viewed cases.

15. Testing & User Acceptance Testing

The solution was tested using functional and end-to-end scenarios that cover data quality, automation, UI behavior, AI routing, analytics, and security. The final UAT evidence demonstrates successful operation across the main project requirements.

| ID | Test | Method | Expected/Observed Result | Status | Evidence |
|-------|------------------------------------|--|---|--------|--------------------------------|
| TC-01 | Related Order Validation Rule | Attempt to save an order-related Case without Related Order. | Save is blocked and the Related Order field is identified. | PASS | Evidence pages 9 and 22 |
| TC-02 | High Priority Escalation + History | Change Case Priority to High. | Escalation Reason is populated and Priority change appears in Case History. | PASS | Evidence pages 3, 5, 12 and 23 |
| TC-03 | Dynamic Forms Visibility | Compare Damaged Product with another support category. | Damage & Replacement section appears only when relevant. | PASS | Evidence pages 10 and 11 |
| TC-04 | TaleDates Order Snapshot LWC | Open Cases with and without Related Order. | Order data displays when linked; fallback message displays when not linked. | PASS | Evidence pages 12 and 13 |
| TC-05 | Support Case Screen Flow | Run the support Case creation Flow. | Case record is prepared/created with entered values. | PASS | Evidence page 4 |
| TC-06 | Valid Order Lookup Flow | Run order lookup with TD-1002. | Matching order details are retrieved and returned. | PASS | Evidence page 8 |
| TC-07 | Invalid Order Handling | Run order lookup with TD-9999. | No record is retrieved and the default Order Not Found path executes. | PASS | Evidence page 14 |
| TC-08 | Agentforce End-to-End | Ask Agentforce for the status of TD-1002. | Agent routes correctly, invokes the action, and returns grounded order details. | PASS | Evidence page 6 |
| TC-09 | Reports & Dashboard | Refresh and review TaleDates Support Dashboard. | All dashboard components display support and order analytics. | PASS | Evidence pages 15 and 28 |
| TC-10 | Security Configuration | Review permission sets, OWD, role hierarchy, and FLS. | Least-privilege object access and Private sharing are confirmed. | PASS | Evidence pages 1 and 16-21 |

UAT Summary: 10 of 10 test cases passed.

16. Deployment, Maintenance, Troubleshooting & Responsible AI

16.1 Deployment Strategy

The TaleDates Customer Support solution was developed and validated in a Salesforce Developer Edition environment. Before deployment to a production environment, all configuration and custom

components should be reviewed, tested, and transferred in a controlled sequence to preserve component dependencies and reduce deployment risk.

Proposed deployment sequence:

15. Data model: TaleDates Order, Case extensions, custom fields, and relationships.
16. Security: support profile, permission set, OWD, role hierarchy, and required access settings.
17. Business logic and automation: validation rules and all Flows.
18. User interface: Support Workspace, Lightning pages, Dynamic Forms, and LWC.
19. Analytics: reports and dashboard.
20. Agentforce: TaleDates Support Assistant, router, subagents, and order information action.

Pre-Deployment Validation

- Confirm that all required metadata is included.
- Verify field API names and relationships.
- Confirm that all required Flows are active and error-free.
- Verify permission sets and object access.
- Confirm that the Agentforce action is connected to the correct active Flow.
- Run the approved UAT scenarios.
- Ensure that no real customer-sensitive test data is included.

Rollback Strategy

If a deployment causes unexpected behavior, the affected automation or Agentforce version can be deactivated while the previous stable configuration is restored. Salesforce versioning for Flows and Agentforce helps reduce the risk of permanent changes and allows the team to return to a previously tested version.

16.2 Maintenance & Monitoring

- Review failed or unexpected Flow executions.
- Test Agentforce after changes to prompts, actions, Flows, or Salesforce fields.
- Review permission sets and role assignments when user responsibilities change.
- Monitor Case History to audit important changes to support records.
- Review validation rules when business processes change.
- Update dashboard filters and reports as support requirements evolve.
- Verify that TaleDates Order records remain accurate because Agentforce relies on them as the source of truth.
- Create and test a new Agentforce version before replacing the currently active version.

Any major change should pass the same UAT process used during the initial implementation before it is activated.

16.3 Troubleshooting Approach

| Issue | Troubleshooting Approach |
|-------------------------------------|---|
| Agentforce does not return an order | Verify that the order exists, the order number is correct, the Flow is active, and the action is connected to the Order Status & Shipping subagent. |
| Agentforce selects the wrong topic | Review the Agent Router instructions and subagent |

| Issue | Troubleshooting Approach |
|------------------------------------|---|
| | descriptions. |
| Order Flow returns no data | Verify the TaleDates Order record and the Name value used by the Get Records element. |
| LWC displays no linked order | Confirm that the Case has a valid Related Order lookup value. |
| LWC fails to display fields | Verify field API names and user field/object permissions. |
| Damage section does not appear | Verify that Support Category is set to Damaged Product and confirm Dynamic Forms visibility conditions. |
| Escalation Reason is not populated | Verify that the Record-Triggered Flow is active and that the Case meets the High Priority condition. |
| Validation Rule prevents saving | Confirm that order-related support categories have a Related Order selected. |
| Dashboard displays no data | Run the underlying report, review its filters, save the report, and refresh the dashboard. |
| User cannot access a record | Review the Profile, Permission Set, Organization-Wide Defaults, Role Hierarchy, and record ownership. |

16.4 Einstein Trust Layer & Responsible AI

The Agentforce implementation was designed to follow responsible AI and Salesforce trust principles. The solution reduces the risk of inaccurate or unauthorized responses by grounding order-related answers in Salesforce records instead of allowing the AI agent to generate order information independently.

| Control | Implementation |
|--------------------------------|---|
| Grounded Responses | TaleDates Order records are treated as the source of truth for order status, tracking information, shipping city, product information, and total amount. |
| Hallucination Prevention | The Order Status & Shipping subagent is explicitly instructed not to invent order numbers, tracking information, customer information, order status, or delivery information. |
| Invalid Order Handling | When no matching order exists, the underlying Flow follows a dedicated Order Not Found path rather than generating estimated or fabricated information. |
| Least-Privilege Access | Support users have read access to TaleDates Orders but do not receive Create, Edit, Delete, View All, or Modify All permissions. |
| Private Record Access | Organization-Wide Defaults for Cases and TaleDates Orders are configured as Private. |
| Auditability | Field History Tracking is enabled on selected Case fields to preserve a history of important changes. |
| Human-Controlled Configuration | Changes to Agentforce are versioned and tested before activation. |

| Control | Implementation |
|-------------------|---|
| Data Minimization | The order lookup action returns only the information required for the support scenario instead of exposing unnecessary Salesforce data. |

The project relies on Salesforce platform-level trust and security capabilities in addition to these application-level controls. No separate custom Einstein Trust Layer policy was configured as part of this capstone project.

17. Future Enhancements

The current capstone provides a strong foundation for a production-ready support platform. Future iterations could extend the solution in the following areas:

- Integrate Salesforce with the live TaleDates e-commerce platform for automatic order synchronization.
- Integrate shipping-carrier APIs to provide real-time delivery status and tracking links.
- Expose Agentforce through customer-facing channels such as web chat or supported messaging channels.
- Add automated replacement, refund, and return workflows with approval controls.
- Introduce SLA management, Omni-Channel routing, queues, and escalation notifications for larger support teams.
- Expand Agentforce with additional actions for replacement eligibility, product FAQ retrieval, and case summarization.
- Add richer analytics for resolution time, escalation rates, repeat-contact rate, and customer-support trends.
- Use a formal knowledge base and additional grounding sources for broader support topics while maintaining data minimization and access controls.


18. Conclusion

The TaleDates Customer Support Solution demonstrates how Salesforce can centralize support operations while connecting cases directly to order information. The solution combines a custom data model, automated business rules, guided Flows, Dynamic Forms, a custom Lightning Web Component, analytics, and a structured security model to improve agent efficiency and data quality.


Agentforce extends the solution with an AI-assisted support experience that routes requests to specialized subagents and retrieves order details through Salesforce Flow. By grounding order responses in Salesforce records, handling invalid orders through a controlled path, and applying least-privilege security, the solution balances usability, automation, and responsible AI. The project is fully tested in the Developer Edition environment and provides a practical foundation for future production integration and expansion.

The following screenshots provide the complete evidence pack used to document and validate the Salesforce and Agentforce implementation. Screenshots are presented in the same order as the supplied evidence PDF.

E01. Role Hierarchy - TaleDates Support Manager and TaleDates Support Agent.



E02. Agentforce Agent Summary - router and five specialized subagents.



E03. High Priority Case Escalation Record-Triggered Flow.

Debug
⏮ ⏭

Setup **Details**

Expand All
Basic Debug Log

How the Interview Started

> Details

Screen: Support Case Details

> Details

Screen Components

- > Textbox: Subject
- > Long Text Area: Description
- > Dropdown List: Support_Category
- > Dropdown List: Priority
- > Screen Component: CustomerAccount
- > Screen Component: RelatedOrder

Create Records: Create Support Case

One or more **Case** records are ready to be created.

▼ Details

Create one Case record where
Accountid = {CustomerAccount.recordId} (001f00001gwnyyAAA)
Description = {Description} (Testing the TaleDates case creation flow)
Origin = Web
Priority = {Priority} (Medium)
Related_Order__c = {RelatedOrder.recordId} (a00f000027ny1DAAQ)
Status = New
Subject = {Subject} (Test support case)
Support_Category__c = {Support_Category} (Order & Shipping)
Result
A record is ready to be created when the next screen, pause, or local action is executed or when the interview finishes.
500f000029i0xAAI

How the Interview Finished

> Details

E04. Support Case Screen Flow debug result.

Developer Edition

TaleDates Support Worksp... Home Cases Accounts Contacts TaleDates Orders Reports Dashboards

Search...

TaleDates Order Snapshot

Order Number: TD-1002
Status: Shipped
Product: Sukkari Package
Shipping City: Jeddah
Tracking Number: TRK1002
Total Amount: 159 SAR

Case History (2)

| Date | Field | User | Original Value | New Value |
|---------------------|----------|--------------|----------------|-----------|
| 8/20/2026, 12:26 PM | Priority | naif almalki | Medium | High |
| 8/17/2026, 1:24 AM | Created. | naif almalki | | |

[View All](#)

Case Information

Case Owner: naif almalki
Case Number: 00001027
Contact Name:
Account Name: Mohammed Alqahtani
Type:
Case Reason:
Support Category: Order & Shipping
Related Order: TD-1002
Escalation Reason: High priority case requires immediate attention

Status: New
Priority: High
Contact Phone:
Contact Email:
Case Origin: Email

Web Information

Web Email:
Web Name:
Date/Time Opened: 8/17/2026, 1:24 AM
Web Company:
Web Phone:
Date/Time Closed:

Additional Information

E05. Case record with linked order, Case History, and escalation details.

← Agentforce Builder TaleDates Support Assistant Version 1 (Committed) Last saved on 8/20/2026, 10:38 PM New Version Activate

Explorer

Search...

- Agent Definition
- Settings
 - Agent Details
 - System Messages
 - Agent-Level Instructions
 - Language Settings
- Subagents
 - Agent Router
 - Off Topic
 - Ambiguous Question
 - Order Status & Shipping
 - Product Information
 - Returns & Damaged Orders
- Variables
- Connections
- Data

Preview Agent Defi...

Live Test

Hi, I'm Agentforce! I use AI to search trusted sources, and more. Ask me "What else can you do?" to see how I can simplify your workday. How can I help?

Check the status of order TD-1002.

Order TD-1002 has been shipped to Jeddah. The product is Sukkari Package, with a total amount of 159 SAR. Tracking Number: TRK1002.
Order Number: TD-1002
Status: Shipped
Tracking Number: TRK1002
Shipping City: Jeddah
Product: Sukkari Package
Total Amount: 159 SAR

Describe your task or ask a question...

Trace Variables

Agent Preview Details

Context Variables 5 Summary

Input: Input

Transition to Subagent: Order Status Shipping

Reasoning: Order Status & Shipping

Action: Get Tale Dates Order Information

Reasoning: Order Status & Shipping

Transition to Subagent: agent router

The user asked for the status of order TD-1002. The agent routed to the Order Status & Shipping subagent, invoked the Get_TaleDates_Order_Information action with inputOrderNumber=TD-1002, received order details indicating it was shipped with tracking TRK1002 to Jeddah, and replied: "Order TD-1002 has been shipped to Jeddah. The product is Sukkari Package, with a total amount of 159 SAR. Tracking Number: TRK1002."

Ask Agentforce

Session: #01a02...

E06. Agentforce Live Test for order TD-1002.

Developer Edition

TaleDates Support Worksp...

Home

Cases

Accounts

Contacts

TaleDates Orders

Reports

Dashboards

Q Search...

★

+

🔍

?

⚙️

🔔

👤

TaleDates Order Snapshot

Order Number

TD-1002

Status

Shipped

Product

Sukkari Package

Shipping City

Jeddah

Tracking Number

TRK1002

Total Amount

159 SAR

Case History (1)

| Date | Field | User | Original Value | New Value |
|---------------------|---------|--------------|----------------|-----------|
| 8/20/2026, 12:48 PM | Created | naif almalki | | |

View All

Case Information

Case Owner

naif almalki

Status

New

Case Number

00001033

Priority

Medium

Contact Name

Contact Phone

Account Name

Ahmed Alharbi

Contact Email

Type

Case Origin

Web

Case Reason

Support Category

Order & Shipping

Related Order

TD-1002

Escalation Reason

Web Information

Web Email

Web Company

Web Name

Web Phone

Date/Time Opened

8/20/2026, 12:48 PM

Date/Time Closed

Additional Information

Product

Engineering Req Number

Potential Liability

SLA Violation

System Information


Created By

naif almalki, 8/20/2026, 12:48 PM

Last Modified By

naif almalki, 8/20/2026, 12:48 PM

E07. Case record demonstrating linked order information.



E08. Valid order lookup Autolaunched Flow debug.

Support Category 

Damaged Product ▼

Related Order

Search TaleDates Orders... 

A related TaleDates order is required for this support category.

Escalation Reason

Web Information

Web Email

Web Name

☐ Send notification email to contact

 **Cancel** **Save & New** **Save**

ⓘ We hit a snag. ×

Review the following fields

- [Related Order](#)

E09. Related Order validation error on a Damaged Product case.

Developer Edition

TaleDates Support Worksp... Home Cases Accounts Contacts TaleDates Orders Reports Dashboards

Search...

TaleDates Order Snapshot

| | |
|-----------------------------------|--------------------------------|
| Order Number
TD-1005 | Status
Delivered |
| Product
Ajwa 3KG | Shipping City
Qassim |
| Tracking Number
TRK1005 | Total Amount
111 SAR |

Case History (1)

| Date | Field | User | Original Value | New Value |
|--------------------|----------|--------------|----------------|-----------|
| 8/17/2026, 1:26 AM | Created. | naif almalki | | |

[View All](#)

Case Information

| | |
|---|-----------------------------|
| Case Owner
naif almalki | Status
New |
| Case Number
00001030 | Priority
High |
| Contact Name | Contact Phone |
| Account Name
Khalid Alshammari | Contact Email |
| Type | Case Origin
Email |
| Case Reason | |
| Support Category
Damaged Product | |
| Related Order
TD-1005 | |
| Escalation Reason
High priority case requires immediate attention | |

Damage & Replacement Details

| | |
|-----------------------|------------------------------|
| Damage Details | Replacement Requested |
| | |

Web Information

| | |
|------------------|--------------------|
| Web Email | Web Company |
| Web Name | Web Phone |
| | |

E10. Damaged Product case with Damage & Replacement Details visible.

Developer Edition

TaleDates Support Worksp... Home Cases Accounts Contacts TaleDates Orders Reports Dashboards

Search...

TaleDates Order Snapshot

| | |
|-----------------------------------|--------------------------------|
| Order Number
TD-1004 | Status
Processing |
| Product
Medjool Dates | Shipping City
Riyadh |
| Tracking Number
TRK1004 | Total Amount
195 SAR |

Case History (2)

| Date | Field | User | Original Value | New Value |
|--------------------|----------|--------------|----------------|-----------|
| 8/17/2026, 7:59 AM | Priority | naif almalki | Low | High |
| 8/17/2026, 1:25 AM | Created. | naif almalki | | |

[View All](#)

Case Information

| | |
|---|-----------------------------|
| Case Owner
naif almalki | Status
New |
| Case Number
00001029 | Priority
High |
| Contact Name | Contact Phone |
| Account Name
Abdullah Almutairi | Contact Email |
| Type | Case Origin
Email |
| Case Reason | |
| Support Category
Product Information | |
| Related Order
TD-1004 | |
| Escalation Reason
High priority case requires immediate attention | |

Web Information

| | |
|---|-------------------------|
| Web Email | Web Company |
| Web Name | Web Phone |
| Date/Time Opened
8/17/2026, 1:25 AM | Date/Time Closed |

Additional Information

E11. Product Information case demonstrating conditional UI behavior.



TaleDates Support Worksp...

[Home](#)
[Cases](#)
[Accounts](#)
[Contacts](#)
[TaleDates Orders](#)
[Reports](#)
[Dashboards](#)

TaleDates Order Snapshot

Order Number
 TD-1004

Status
 Processing

Product
 Medjool Dates

Shipping City
 Riyadh

Tracking Number
 TRK1004

Total Amount
 195 SAR

Case History (2)

| Date | Field | User | Original Value | New Value |
|--------------------|----------|--------------|----------------|-----------|
| 8/17/2026, 7:59 AM | Priority | naif almalki | Low | High |
| 8/17/2026, 1:25 AM | Created. | naif almalki | | |

View All

Case Information

Case Owner
 [naif almalki](#)

Case Number
 00001029

Contact Name

Account Name
[Abdullah Almutairi](#)

Type

Case Reason

Support Category
 Product Information

Related Order
[TD-1004](#)

Escalation Reason
 High priority case requires immediate attention

E12. TaleDates Order Snapshot with linked order and Case History.



Search...

TaleDates Support Worksp...

HomeCasesAccountsContactsTaleDates OrdersReportsDashboards

 TaleDates Order Snapshot

No TaleDates order is linked to this case.

 Case History (1)

| Date | Field | User | Original Value | New Value |
|--------------------|----------|--------------|----------------|-----------|
| 8/17/2026, 8:27 AM | Created. | naif almalki | | |

View All

Case Information

Case Owner

 [naif almalki](#)

Case Number

00001032

Contact Name



Account Name

[Ahmed Alharbi](#)

Type



Case Reason



Support Category

Order & Shipping


Related Order




Escalation Reason



E13. TaleDates Order Snapshot fallback when no Related Order is linked.



E14. Invalid order TD-9999 debug using the Order Not Found path.



E15. TaleDates Support Dashboard.



SETUP

Permission Sets

Permission Set

TaleDates Support Agent

Find Settings...



Clone

Delete

Edit Properties

Manage Assignments

View Summary

[Permission Set Overview](#)

>

[Object Settings](#)



TaleDates Orders



TaleDates Orders

Edit

Tab Settings

| Available | Visible |
|--------------------------|--------------------------|
| ☐ | ☐ |

Object Permissions

| Permission Name | Enabled |
|--------------------|-------------------------------------|
| Read | ☒ |
| Create | ☐ |
| Edit | ☐ |
| Delete | ☐ |
| View All Records | ☐ |
| Modify All Records | ☐ |
| View All Fields | ☐ |

Field Permissions

E16. Permission Set - TaleDates Orders object permissions.

 **SETUP**

Permission Sets

Permission Set

TaleDates Support Agent

Find Settings...



Clone

Delete

Edit Properties

Manage Assignments

View Summary

Permission Set Overview > Object Settings

Cases

Cases

Edit

Tab Settings

| Available | Visible |
|--------------------------|--|
| ☐ | ☐  |

Object Permissions

| Permission Name | Enabled |
|--------------------|-------------------------------------|
| Read | ☒ |
| Create | ☒ |
| Edit | ☒ |
| Delete | ☐ |
| View All Records | ☐ |
| Modify All Records | ☐ |
| View All Fields | ☐ |

E17. Permission Set - Case object permissions.



SETUP

Sharing Settings

| | | | |
|-----------------|---------|---------|-------------------------------------|
| TaleDates Order | Private | Private | ☒ |
|-----------------|---------|---------|-------------------------------------|

E18. Sharing Settings - TaleDates Order configured as Private.



SETUP

Sharing Settings

| Object | Default Internal Access | Default External Access | Grant Access Using Hierarchies |
|----------------------|----------------------------|-------------------------|-------------------------------------|
| Lead | Public Read/Write/Transfer | Private | ☒ |
| Account and Contract | Public Read/Write | Private | ☒ |
| Contact | Controlled by Parent | Controlled by Parent | ☒ |
| Order | Controlled by Parent | Controlled by Parent | ☒ |
| Asset | Controlled by Parent | Controlled by Parent | ☒ |
| Opportunity | Public Read/Write | Private | ☒ |
| Case | Private | Private | ☒ |
| Campaign | Public Full Access | Private | ☒ |

E19. Sharing Settings - Case configured as Private.

SETUP

Profiles

Profile

TaleDates Customer Support Agent

Help for this Page

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

Login IP Ranges [0]

 |

Enabled Apex Class Access [0]

 |

Enabled Visualforce Page Access [0]

 |

Enabled External Data Source Access [0]

 |

Enabled Named Credential Access [0]

 |

Enabled External Credential Principal Access [0]

 |

Enabled Custom Metadata Type Access [0]

 |

Enabled Custom Setting Definitions Access [0]

 |

Enabled Flow Access [0]

 |

Enabled Agent Access [0]

 |

Enabled Service Presence Status Access [0]

 |

Enabled Custom Permissions [0]

Profile Detail

Edit

Clone

Delete

View Users

| | | | |
|--------------|----------------------------------|----------------|--------------------------------|
| Name | TaleDates Customer Support Agent | Custom Profile | ✓ |
| User License | Salesforce | | |
| Description | | | |
| Created By | nat aimaki, 8/17/2026, 1:28 AM | Modified By | nat aimaki, 8/17/2026, 1:28 AM |

E20. TaleDates Customer Support Agent profile.


SETUP

Permission Sets

Permission Set

TaleDates Support Agent

Clone
Delete
Edit Properties
Manage Assignments
View Summary

[Permission Set Overview](#) >
 [Object Settings](#) ▾
 [Cases](#) ▾

Cases

Edit

Tab Settings

| Available | Visible |
|--------------------------|---|
| ☐ | ☐ + |

Object Permissions

| Permission Name | Enabled |
|--------------------|-------------------------------------|
| Read | ☒ |
| Create | ☒ |
| Edit | ☒ |
| Delete | ☐ |
| View All Records | ☐ |
| Modify All Records | ☐ |
| View All Fields | ☐ |

Field Permissions

| Field Name | Field API Name | Read Access | Edit Access |
|------------------------|-------------------------|-------------------------------------|-------------------------------------|
| Account Name | AccountId | ☒ | ☒ |
| AI Summary | AI_Summary__c | ☒ | ☐ |
| Asset | AssetId | ☐ | ☐ |
| Business Hours | BusinessHoursId | ☐ | ☐ |
| Case Number | CaseNumber | ☒ | ☐ |
| Case Origin | Origin | ☐ | ☐ |
| Case Owner | OwnerId | ☒ | ☒ |
| Case Reason | Reason | ☐ | ☐ |
| Case Source | SourceId | ☐ | ☐ |
| Closed When Created | IsClosedOnCreate | ☐ | ☐ |
| Contact Email | ContactEmail | ☒ | ☐ |
| Contact Fax | ContactFax | ☒ | ☐ |
| Contact Mobile | ContactMobile | ☒ | ☐ |
| Contact Name | ContactId | ☒ | ☒ |
| Contact Phone | ContactPhone | ☒ | ☐ |
| Created By | CreatedById | ☒ | ☐ |
| Damage Details | Damage_Details__c | ☒ | ☒ |
| Date/Time Closed | ClosedDate | ☐ | ☐ |
| Date/Time Opened | CreatedDate | ☒ | ☐ |
| Description | Description | ☒ | ☒ |
| Engineering Req Number | EngineeringReqNumber__c | ☐ | ☐ |
| Entitlement Name | EntitlementId | ☐ | ☐ |
| Escalated | IsEscalated | ☐ | ☐ |
| Escalation Reason | Escalation_Reason__c | ☒ | ☐ |

E21. Permission Set - Case field-level permissions.

Case Validation Rule

[Back to Case Validation Rules](#)

Help for this Page

Validation Rule Detail

EditClone

| | | | |
|-------------------------|--|----------------|-----------------------------------|
| Rule Name | Require_Related_Order_For_Order_Cases | Active | ✓ |
| Error Condition Formula | AND(
OR(
ISPICKVAL(Support_Category__c, "Order & Shipping"),
ISPICKVAL(Support_Category__c, "Damaged Product"),
ISPICKVAL(Support_Category__c, "Return & Replacement")
),
ISBLANK(Related_Order__c)
) | | |
| Error Message | A related TaleDates order is required for this support category. | Error Location | Related Order |
| Description | Requires a TaleDates order to be linked when the support case concerns shipping, damage, returns, or replacements. | | |
| Created By | naif.almalki, 8/20/2026, 12:18 PM | Modified By | naif.almalki, 8/20/2026, 12:18 PM |

EditClone

E22. Related Order validation rule configuration.

Case Field History

[Help for this Page](#)

This page allows you to select the fields you want to track on the Case History related list. Whenever a user modifies any of the fields selected below, the old and new field values are added to the History related list as well as the date, time, nature of the change, and user making the change. Note that multi-select picklist and large text field values are tracked as edited; their old and new field values are not recorded.

Save

Cancel

Deselect all fields

Track old and new values

Account Name

☐

Business Hours

☐

Case Owner

☐

Case Source

☐

Contact Name

☐

Entitlement Name

☐

Escalation Reason

☐

Potential Liability

☐

Product

☐

Related Order

☒

SLA Violation

☐

SLA Policy Start Time

☐

Stopped

☐

Support Category

☒

Asset

☐

Case Origin

☐

Case Reason

☐

Closed When Created

☐

Engineering Req Number

☐

Escalated

☐

Parent Case

☐

Priority

☒

Product

☐

Replacement Requested

☐

Service Contract

☐

Status

☒

Subject

☐

Type

☐

Track changes only

AI Summary

☐

Description

☒

Damage Details

☐

Save

Cancel

E23. Case Field History Tracking configuration.

▼ Case Information

Case Owner

 [naif almalki](#)



Status

New



Case Number

00001027

Priority

High



Contact Name



Contact Phone

Account Name

[Mohammed Alqahtani](#)



Contact Email

Type



Case Origin

Email



Case Reason



Support Category

Order & Shipping



Related Order

[TD-1002](#)



Escalation Reason

High priority case requires immediate attention



E24. Case Information example with support category, related order, and escalation reason.

| | | | | | |
|---|---|---------------------|----------------------|--------------------------|----------------|
| SETUP > OBJECT MANAGER
TaleDates Order | | | | | |
| Details | Fields & Relationships
12 Items, Sorted by Field Label | | | | |
| Fields & Relationships | <div> <input type="text" value="Q Quick Find"/> New Deleted Fields Field Dependencies Set History Tracking </div> | | | | |
| Page Layouts | FIELD LABEL | FIELD NAME | DATA TYPE | CONTROLLING FIELD | INDEXED |
| Lightning Record Pages | Created By | CreatedById | Lookup(User) | | |
| Buttons, Links, and Actions | Customer | Customer__c | Lookup(Account) | | ✓ |
| Compact Layouts | Customer Contact | Customer_Contact__c | Lookup(Contact) | | ✓ |
| Field Sets | Last Modified By | LastModifiedById | Lookup(User) | | |
| Object Limits | Order Date | Order_Date__c | Date | | |
| Record Types | Order Number | Name | Text(80) | | ✓ |
| Related Lookup Filters | Owner | OwnerId | Lookup(User,Group) | | ✓ |
| Restriction Rules | Product Summary | Product_Summary__c | Long Text Area(1000) | | |
| Scoping Rules | Shipping City | Shipping_City__c | Text(80) | | |
| Object Access | Status | Status__c | Picklist | | |
| Field Access | Total Amount | Total_Amount__c | Currency(18, 0) | | |
| Triggers | Tracking Number | Tracking_Number__c | Text(50) | | |
| Flow Triggers | | | | | |
| Validation Rules | | | | | |
| Conditional Field Formatting | | | | | |

E25. TaleDates Order custom fields and relationships.

| Case | | | | |
|------------------------------|---|-------------------------|---|---|
| Case | | | | |
| Details | Fields & Relationships | | | |
| | 48 Items, Sorted by Field Label | | | |
| | <input type="text" value="Q, Quick Find"/> <input type="button" value="New"/> <input type="button" value="Deleted Fields"/> <input type="button" value="Field Dependencies"/> <input type="button" value="Set History Tracking"/> | | | |
| Fields & Relationships | | | | |
| Case Page Layouts | Internal Comments | Comments | Text Area(4000) | |
| Case Close Page Layouts | Escalation Reason | Escalation_Reason__c | Text(255) | |
| Lightning Record Pages | Escalated | IsEscalated | Checkbox | |
| Buttons, Links, and Actions | Entitlement Name | EntitlementId | Lookup(Entitlement) | ✓ |
| Compact Layouts | Engineering Req Number | EngineeringReqNumber__c | Text(10) | |
| Field Sets | Description | Description | Long Text Area(2000) | |
| Object Limits | Date/Time Opened | CreatedDate | Date/Time | ✓ |
| Record Types | Date/Time Closed | ClosedDate | Date/Time | ✓ |
| Related Lookup Filters | Damage Details | Damage_Details__c | Long Text Area(1000) | |
| Search Layouts | Created By | CreatedById | Lookup(User) | |
| List View Button Layout | Contact Phone | ContactPhone | Phone | |
| Hierarchy Columns | Contact Name | ContactId | Lookup(Contact) | ✓ |
| Scoping Rules | Contact Mobile | ContactMobile | Phone | |
| Object Access | Contact Fax | ContactFax | Phone | |
| Field Access | Contact Email | ContactEmail | Email | |
| Triggers | Closed When Created | IsClosedOnCreate | Checkbox | |
| Flow Triggers | Case Source | SourceId | Lookup(Email Message Messaging Session) | ✓ |
| Validation Rules | Case Reason | Reason | Picklist | |
| Conditional Field Formatting | Case Owner | OwnerId | Lookup(User,Group) | ✓ |
| | Case Origin | Origin | Picklist | |
| | Case Number | CaseNumber | Auto Number | ✓ |
| | Business Hours | BusinessHoursId | Lookup(Business Hours) | |
| | Asset | AssetId | Lookup(Asset) | ✓ |
| | AI Summary | AI_Summary__c | Long Text Area(2000) | |
| | Account Name | AccountId | Lookup(Account) | ✓ |


E26. Case fields and relationships - part 1.

SETUP > OBJECT MANAGER

Case

| | | | | |
|-----------------------------------|--|--------------------------|--------------------------|--------------------|
| Details | Fields & Relationships
48 Items, Sorted by Field Label | | | |
| Fields & Relationships | FIELD LABEL | FIELD NAME | DATA TYPE | CONTROLLING |
| Case Page Layouts | Web Phone | SuppliedPhone | Text(40) | |
| Case Close Page Layouts | Web Name | SuppliedName | Text(80) | |
| Lightning Record Pages | Web Email | SuppliedEmail | Email | |
| Buttons, Links, and Actions | Web Company | SuppliedCompany | Text(80) | |
| Compact Layouts | Type | Type | Picklist | |
| Field Sets | Support Category | Support_Category__c | Picklist | |
| Object Limits | Subject | Subject | Text(255) | |
| Record Types | Stopped Since | StopStartDate | Date/Time | |
| Related Lookup Filters | Stopped | IsStopped | Checkbox | |
| Search Layouts | Status | Status | Picklist | |
| List View Button Layout | SLA Violation | SLAViolation__c | Picklist | |
| Hierarchy Columns | SLA Policy Start Time | SlaStartDate | Date/Time | |
| Scoping Rules | SLA Policy End Time | SlaExitDate | Date/Time | |
| Object Access | Service Contract | ServiceContractId | Lookup(Service Contract) | |
| Field Access | Replacement Requested | Replacement_Requested__c | Checkbox | |
| Triggers | Related Order | Related_Order__c | Lookup(TaleDates Order) | |
| Flow Triggers | Product | ProductId | Lookup(Product) | |
| Validation Rules | Product | Product__c | Picklist | |
| Conditional Field Formatting | Priority | Priority | Picklist | |

E27. Case fields and relationships - part 2.



E28. TaleDates Support Home with dashboard and recently viewed cases.