

TaleDates Customer Support Solution

Deployment, Maintenance, Troubleshooting & Responsible AI

1. Deployment Strategy

The TaleDates Customer Support solution was developed and validated in a Salesforce Developer Edition environment. Before deployment to a production environment, all configuration and custom components should be reviewed, tested, and transferred in a controlled sequence to preserve component dependencies and reduce deployment risk.

Proposed Deployment Sequence

1. Data Model

- TaleDates Order custom object.
- Custom fields and relationships.
- Case custom fields, including Support Category, Related Order, Damage Details, Replacement Requested, Escalation Reason, and AI Summary.

2. Security Configuration

- TaleDates Customer Support Agent profile.
- TaleDates Support Agent permission set.
- Organization-Wide Defaults.
- Role hierarchy and required access settings.

3. Business Logic and Automation

- Validation rules.
- Screen Flow for creating support cases.
- Autolaunched Flow for retrieving TaleDates order information.
- Record-Triggered Flow for high-priority case escalation.

4. User Interface

- TaleDates Support Workspace.
- Lightning Home Page.
- Custom Case Lightning Record Page.
- Dynamic Forms and component visibility.

- TaleDates Order Snapshot Lightning Web Component.

5. Analytics

- TaleDates support reports.
- TaleDates Support Dashboard.

6. Agentforce

- TaleDates Support Assistant.
- Agent Router.
- Order Status & Shipping subagent.
- Product Information subagent.
- Returns & Damaged Orders subagent.
- Ambiguous Question handling.
- Off Topic handling.
- Get TaleDates Order Information action.

After deployment, the required Flows and Agentforce version should be activated, the required permission sets should be assigned to the appropriate users, and a final smoke test should be performed.

Pre-Deployment Validation

Before production deployment:

- Confirm that all required metadata is included.
- Verify field API names and relationships.
- Confirm that all required Flows are active and error-free.
- Verify permission sets and object access.
- Confirm that the Agentforce action is connected to the correct active Flow.
- Run the approved UAT scenarios.
- Ensure that no real customer-sensitive test data is included.

Rollback Strategy

If a deployment causes unexpected behavior, the affected automation or Agentforce version can be deactivated while the previous stable configuration is restored. Salesforce versioning for Flows and Agentforce helps reduce the risk of permanent changes and allows the team to return to a previously tested version.

2. Maintenance & Monitoring

The TaleDates Customer Support solution should be maintained through periodic reviews of automation, security, data quality, reporting, and Agentforce behavior.

Key maintenance activities include:

- Reviewing failed or unexpected Flow executions.
- Testing Agentforce after changes to prompts, actions, Flows, or Salesforce fields.
- Reviewing permission sets and role assignments when user responsibilities change.
- Monitoring Case History to audit important changes to support records.
- Reviewing validation rules when business processes change.
- Updating dashboard filters and reports as support requirements evolve.
- Verifying that TaleDates Order records remain accurate because Agentforce relies on them as the source of truth.
- Creating and testing a new Agentforce version before replacing the currently active version.

Any major change should pass the same UAT process used during the initial implementation before it is activated.

3. Troubleshooting Approach

A structured troubleshooting approach is used to identify issues across Agentforce, Flows, Lightning components, security, and analytics.

Issue	Troubleshooting Approach
Agentforce does not return an order	Verify that the order exists, the order number is correct, the Flow is active, and the action is connected to the Order Status & Shipping subagent.
Agentforce selects the wrong topic	Review the Agent Router instructions and subagent descriptions.
Order Flow returns no data	Verify the TaleDates Order record and the Name value used by the Get Records element.
LWC displays “No TaleDates order is linked to this case”	Confirm that the Case has a valid Related Order lookup value.
LWC fails to display fields	Verify field API names and user field/object permissions.
Damage section does not appear	Verify that Support Category is set to Damaged Product and confirm the Dynamic Forms visibility conditions.
Escalation Reason is not populated	Verify that the Record-Triggered Flow is active and that the Case meets the High Priority condition.
Validation Rule prevents saving	Confirm that order-related support categories have a Related Order selected.

Issue	Troubleshooting Approach
Dashboard displays no data	Run the underlying report, review its filters, save the report, and refresh the dashboard.
User cannot access a record	Review the Profile, Permission Set, Organization-Wide Defaults, Role Hierarchy, and record ownership.

4. Einstein Trust Layer & Responsible AI

The Agentforce implementation was designed to follow responsible AI and Salesforce trust principles. The solution reduces the risk of inaccurate or unauthorized responses by grounding order-related answers in Salesforce records instead of allowing the AI agent to generate order information independently.

The following controls were implemented:

Grounded Responses

TaleDates Order records are treated as the source of truth for order status, tracking information, shipping city, product information, and total amount.

Hallucination Prevention

The Order Status & Shipping subagent is explicitly instructed not to invent order numbers, tracking information, customer information, order status, or delivery information.

Invalid Order Handling

When no matching order exists, the underlying Flow follows a dedicated Order Not Found path rather than generating estimated or fabricated information.

Least-Privilege Access

Support users have read access to TaleDates Orders but do not receive Create, Edit, Delete, View All, or Modify All permissions.

Private Record Access

Organization-Wide Defaults for Cases and TaleDates Orders are configured as Private.

Auditability

Field History Tracking is enabled on selected Case fields to preserve a history of important changes.

Human-Controlled Configuration

Changes to Agentforce are versioned and tested before activation.

Data Minimization

The order lookup action returns only the information required for the support scenario instead of exposing unnecessary Salesforce data.

The project relies on Salesforce platform-level trust and security capabilities in addition to these application-level controls. No separate custom Einstein Trust Layer policy was configured as part of this capstone project.