Knowledge Transfers

- **Note: google drive for KT-docs, mp4's, …**
  https://drive.google.com/drive/folders/1h5GMguBbjGWWe-m01siuC5B57Til1D2j

- **Pacific Catalogs**
  - Revisions etc
    - product catalogs
      - English, German

    - content catalogs
      - English, German

- **Daily reindexer**
  - Reindex catalogs via dataconnect
    - To ensure Discovery algo pipeline runs
  - Runs on GCP (vm0) via crontab

- **Traffic Generator**
  - Reindex catalog for specific accounts
  - Generate traffic (analytics data) for Discovery
    - Does not generate Engagement events
      - There is no headless 'SDK' yet

- **"other" projects**
  - Simpler projects
    - 'Reviews' generator
      - Needed by Clarity to generate product-reviews data
    - discovery->engagement 'converter'
      - given .jsonl, generate engagement style .tsv/.csv
      - now, mainly needed when some partner/customer provides their .jsonl and needs .tsv

- **OLD 'unique' projects**
  - Simulate analytics data for PacificSupply
    - Created 3-4 years ago using third-party analytics data
    - Always 'kept-on-backburner' since analytics/insights 'not-needed-by-SCs'

- **Miscellaneous**
  - RTS configuration - cheat sheet, steps, 'gotcha's'
    - RTS requires latest brTrk is deployed
      - A script to do that is in gdrive

- **Deployments**
  - **Google Cloud (GCP)**
    - video (gdrive)
      https://drive.google.com/file/d/1mimwER2gizY0ozahqvKk7W7iDFT7A4gO/view?usp=sharing
      Passcode: Cu%zgm3&

- Two ‘vms’
  - vm0, vm2
  - these could be combined into a single vm but defer’d due to cost considerations
  - OS: debian / linux (default)

- Access
  - install and init ‘gcloud’ on your local m/c (google’s cloud CLI) (uses python)
    https://docs.cloud.google.com/sdk/gcloud
    https://docs.cloud.google.com/sdk/docs/install-sdk

  - gcloud dashboard, vm’s, … (via browser)
    https://console.cloud.google.com/welcome?project=aesthetic-frame-415521
    — you may need to ask prodops to set up your permissions to access this project

  - firewall rules (set via console.cloud.google.com)
    — set your own external-ip-address so that your SSH access will go through:
    https://console.cloud.google.com/net-security/firewall-manager/firewall-policies/details/default-allow-ssh?project=aesthetic-frame-415521&walkthrough_id=vertex-ai--workbench--user-managed--create-user-managed-notebooks-instance-console-quickstart

  - from your local m/c, using gcloud CLI:
  - sample gcloud command to login to vm0 (login: demoeng)

gcloud compute ssh demoeng@demo-engineering-vm0 --zone us-central1-a --project aesthetic-frame-415521

- password: <SECRET>
- vm0 (used for reindexer)
  - OS: debian/linux (‘amd’ architecture — ie, x86)
  - ‘Docker’ to run reindexer scripts
- vm2 (user traffic generator)
  - OS: debian/linux (‘amd’ architecture — ie, x86)
  - ‘Docker’ to run traffic generator ‘release’ version
    - To test ‘modified’ (not-yet-released) version of traffic generator
      - Run specific shell scripts (installed in vm2)

- Typical ‘process’ I have used in the past:
  - generate docker image on local m/c (for reindexer and traffic generator)
  - save the docker image as a tar file, compatible for debian/linux amd format
    - a ‘dockerizer’ shell script exists to do this
  - upload the .tar to appropriate vm
    - use gcloud ‘scp’ command to upload the file
    - example scp command to upload to vm0

gcloud compute scp --zone “us-central1-a" <local-file-name> “demo-engineering-vm0":~/uploads

  - on the VM, load docker image
    - then use docker commands to list images/containers etc
- daily execution on the vm
  - ‘crontab’ is configured on each vm

- for traffic generator on vm2:
    - traffic generation for separate accounts starts after 5-min delay between each

- VM monitor
  - manually
  - use Sysdig tool to view traffic
  - use tools->CMUI to check catalogs are indexed as expected
  - view tools->Event alerts/diagnostics to view analytics traffic/data
  - monitoring COULD be automated but, in case of 'failure' remedy will need manual investigation and fixes as needed

Deployment - AWS Images

- video link
  https://drive.google.com/file/d/1hTbPLm5qb76NwZ_Y9yj5gLH1LgiPGbZj/view?usp=sharing
  Passcode: t#vC3St=

- All product images are stored in AWS
  - Its 'cloudflare' provides https access to those image
  - those urls are then configured in product (and their variant) images
  - Accessing AWS folder for demo catalog images:

    - download AWS 'cli' (aws)
    - link: https://docs.aws.amazon.com/cli/latest/userguide/getting-started-install.html
    - configure profile info in ~/.aws folder
    - ~/.aws/config and ~/.aws/credentials
    - document link: https://docs.aws.amazon.com/cli/latest/reference/s3/

    - Configure cli on local m/c
    - "~/.aws/config":
      [default]
      region = us-east-1
    - "~/.aws/credentials:
      [bloomreach-demo_main]
      aws_access_key_id = <SECRET KEY>
      aws_secret_access_key = <SECRET_ACCESS_KEY>
    - sample commands:
      Note: the 'profile' is what is defined in the ~/.aws/credentials file
      <list folder>
      aws --profile bloomreach-demo_main s3 ls s3://pacific-demo-data.bloomreach.cloud/