



ACCELIO™

E-Ticket Sample

This sample shows the presentment of a travel document.

The document consists of

- a cover page (this one)
- itinerary information, reference and date and a repeating group of flight info
- a customs page
- a medical information page
- accommodation information, guest info and a repeating group of hotel info
- a boarding pass for each flight.

This sample demonstrates the creation of a dynamic document with portions printed in **Landscape** orientation and portions printed in **Portrait** orientation.

This sample also demonstrates the use of **binding strips** along certain page edges which work nicely with a Hewlett Packard® BindJet printer. The density of toner in the strip determines the degree of bind.

Information presented in **Red** provides an explanation of how this sample works.

Data field values that are bolded are global values and are likely utilized on multiple pages.

This cover page is produced using a full page subform [COVERPAGE] on a portrait foundation page [JFMAINPORT]. The triggering event is the field event !FldNotAvail for REFERENCE_NUMBER.

The data is structured in groups - REFERENCE, ISSUE, FLIGHT, CUSTOMS, MEDICAL, ACCOMODATIONS, HOTEL, TICKET.

The Custom Property [JFPREAMBLE] contains valuable information about this solution.

E-Ticket



ACCELIO™

Flight Reference	Accommodation Reference	Issue Date	Items In this package	
ET7514800	R5639	10/26/2001	2	• Airline Itinerary
<div>Mustard</div>			1	• U.S. Customs Form
			1	• Medical Declaration
			0	• Transfer Information
			3	• Accommodation Information
			5	• Boarding Passes
Last Name	First Name	Initial		
Mustard	Terry	A		

The Accelio network was formed to better meet the needs of frequent international travellers. That is why we offer you, as an Accelio Gold or Silver member, worldwide status and privileges, a seamless experience, and convenient global access. Along with our consistent focus on safety and security, we provide tangible benefits every time you travel with an Accelio network carrier.

E-Ticket Itinerary



ET7514800

Issued By: Far Flights Travel

Issued Date: 10/26/2001

Reference Number: ET7514800

This subform [ITINERARY] is a heading for the page and contains a global field (bar code). It is activated as part of the !BOF event for group FLIGHT. This header subform will appear on all flight pages.

This subform [ISSUE] has the global attribute set for all fields. It will be triggered by a !FldNotAvail event associated with ISSUED_BY and as part of bottom of page (!BOF) for the flight subform.

Description: Chicago IL To Los Angeles CA

Flight: 2335

Departs: 7:15 AM **Arrives:** 8:35 AM

Airline: AmerAir

Date: 11/26/2001

Gate: 34 **Terminal:** D

This subform [FLIGHT] is invoked by the presence of the field LEG_DESC in the data stream as a !FldNotAvail or !FldUsed event.

Description: Los Angeles CA To Sydney Australia

Flight: 1223

Departs: 9:30 AM **Arrives:** 12:30 PM

Airline: South Pacific Airlines

Date: 11/27/2001

Gate: 12 **Terminal:** C

This subform [FLIGHT] is invoked by the presence of the field LEG_DESC in the data stream as a !FldNotAvail or !FldUsed event.

Description: Sydney Australia to Auckland New Zealand

Flight: 6534

Departs: 1:45 PM **Arrives:** 8:55 PM

Airline: South Pacific Airlines

Date: 12/12/2001

Gate: N/A **Terminal:** N/A

This subform [FLIGHT] is invoked by the presence of the field LEG_DESC in the data stream as a !FldNotAvail or !FldUsed event.

E-Ticket Itinerary



ET7514800

Issued By: Far Flights Travel

Issued Date: 10\26\2001

Reference Number: ET7514800

This subform [ITINERARY] is a heading for the page and contains a global field (bar code). It is activated as part of the !BOF event for group FLIGHT. This header subform will appear on all flight pages.

This subform [ISSUE] has the global attribute set for all fields. It will be triggered by a !FldNotAvail event associated with ISSUED_BY and as part of bottom of page (!BOF) for the flight subform.

Description: Auckland New Zealand to Los Angeles CA

Flight: 2391

Departs: 10:00 AM **Arrives:** 6:35 aM

Airline: South Pacific Airlines

Date: 12/27/2001

Gate: 34 **Terminal:** N/A

This subform [FLIGHT] is invoked by the presence of the field LEG_DESC in the data stream as a !FdNotAvail or !FldUsed event.

Description: Los Angeles CA to Chicago IL

Flight: 3445

Departs: 12:35 PM **Arrives:** 5:00 PM

Airline: AmerAir

Date: 12/28/2001

Gate: 27 **Terminal:** D

This subform [FLIGHT] is invoked by the presence of the field LEG_DESC in the data stream as a !FdNotAvail or !FldUsed event.

WELCOME TO THE UNITED STATES

DEPARTMENT OF THE TREASURY
UNITED STATES CUSTOMS SERVICE

CUSTOMS DECLARATION

Each arriving traveler or responsible family member must complete the declaration. Only ONE written declaration per family is required.

This full page subform [CUSTOMS] will be placed on a portrait foundation page [JFMAINPORT]. The triggering event is a !FldNotAvail event for field Birth_Date. The event triggers subform CUSTOMS that has a reserve attribute that in turn causes the !BOF event. The foundation page is invoked and a binding strip subform is placed along the left edge. This subform is then placed on the page.

1. Family Name	2. First (Given) Name	3. Middle Initial
Mustard	Terry	A
4. Country of Citizenship	5. Country of Residence	6. Date of Birth yy/mm/dd
United States	United States	03/15/1985
7. Number of Family Members Traveling	8. Airline Flight Number or Vessel Name or Vehicle	
1	South	
9. U.S. Address (Street No., Street, and Unit No.)		
560 Rochester Street		
10. City	11. State	12. Zip Code
Chicago	IL	33567-1890
13. Countries visited on this trip prior to arrival in U.S.		
a. Australia	c.	
b. New Zealand	d.	
14. The purpose of my (our) trip was		
<input type="radio"/> Business <input type="radio"/> Pleasure		
Declaration of goods		
15. I am (We are) bringing fruits, plans, meats, food, soil, birds, snails, other live animals, wildlife products, farm products; or, have been on a farm or ranch outside the U.S.:		<input type="radio"/> Yes <input type="radio"/> No
16. I am (We are) carrying currency or monetary instruments over \$10,000 U.S. or foreign equivalent:		<input type="radio"/> Yes <input type="radio"/> No
17. I (We) have commercial merchandise, U.S. or foreign:		<input type="radio"/> Yes <input type="radio"/> No
18. The total value of all goods, including commercial merchandise, I (we) have purchased or acquired abroad and am (are) bringing into the U.S. is:		

Signature _____ Date _____

Confirmation DS763389



Accommodations



R5639

This subform [ACCOMHDR] is a heading for the page and contains a global field (bar code). It is activated as part of the !BOF events associated with the next two subforms

Guest Name: Mustard
Terry

Guest Address: 560 Rochester Street
Chicago, IL
33567-1890

Reference: R5639

Broker: Accelio Hotel

This subform [ACCOMODATIONS] has the global attribute set for all fields. It will be invoked as part of the !FldNotAvail event when field RESERVATION_BROKER is encountered and as part of the !BOF event associated with the following subform.

Reservation Number: H2364567

Hotel Address: LAX Airport Inn
2767 Embassy Dr Los
Angeles CA 92617

Hotel Phone: 1-800-555-9977

Room Type: Deluxe King
Non-Smoking

Arrival: 11/26/01
Departure: 11/27/01
Number of Nights: 1

This subform [HOTEL] is invoked by the field events !FldNotAvail and !FldUsed associated with field RESERVATION_NUMBER.

Reservation Number: GG36467

Hotel Address: Sydney Seaside Hotel
257 Woolongong Road
Sydney Australia

Hotel Phone: 01-41-1-2565-9977

Room Type: Deluxe King
Non-Smoking

Arrival: 11/29/01
Departure: 12/12/01
Number of Nights: 13

This subform [HOTEL] is invoked by the field events !FldNotAvail and !FldUsed associated with field RESERVATION_NUMBER.

Accommodations



R5639

This subform [ACCOMHDR] is a heading for the page and contains a global field (bar code). It is activated as part of the !BOF events associated with the next two subforms

Guest Name:	Mustard Terry
Guest Address:	560 Rochester Street Chicago, IL 33567-1890

Reference:	R5639
Broker:	Accelio Hotel

This subform [ACCOMODATIONS] has the global attribute set for all fields. It will be invoked as part of the !FldNotAvail event when field RESERVATION_BROKER is encountered and as part of the !BOF event associated with the following subform.

Reservation Number:	28K236
Hotel Address:	Auckland Inn 3200 Cook Dr Auckland New Zealand 23B 782
Hotel Phone:	01-42-1-8745-9237

Room Type:	Deluxe King Smoking
Arrival:	12/12/01
Departure:	12/26/01
Number of Nights:	14

This subform [HOTEL] is invoked by the field events !FldNotAvail and !FldUsed associated with field RESERVATION_NUMBER.

Reservation Number:	278F54
Hotel Address:	Auckland Airporter 2779 Airport Road Auckland New Zealand
Hotel Phone:	01-42-1-8005-9977

Room Type:	Deluxe King Non-Smoking
Arrival:	12/26/01
Departure:	12/27/01
Number of Nights:	1

This subform [HOTEL] is invoked by the field events !FldNotAvail and !FldUsed associated with field RESERVATION_NUMBER.

Accommodations



R5639

This subform [ACCOMHDR] is a heading for the page and contains a global field (bar code). It is activated as part of the !BOF events associated with the next two subforms

Guest Name: Mustard
Terry

Guest Address: 560 Rochester Street
Chicago, IL
33567-1890

Reference: R5639

Broker: Accelio Hotel

This subform [ACCOMODATIONS] has the global attribute set for all fields. It will be invoked as part of the !FldNotAvail event when field RESERVATION_BROKER is encountered and as part of the !BOF event associated with the following subform.

Reservation Number: H2364567

Hotel Address: LAX Airport Inn
2767 Embassy Dr Los
Angeles CA 92617

Hotel Phone: 1-800-555-9977

Room Type: Deluxe King
Non-Smoking

Arrival: 12/27/01
Departure: 12/28/01
Number of Nights: 1

This subform [HOTEL] is invoked by the field events !FldNotAvail and !FldUsed associated with field RESERVATION_NUMBER.

E-Ticket

Boarding Pass


<div>Passenger</div> <div>TerryMustard</div>	<div>Flight Date</div> <div>12/28/2001</div>		
<div>Frequent Flyer Number</div> <div>DD27872</div>	<div>Flight</div> <div>AmerAir3445</div>		
<div>From</div> <div>Los Angeles CA</div>	<div>Departure Time</div> <div>12:35 PM</div>		
<div>Destination</div> <div>Chicago IL</div>	<div>Gate</div> <div>D-27</div>	<div>Seat</div> <div>4C</div>	<div>Class</div> <div>J</div>

This header subform [BOARDING] will fit one to a page. The subform was defined as *always start a new page*. It represents a boarding pass. The subform will be placed on the foundation page JFMAINLAND - in a landscape orientation. The triggering mechanisms are the field events !FldNotAvail and !FldUsed associated with the first data element in the data group (Flight_date). The system generated field events cause a group event to fire. The group event has a reserve clause on it that reserves the whole page. This forces a !BOF event - thus activating a new page.

Thank you for choosing

Accelio

(00) 2 0011228 344504C



E-Ticket

Boarding Pass


<div>Passenger</div> <div>TerryMustard</div>	<div>Flight Date</div> <div>12/27/2001</div>		
<div>Frequent Flyer Number</div> <div>893DD23</div>	<div>Flight</div> <div>South Pacific2391</div>		
<div>From</div> <div>Auckland New Zealand</div>	<div>Departure Time</div> <div>10:00 AM</div>		
<div>Destination</div> <div>Los Angeles CA</div>	<div>Gate</div> <div>A-32</div>	<div>Seat</div> <div>1A</div>	<div>Class</div> <div>J</div>

This header subform [BOARDING] will fit one to a page. The subform was defined as *always start a new page*. It represents a boarding pass. The subform will be placed on the foundation page JFMAINLAND - in a landscape orientation. The triggering mechanisms are the field events !FldNotAvail and !FldUsed associated with the first data element in the data group (Flight_date). The system generated field events cause a group event to fire. The group event has a reserve clause on it that reserves the whole page. This forces a !BOF event - thus activating a new page.

Thank you for choosing

Accelio

(00) 2 0011227 239101A



E-Ticket

Boarding Pass


Passenger Terry Mustard	Flight Date 12/12/2001		
Frequent Flyer Number 893DD23	Flight South Pacific 6534		
From Sydney Australia	Departure Time 1:45 PM		
Destination Auckland New Zealand	Gate D22	Seat 3D	Class F

This header subform [BOARDING] will fit one to a page. The subform was defined as *always start a new page*. It represents a boarding pass. The subform will be placed on the foundation page JFMAINLAND - in a landscape orientation. The triggering mechanisms are the field events !FldNotAvail and !FldUsed associated with the first data element in the data group (Flight_date). The system generated field events cause a group event to fire. The group event has a reserve clause on it that reserves the whole page. This forces a !BOF event - thus activating a new page.

Thank you for choosing

Accelio

(00) 2 0011212 653403D



E-Ticket

Boarding Pass


<div>Passenger</div> <div>TerryMustard</div>	<div>Flight Date</div> <div>11/27/2001</div>		
<div>Frequent Flyer Number</div> <div>893DD23</div>	<div>Flight</div> <div>South Pacific1223</div>		
<div>From</div> <div>Los Angeles CA</div>	<div>Departure Time</div> <div>9:30 PM</div>		
<div>Destination</div> <div>Sydney Australia</div>	<div>Gate</div> <div>C-12</div>	<div>Seat</div> <div>3A</div>	<div>Class</div> <div>Y</div>

This header subform [BOARDING] will fit one to a page. The subform was defined as *always start a new page*. It represents a boarding pass. The subform will be placed on the foundation page JFMAINLAND - in a landscape orientation. The triggering mechanisms are the field events !FldNotAvail and !FldUsed associated with the first data element in the data group (Flight_date). The system generated field events cause a group event to fire. The group event has a reserve clause on it that reserves the whole page. This forces a !BOF event - thus activating a new page.

Thank you for choosing

Accelio

(00) 2 0011127 122303A



E-Ticket

Boarding Pass

Passenger Terry Mustard	Flight Date 11/26/2001		
Frequent Flyer Number DD27872	Flight AmerAir 2335		
From Chicago IL	Departure Time 7:15 AM		
Destination Los Angeles CA	Gate D-34	Seat 3A	Class Y

This header subform [BOARDING] will fit one to a page. The subform was defined as *always start a new page*. It represents a boarding pass. The subform will be placed on the foundation page JFMAINLAND - in a landscape orientation. The triggering mechanisms are the field events !FldNotAvail and !FldUsed associated with the first data element in the data group (Flight_date). The system generated field events cause a group event to fire. The group event has a reserve clause on it that reserves the whole page. This forces a !BOF event - thus activating a new page.

Thank you for choosing

Accelio

(00) 2 0011126 233503A

