

Adaptive Cruise Control (ACC)

Test Execution Report


Generated 2026-07-20 16:51:48 · 12 test case(s) executed

Execution Summary

Total	Passed	Failed	Missing Value Error	Invalid Value Error
12	10	0	1	1

Pass / Fail / Missing Distribution

Test Execution Result Distribution



Positive (green) · Negative (red) · Missing/Invalid Data (yellow)

Detailed Test Results

TC ID	Row	Description	Action	Expected	Actual	Status	Remarks	Missing Fields	Invalid Fields
TC01	3	Verifying ACC can be activated above minimum operating speed, otherwise ACC activation is rejected	ACC_ON	ACC Activated	ACC Activated	Pass	Vehicle Speed 40 km/h At Or Above Minimum Threshold (25 km/h)	—	—
TC02	4	Verifying that ACC correctly stores the driver-selected speed	SET_SPEED	Set Speed = 80	Set Speed = 80	Pass	Set Speed Stored	—	—
TC03	5	Verifying that ACC maintains the driver's selected speed when the road ahead is clear	Maintain	Vehicle Maintains 80 km/h	Vehicle Maintains 80 km/h	Pass	No Lead Vehicle - Holding Set Speed	—	—
TC04	6	To verify that ACC maintains a safe distance from the vehicle traveling in front.	Maintain	Safe Distance Maintained	Safe Distance Maintained	Pass	Following Distance Within Safe Range	—	—
TC05	7	Verify that ACC is deactivated when the vehicle requests to stop ACC operation	ACC_CANCEL	ACC Deactivated	ACC Deactivated	Pass	Cancel Button Pressed	—	—
TC06	8	Check if ACC turns OFF when the driver presses the CANCEL button	ACC_CANCEL	ACC Deactivated	ACC deactivated	Pass	Cancel Button Pressed	—	—
TC07	9	Check if ACC restores the previously selected speed when the RESUME button is pressed	RESUME	Speed Restored to 80 km/h	Speed Restored to 80 km/h	Pass	Resume Button Pressed	—	—
TC08	10	Verify ACC responds to sudden braking of lead vehicle	Maintain	Emergency Deceleration	Emergency Deceleration	Pass	Critical Distance - Sudden Braking of Lead Vehicle	—	—
TC09	11	Verify that ACC turns	Radar_Failure	ACC Disable, Warning	ACC Disable, Warning	Pass	Radar Signal Lost	—	—

		OFF and displays a warning when a radar or camera sensor failure occurs		Displayed	Displayed				
TC10	12	Verify that ACC updates the selected speed when the driver presses the "+" or "-" button	Accelator	Manual Override	Manual Override	Invalid Value Error	Invalid Value Error: Column 'Driver Action' unrecognized action 'Accelator' (Test Case TC10, Row 12).	—	Driver Action (unrecognized action 'Accelator')
TC11	13	To verify that ACC is automatically disabled when the vehicle ignition is turned OFF.	Ignition_OFF	ACC Disabled	ACC Disabled	Pass	Ignition Off - ACC Disengaged	—	—
TC12	14	Verify that ACC automatically stops and resumes the vehicle in stop-and-go traffic conditions.	Maintain	Vehicle Stops and Resumes	Vehicle Stops and Resumes	Missing Value Error	Missing Value Error: Column 'Lead Vehicle Detected' is empty (Test Case TC12, Row 14).	Lead Vehicle Detected	—

Failed Test Cases

No failed test cases.

Missing Value Errors

TC12 • Row 14

Missing: Lead Vehicle Detected

Details: Missing Value Error: Column 'Lead Vehicle Detected' is empty (Test Case TC12, Row 14).

Invalid Value Errors

TC10 • Row 12

Invalid: Driver Action (unrecognized action 'Accelator')

Details: Invalid Value Error: Column 'Driver Action' unrecognized action 'Accelator' (Test Case TC10, Row 12).