# Motor Trends Analysis

Kushal Kharel

1/13/2021

## Motor Trend Analysis

```
##                    mpg cyl disp  hp drat    wt  qsec vs am gear carb
## Mazda RX4         21.0   6  160 110 3.90 2.620 16.46  0  1    4    4
## Mazda RX4 Wag     21.0   6  160 110 3.90 2.875 17.02  0  1    4    4
## Datsun 710        22.8   4  108  93 3.85 2.320 18.61  1  1    4    1
## Hornet 4 Drive    21.4   6  258 110 3.08 3.215 19.44  1  0    3    1
## Hornet Sportabout 18.7   8  360 175 3.15 3.440 17.02  0  0    3    2
## Valiant           18.1   6  225 105 2.76 3.460 20.22  1  0    3    1
```

```
## 'data.frame':    32 obs. of  11 variables:
##  $ mpg : num  21 21 22.8 21.4 18.7 18.1 14.3 24.4 22.8 19.2 ...
##  $ cyl : num  6 6 4 6 8 6 8 4 4 6 ...
##  $ disp: num  160 160 108 258 360 ...
##  $ hp  : num  110 110 93 110 175 105 245 62 95 123 ...
##  $ drat: num  3.9 3.9 3.85 3.08 3.15 2.76 3.21 3.69 3.92 3.92 ...
##  $ wt  : num  2.62 2.88 2.32 3.21 3.44 ...
##  $ qsec: num  16.5 17 18.6 19.4 17 ...
##  $ vs  : num  0 0 1 1 0 1 0 1 1 1 ...
##  $ am  : num  1 1 1 0 0 0 0 0 0 0 ...
##  $ gear: num  4 4 4 3 3 3 3 4 4 4 ...
##  $ carb: num  4 4 1 1 2 1 4 2 2 4 ...
```

Correlation coefficients between mpg & other variables.

```
##   cyl  disp    hp  drat    wt  qsec    vs    am  gear  carb
## -0.85 -0.85 -0.78  0.68 -0.87  0.42  0.66  0.60  0.48 -0.55
```

Scatterplot showing relationship between all variables




Lets create factor variables of automatic and manual and find the mean mpg between Automatic and Manual Transmission

```
## [1] 17.14737 24.39231
```

We can see that Manual transmission gives better mileage on average than automatic transmission

Let's look at the boxplot of MPG against Transmission.

```
## Warning: package 'ggplot2' was built under R version 4.0.3
```

```
##
## Attaching package: 'ggplot2'
```

```
## The following objects are masked from 'package:psych':
##
##     %+%, alpha
```




Now let's perform hypothesis testing. Null Hypothesis : There is no difference in MPG for different transmission. Alternative : There is a difference in MPG for different transmission.

```
## [1] 0.001373638
```

Since our p-value is really small at 95% CI, we reject null hypothesis and conclude that alternative is true.

Let's verify it by fitting regression. Since we are interested in knowing which transmission is better, we can fit the regression model against mpg.

```
##
## Call:
## lm(formula = mpg ~ am, data = mtcars)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -9.3923 -3.0923 -0.2974  3.2439  9.5077
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   17.147      1.125  15.247 1.13e-15 ***
## amManual       7.245      1.764   4.106 0.000285 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4.902 on 30 degrees of freedom
```

```
## Multiple R-squared:  0.3598, Adjusted R-squared:  0.3385
## F-statistic: 16.86 on 1 and 30 DF,  p-value: 0.000285
```

The coefficient shows us that with manual transmission, mpg increases by 7.245.We can also see that our p-value is very small which suggests that our result is significant.However, we can see from our fit that variance is only explained for 36% of our data. So, the coefficients obtained are biased without considering other variables. We know we can better fit the model with multiple variables.We can explain variance of MPG in much better way.Let's try to fit the model with all the variables included.

```
##
## Call:
## lm(formula = mpg ~ ., data = mtcars)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -3.4506 -1.6044 -0.1196  1.2193  4.6271
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept) 12.30337   18.71788   0.657   0.5181
## cyl         -0.11144    1.04502  -0.107   0.9161
## disp         0.01334    0.01786   0.747   0.4635
## hp          -0.02148    0.02177  -0.987   0.3350
## drat         0.78711    1.63537   0.481   0.6353
## wt          -3.71530    1.89441  -1.961   0.0633 .
## qsec         0.82104    0.73084   1.123   0.2739
## vs           0.31776    2.10451   0.151   0.8814
## amManual     2.52023    2.05665   1.225   0.2340
## gear         0.65541    1.49326   0.439   0.6652
## carb        -0.19942    0.82875  -0.241   0.8122
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.65 on 21 degrees of freedom
## Multiple R-squared:  0.869,  Adjusted R-squared:  0.8066
## F-statistic: 13.93 on 10 and 21 DF,  p-value: 3.793e-07
```

Our model is much better but how do we decide which variables to include? We can just run the following code with step function. It will select significant variables by calling lm repeatedly.

```
##
## Call:
## lm(formula = mpg ~ wt + qsec + am, data = mtcars)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -3.4811 -1.5555 -0.7257  1.4110  4.6610
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   9.6178     6.9596   1.382 0.177915
## wt           -3.9165     0.7112  -5.507 6.95e-06 ***
## qsec          1.2259     0.2887   4.247 0.000216 ***
```

```
## amManual      2.9358     1.4109   2.081 0.046716 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.459 on 28 degrees of freedom
## Multiple R-squared:  0.8497, Adjusted R-squared:  0.8336
## F-statistic: 52.75 on 3 and 28 DF,  p-value: 1.21e-11
```

Our fit2 model included wt, qsec and am variables which explained the variance of mpg for 85% of our data. So, car weight and acceleration must be present to study the effect of transmission on mpg

Let's compare the models

```
## Analysis of Variance Table
##
## Model 1: mpg ~ am
## Model 2: mpg ~ cyl + disp + hp + drat + wt + qsec + vs + am + gear + carb
## Model 3: mpg ~ wt + qsec + am
##   Res.Df    RSS Df Sum of Sq      F    Pr(>F)
## 1     30 720.90
## 2     21 147.49  9    573.40 9.0711 1.779e-05 ***
## 3     28 169.29 -7    -21.79 0.4432    0.8636
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Let's look at residual plot.