





UTILITY NOTES:

UTILITY CROSSINGS

8" COMBINED SEWER UNDER GAS MAIN

*GC SHALL POTHOLE GAS MAIN AT STORM

NOTE: WATER AND SEWER CROSSINGS SHALL MEET STATE EPA SEPARATION AND PIPE MATERIAL

REQUIREMENTS. (SEE DETAIL SHEET)

FRAME AND GRATE

NEENAH R-2502-C

NEENAH R-2502-C

NEENAH R-2502-C

NEENAH R-1772

CLOSED LID

CROSSING PRIOR TO CONSTRUCTION

1 B/P GAS = 603.8± T/P ST = 601.26

STORM MANHOLE TABLE

MH-1 72" | PRECAST CONCRETE OUTLET | (2) NEENAH R-1772

W/ 1' DIA. OPEN BOTTOM

W/ 1' DIA. OPEN BOTTOM

BAFFLE WALL

24" PRECAST CONCRETE

24" | PRECAST CONCRETE

INL-2 24" | PRECAST CONCRETE

INL-5 24" PRECAST CONCRETE

DETAILS AND SPECIFICATIONS.

CONTROL STRUCTURE WITH | CLOSED LID

1. REFER TO SHEET 12-CONSTRUCTION DETAILS FOR NYOPLAST CONSTRUCTION

2. CLEANOUTS IN PAVEMENT SHALL HAVE PANELLA-TYPE HEAVY DUTY LID

MANHOLE | SIZE

LABEL (IN.)

INL-4

ALL UTILITY DIMENSIONS ARE TO CENTER OF PIPE OR CENTER OF STRUCTURE UNLESS OTHERWISE NOTED.

SCALE: 1"=20'

- BUILDING DIMENSIONS AND ADJACENT UTILITY LAYOUT HAVE BEEN PREPARED BASED UPON ARCHITECTURAL INFORMATION CURRENT AT THE DATE OF THIS DRAWING. SUBSEQUENT ARCHITECTURAL CHANGES MAY EXIST. THEREFORE CONTRACTOR SHALL REFER TO ARCHITECTURAL PLANS FOR PRECISE BUILDING DIMENSIONS AND EXACT UTILITY ENTRANCE LOCATIONS AND NOTIFY THE ARCHITECT AND ENGINEER OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- THE CONTRACTOR SHALL CONTACT J.U.L.I.E. (1-800-892-0123) PRIOR TO ANY WORK TO LOCATE UTILITIES AND SHALL CONTACT THE OWNER SHOULD UTILITIES APPEAR TO BE IN CONFLICT WITH THE PROPOSED IMPROVEMENT.
- ROUTING OF GAS, ELECTRIC AND TELEPHONE SERVICES IF SHOWN ARE APPROXIMATE ONLY AND SUBJECT TO CHANGE BASED UPON FINAL REVIEW AND APPROVAL BY RESPECTIVE UTILITY COMPANIES AND OWNER. CONTRACTOR SHALL CONTACT EACH UTILITY COMPANY AND COORDINATE FINAL LOCATIONS FOR ALL UTILITY SERVICES PRIOR TO START OF CONSTRUCTION.
- CONTRACTOR SHALL EXCAVATE AND VERIFY ALL EXISTING SEWER, WATER MAIN AND DRY UTILITY LOCATIONS, SIZES, CONDITIONS & ELEVATIONS AT PROPOSED POINTS OF CONNECTION AND CROSSINGS PRIOR TO ANY UNDERGROUND CONSTRUCTION AND NOTIFY THE OWNER OF ANY DISCREPANCIES OR CONFLICTS.
- LIGHTING AND UNDERGROUND CABLE IF SHOWN ON PLANS ARE FOR APPROXIMATE LOCATION ONLY. REFER TO ARCHITECTURAL PLANS FOR SPECIFICATIONS AND DETAILS.
- . THE CONTRACTOR SHALL ADJUST RIM ELEVATIONS OF ALL EXISTING STRUCTURES TO PROPOSED FINISH GRADES.
- 8. CONTRACTOR TO VERIFY LOCATION, SIZES, AND ELEVATION OF ALL BUILDING SERVICE LOCATIONS WITH ARCHITECTURAL
- 9. AT LOCATIONS WHERE WATER MAIN CROSSES BENEATH OR LESS THAN 18" ABOVE A SEWER, PROVIDE WATER MAIN PROTECTION PER STANDARD SPECIFICATIONS FOR SEWER AND WATER MAIN CONSTRUCTION IN ILLINOIS, LATEST EDITION.
- IN CURB LINE ARE PAVEMENT ELEVATIONS. 11. ALL WATER MAIN SHALL BE 5'-6" BELOW FINISHED GRADE TO

10. ELEVATIONS GIVEN FOR STORM SEWER STRUCTURES LOCATED

- TOP OF MAINS UNLESS NOTED OTHERWISE.
- 2. ALL EXISTING UTILITIES SHOWN ARE NOT TO BE INTERPRETED AS THE EXACT ELEVATION OR LOCATION, OR AS THE ONLY OBSTACLES THAT MAY OCCUR ON THE SITE. CONTRACTOR SHALL VERIFY EXISTING CONDITIONS AND PROCEED WITH CAUTION AROUND ANY ANTICIPATED FEATURES.
- 13. THE UNDERGROUND UTILITY INFORMATION AS SHOWN HERE ON IS BASED, IN PART, UPON INFORMATION FURNISHED BY UTILITY COMPANIES AND THE LOCAL MUNICIPALITY. WHILE THIS INFORMATION IS BELIEVED TO BE RELIABLE, ITS ACCURACY AND COMPLETENESS CANNOT BE GUARANTEED NOR CERTIFIED.
- 14. ALL SANITARY AND STORM SEWER LENGTHS SHOWN ARE CENTER OF MANHOLE TO CENTER OF MANHOLE OR STORM MANHOLE TO FES.
- 15. PROVIDE CONCRETE COLLAR FOR ALL DRAINAGE STRUCTURES IN PAVEMENT, NOT ADJACENT TO CURB. SEE CONCRETE COLLAR DETAIL ON DETAIL SHEET.
- 16. CONTRACTOR SHALL CORE AND BOOT ALL PIPE ENTRANCES
- TO EXISTING SANITARY MANHOLES. 17. EXTERNAL CHIMNEY SEALS ARE REQUIRED ON PROPOSED AND ADJUSTED EXISTING SANITARY MANHOLES.
- 18. SOME EXISTING ITEMS TO BE REMOVED HAVE BEEN DELETED FROM THIS PLAN FOR CLARITY. SEE DEMOLITION PLAN FOR ITEMS DELETED.
- 19. ALL D.I. WATERMAIN FITTINGS SHALL BE WRAPPED.



DEVELOPMEN DOLTON, ILLINOIS PLAN UTILITY OF α VILLAGE

S

ROPO

PROJ. MGR.: TTR

08-05-19 1"=20' SHEET

IU AETDOIL01