










MATERIAL STANDARDS		
ITEM	BRAND	PRODUCT
FIRE HYDRANTS (TRAFFIC MODEL)	MUELLER SUPER CENTURION WATEROUS PACER	A-423 WB-67
GATE VALVES (SPECIFY SIZE NON-RISING STEM, 2" NUT, M.J., OPEN LEFT)	MUELLER (SIZE)	A-2360-20L SERIES 2500
VALVE BOXES 3 PIECE	EAST JORDAN TYLER/UNION	SCREW ADJUSTING EXTENSION TYPE
CURB STOPS (SPECIFY SIZE)	MUELLER FORD	300 BALL VALVE BALL VALVE
CORPORATION VALVE (SPECIFY SIZE)	MUELLER FORD	H-15000 FB600 (W/MW/CC THREAD)
MANHOLES/CATCHBASINS/INLETS IN OPEN AREAS AND PAVEMENT (SELF-SEALING LID WITH PROPER UTILITY MARKINGS)	NEENAH	CLOSED LID R-1772
	OPEN LID *1 SWALES AND DITCHES	R-2502 C R-4340 B
MANHOLES/CATCH BASINS/INLETS IN COMBINATION CURB & GUTTER (BICYCLE SAFE)	NEENAH	R-3501-D2A R-3281A *R-3281-AL
WATER SERVICE SADDLES (ALL SERVICE SADDLES SHALL BE DOUBLE STRAP; BRONZE, NYLON COATED OR STAINLESS STEEL)	MUELLER FORD	DR2S FS 303 # 317
B-BOX (AT LEAST 1 1/4" TOP SECTION) ARCH PATTERN PLUG STYLE LID	FORD MUELLER	EA2 CURB BOX
*1 WHEREVER STORMWATER COULD POSSIBLY ENTER STORM STRUCTURE		
MATERIAL STANDARDS		
S-MS-MATERIALS		



SHOULD A CONFLICT ARISE BETWEEN MANHARD DETAILS AND THE VILLAGE DETAILS, THE VILLAGE DETAILS SHALL TAKE PRECEDENCE.