
Unclipped control, positions 1-5: per-panel maximum, linear gamma=1



Unclipped control, positions 6-10: per-panel maximum, linear gamma=1

Original	NNS native 224 positive support	NNS max-pool 4x4 56 -> 224 bilinear	Grad-CAM native 14x14	full-model IG native 224 positive support	full IG max-pool 4x4 56 -> 224 bilinear	rollout native 14x14	raw CLS attention native 14x14
pos 06 order 275							
pos 07 order 123							
pos 08 order 345							
pos 09 order 138							
pos 10 order 378							

Unclipped control, positions 11-15: per-panel maximum, linear gamma=1

Original
NNS native 224
positive support
NNS max-pool 4x4
56 -> 224 bilinear
Grad-CAM
native 14x14
full-model IG native 224
positive support
full IG max-pool 4x4
56 -> 224 bilinear
rollout
native 14x14
raw CLS attention
native 14x14


pos 11
order 195

pos 12
order 103

pos 13
order 473

pos 14
order 301

pos 15
order 140



Unclipped control, positions 16-20: per-panel maximum, linear gamma=1

Original

NNS native 224
positive support

NNS max-pool 4x4
56 -> 224 bilinear

Grad-CAM
native 14x14

full-model IG native 224
positive support

full IG max-pool 4x4
56 -> 224 bilinear

rollout
native 14x14

raw CLS attention
native 14x14

pos 16
order 340

pos 17
order 126

pos 18
order 436

pos 19
order 51

pos 20
order 449

Unclipped control, positions 21-25: per-panel maximum, linear gamma=1

Original
NNS native 224
positive support
NNS max-pool 4x4
56 -> 224 bilinear
Grad-CAM
native 14x14
full-model IG native 224
positive support
full IG max-pool 4x4
56 -> 224 bilinear
rollout
native 14x14
raw CLS attention
native 14x14

pos 21
order 74

pos 22
order 69

pos 23
order 295

pos 24
order 132



pos 25
order 242

Unclipped control, positions 26-30: per-panel maximum, linear gamma=1

Original | NNS native 224 positive support | NNS max-pool 4x4 56 -> 224 bilinear | Grad-CAM native 14x14 | full-model IG native 224 positive support | full IG max-pool 4x4 56 -> 224 bilinear | rollout native 14x14 | raw CLS attention native 14x14

pos 26 order 30

pos 27 order 163

pos 28 order 318


pos 29 order 262

pos 30 order 58

Unclipped control, positions 31-35: per-panel maximum, linear gamma=1


Original
NNS native 224 positive support
NNS max-pool 4x4 56 -> 224 bilinear
Grad-CAM native 14x14
full-model IG native 224 positive support
full IG max-pool 4x4 56 -> 224 bilinear
rollout native 14x14
raw CLS attention native 14x14

pos 31 order 227
pos 32 order 206
pos 33 order 420
pos 34 order 237
pos 35 order 293




Unclipped control, positions 36-40: per-panel maximum, linear gamma=1



Unclipped control, positions 41-45: per-panel maximum, linear gamma=1

Original
NNS native 224
positive support
NNS max-pool 4x4
56 -> 224 bilinear
Grad-CAM
native 14x14
full-model IG native 224
positive support
full IG max-pool 4x4
56 -> 224 bilinear
rollout
native 14x14
raw CLS attention
native 14x14

pos 41
order 454

pos 42
order 354

pos 43
order 495

pos 44
order 471

pos 45
order 176

Unclipped control, positions 46-50: per-panel maximum, linear gamma=1

