




POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate
















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate


deit_s16 | qkv_V




95% pointwise CI; blue: Holm p <= 0.05 across 11 steps




deit_s16 | residual_attention




95% pointwise CI; blue: Holm p <= 0.05 across 11 steps




deit_s16 | residual_attention





95% pointwise CI; blue: Holm p <= 0.05 across 11 steps





POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate



















POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate














POST-HOC DESCRIPTIVE REANALYSIS | models and sampling groups kept separate

