
React Component:-

React is totally dependent on Component.

```
What is component
Why Use component
Type of component
Create a component
Use a component
```

What is Component:-

- Reuse of the Design interface in multiple place create a Component.
- Ex:-Header, Footer, Navigation component.



Type of Component:-

- 1)Functional Component
- 2)Class Component:-Class component is more powerful compare to Functional Component

Functional vs Class components

Functional

Simple functions

Use Func components as much as possible

Absence of 'this' keyword

Solution without using state

Mainly responsible for the UI

Stateless/ Dumb/ Presentational

Class

More feature rich

Maintain their own private data - state

Complex UI logic

Provide lifecycle hooks

Stateful/ Smart/ Container

How to create Component:-

- Src Folder right click and Home.js.
- Create class component:-

```
import React from 'react'

▲ OPEN EDITORS 1 UNSAVED
    JS App.js src
                    M
                                  export default class Home extends React.Component{
                             3
 X JS Home.js src

        ■ Untitled-1

                                       render()
                             5
▲ BLOG

    node modules

                                            return(
                                                 <div>
 public
                                                  <h1>Home Component</h1>
                             9
 </div>
                            10
   # App.css
   JS App.js
                            12
   JS App.test.js
                            13
   JS Home.js
                            14
   # index.css
   JS index.js
  logo.svg
```

 App is the parent component and call this home component inside the app component.

```
import logo from './logo.svg';
  X JS Applis src
                                import './App.css';
    JS Home.js src
                                import Home from './Home'

        ■ Untitled-1

                                function App() {

■ BLOG

                                  return (
 node_modules
                                     <div className="App">
                                       <header className="App-header">
 public
                                          <img src={logo} className="App-logo" alt="logo" />

▲ SFC
                          10
                                         1/* <a
  # App.css
                                            className="App-link"
  JS App.js
                                            href="https://reactjs.org"
                          12
  JS App.test.js
                                            target=" blank"
                          13
  JS Home.js
                                            rel="noopener noreferrer"
  # index.css
                          16
                                            Component
  JS index.js
                                          </a> */}
                          17
  logo.svg
                                         Home /
                          18
  JS serviceWorker.js
                          19
   gitionore
```

Thanks