

Angular Learning Log

Prompts, responses, implementation notes, and verified outcomes | Updated 2 September 2026

1. Fixing the Angular CLI PowerShell error

USER PROMPT

What is the issue and fix this

The attached screenshot showed:

```
PS C:\Projects\...\kiran-first-angular-app> ng build
ng : File C:\Users\kiran\AppData\Roaming\npm\ng.ps1 cannot be loaded because running scripts is disabled on this system.
CategoryInfo          : SecurityError: (:) [], PSSecurityException
FullyQualifiedErrorId : UnauthorizedAccess
```

ASSISTANT RESPONSE

The Angular project was not the problem. PowerShell was blocking the `ng.ps1` launcher because the effective execution policy was Restricted.

The current-user policy was changed with:

```
Set-ExecutionPolicy -Scope CurrentUser -ExecutionPolicy RemoteSigned
```

This scopes the change to the current Windows account and continues to block unsigned scripts downloaded from the internet.

ng build then completed successfully and generated dist\kiran-first-angular-app.

2. Creating the learning document

USER PROMPT

Add all the prompts and responses to be saved to `learnings.pdf`

ASSISTANT RESPONSE

Created and validated `learnings.pdf` in the project root with the prompts, error transcription, diagnosis, applied fix, and build verification.

3. Reviewing the Angular 7 backup

USER PROMPT

Backup-02-After-Creating-Welcome-Component.zip

What are the features included in this zip file?

ASSISTANT RESPONSE

The ZIP is an early Angular 7 Todo application snapshot containing:

- A root component showing `Welcome to todo!`, `Welcome to in28Minutes`, an Angular logo, and placeholder component content.
- A registered `WelcomeComponent` rendered through `<app-welcome>`, displaying `welcome works!`.
- Routing infrastructure and a router outlet, but no configured routes.
- Development and production build configurations.
- Karma/Jasmine unit tests, Protractor E2E setup, TSLint, and scripts for serving, building, testing, linting, and E2E testing.

It does not yet contain Todo CRUD, authentication, API integration, persistence, forms, navigation pages, or meaningful application styling. Some generated tests also appear stale after the welcome additions.

4. Adding comparable features to Angular 21

USER PROMPT

Add similar features in the current application

ASSISTANT RESPONSE

The relevant backup features were implemented using current Angular 21 conventions:

- Replaced the default Angular starter screen with a responsive welcome page.
- Added the `todo` title and `Welcome to in28Minutes` message.
- Created and embedded a standalone `Welcome` component.
- Added an Angular-style visual mark and component-content section.
- Retained the router outlet and existing empty route configuration.
- Added component tests and updated the root application tests.

Verification: 5 tests passed across 2 test files, and the production build completed successfully.

An unrelated OneNote metadata file changed externally during the work and was intentionally left untouched.

5. Ongoing updates

USER PROMPT

Keep updating the learnings.pdf

ASSISTANT RESPONSE

learnings.pdf was updated with the ZIP review, Angular 21 implementation, tests, build results, and this request. A maintainable HTML transcript source was retained so later conversation updates can be appended consistently.

6. Running the application

USER PROMPT

run the project

ASSISTANT RESPONSE

The Angular development server was started with:

```
npm start -- --host 127.0.0.1
```

The application responded with HTTP 200 and is available at <http://127.0.0.1:4200/>.