API DOCUMENTATION

OCAK   2021

Contents:

Getting Started with the API

REST Endpoints and methods :
1) /api/blogs/
2) Get and POST Methods
3) api/blogs/{id}
4) Get Method
5) api/blogs/{id}
6) PUT and DELETE Methods

The API URLs

Test System	https://localhost:44306/api/blogs
Your System	https://<your server machine ip address>:44306/api/blogs

Get Your API KEY

Before you can use the API you'll need to get your API key, which you use to

First Step: You have to take a token and then keep the token for other methods.
Token url : https://localhost:44306/api/token (Screenshot-1 image)


```
POST          https://localhost:44306/api/token

Params   Authorization   Headers (8)   Body ●   Pre-request Script   Tests   Settings

● none   ● form-data   ● x-www-form-urlencoded   ● raw   ● binary   ● GraphQL   JSON ▼

1  {
2      "Email":"blogadmin@test.com",
3      "Password":"admin2021@"
4  }
```

Screenshot-1

Response:

Body Cookies Headers (7) Test Results

Pretty   Raw   Preview   Visualize   Text ▼   ⇥

1 eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.
   eyJzdWIiOiJCbG9nU2Vydm1jZUFjY2Vzc1Rva2VuIiwianRpIjoiN2IxNzIzM2QtODEwOS00MjAyLTg3NDMtYjU1YmUzNmR1YjgxIiwiaWF0IjoiOS4wMS4yMDIxIDEzOjU2OjQ1IiwiZXhwIjo
   ydm1jZVBvc3RtYW5DbGllbnQiifQ.xIbBGexSuDja-rkfl5VcOgSoEtaj1QLErpJbUy1bG64

Requesting Data

The following steps walk you through the basics to get started using the API. You can use the Postman program for all requests.

1. Get /api/blogs/

Request

GET ▼ https://localhost:44306/api/blogs

Params   Authorization   Headers (7)   Body   Pre-request Script   Tests   Settings

Headers   ◉ 6 hidden

KEY	VALUE
☑ Authorization	Bearer eyJhbGciOiJIUzI
Key	Value

Response:

```
[
    {
        "id": 1,
        "name": "Blog 1",
        "categoryId": 1,
        "idNavigation": null,
        "inverseCategory": [ ···
        ]
    },
    {
        "id": 2,
        "name": "Blog 2 ",
        "categoryId": 1,
        "category": {
            "id": 1,
            "name": "Blog 1",
            "categoryId": 1,
            "idNavigation": null,
            "inverseCategory": []
        },
        "idNavigation": null,
        "inverseCategory": [ ···
        ]
    },
```

2. GET api/blogs/{id}

Request :

GET   https://localhost:44306/api/blogs/2

Params   Authorization   Headers (7)   Body   Pre-request Script   Tests   Settings

Headers   👁 6 hidden

KEY	VALUE
☑ Authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJCbG9nU2Vydml
Key	Value

Response:

Pretty Raw Preview Visualize JSON ▼

```json
1  {
2      "id": 2,
3      "name": "Blog 2 ",
4      "categoryId": 1,
5      "category": null,
6      "idNavigation": null,
7      "inverseCategory": []
8  }
```