

Lab - Calculate IPv4 Subnets

Objectives

Part 1: Determine IPv4 Address Subnetting

Part 2: Calculate IPv4 Address Subnetting

Background / Scenario

The ability to work with IPv4 subnets and determine network and host information based on a given IP address and subnet mask is critical to understanding how IPv4 networks operate. The first part is designed to reinforce how to compute network IP address information from a given IP address and subnet mask. When given an IP address and subnet mask, you will be able to determine other information about the subnet.

- 1 PC (Windows with Internet access)
- Optional: IPv4 address calculator

Instructions

Fill out the tables below with appropriate answers given the IPv4 address, original subnet mask, and new subnet mask.

Problem 1:

Given:	
Host IP Address:	192.168.200.139
Original Subnet Mask	255.255.255.0
New Subnet Mask:	255.255.255.224 11100000, magic number: 32

Find:	
Number of Subnet Bits	3
Number of Subnets Created	8 ($2^3 = 8$)
Number of Host Bits per Subnet	5
Number of Hosts per Subnet	30 ($2^5 = 32$, $32-1 = 30$)
Network Address of this Subnet	192.168.200.128
IPv4 Address of First Host on this Subnet	192.168.200.129
IPv4 Address of Last Host on this Subnet	192.168.200.158
IPv4 Broadcast Address on this Subnet	192.168.200.159 (128+32=160 next subnet)

Problem 2:

Given:	
Host IP Address:	10.101.99.228
Original Subnet Mask	255.0.0.0
New Subnet Mask:	255.255.128.0 10000000, magic number: 128

Find:	
Number of Subnet Bits	9
Number of Subnets Created	512 ($2^9 = 512$)
Number of Host Bits per Subnet	15
Number of Hosts per Subnet	32766 ($2^{15} = 32768$, $32768-2 = 32766$)
Network Address of this Subnet	10.101.0.0
IPv4 Address of First Host on this Subnet	10.101.0.1
IPv4 Address of Last Host on this Subnet	10.101.127.254
IPv4 Broadcast Address on this Subnet	10.101.127.255 (0+128=128 next subnet)

Problem 3:

Given:	
Host IP Address:	172.22.32.12
Original Subnet Mask	255.255.0.0
New Subnet Mask:	255.255.224.0 11100000, magic number: 32

Find:	
Number of Subnet Bits	3
Number of Subnets Created	8 ($2^3 = 8$)
Number of Host Bits per Subnet	13
Number of Hosts per Subnet	8190 ($2^{13} = 8192$, $8192-2 = 8190$)
Network Address of this Subnet	172.22.32.0
IPv4 Address of First Host on this Subnet	172.22.32.1
IPv4 Address of Last Host on this Subnet	172.22.63.254
IPv4 Broadcast Address on this Subnet	172.22.63.255 (32+32=64, next subnet)

Problem 4:

Given:	
Host IP Address:	192.168.1.245
Original Subnet Mask	255.255.255.0
New Subnet Mask:	255.255.255.252 11111100, magic number: 4

Find:	
Number of Subnet Bits	6
Number of Subnets Created	64 ($2^6 = 64$)
Number of Host Bits per Subnet	2
Number of Hosts per Subnet	2 ($2^2 = 4$, $4-2 = 2$)
Network Address of this Subnet	192.168.1.244
IPv4 Address of First Host on this Subnet	192.168.1.245
IPv4 Address of Last Host on this Subnet	192.168.1.246
IPv4 Broadcast Address on this Subnet	192.168.1.247 (244+4=248 next subnet)

Problem 5:

Given:	
Host IP Address:	128.107.0.55
Original Subnet Mask	255.255.0.0
New Subnet Mask:	255.255.255.0 11111111, magic number: 256

Find:	
Number of Subnet Bits	8
Number of Subnets Created	256 ($2^8 = 256$)
Number of Host Bits per Subnet	8
Number of Hosts per Subnet	254 ($2^8 = 256$, $256-2 = 254$)
Network Address of this Subnet	128.107.0.0
IPv4 Address of First Host on this Subnet	128.107.0.1
IPv4 Address of Last Host on this Subnet	128.107.0.254
IPv4 Broadcast Address on this Subnet	128.107.0.255 (0+256=256 next subnet, only goes to 255 though)

Problem 6:

Given:	
Host IP Address:	192.135.250.180
Original Subnet Mask	255.255.255.0
New Subnet Mask:	255.255.255.248 11111000, magic number: 8

Find:	
Number of Subnet Bits	5
Number of Subnets Created	32 ($2^5 = 32$)
Number of Host Bits per Subnet	3
Number of Hosts per Subnet	6 ($2^3 = 8$, $8-2 = 6$)
Network Address of this Subnet	192.135.250.176
IPv4 Address of First Host on this Subnet	192.135.250.177
IPv4 Address of Last Host on this Subnet	192.135.250.182
IPv4 Broadcast Address on this Subnet	192.135.250.183 (176+8=184 next subnet)

Reflection Question

Why is the subnet mask so important when analyzing an IPv4 address?

It is important because you need to calculate the correct IPv4 address in order to make sure that the network in which you are creating is in the correct subnet. If you incorrectly calculate the space in which your host IPs can reside in within your subnet, your hosts won't be able to contact each other.