

BabyLog

Global App Development Proposal

iOS • Android • Web

Baby Activity Tracker for Parents Worldwide

Prepared for	Developer / Development Agency
Prepared by	App Owner (Client)
Date	19 March 2026
Version	3.0 — Detailed Scope Edition
Target market	Worldwide

1. Executive Summary

This proposal outlines the complete requirements for BabyLog — a cross-platform baby activity tracking app for iOS, Android, and the web. The app is designed for parents worldwide and must work for any country, language preference, and unit system.

This document is intentionally detailed. Every feature is described with enough specificity that there is no ambiguity about what is included in the agreed scope. Any feature not listed here is considered out of scope and subject to a separate quote.

The developer may use any cross-platform framework they are most proficient with, provided all three platforms are covered from a single codebase where possible. The client's priority is a polished, reliable product delivered on time.

2. Project Overview

App name	BabyLog
Platforms	iOS (App Store), Android (Google Play), Web browser

Tech stack	Developer's choice — must cover all three platforms
Target users	Parents and caregivers globally
Monetisation	Freemium — free core + paid subscription (monthly and annual)
Storage	Local device storage (offline-first); cloud sync for premium users
Localisation	English first; architecture must support future languages
Budget	\$800 – \$2,000 USD (milestone-based payments)
Timeline	6 – 8 weeks from kick-off

3. Detailed Scope of Work

This section describes every feature in detail. For each feature, the expected behaviour, edge cases, and any platform-specific requirements are specified. The developer must build exactly what is described here.

3.1 Onboarding

What it does

The onboarding flow is shown only once — the first time the user opens the app. It collects the minimum information needed to personalise the experience.

Screens and steps

- Screen 1 — Welcome screen with app name, tagline, and a 'Get Started' button.
- Screen 2 — Add your baby: name (required), date of birth (required), gender (optional: boy / girl / prefer not to say), and a photo (optional; user can skip and add later).
- Screen 3 — Select your country: searchable dropdown list of all countries in the world. This selection drives the vaccination schedule. The app must pre-select the country based on the device locale but allow the user to change it.
- Screen 4 — Choose your units: metric (kg, cm) or imperial (lb/oz, inches). Default based on device locale.
- Screen 5 — Enable notifications: prompt the user to allow push notifications. Explain what notifications will be used for. User can skip this step; notifications can be enabled later in settings.

Edge cases

- If the user skips adding a baby photo, show a default illustrated avatar based on gender selection.
- If gender is not specified, use a neutral default avatar.
- If the user force-closes the app mid-onboarding, resume from the last completed step when they reopen.

→ Support for multiple babies: after onboarding the first baby, the user can add more babies from the settings screen. Each baby has its own independent profile and logs.

3.2 Home Dashboard

What it does

The dashboard is the first screen the user sees after onboarding. It shows a real-time summary of today's activity across all trackers for the currently selected baby.

Content

- Baby name, age (shown as weeks for babies under 3 months, then months up to 24 months, then years), and profile photo at the top.
- Last sleep: time the baby last fell asleep and woke up, and total sleep in the last 24 hours.
- Last feed: time of last feeding, type (breast/bottle/solids), and amount if recorded.
- Last diaper change: time and type (wet/dirty/dry).
- Next vaccine due: name of the next due vaccine and how many days until it is due. Tapping this opens the vaccination calendar.
- Quick-add buttons: large, thumb-friendly buttons at the bottom of the dashboard for Sleep, Feed, and Diaper — tapping one opens the log entry form for that tracker.

Edge cases

→ If no activity has been logged yet for a tracker, show a friendly placeholder such as 'No sleep logged today' with a button to add one.

→ If the user has multiple babies, show a baby switcher (avatar + name) at the top of the dashboard to switch between babies without going to settings.

→ The dashboard must update in real time — if the user logs a feed, the 'Last feed' card on the dashboard must update immediately without requiring a manual refresh.

3.3 Sleep Tracker

What it does

Allows the parent to log when their baby falls asleep and wakes up. Shows a history of all sleep sessions with daily and weekly totals.

Logging a sleep session

- The user can log a sleep session in two ways: (a) tap 'Start sleep' when the baby falls asleep, then tap 'Wake up' when the baby wakes — the app records the duration automatically; or (b) manually enter a past sleep session by specifying a start time and end time.
- Each log entry stores: start date and time, end date and time, duration (auto-calculated), and an optional note field (max 200 characters).
- The user can edit or delete any past sleep entry.

Sleep history view

- A scrollable list of all sleep entries grouped by day, most recent first.
- Each entry shows: start time, end time, duration, and note if present.
- Daily total sleep is shown as a header for each day group (e.g. 'Tuesday — 13h 20m total').
- A weekly summary bar chart showing total sleep per day for the past 7 days (premium feature).

Edge cases

- If the user starts a sleep timer and does not tap 'Wake up' for more than 24 hours, show an alert asking if the timer should be stopped or if it was started by mistake.
- Overlapping sleep sessions are not allowed. If the user tries to log a session that overlaps with an existing one, show an error and ask them to correct the times.
- If the baby is currently sleeping (timer running), the dashboard must show a live duration counter.

3.4 Feeding Tracker

What it does

Logs every feeding session — breast, bottle, or solid food — with timestamps, amounts, and optional notes.

Feeding types and fields

- Breastfeeding: left side duration (minutes), right side duration (minutes), total duration (auto-calculated), and optional note. A built-in timer helps the user track duration per side.
- Bottle feeding: amount (ml or oz based on unit preference), type of milk (breast milk / formula / other), and optional note.
- Solid food: food description (free text, max 100 characters), amount (optional), and optional note.
- Each entry stores: feed type, date and time, all relevant fields above, and a note.
- The user can edit or delete any past feeding entry.

Feeding history view

- A scrollable list grouped by day, most recent first.
- Each entry shows feed type with an icon, time, key details (duration or amount), and note if present.
- Daily feeding count shown as a header for each day group.

Edge cases

- If the user does not enter an amount for bottle feeding, the entry is still valid — amount is optional.
- The breastfeeding timer must continue running if the user navigates away from the screen or the app goes to the background.
- If both left and right side durations are entered, total duration is auto-calculated and shown but not separately editable.

3.5 Diaper Log

What it does

Logs each diaper change with type and time. Simple and fast — designed to be usable one-handed by a tired parent.

Log entry fields

- Diaper type: wet, dirty, or both wet and dirty. Selectable with large tap targets.
- Date and time: defaults to current time; user can adjust.
- Optional note field (max 100 characters) — for colour, consistency, or other observations.
- The user can edit or delete any past entry.

Diaper history view

- A scrollable list grouped by day, most recent first.
- Each entry shows type with a colour-coded icon, time, and note if present.
- Daily diaper count shown as a header for each day group.

Edge cases

→ *The log entry form must open in under one tap from the dashboard quick-add button. Speed of logging is critical for this feature.*

→ *If the user has not logged a diaper change in more than 12 hours, a notification is sent (if notifications are enabled). See Section 4 for full notification rules.*

3.6 Growth Chart (Premium)

What it does

Tracks the baby's weight, height, and head circumference over time and plots them on a percentile chart using WHO Child Growth Standards.

Logging a measurement

- The user can log: weight (kg or lb/oz), height/length (cm or inches), and head circumference (cm or inches).
- Each measurement stores: date, age of baby at time of measurement (auto-calculated from date of birth), and all entered values.
- The user can log all three measurements at once or individually.
- The user can edit or delete any past measurement.

Chart view

- A line chart showing the baby's measurements plotted over time against WHO percentile curves (3rd, 15th, 50th, 85th, 97th percentiles).
- The user can switch between weight, height, and head circumference charts using tabs.
- The user can toggle between metric and imperial display on the chart.

- Tapping a data point on the chart shows the exact value and date.

Edge cases

- WHO percentile data must be bundled within the app — it must not require an internet connection to display.
- The chart must handle both boys and girls correctly — WHO provides separate growth curves by gender. Use the gender set during onboarding.
- If gender was not specified during onboarding, use the WHO unisex reference or prompt the user to set a gender before viewing the chart.
- If only one measurement has been logged, display a single point on the chart rather than a line. Add a prompt encouraging the user to add more measurements over time.

3.7 Vaccination Calendar (Premium)

What it does

Displays the recommended vaccination schedule for the baby based on their country of residence, tracks which vaccines have been given, and sends reminders when a vaccine is due.

Vaccine schedule data

- The app must include vaccination schedule data for every country that has a published national immunisation programme. The primary source is the WHO Immunization Data Portal and national health authority schedules.
- Each vaccine entry includes: vaccine name, diseases covered, recommended age(s) for each dose, number of doses, and whether it is on the WHO Expanded Programme on Immunization (EPI).
- The schedule displayed is filtered to show only vaccines recommended for the baby's country as selected during onboarding. The country can be changed in settings.
- If a country does not have a published schedule in the app's database, show a message stating this and direct the user to consult their local health authority.

Tracking vaccinations

- Each vaccine dose can be marked as: given (with date), scheduled (upcoming), overdue (past due date, not yet given), or skipped (user chose not to give it — requires confirmation).
- When a dose is marked as given, the user enters the date it was administered. This can be backdated.
- The user can add a note to any vaccine entry (e.g. batch number, clinic name, reaction observed).

Calendar view

- A list view grouped by the baby's age milestone (e.g. 'At birth', '6 weeks', '10 weeks', '3 months') showing all due vaccines for each milestone.
- Colour coding: green for given, amber for due soon (within 2 weeks), red for overdue, grey for future.

- A summary at the top showing total vaccines given vs total recommended for the selected country.

Edge cases

- If the baby's country is changed in settings, the vaccination schedule must update immediately. Any vaccines already marked as 'given' must be preserved.
- If a vaccine is due at a range of ages (e.g. 'between 12 and 15 months'), use the earliest age as the due date for reminder calculations.
- Vaccination data must be bundled in the app and work offline. The app should check for schedule updates when internet is available and notify the user if the schedule has been updated.

3.8 Data Export (Premium)

- The user can export all data for a selected baby as a PDF report or a CSV file.
- The PDF report includes: baby profile summary, sleep log, feeding log, diaper log, growth measurements, and vaccination record. It is formatted for sharing with a paediatrician.
- The CSV export includes all raw log data in separate sheets or files per category.
- The user can choose a date range for the export (e.g. last 7 days, last 30 days, all time).
- The exported file can be shared via the device's native share sheet (email, WhatsApp, cloud storage, etc.).

3.9 Cloud Backup and Sync (Premium)

- All data is automatically backed up to the cloud for premium users.
- The same account and data can be accessed on multiple devices (e.g. both parents' phones).
- Data syncs in real time when internet is available; all features work offline and sync when the connection is restored.
- The user must create an account (email and password, or sign in with Apple/Google) to enable cloud sync. Free users do not need an account — all data is stored locally only.
- If a free user upgrades to premium, they are prompted to create an account and their local data is migrated to the cloud.

3.10 Settings

- Profile management: edit baby name, date of birth, gender, photo, and country.
- Add or remove additional babies.
- Switch between metric and imperial units at any time — all existing data must be converted and displayed in the new unit instantly.
- Notification preferences: enable or disable each notification type individually, and set preferred quiet hours (e.g. 10pm – 7am) during which no notifications are sent.
- Account management (premium): change email, change password, manage subscription, sign out.
- Data management: delete all data for a baby, or delete the entire account. Both actions require a confirmation prompt and cannot be undone.

- About: app version, privacy policy link, terms of service link, and a link to contact support.

4. Notifications and Alerts

Notifications are a core feature of BabyLog. They must work on iOS, Android, and as web push notifications. All notifications must be actionable where possible — tapping a notification must open the relevant screen in the app.

The user must be able to enable or disable each notification type individually in settings. All notifications must respect the quiet hours set by the user.

4.1 Notification Types

Trigger	Notification message	Platforms	Tier
Feeding interval reminder	Time to feed [Baby name]! Last feed was [X] hours ago.	iOS, Android, Web	Free
Breastfeed side reminder	Remember to switch to the other side.	iOS, Android	Free
Diaper overdue alert	No diaper change logged in 12 hours for [Baby name].	iOS, Android, Web	Free
Sleep reminder	Is [Baby name] asleep? You haven't logged a nap since [time].	iOS, Android, Web	Free
Vaccine due soon	[Vaccine name] is due in [X] days for [Baby name].	iOS, Android, Web	Premium
Vaccine overdue	[Vaccine name] was due [X] days ago. Please consult your doctor.	iOS, Android, Web	Premium
Vaccine schedule updated	The vaccine schedule for [Country] has been updated. Tap to review.	iOS, Android, Web	Premium
Growth measurement reminder	It's been 30 days since you last recorded [Baby name]'s measurements.	iOS, Android, Web	Premium
Daily summary	Today's summary: [X] feeds, [X] diapers, [X]h sleep for [Baby name].	iOS, Android, Web	Free

4.2 Notification Rules

- Feeding interval: the interval is user-configurable (default 3 hours for newborns). The user sets their preferred feeding interval in settings. The notification is sent if no feed has been logged since the last interval elapsed.
- Quiet hours: no notifications are sent between the user's set quiet hours. If a notification would have been sent during quiet hours, it is sent at the start of the next active period instead.

- Tapping any notification must deep-link directly into the relevant screen in the app — not just open the home screen.
- All notification text must use the baby's name dynamically so that families with multiple babies receive personalised notifications per baby.
- On iOS, the app must request notification permissions at the appropriate moment (during onboarding, Screen 5). It must not ask for permission before the user understands the value.
- On Android, notification channels must be set up so the user can manage each notification type individually from the Android system settings.
- Web push notifications must work on Chrome, Safari, and Firefox on desktop and mobile browsers.

4.3 In-App Alerts

In addition to push notifications, the app must show in-app banners or alerts for the following situations:

- When the vaccination schedule data has been updated and requires the user's review.
- When a sync error occurs for premium users (e.g. cloud backup failed).
- When the user's subscription is about to expire (7 days and 1 day before expiry).
- When the user's free trial is ending (if a free trial period is offered).

5. Global and Localisation Requirements

- The app must work for users in any country without assuming a specific region. No feature may be hardcoded to a specific country or region.
- Date format must adapt to the user's locale: DD/MM/YYYY for most of the world, MM/DD/YYYY for the United States.
- Time format must respect the user's device preference: 12-hour (AM/PM) or 24-hour.
- Units must be user-selectable at any time from settings. Metric (kg, cm, ml) and imperial (lb, oz, inches, fl oz) are both required.
- All user-facing strings must be stored in a localisation file (e.g. .arb for Flutter, .json for React Native). No hardcoded English strings in the UI code. This enables future translation without code changes.
- Vaccination schedule data must cover all countries with a published national immunisation programme. The country is set during onboarding and can be changed in settings.
- The app must function fully offline. Internet is only required for cloud sync (premium) and vaccination schedule updates.
- Subscription pricing must be managed through Apple App Store and Google Play billing — both platforms handle local currency conversion automatically. The developer must configure the subscription products on both platforms.

6. Technology Stack

The developer may use any cross-platform framework they are most proficient with. The only requirement is that all three platforms (iOS, Android, web) are covered from a single codebase where possible, and that the app meets the performance and quality standards in this document.

Option	Stack	Notes
A (recommended)	Flutter (Dart)	Single codebase for all three platforms. Strong iOS/Android support. Web support is mature.
B	React Native + React (web)	Strong mobile support. Web requires a separate React layer but shares business logic.
C	Other framework	Developer must justify why their chosen framework meets all requirements in this proposal.

The developer must state their chosen stack in their proposal response and confirm it supports: local SQLite storage, push notifications on all platforms, in-app subscriptions on iOS and Android, background timers, and web push notifications.

7. Payment Milestones

Payment is released in four milestone-based tranches. No full upfront payment will be made. Each milestone must be reviewed and approved by the client before the next payment is released.

Phase	Deliverables	Timeline	Payment
Milestone 1	Kick-off meeting complete, UI/UX wireframes for all screens approved by client, project repository set up and shared with client, tech stack confirmed	Week 1	20%
Milestone 2	All free features complete and functional on iOS and Android: onboarding, dashboard, sleep tracker, feeding tracker, diaper log, settings, all notifications for free tier	Week 2–4	30%
Milestone 3	All premium features complete: growth chart with WHO percentiles, country-specific vaccination calendar, data export, cloud sync, multi-device login, premium notifications	Week 5–6	30%
Milestone 4	Web version live and functional, all three platforms tested and bug-free, apps submitted and approved on App Store and Google Play, source code delivered, handover documentation complete	Week 7–8	20%

8. Client Responsibilities

- Apple Developer account (\$99 USD/year — paid by client before Milestone 4)
- Google Play Developer account (\$25 USD one-time — paid by client before Milestone 4)
- Web hosting and domain for the web version
- App name, logo, colour palette, and branding assets (to be provided before Milestone 1)
- App Store and Play Store listing content: app description, screenshots, keywords, and age rating
- Timely feedback on each milestone — within 48 hours of submission
- Any third-party API keys required (e.g. cloud backend, push notification service)

9. Developer Requirements

- Proven experience shipping cross-platform mobile apps on both iOS and Android (provide links to live apps)
- Experience implementing in-app subscriptions on both Apple App Store and Google Play
- Experience with push notifications on iOS, Android, and web
- Experience with local database storage (SQLite or equivalent) in a mobile app
- Understanding of internationalisation and localisation architecture
- Minimum weekly written progress updates to the client
- Fixed-price contract with milestone-based delivery
- Full source code ownership transferred to client upon final payment
- Handover documentation covering: project structure, how to build and deploy each platform, how to update the vaccination schedule data, and how to manage subscriptions

10. Terms and Conditions

10.1 Intellectual Property

All source code, designs, assets, database content, and intellectual property created during this project are the exclusive property of the client upon receipt of final payment. The developer may not reuse, resell, open-source, or share any part of the codebase without written permission.

10.2 Confidentiality

The developer agrees to keep all project details, feature plans, business strategy, and client information strictly confidential during and after the engagement. This includes not disclosing the project to third parties without written consent.

10.3 Revisions

Each milestone includes up to two rounds of revisions at no additional cost, provided the revision requests are within the agreed scope. Feature additions or scope changes requested after a milestone is approved will be quoted separately in writing before work begins.

10.4 Delays

The developer must notify the client at least 3 business days before a milestone deadline if delivery will be late, along with a revised date. Repeated delays or failure to communicate may result in contract termination. Payment will be made only for fully approved milestones.

10.5 Warranties

The developer warrants that all code is original and free from third-party licensing conflicts. The developer will fix any bugs reported within 30 days of final delivery at no additional charge.

10.6 Governing Law

This agreement is governed by applicable law in the jurisdiction agreed upon by both parties. Unresolved disputes will be referred to mediation before any legal proceedings are pursued.

11. Acceptance

Both parties confirm they have read, understood, and agreed to all terms in this proposal. This document becomes a binding agreement upon signature by both parties.

Client (App Owner)

Developer / Agency

Signature

Signature

Full name

Full name

Date

Date