



Yan Yean Theatre Technical Specifications



STAGE DETAILS

Brief Stage Description:

Unraked stage with a proscenium arch and flying facilities. Structural plywood floor covered with masonite sheets, mounted on rubber mounts. Screwing into surface or tape marking to be authorised by Technical Manager.

Stage distributed load limit 700kg / m2
Stage Point load limit 400kg

Orchestra Pit distributed load limit 200kg / m2, maximum 6,000kg

Orchestra Pit Point load limit 200kg Stage Rake NO

Stage Dimensions:

Proscenium

Width 12.0 metres
Height 6 metres

Setting Line

Upstage edge of Fire Curtain channel.

Distance From (*SL* = *Setting Line*, *CL* = *Centre Line*)

SL to DS edge of apron
SL to DS edge of Orchestra Lift/Pit
SL to last upstage fly line
SL to rear wall
CL to OP wall (or obstruction)
Stage to underside of grid / roof

3300mm
7900mm
8800mm
8700mm
13000mm

Overhead obstructions

PS Gallery height 6000mm

OP Gallery height 6000mm

Auditorium:

Auditorium consists of stalls. Seating capacity with additional

Orchestra pit seating installed N/A

Seating capacity without

Orchestra pit seating installed 497

Plenty Ranges Arts & Conventions Centre

35 Ferres Boulevard South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



Orchestra Pit:

Orchestra Pit

A manual orchestra pit that must be reconfigured by venue staff only. Pit can be closed, open MD section or fully opened.

Stage level at 900mm above auditorium.

Orchestra pit level at 1500mm below auditorium.

Lift can be set at any height N/A SWL of orchestra lift N/A

Dimensions of the orchestra pit

Usable area for an orchestra is 12metres x 2.5 metres

Flying Facilities:

Fly System

The fly system is a single purchase handline system. All fly line movements are to be directly supervised by venue staff.

Fly System Details

Operating position Stage Level, OP.

Total number of lines 30

Panorama Lines 1 bar OP and 1 bar PS.

Batten Drift 15000mm

Batten type **75 x 50 RHS steel section**

Batten length 15000mm

LX bars can be swung

Fly bars can be swung

YES

YES

Standard Operation

Batten point load 225kg
Batten W.L.L. 450kg
Cradle capacity 400kg

With Cradle Extensions (Venue has NO Extensions)

Batten point load 225kg
Batten W.L.L. 450kg
Cradle capacity 450kg

SEE HANGING PLOT FOR LINE ALLOCATIONS AND FURTHER INFO

Additional Rigging points none

ABN 72 431 091 058



Hanging Plot:

SL: Setting Line as indicated previously

<u>Line Type:</u> **SP** = Single purchase, **DP** = Double purchase, **MW** = Motor Winch, **HW** = Hand Winch, **HL** = Handline <u>W.L.L.</u>: Maximum distributed load including bar weight

	Dist.	Line			Intended Use
Line #	from SL	Type	W.L.L	Venue Allocation	(hiring company use)
H.C	0mm	MW	450kg	House Curtain	Not Available
1	150mm	SP	450kg	Border	Not Available
2	300mm	SP	450kg		AVAILABLE
3	450mm	SP	450kg	Legs 1	Not Available
5	750mm	SP	450kg	LX 1	Not Available
7	1050mm	SP	450kg	Scrim	Not available
8	1200mm	SP	450kg		AVAILABLE
9	1350mm	SP	450kg		AVAILABLE
11	1650mm	SP	450kg	Border	Not Available
13	1950mm	SP	450kg	Legs 2	Not Available
15	2250mm	SP	450kg	Projection Screen	Not Available
17	2550mm	SP	450kg		AVAILABLE
19	2850mm	SP	450kg	Border	Not Available
21	3150mm	SP	450kg	LX 2	Not Available
23	3450mm	SP	450kg	Legs 3	Not Available
25	3750mm	SP	450kg	½ Tab	Not Available
27	4050mm	SP	450kg		AVAILABLE
29	4350mm	SP	450kg		AVAILABLE
31	4650mm	SP	450kg		AVAILABLE
33	4950mm	SP	450kg	Border	Not Available
35	5250mm	SP	450kg	Legs 4	Not Available
37	5550mm	SP	450kg	LX 3	Not Available
39	5850mm	SP	450kg	LX 4	Not Available
40	6000mm	SP	450kg	PS Panorama Bar	Not Available
41	6150mm	SP	450kg		AVAILABLE
43	6450mm	SP	450kg		AVAILABLE
45	6750mm	SP	450kg		AVAILABLE
46	6900mm	SP	450kg	OP Panorama Bar	Not Available
47	7050mm	SP	450kg		AVAILABLE
48	7200mm	SP	450kg	Cyclorama	Not Available
49	7350mm	SP	450kg	US Tab	Not Available



Drapery:

*Туре	Material	Colour	Width	Height	Quantity
House Curtain	Velour	Red	13000mm	6500mm	1
Borders	Wool	Black	14500mm	3000mm	4
Legs	Wool	Black	2200mm	7800mm	4 pair
Tabs / Smother	Wool	Black	14500mm	6500mm	2 pair
Cyclorama	Sharkstooth	White	14500mm	6500mm	1
Scrim	Sharkstooth Gauze	White	14500mm	6500mm	1
Screen	Sharkstooth	White	14500mm	6500mm	1

Access Equipment:

Elevated Work Platform

JLG 20 MVL motorised vertical lift. Maximum reach is 6000mm

EWP Restrictions

Must be operated by Plenty Ranges Staff.

Ladders

- (1) 4 metre "A" Frame aluminium.
- (1) 2.1 metre "A" Frame fibreglass.

Staging Units:

(10) Staging Units, 1200 x 2400 x 400mm

Stage Covers:

Style N/A
Dimensions N/A
Colour N/A

Stage Traps:

Four Dip Traps on either side of stage (mirrored) at 0 mm, 2000mm, 6000mm and 4000mm upstage of SL. All have dimensions of 290 x 150mm.

Safety Curtain:

Safety Curtain installed Yes

Safety Curtain must be unobstructed at all times Yes

Thickness of Fire Curtain 110mm
Distance from setting line 0mm

Additional Requirements

None

Plenty Ranges Arts & Conventions Centre

35 Ferres Boulevard South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



Loading Dock:

Access

Truck access via Service Lane way. Trucks can reverse into loading dock.

Loading Dock Height 930mm

Door Dimensions **3600mm** High

2270mm Wide

Restrictions / Obstructions

Inner Roller Door - **3560mm** High

2400mm Wide

Staging Notes:

All flown items must be rigged with rated equipment and are subject to approval by a venue representative.

Limited rigging gear is available in house. All flown items must be approved by a venue representative.

Plenty Ranges reserves the right to refuse any flown item at any time.

All flying must be directly supervised by a venue representative.



LIGHTING DETAILS

Stage LX 1

Setting Line to lighting bar **750mm**Usable bar width **14000mm**

Notes -

Stage LX 2

Setting Line to lighting bar Usable bar width 3150 mm 14000 mm

Notes -

Stage LX 3

Setting Line to lighting bar 5550 mm Usable bar width 14000 mm

Notes -

Stage LX 4

Setting Line to lighting bar 5850mm Usable bar width 14000mm

Notes -

FOH Bridge 2

Setting Line to lighting bar 9900mm Usable bar width 16000mm

Notes -

FOH Bridge 1

Setting Line to lighting bar
Usable bar width

6900mm
16000mm

Notes -

Orchestra Bar

Setting Line to lighting bar
Usable bar width

1400 mm
14000 mm

Notes -

Dress Circle Bar

Setting Line to lighting bar 17000mm Usable bar width 12000mm

Notes -

FOH Perches (OP & PS)

Perch US (OP &PS) 8600mm (CL), 5000mm (SL)

Maximum lights per perch 2

Notes Limited room in perch, no large fixtures

www.pracc.com.au ABN 72 431 091 058



Control:

Lighting desk LSC Clarity LX600
Control channels From 8,192 DMX Slots

Signal output DMX 512a, ArtNet, sACN, RDM

Signal distribution Universe 1 – DMX512a from Control Room to 10way (5x3pin & 5x5pin)

isolated splitter on Stage Bridge. One Port used for dimmer control

ring around venue.

Universe 2 – DMX512a from Control Room to 8way (4x3pin & 4x5pin)

isolated splitter on Stage Bridge fed to each stage LX bar

Universe 3 – Ethernet to DMX from Control room to 5way isolated splitter

on Stage Bridge.

DMX points available Prompt and OP Upstage and Downstage, on all LX

Bars and FOH.

Remote riggers available onstage Yes

Dimmer Racks:

Total Dimmer Racks 14

2.4Kw Dimmer Racks State Automation Solution Cool

Total dimmers @ 2.4kw per dimmer 168 channels

5Kw Dimmer Racks Dynalite Production dimmer

Total dimmers @ 5kw per dimmer 6 channels

House Lights:

Independent control Yes

Control positions Control Room and Stage Managers Console.

Fade time adjustable No

ABN 72 431 091 058



Stage Luminare:

Profiles

Make	Model	Angle	Detail / Accessories	Watt	Total
ETC	Source4	15/30	(6) Gobo holders to suit	750w	27
Strand	Cantata	18/32	(9) iris	1200w	22
Strand	Prelude	16/30	(10) Gobo holders to suit, (8) iris'	650w	14

Fresnel's

Make	Model	Detail / Accessories	Watt	Total
Strand	Cantata	(40) Barndoors; (40) Gel Frames	1200w	35

Wash

Make	Model	Detail / Accessories	Watt	Total
Selecon		(4) cells per unit	800w	6
DTS	Delta 7B	LED fixture	400w	12

Movers

Make	Model	Control Channels	Detail / Accessories	Watt	Total
N/A					

Followspots

Make	Model	Angle	Detail / Accessories	Watt	Total
Selecon	Performer	5 - 20	5 colour frames	2000w	2

Additional Lighting:

Item	Make	Model	Detail / Accessories	Watt	Total
Molefaye Duo	-				2
LED Pars	Pro Shop				14



Patching:

Location	Quantity	Numbering (PS to OP)	Detail / Accessories
FOH 1	48	45 - 88	
FOH 2	48	1 - 44	
LX 1	24	98 – 121	
LX 2	24	122 - 145	
LX 3	24	146 - 169	
LX 4	24	170 - 193	
PS Pan Bar	5	A - E	Patches into dimmers on fly floor
OP Pan Bar	5	A - E	85 – 90 Patches into bridge 1
PS Dip Traps	12	194 - 205	
OP Dip Traps	12	206 - 217	
Orchestra Pit	2	194 - 195	Same patch as PS dip trap
Back Wall	2	216 - 217	Same patch as OP US dip trap
PS Perch 1	4	218 - 221	
OP Perch 1	4	222 - 225	
PS Perch 2			
OP Perch 2			

Production Desk:

Production desk set-up at the back of the stalls. Table accommodates 2 people with dimmable lighting, DMX for the lighting desk, talkback, and audio patch lines.

Power:

3 Phase Outlets

- (1) 40A downstage on PS
- (1) 40A downstage on OP
- (1) 40A upstage on OP
- (10) 40A PS Gallery (dimmer use only
- (4) 40A FOH Bridge 1 (dimmer use only.
- (4) 40A FOH Bridge 2 (dimmer use only).
- (1) 10A Orch Bar (Chain Motor Winch Only)
- (2) 40A in Bio Box

Cabling:

240v Extension Cable

The theatre has a good stock of extension leads to accommodate the venue's standard lighting rig.

Looms

N/A

3 phase Extensions

1 x 20 metre, 40 amp

Plenty Ranges Arts & Conventions Centre

35 Ferres Boulevard South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



AUDIO DETAILS

Control Positions:

Control Room

Rear Auditorium. Control Room open to Auditorium

Auditorium

Located at rear of Stalls in the centre of row M. Seats must be allocated if desk is to be positioned in this position.

Other

Prompt side at Stage Managers console, mixer can be patched through to house system.

Control & Amplification:

Primary Mixer

Yamaha M7CL - 48, 48 channels, 4 stereo inputs

Amplifiers

(4) d&b Audiotechnik D6

EQ

(4) d&b Audiotechnik D6 amp (inbuilt in amp). Yamaha M7CL Internal EQ's

FX

Yamaha M7CL Internal FX

Compression / Limiter

d&b Audiotechnik D6 amp (inbuilt in amp)
Yamaha M7CL Internal Dynamics Processing

Speakers:

FOH Speakers

- (2) d&b Audiotechnik Ci-60
- (2) d&b Audiotechnik Ci-90
- (4) d&b Audiotechnik E0
- (2) d&b Audiotechnik Ci-7 Subs

Foldback

- (4) EV SX 100
- (2) JBL MR Sires

Plenty Ranges Arts & Conventions Centre

35 Ferres Boulevard South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



Playback:

Item	Make	Model	Detail	Total
Media Player	Denon	DN-700c	Network Media Player	1
CD Player	Denon	DN-C635	CD Player	1

Microphones / DI's:

Make	Model	Detail / Accessories	Use	Total
Shure	SM 58a	Clips	Vocals	8
Shure	SM 57	Clips	Instruments	10
Shure	SM 94	Clips	Instruments	10
Shure	Beta52	Internal Clip	Kick Drum	2
Sennheiser	E 602 MKII	Clip	Kick Drum	1
Sennheiser	EW 500 G3	Receivers	Vocals / Inst	20
Sennheiser	EW 500 e945	Handheld Microphone	Vocals	10
Sennheiser	EW 500 sk500	Beltpack Transmitter	Vocals / Inst	20
Klark Tecnik	DN100	DI	Inst	8

Accessories:

Item	Model	Detail / Accessories	Total
Microphone Stands	Tripod Base	With Boom Arm	12
Microphone Stands	Tripod Base	Small	4
Drum Mic Clips	K&N 24030B	Drum Microphone Clip	4

Patching:

Location	Quantity	Numbering	Detail
Control Room (looms from console)	48	1-48	48 sends, 16 returns
PS Wing (Mic)	20	1 - 20	20 sends
OP Wing (Mic)	20	21 – 40	20 sends
Orchestra Pit (Mic)	24	41 - 64	24 sends
PS Wing (Tie)	10	1 – 10	4 sends/returns (male & female)
OP Wing (Tie)	10	11 – 20	4 sends/returns (male & female)
Orchestra Pit (Tie)	6	21 – 26	6 send/returns (male & female)



Cabling:

Audio Cable

The theatre has a good stock of cable to accommodate the venue's audio equipment. If additional audio equipment is being brought in additional cabling may be required.

Multicore

(1) 10m, 12 lines

AUDIO VISUAL DETAILS

Projection Room:

N/A

Projector:

Panasonic 17KE2E 16,500 Lumens, 1366 x 768, 50Hz

Switchgear:

Blackmagic Production Studio 4K

- 4 SDI and 4 HDMI inputs
- SDI output to Panasonic

Decimator MD-HX HDMI – SDI cross converter/scaler x2 Tascam DVD Player x2

Screens:

Cyclorama screen on line 15 Cyclorama screen on line 48

Projector Rigging Points:

Panasonic projector mounted below FOH bridge 1

Cabling:

The theatre has some stock of SDI cable to accommodate the venue's own equipment.

There are 2 x SDI runs to bio from stage $-1 \times OP$ and $1 \times PS$.

South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



BACKSTAGE DETAILS

Communications:

Stage Managers Desk

Stage Managers desk is located in prompt corner. The desk can be moved within it's area and is fitted with a light, stage video and audio, and talkback.

Talkback

Master Unit Creative Audio C120 command centre two running two common

loops

HME DX 200 Wireless Communications Base Station

Total sub stations 6 belt pack with headsets

4 Wireless belt packs with headsets

Talkback patching located at: Stage Managers Desk

Control Room, lighting, audio, dome x 2

Flys OP US x 2

Production Position and Centre Stalls

Orchestra PIt Tech Office

Paging / Show relay

Paging to the dressing rooms is available from the stage managers desk. Show relay is distributed to all dressing rooms and green room.

Stage Monitor

TV's set-up in green room, Dressing rooms and SM position. Camera located rear centre of auditorium

Q Light System

In house Q light system available

No

Dressing Rooms:

Dressing Room	Capacity	Toilets	Shower	Details
Dressing Rm #1	54	1	Yes	
Dressing Rm #2	46	1	Yes	
Dressing Rm #3	26	1	Yes	
Dressing Rm #4	5	No	No	Shared shower & toilets with DR #3
Green Room	24	2	2	
Woodstock Theatre	175	No	No	Used as additional dressing room if
				required

Plenty Ranges Arts & Conventions Centre

35 Ferres Boulevard South Morang VIC 3752 Tel 03 9217 2317 Fax 03 9409 9802 TTY 133 677 (ask for 9217 2317) Email info@pracc.com.au www.pracc.com.au ABN 72 431 091 058

Locked Bag 1 Bundoora MDC VIC 3083



Laundry / Wardrobe:

Washing Machines Yes, 1 in theatre scene dock
Dryers Yes, 1 in theatre scene dock

Iron / ironing board One

Clothes racks 2 mobile racks, most dressing rooms have fixed rails

Production Facilities:

Production Office

No. Dressing room #4 can be used as an office

Phone

No

Fax

No

Access to phone for internet access

Public WIFI available throughout building

Greenroom:

Tea / Coffee facilities Yes - Boiling water unit only

Fridge Yes
Microwave No
Running water Yes

Stage Door:

Access

Stage Door is located near loading dock on Service Lane. This door is unsupervised and kept locked at all times.

ADDITIONAL FACILITIES & INFORMATION

Orchestral:

N/A

Rehearsal Space:

Eucalypt Room. Bookings required for use



VENUE DETAILS

Venue Contacts:

Venue Address 35 Ferres Boulevard, South Morang, Vic, 3752
Venue Postal Address Locked Bag 1, Bundoora MDC, Bundoora, Vic, 3083

Staff Contacts:

Head of Venue Operations and Customer Experience

Email Address Phone Number Mobile

Head of Commercial Services

Email Address Phone Number Mob

Event Planner

Phone Number Email Address Mob

Event Planner

Phone Number Email Address Mob

Administration Officer

Phone Number Email Address

Matthew Cartledge

Matthew.cartledge@pracc.com.au (03) 9217 2150 0429 528 030

Craig Emmerson

Craig.emmerson@pracc.com.au (03) 9217 2160 0488 222 651

Cameron Canobie

(03) 9217 2320 Cameron.conobie@pracc.com.au 0408 503 346

Nathan Allen


(03) 9217 2463 Nathan.allen@pracc.com.au 0447 319 806

Nicole Doherty

(03) 9217 2228 Nicole.doherty@pracc.com.au



SEATING PLAN (AVAILABLE SEPERATELY)




Plenty Ranges Arts & Conventions Centre 35 Ferres Boulevard South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



LIGHTING PLAN (AVAILABLE SEPERATELY)




Plenty Ranges Arts & Conventions Centre 35 Ferres Boulevard

South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



STAGE DIMENSION PLAN (AVAILABLE SEPERATELY)



Plenty Ranges Arts & Conventions Centre 35 Ferres Boulevard South Morang VIC 3752

Locked Bag 1 Bundoora MDC VIC 3083



DRESSING ROOM PLAN (AVAILABLE SEPERATELY)

