METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/27	05/28											
ECG11 OP		05/27	05/28											
ECG13 OP		05/27	05/28											
ECG15 OP		05/27	05/28											
ECG16 OP		05/27	05/28											
ECGC OOF		05/27	05/28											
ECHG OOF		05/27	05/28											
ECSI OOF		05/27	05/28											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/29			06/05										
FSO OPT	05/29			06/30										
GMW MON				06/22										
GWR THU	05/28			06/18										
GWT TUE				06/23										
GWW WED	05/27			06/17										
HMW MON				06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/18										
HWT TUE				06/16										
HWW WED	05/27			06/17	07/01	08/05	09/02							
HX CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/26										
HXE PUT	05/29			06/26										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL				06/12										
OG2 PUT				06/12										
OG4 CALL				06/26										
OG4 PUT				06/26										
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT					06/25	07/28				11/24				
PAO CALL					06/17	07/15	08/19			11/18				
PAO PUT					06/17	07/15	08/19			11/18				
PLW OOF	05/29			06/05										
PO CALL					06/17	07/15	08/19	09/16			12/16			
PO PUT					06/17	07/15	08/19	09/16			12/16			
RWS THU	05/28			06/18										
SMW MON				06/22										
SO CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO2 CALL				06/12										
SO2 PUT				06/12										
SO4 CALL				06/26										
SO4 PUT				06/26										
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/17										
TWS TUE				06/16										
WMG WED	05/27													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK4										
MAY26												
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUL26												
3400	----	----	----	----	----	1132.60 + 50.60	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1072.70 + 50.40	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	19.50 - 7.10	----	----	----	----	----	2 UNCH
4275	----	----	----	----	----	28.40 - 9.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	32.30 - 11.00	----	----	----	----	----	1 UNCH
4400	100.00	100.00	#100.00/100.00	#100.00/100.00	----	54.70 NEW	----	----	----	1	----	1 + 1
4500	157.00	157.00	#157.00/97.50A	#157.00/97.50A	----	91.20 - 23.00	----	----	----	2	----	7 + 2
4550	----	----	----	----	----	115.30 - 26.90	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	143.50 - 30.60	----	----	----	----	----	2 UNCH
4600	----	----	----	50.00B/----	----	76.10 + 20.20	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	44.40 + 13.70	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	24.90 + 8.60	----	----	----	----	----	2 UNCH
5000	----	----	6.10B/----	6.10B/----	----	8.30 + 3.20	----	----	----	----	----	3 UNCH
5300	----	----	----	----	----	2.70 + 1.10	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	1.80 + 0.70	----	----	----	----	----	2 UNCH
TOTAL										3		31 + 3
AUG26												
4400	----	----	----	----	----	100.00 - 16.90	----	----	----	----	----	6 UNCH
4550	----	----	----	----	----	165.90 - 24.10	----	----	----	----	----	1 UNCH
4995	----	----	----	----	----	31.90 + 8.40	----	----	----	----	----	1 UNCH
TOTAL												8 0
DEC26												
4700	----	----	----	----	----	238.20 + 27.10	----	----	----	----	----	10 UNCH
TOTAL												10 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												
3700	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.10 UNCH	----	----	----	4	----	28 + 4
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	43 UNCH
4000	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	----	----	----	----	----	113 UNCH
4085	0.80	0.80	#0.90/*0.20A	#0.90/*0.20A	----	0.10 NEW	----	----	----	2	----	2 + 2
4100	0.30	0.30	0.70B/*0.10A	0.70B/*0.10A	----	0.10 - 0.30	----	----	----	4	----	24 + 4
4125	0.50	0.50	1.00B/*0.10A	1.00B/*0.10A	----	0.10 - 0.40	----	----	----	2	----	8 + 2
4130	0.20	0.20	1.00B/*0.10A	1.00B/*0.10A	----	0.10 - 0.50	----	----	----	1	----	7 + 1
4135	1.00	1.00	1.10B/*0.10A	1.10B/*0.10A	----	0.10 - 0.50	----	----	----	1	----	3 UNCH
4140	----	----	1.20B/*0.10A	1.20B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												
4145	0.90	0.90	1.30B/*0.10A	1.30B/*0.10A	----	0.10 NEW	----	----	----	2	----	2 + 2
4150	1.50	1.50	1.50/*0.10A	1.50/*0.10A	----	0.10 - 0.60	----	----	----	4	----	32 - 1
4165	0.90	0.90	1.60B/*0.10A	1.60B/*0.10A	----	0.10 - 0.60	----	----	----	2	----	2 + 1
4175	1.70	1.70	1.80B/*0.10A	1.80B/*0.10A	----	0.10 - 0.70	----	----	----	8	----	10 + 7
4190	----	----	#2.20B/*0.10A	#2.20B/*0.10A	----	0.10 - 0.80	.0000	----	----	----	----	1 UNCH
4195	0.10	0.10	2.30B/*0.10	2.30B/*0.10	----	0.10 - 0.80	.0000	----	----	3	----	4 UNCH
4200	2.00	2.00	2.60B/*0.20	2.60B/*0.20	----	0.10 - 0.90	.0000	----	----	14	----	100 + 6
4205	----	----	#2.80B/*0.20A	#2.80B/*0.20A	----	0.10 - 0.90	.0000	----	----	----	----	2 UNCH
4210	1.00	1.00	#2.90B/*0.20A	#2.90B/*0.20A	----	0.10 - 1.00	.0000	----	----	1	----	2 + 1
4225	0.80	0.80	3.60B/*0.20A	3.60B/*0.20A	----	0.20 - 1.00	.0001	----	----	4	----	6 + 1
4230	----	----	#3.70B/*0.20A	#3.70B/*0.20A	----	0.20 - 1.10	.0001	----	----	----	----	1 UNCH
4235	----	----	#3.90B/*0.20A	#3.90B/*0.20A	----	0.20 - 1.10	.0001	----	----	----	----	1 UNCH
4240	----	----	#4.20B/*0.20A	#4.20B/*0.20A	----	0.20 - 1.20	.0001	----	----	----	----	20 UNCH
4245	3.30	3.30	#4.50B/*0.20	#4.50B/*0.20	----	0.20 NEW	.0001	----	----	6	----	4 + 4
4250	1.20	1.20	4.80B/*0.20A	4.80B/*0.20A	----	0.20 - 1.30	.0001	----	----	11	----	31 - 3
4255	0.60	0.60	#5.00B/*0.20A	#5.00B/*0.20A	----	0.20 NEW	.0001	----	----	1	----	1 + 1
4260	0.20	0.20	#5.30B/*0.20	#5.30B/*0.20	----	0.30 NEW	.0003	----	----	1	----	1 + 1
4265	----	----	#5.80B/*0.30A	#5.80B/*0.30A	----	0.30 - 1.40	.0003	----	----	----	----	2 UNCH
4270	5.20	5.20	#6.20B/*0.30A	#6.20B/*0.30A	----	0.30 NEW	.0003	----	----	2	----	2 + 2
4275	6.50	6.50	6.80B/*0.30A	6.80B/*0.30A	----	0.30 - 1.60	.0003	----	----	8	----	36 - 6
4280	4.60	4.60	#7.20B/*0.20	#7.20B/*0.20	----	0.30 - 1.70	.0003	----	----	32	----	51 + 30
4285	5.00	5.00	#7.70B/*0.30	#7.70B/*0.30	----	0.40 NEW	.0005	----	----	2	----	2 + 2
4290	----	----	#8.30B/*0.30A	#8.30B/*0.30A	----	0.40 - 1.80	.0005	----	----	3	----	15 + 3
4295	2.00	2.00	#8.70B/*0.30	#8.70B/*0.30	----	0.40 NEW	.0006	----	----	13	----	13 + 13
4300	2.20	2.20	10.00/*0.30	10.00/*0.30	----	0.40 - 2.00	.0006	----	----	280	----	345 + 140
4310	10.80	10.80	#10.90/*0.40	#10.90/*0.40	----	0.50 - 2.20	.0009	----	----	26	----	27 + 25
4320	5.80	5.80	#12.50B/*0.40	#12.50B/*0.40	----	0.60 - 2.40	.0012	----	----	23	----	19 + 19
4325	10.20	10.20	13.50B/*0.50A	13.50B/*0.50A	----	0.60 - 2.60	.0013	----	----	11	----	22 + 4
4330	----	----	#14.10B/*0.60A	#14.10B/*0.60A	----	0.70 - 2.70	.0017	----	----	----	----	14 UNCH
4335	2.90	2.90	#15.40B/*0.60A	#15.40B/*0.60A	----	0.70 NEW	.0017	----	----	156	----	155 + 155
4340	3.30	3.30	#16.20B/*0.70A	#16.20B/*0.70A	----	0.70 - 3.20	.0018	----	----	65	----	28 + 7
4345	9.70	9.70	#17.30B/*0.70A	#17.30B/*0.70A	----	0.80 NEW	.0023	----	----	2	----	1 + 1
4350	6.50	6.50	20.50/*0.80A	20.50/*0.80A	----	0.90 - 3.50	.0028	----	----	57	----	283 + 5
4355	19.00	19.00	#19.90B/*0.90A	#19.90B/*0.90A	----	0.90 - 3.80	.0029	----	----	10	----	10 + 3
4360	8.50	8.50	#21.30B/*1.00A	#21.30B/*1.00A	----	1.00 - 4.00	.0035	----	----	8	----	20 + 1
4365	1.20	1.20	#23.10B/*1.00A	#23.10B/*1.00A	----	1.10 - 4.30	.0041	----	----	2	----	2 UNCH
4370	2.60	2.60	#24.20B/*1.00	#24.20B/*1.00	----	1.10 - 4.70	.0043	----	----	71	----	38 + 29
4375	18.30	18.30	26.10B/*1.20	26.10B/*1.20	----	1.20 - 5.00	.0050	----	----	108	----	125 + 84
4380	6.00	6.00	#27.60B/*1.30A	#27.60B/*1.30A	----	1.30 - 5.40	.0058	----	----	85	----	39 + 16
4385	18.10	18.10	#29.60B/*1.30A	#29.60B/*1.30A	----	1.40 - 5.80	.0067	----	----	12	----	10 + 4
4390	19.60	19.60	#31.70B/*1.40A	#31.70B/*1.40A	----	1.60 - 6.10	.0084	----	----	184	----	59 + 33
4395	32.50	32.50	#33.50B/*1.50A	#33.50B/*1.50A	----	1.70 - 6.60	.0095	----	----	13	----	32 + 11
4400	8.00	8.00	35.70B/*1.50	35.70B/*1.50	----	1.80 - 7.10	.0107	----	----	698	----	478 - 5
4405	9.00	9.00	#38.10B/*1.80A	#38.10B/*1.80A	----	2.00 - 7.60	.0128	----	----	10	----	5 + 2
4410	13.50	13.50	#40.60B/*1.90A	#40.60B/*1.90A	----	2.20 - 8.20	.0150	----	----	14	----	7 + 3
4415	33.30	33.30	#43.20B/*2.00A	#43.20B/*2.00A	----	2.40 - 8.80	.0176	----	----	15	----	5 + 3
4420	30.40	30.40	#46.50B/*2.20A	#46.50B/*2.20A	----	2.60 - 9.50	.0203	----	----	329	----	125 + 24
4425	10.10	10.10	#49.40B/*2.40A	49.40B/*2.40A	----	2.80 - 10.30	.0234	----	----	33	75	93 - 12
4430	14.50	14.50	#52.30B/*2.60A	#52.30B/*2.60A	----	3.10 - 11.00	.0277	----	----	39	----	32 + 21
4435	33.00	33.00	#55.30B/*2.80A	#55.30B/*2.80A	----	3.40 - 11.80	.0324	----	----	89	----	89 + 83
4440	51.00	51.00	#58.70B/*3.00	#58.70B/*3.00	----	3.70 - 12.80	.0376	----	----	212	----	114 + 65
4445	19.40	19.40	#62.00B/*3.30	#62.00B/*3.30	----	4.10 - 13.70	.0444	----	----	39	----	30 + 4
4450	49.50	49.50	65.90B/*3.60	65.90B/*3.60	----	4.50 - 14.80	.0519	----	----	136	----	133 + 16
4455	25.90	25.90	#69.40B/*4.00A	#69.40B/*4.00A	----	5.00 - 15.80	.0612	----	----	44	----	40 + 35
4460	65.00	65.00	#73.20B/*4.40A	#73.20B/*4.40A	----	5.50 - 17.00	.0714	----	----	194	----	89 + 57
4465	29.00	29.00	#76.80B/*4.80A	#76.80B/*4.80A	----	6.10 - 18.20	.0838	----	----	12	----	18 + 5
4470	49.00	49.00	#80.90B/*5.30A	#80.90B/*5.30A	----	6.80 - 19.40	.0986	----	----	63	----	43 + 31
4475	18.00	18.00	#85.10B/*6.00A	#85.10B/*6.00A	----	7.50 - 20.80	.1145	----	----	120	----	217 + 11
4480	45.00	45.00	#89.00B/*6.60A	#89.00B/*6.60A	----	8.40 - 22.10	.1342	----	----	32	----	32 + 2
4485	77.10	77.10	#93.20B/*7.30A	#93.20B/*7.30A	----	9.30 - 23.50	.1555	----	----	23	----	32 + 7
4490	22.20	22.20	#97.50B/*7.90A	#97.50B/*7.90A	----	10.40 - 24.90	.1806	----	----	93	----	74 + 71
4495	24.00	24.00	#101.80B/*8.80A	#101.80B/*8.80A	----	11.50 - 26.50	.2073	----	----	59	----	40 + 29
4500	36.10	36.10	#106.50/*9.80A	#106.50/*9.80A	----	12.80 - 28.00	.2380	----	----	389	----	542 + 33
4505	28.50	28.50	#111.00B/*10.80	#111.00B/*10.80A	----	14.30 - 29.40	.2721	----	----	16	----	16 + 15
4510	24.50	24.50	#115.30B/*12.10	#115.30B/12.10A	----	15.90 - 30.90	.3086	----	----	38	----	26 + 24
4515	21.50	21.50	#120.20B/*13.40	#120.20B/13.40A	----	17.60 - 32.40	.3474	----	----	22	----	13 + 12
4520	22.00	22.00	#124.60B/*14.90	#124.60B/14.90A	----	19.60 - 33.80	.3892	----	----	36	----	18 + 15
4525	32.00	32.00	#129.30B/16.50A	#129.30B/16.50A	----	21.70 - 35.20	.4323	----	----	73	----	191 + 30
4530	28.50	28.50	#134.00B/18.40A	#134.00B/18.40A	----	23.90 - 36.60	.4765	----	----	29	----	26 + 15
4535	25.00	25.00	#139.00B/20.30A	#139.00B/20.30A	----	26.40 - 37.90	.5213	----	----	12	----	66 + 5
4540	28.10	28.10	#143.50B/*22.60	#143.50B/22.60A	----	29.10 - 39.10	.5658	----	----	20	----	39 + 17
4545	46.60	46.60	#148.30B/*25.00	#148.30B/25.00A	----	31.90 - 40.30	.6096	----	----	4	----	51 + 2
4550	31.50	31.50	#153.20B/27.50	#153.20B/27.50	----	34.90 - 41.40	.6518	----	----	65	----	337 + 27
4560	----	----	#163.30B/33.30A	#163.30B/33.30A	----	41.40 - 43.30	.7297	----	----	----	----	41 UNCH
4575	53.60	53.60	#177.60B/43.00A	#177.60B/43.00A	----	52.40 - 45.60	.8241	----	----	2	----	35 UNCH
4580	----	----	#182.90B/47.40A	#182.90B/47.40A	----	56.30 - 46.20	.8497	----	----	3	----	3 + 1
4585	55.10	55.10	#187.40B/50.40A	#187.40B/50.40A	----	60.30 NEW	.8725	----	----	2	----	1 + 1
4590	----	----	#192.40B/54.20A	#192.40B/54.20A	----	64.50 NEW	.8913	----	----	12	----	12 + 12
4595	----	----	#197.30B/58.20A	#197.30B/58.20A	----	68.70 - 47.80	.9087	----	----	2	----	6 + 2
4600	----	----	#202.30B/62.60A	#202.30B/62.60A	----	73.00 - 48.20	.9235	----	----	1	----	71 - 1
4610	----	----	#212.20B/70.70A	#212.20B/70.70A	----	81.90 - 48.80	.9461	----	----	1	----	5 UNCH
4615	----	----	#217.10B/75.10A	#217.10B/75.10A	----	86.40 - 49.20	.9553	----	----	----	----	1 UNCH
4625	----	----	#227.30B/83.90A	#227.30B/83.90A	----	95.70 - 49.50	.9681	----	----	1	----	18 UNCH
4630	220.00	220.00	#232.10B/89.10A	#232.10B/89.10A	----	100.30 NEW	.9742	----	----	3	----	1 + 1
4635	181.50	181.50	#237.40B/93.00A	#237.40B/93.00A	----	105.10 NEW	.9777	----	----	3	----	1 + 1
4650	----	----	#252.00B/107.80	#252.00B/107.80A	----	119.40 - 50.30	.9871	----	----	----	----	10 UNCH
4660	259.90	259.90	#262.30B/117.60	#262.30B/117.60A	----	129.00 - 50.60	.9915	----	----	5	----	4 - 1
4675	----	----	#245.70B/130.80	#245.70B/130.80A	----	143.70 - 50.70	.9946	----	----	1	----	34 - 1
4700	----	----	267.00B/156.40A	267.00B/156.40A	----	168.20 - 50.90	.9981	----	----	----	----	8 UNCH
4725	----	----	----/181.50A	224.30B/181.50A	----	192.90 - 51.00	.9994	----	----	----	----	1 UNCH
4750	----	----	#316.90B/205.00	#316.90B/205.00A	----	217.80 - 51.00	.9998	----	----	----	----	3 UNCH
4775	----	----	#341.80B/230.50	#341.80B/230.50A	----	242.70 - 51.00	1.0000	----	----	1	----	14 - 1
4800	----	----	#366.80B/254.60	#366.80B/254.60A	----	267.70 - 51.00	1.0000	----	----	1	----	1 - 2
4805	----	----	----/*259.70A	#304.00B/259.70A	----	272.70 - 51.00	1.0000	----	----	1	----	1 UNCH
4850	----	----	----/305.90A	348.60B/305.90A	----	317.70 - 50.90	1.0000	----	----	----	----	1 UNCH
4900	----	----	#466.70B/355.40	#466.70B/355.40A	----	367.70 - 50.90	1.0000	----	----	3	----	0 - 3
4950	----	----	----/405.50A	#448.60B/405.50A	----	417.70 - 50.90	1.0000	----	----	----	----	0 - 1
TOTAL										4244	75	5141+ 1269

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 CALL		GOLD OPTIONS										
MAY26												
4230	----	----	#315.40B/*172.6	315.40B/*172.60A	----	302.60 NEW	.9999	----	----	1	----	1 + 1
4235	----	----	#310.40B/*167.9	310.40B/*167.90A	----	297.60 NEW	.9999	----	----	1	----	1 + 1
4250	----	----	294.50B/*153.80	294.50B/*153.80A	----	282.60 NEW	.9999	----	----	2	----	2 + 2
4255	----	----	290.20B/*149.20	290.20B/*149.20A	----	277.60 NEW	.9998	----	----	1	----	1 + 1
4260	----	----	284.60B/*144.20	284.60B/*144.20A	----	272.70 NEW	.9997	----	----	1	----	1 + 1
4335	----	----	210.60B/*79.80A	210.60B/*79.80A	----	198.10 + 48.00	.9982	----	----	----	----	1 UNCH
4340	201.70	201.70	205.90B/*76.00A	205.90B/*76.00A	----	193.10 NEW	.9981	----	----	1	----	1 + 1
4375	65.60	65.60	170.40B/*50.90A	170.40B/*50.90A	----	158.60 + 45.90	.9949	----	----	3	----	2 + 1
4385	----	----	161.50B/*44.60A	161.50B/*44.60A	----	148.80 NEW	.9932	----	----	2	----	1 + 1
4395	----	----	151.70B/*38.20A	151.70B/*38.20A	----	139.10 + 44.30	.9904	----	----	1	----	1 UNCH
4400	43.00	43.00	145.70B/*35.20A	145.70B/*35.20A	----	134.20 + 43.80	.9892	----	----	6	----	5 + 3
4405	36.00	36.00	140.70B/*32.30A	140.70B/*32.30A	----	129.40 + 43.30	.9871	----	----	4	----	3 + 2
4415	31.90	31.90	131.20B/*27.00A	131.20B/*27.00A	----	119.80 NEW	.9823	----	----	8	----	3 + 3
4420	31.50	31.50	127.50B/*24.40A	127.50B/*24.40A	----	115.00 + 41.40	.9796	----	----	5	----	4 + 3
4425	31.10	31.10	121.60B/*22.00A	121.60B/*22.00A	----	110.20 NEW	.9765	----	----	6	----	6 + 6
4430	24.00	24.00	116.90B/*19.00	116.90B/*19.00	----	105.50 NEW	.9722	----	----	5	----	3 + 3
4440	22.60	22.60	107.40B/*15.50	107.40B/*15.50	----	96.10 NEW	.9623	----	----	14	----	4 + 4
4445	28.60	28.60	103.40B/*14.10A	103.40B/*14.10A	----	91.50 + 37.20	.9555	----	----	20	----	4 + 4
4450	26.00	26.00	98.40B/*12.50A	98.40B/*12.50A	----	86.90 + 36.10	.9480	----	----	167	----	66 + 64
4455	13.20	13.20	93.50B/*11.10A	93.50B/*11.10A	----	82.40 NEW	.9387	----	----	5	----	3 + 3
4460	15.70	15.70	88.90B/*9.80A	88.90B/*9.80A	----	77.90 NEW	.9284	----	----	108	----	53 + 53
4465	12.40	12.40	84.50B/*8.60A	84.50B/*8.60A	----	73.50 + 32.70	.9160	----	----	17	----	6 + 5
4470	36.70	36.70	80.00B/*7.70A	80.00B/*7.70A	----	69.20 + 31.50	.9013	----	----	111	----	47 + 42
4475	33.00	33.00	75.90B/*6.70A	75.90B/*6.70A	----	64.90 + 30.10	.8854	----	----	125	----	79 + 71
4480	25.40	25.40	72.00B/*6.00A	72.00B/*6.00A	----	60.80 + 28.80	.8656	----	----	80	----	55 + 25
4485	10.00	10.00	67.20B/*5.20A	67.20B/*5.20A	----	56.70 + 27.40	.8444	----	----	26	----	6 + 4
4490	8.00	8.00	63.30B/*4.60A	63.30B/*4.60A	----	52.80 + 26.00	.8193	----	----	75	----	74 + 15
4495	7.20	7.20	59.10B/*4.00A	59.10B/*4.00A	----	48.90 + 24.40	.7925	----	----	77	----	56 + 45
4500	10.00	10.00	55.40B/*3.60A	55.40B/*3.60A	----	45.20 + 22.90	.7619	----	----	183	----	214 + 43
4505	11.90	11.90	51.40B/*3.10A	51.40B/*3.10A	----	41.70 + 21.50	.7278	----	----	7	----	18 + 3
4510	8.50	8.50	47.70B/*2.80A	47.70B/*2.80A	----	38.30 + 20.00	.6913	----	----	70	----	44 + 35

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG5 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4515	3.70	3.70	44.30B/*2.50A	44.30B/*2.50A	----	35.00 + 18.50	.6525	----	----	25	----	21 + 12
4520	4.30	4.30	41.00B/*2.30A	41.00B/*2.30A	----	32.00 + 17.10	.6107	----	----	81	----	98 + 17
4525	6.90	6.90	37.60B/*2.00A	37.60B/*2.00A	----	29.10 + 15.70	.5676	----	----	89	----	86 + 58
4530	4.10	4.10	35.50/*1.80A	35.50/*1.80A	----	26.30 + 14.30	.5234	----	----	156	----	102 + 59
4535	3.20	3.20	32.00B/*1.60A	32.00B/*1.60A	----	23.80 + 13.00	.4786	----	----	109	----	104 + 66
4540	5.10	5.10	29.20B/*1.40A	29.20B/*1.40A	----	21.50 + 11.80	.4341	----	----	136	----	99 + 52
4545	2.00	2.00	26.70B/*1.30A	26.70B/*1.30A	----	19.30 + 10.60	.3903	----	----	51	----	67 - 2
4550	1.50	1.50	24.30B/*1.00	24.30B/*1.00	----	17.30 + 9.50	.3481	----	----	164	----	210 + 38
4555	6.60	6.60	21.90B/*1.10A	21.90B/*1.10A	----	15.50 + 8.60	.3081	----	----	50	----	41 + 14
4560	1.50	1.50	20.00B/*1.00A	20.00B/*1.00A	----	13.80 + 7.60	.2702	----	----	87	----	34 + 16
4565	4.30	4.30	18.10B/*0.90A	18.10B/*0.90A	----	12.30 + 6.70	.2354	----	----	17	----	23 + 11
4570	0.70	0.70	16.30B/*0.70	16.30B/*0.70	----	11.00 + 6.00	.2042	----	----	84	----	78 + 46
4575	3.60	3.60	14.80B/*0.80A	14.80B/*0.80A	----	9.80 + 5.30	.1758	----	----	60	----	157 + 19
4580	1.70	1.70	13.20B/*0.50	13.20B/*0.50	----	8.70 + 4.70	.1502	----	----	38	----	60 + 12
4585	1.60	1.60	11.80B/*0.70A	11.80B/*0.70A	----	7.70 + 4.10	.1274	----	----	38	----	51 + 26
4590	1.40	1.40	10.50B/*0.60A	10.50B/*0.60A	----	6.90 + 3.60	.1086	----	----	41	----	34 + 27
4595	0.60	0.60	9.50B/*0.60	9.50B/*0.60	----	6.10 + 3.10	.0912	----	----	66	----	42 - 34
4600	2.40	2.40	8.60B/*0.60	8.60B/*0.60	----	5.40 + 2.70	.0764	----	----	145	----	287 + 1
4605	----	----	7.60B/*0.50A	7.60B/*0.50A	----	4.80 + 2.30	.0640	----	----	3	----	17 - 1
4610	0.20	0.20	6.80B/*0.20	6.80B/*0.20	----	4.30 + 2.10	.0538	----	----	11	----	21 + 4
4615	4.70	4.70	6.10B/*0.50A	6.10B/*0.50A	----	3.80 + 1.70	.0446	----	----	13	----	14 + 12
4620	0.50	0.50	5.50B/*0.50	5.50B/*0.50	----	3.40 + 1.50	.0373	----	----	44	----	68 + 5
4625	0.40	0.40	4.90B/*0.30	4.90B/*0.30	----	3.10 + 1.40	.0317	----	----	158	----	286 - 4
4630	4.10	4.10	4.40/*0.40A	4.40/*0.40A	----	2.70 + 1.10	.0257	----	----	22	----	31 + 16
4635	2.90	2.90	3.90B/*0.40A	3.90B/*0.40A	----	2.50 + 1.00	.0222	----	----	5	----	8 + 5
4640	1.90	1.90	3.50B/*0.40A	3.50B/*0.40A	----	2.20 + 0.80	.0181	----	----	4	----	7 + 2
4645	----	----	3.10B/*0.40A	3.10B/*0.40A	----	2.00 + 0.70	.0153	----	----	1	----	4 + 1
4650	0.80	0.80	2.70/*0.30A	2.70/*0.30A	----	1.80 + 0.60	.0128	----	----	66	----	124 + 17
4655	----	----	2.40B/*0.30A	2.40B/*0.30A	----	1.60 + 0.50	.0105	----	----	----	----	7 UNCH
4660	1.00	1.00	2.10B/*0.30A	2.10B/*0.30A	----	1.40 NEW	.0084	----	----	5	----	5 + 5
4665	0.80	0.80	1.90B/*0.30A	1.90B/*0.30A	----	1.30 NEW	.0073	----	----	3	----	3 + 3
4670	0.90	0.90	1.70B/*0.30A	1.70B/*0.30A	----	1.20 + 0.30	.0062	----	----	1	----	2 + 1
4675	1.30	1.30	1.60/*0.30A	1.60/*0.30A	----	1.10 + 0.20	.0053	----	----	26	----	86 UNCH
4680	0.60	0.60	1.40/*0.30A	1.40/*0.30A	----	0.90 + 0.10	.0039	----	----	13	----	16 + 11
4685	0.40	0.40	#1.20B/*0.20	1.20B/*0.20	----	0.80 + 0.10	.0031	----	----	2	----	21 UNCH
4690	0.20	0.20	#1.10B/*0.20	1.10B/*0.20	----	0.80 + 0.10	.0030	----	----	1	----	2 + 1
4695	----	----	1.00B/*0.20A	1.00B/*0.20A	----	0.70 + 0.10	.0024	----	----	----	----	2 UNCH
4700	0.50	0.50	1.00/*0.20A	1.00/*0.20A	----	0.60 UNCH	.0018	----	----	56	----	248 - 4
4705	0.70	0.70	#0.80B/*0.20A	0.80B/*0.20A	----	0.50 NEW	.0013	----	----	1	----	1 + 1
4715	0.60	0.60	0.70/*0.20A	0.70/*0.20A	----	0.40 - 0.10	.0009	----	----	5	----	10 + 2
4720	0.30	0.30	#0.60B/*0.20	0.60B/*0.20	----	0.40 NEW	.0009	----	----	10	----	10 + 10
4725	0.30	0.30	0.50/*0.20	0.50/*0.20	----	0.30 - 0.10	.0005	----	----	40	----	109 - 9
4730	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.30 - 0.10	.0005	----	----	1	----	2 + 1
4740	----	----	#0.40B/*0.20A	0.40B/*0.20A	----	0.20 - 0.10	.0002	----	----	----	----	1 UNCH
4745	0.10	0.10	0.30B/*0.10	0.30B/*0.10	----	0.20 - 0.10	.0002	----	----	4	----	4 UNCH
4750	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.20 - 0.10	.0002	----	----	2	----	186 + 1
4760	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.10	.0002	----	----	----	----	11 UNCH
4775	----	----	----	0.20B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	77 UNCH
4780	0.20	0.20	#0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4785	----	----	----	----/*0.20A	----	0.10 NEW	.0000	----	----	2	----	2 + 2
4790	0.20	0.20	#0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0000	----	----	3	----	3 + 3
4800	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	1	----	33 - 1
4820	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4825	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	56 UNCH
4850	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	1	----	48 - 1
4875	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	32 UNCH
4880	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4890	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4900	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	346 UNCH
4925	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
4950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
4975	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
5000	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	452 UNCH
5025	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
5050	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	2	----	19 UNCH
5075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	334 UNCH
5125	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5175	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5200	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
5225	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
5400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
5750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										3083		5423 + 967

OG4 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	2.00	2.00	#2.00/1.50A	#2.00/1.50A	----	2.20 - 0.70	.0085	----	----	4	----	4 + 3
3500	5.40	5.40	#5.40/3.70A	#5.40/3.70A	----	3.30 - 1.10	.0144	----	----	5	----	6 + 5
3800	----	----	----/*5.90A	3.70B/*5.90A	----	5.50 - 1.90	.0289	----	----	----	----	1 UNCH
3900	----	----	#9.30B/*7.40A	#9.30B/*7.40A	----	6.70 NEW	.0377	----	----	1	----	1 + 1
4000	17.10	17.10	#18.00/*7.00	#18.00/*7.00	----	8.70 - 3.30	.0519	----	----	8	----	7 + 4
4075	----	----	#24.00B/*11.70A	#24.00B/*11.70A	----	11.60 NEW	.0704	----	----	2	----	2 + 2
4100	22.20	22.20	#27.00/12.90A	#27.00/12.90A	----	12.90 - 5.90	.0785	----	----	13	----	10 + 6
4125	16.40	16.40	#30.50B/14.40A	#30.50B/14.40A	----	14.40 NEW	.0877	----	----	1	----	1 + 1
4150	----	----	#34.40B/16.30A	#34.40B/16.30A	----	16.30 - 6.80	.0988	----	----	1	----	6 + 1
4200	35.50	35.50	#43.80B/20.00	#43.80B/20.00	----	20.90 - 7.60	.1250	----	----	10	----	11 + 6
4225	----	----	#49.40B/23.10A	#49.40B/23.10A	----	23.60 - 8.30	.1401	----	----	----	----	2 UNCH
4250	50.00	50.00	#55.80B/26.20A	#55.80B/26.20A	----	26.80 - 8.90	.1574	----	----	2	----	5 + 1
4275	----	----	#62.90B/29.60A	#62.90B/29.60A	----	30.30 - 9.90	.1762	----	----	----	----	5 UNCH
4300	53.20	53.20	#70.80B/33.30A	#70.80B/33.30A	----	34.30 - 11.00	.1970	----	----	4	----	8 + 1
4325	----	----	#79.60B/37.80A	#79.60B/37.80A	----	38.90 NEW	.2201	----	----	1	----	1 + 1
4350	76.40	76.40	#89.20B/42.70A	#89.20B/42.70A	----	44.20 - 13.60	.2455	----	----	22	----	13 + 11
4400	----	----	#111.30B/55.10A	#111.30B/55.10A	----	56.90 - 16.80	.3028	----	----	----	----	3 UNCH
4425	112.70	112.70	#123.70B/62.50A	#123.70B/62.50A	----	64.60 - 18.40	.3347	----	----	4	----	2 + 1
4475	----	----	#147.00B/80.00A	#147.00B/80.00A	----	83.00 - 21.80	.4037	----	----	----	----	2 UNCH
4500	----	----	#160.60B/90.20A	#160.60B/90.20A	----	93.70 - 23.50	.4399	----	----	6	----	7 + 6
4525	----	----	#176.90B/101.40	#176.90B/101.40A	----	105.40 NEW	.4768	----	----	7	----	5 + 5
4625	188.00	188.00	#251.20B/156.70	#251.20B/156.70A	----	162.10 NEW	.6222	----	----	1	----	1 + 1
4700	----	----	#314.00B/207.40	#314.00B/207.40A	----	214.10 - 36.50	.7192	----	----	----	----	1 UNCH
4725	----	----	#335.90B/225.70	#335.90B/225.70A	----	233.10 - 37.80	.7478	----	----	----	----	1 UNCH
TOTAL										92		105 + 56

OG4 CALL — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	274.50B/*179.50	274.50B/*179.50A	----	266.20 + 39.90	.8023	----	----	----	----	1 UNCH
4325	----	----	252.50B/*164.00	252.50B/*164.00A	----	245.80 + 38.60	.7792	----	----	----	----	1 UNCH
4400	117.50	117.50	195.70B/*114.40	195.70B/*114.40A	----	189.00 NEW	.6964	----	----	1	----	1 + 1
4450	----	----	161.80B/*89.20A	161.80B/*89.20A	----	155.50 + 30.70	.6307	----	----	----	----	1 UNCH
4475	----	----	146.10B/*77.90A	146.10B/*77.90A	----	140.30 + 29.00	.5955	----	----	----	----	1 UNCH
4500	71.00	71.00	131.80B/*68.60A	131.80B/*68.60A	----	126.00 + 27.30	.5593	----	----	11	----	11 + 9
4525	84.50	84.50	118.10B/*60.00	118.10B/*60.00	----	112.80 + 25.60	.5224	----	----	8	----	14 + 4
4550	51.50	51.50	106.30B/*51.50	106.30B/*51.50	----	100.60 + 23.90	.4853	----	----	3	----	2 + 1
4600	----	----	84.60B/*40.20A	84.60B/*40.20A	----	79.10 + 20.50	.4123	----	----	----	----	6 UNCH
4650	----	----	65.50B/*30.60A	65.50B/*30.60A	----	61.30 NEW	.3432	----	----	1	----	1 + 1
4700	48.00	48.00	50.30B/*22.70A	50.30B/*22.70A	----	46.90 + 14.30	.2801	----	----	4	----	5 + 4
4800	----	----	29.00B/*12.80A	29.00B/*12.80A	----	27.00 NEW	.1786	----	----	3	----	3 + 3
4850	----	----	#21.90B/*10.30A	21.90B/*10.30A	----	20.60 + 7.40	.1412	----	----	1	----	2 + 1
4875	----	----	#19.10B/*10.70A	19.10B/*10.70A	----	18.00 + 6.40	.1253	----	----	----	----	1 UNCH
4900	12.30	12.30	#16.70B/12.30	16.70B/10.30A	----	15.80 + 5.60	.1113	----	----	3	----	4 + 3
4950	----	----	#12.80B/----	12.80B/*9.30A	----	12.30 + 4.00	.0883	----	----	----	----	1 UNCH
5000	----	----	9.90B/----	9.90B/*7.50A	----	9.70 + 2.80	.0704	----	----	1	----	2 + 1
5200	----	----	----	2.60B/*4.70A	----	4.70 NEW	.0333	----	----	1	----	1 + 1
5400	----	----	----	0.90B/*4.00A	----	3.60 + 0.60	.0228	----	----	----	----	1 UNCH
5750	----	----	----	#0.50B/*3.10A	----	2.90 + 0.30	.0153	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TOTAL										37		60+ 29

OG2 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3250	----	----	----	0.30B/0.90A	----	0.40 - 0.30	.0018	----	----	----	----	5 UNCH
3500	1.60	1.60	1.60/1.30A	1.60/1.30A	----	0.80 - 0.40	.0041	----	----	2	----	10 - 1
3600	----	----	----/*1.30A	1.10B/*1.30A	----	1.00 - 0.60	.0055	----	----	----	----	1 UNCH
3700	----	----	----/*1.50A	1.60B/*1.50A	----	1.30 - 0.70	.0076	----	----	----	----	1 UNCH
3750	2.10	2.10	2.10/*1.60A	2.10/*1.60A	----	1.40 - 0.90	.0086	----	----	1	----	20 UNCH
3800	----	----	----/*1.90A	2.30B/*1.90A	----	1.70 - 0.90	.0108	----	----	2	----	4 + 2
3900	----	----	----/*2.50A	3.60B/*2.50A	----	2.30 - 1.30	.0157	----	----	1	----	56 UNCH
4000	----	----	6.90B/*3.50A	6.90B/*3.50A	----	3.30 - 1.90	.0242	----	----	----	----	307 UNCH
4050	----	----	----	#8.50B/*4.40A	----	4.10 NEW	.0310	----	----	2	----	2 + 2
4100	----	----	12.70B/*5.40A	12.70B/*5.40A	----	5.20 - 3.00	.0403	----	----	2	----	3 + 2
4125	----	----	#15.10B/6.00A	15.10B/6.00A	----	5.90 - 3.40	.0462	----	----	----	----	2 UNCH
4150	----	----	17.60B/6.80A	17.60B/6.80A	----	6.80 - 3.80	.0537	----	----	----	----	56 UNCH
4200	8.80	8.80	24.20B/8.70A	24.20B/8.70A	----	9.00 - 5.10	.0720	----	----	1	----	12 + 1
4225	----	----	28.20B/10.00A	28.20B/10.00A	----	10.40 - 5.80	.0836	----	----	----	----	39 UNCH
4250	----	----	#33.30B/11.50A	#33.30B/11.50A	----	12.10 - 6.70	.0974	----	----	----	----	20 UNCH
4275	28.00	28.00	#38.80B/13.50A	#38.80B/13.50A	----	14.20 - 7.70	.1141	----	----	10	----	37 + 10
4300	30.00	30.00	#45.20B/15.80A	#45.20B/15.80A	----	16.60 - 8.90	.1330	----	----	65	----	85 + 63
4325	38.80	38.80	#52.80B/18.40A	#52.80B/18.40A	----	19.60 - 10.10	.1557	----	----	5	----	40 + 5
4350	23.10	23.10	#61.50B/21.90A	#61.50B/21.90A	----	23.10 - 11.70	.1817	----	----	10	----	17 + 10
4375	27.50	27.50	#71.20B/25.80A	#71.20B/25.80A	----	27.50 - 13.20	.2124	----	----	10	----	15 + 10
4400	61.40	61.40	#81.80B/30.60A	#81.80B/30.60A	----	32.60 - 15.10	.2468	----	----	14	----	256 + 2
4425	----	----	#93.30B/36.30A	#93.30B/36.30A	----	38.80 - 17.00	.2859	----	----	----	----	61 UNCH
4450	73.00	73.00	#102.70B/43.00A	#102.70B/43.00A	----	46.10 - 19.10	.3289	----	----	4	----	12 + 2
4475	----	----	#120.30B/50.80A	#120.30B/50.80A	----	54.50 - 21.50	.3753	----	----	----	----	60 UNCH
4500	----	----	#136.60B/60.30A	#136.60B/60.30A	----	64.30 - 23.80	.4247	----	----	5	----	50 + 4
4525	----	----	#151.40B/70.80A	#151.40B/70.80A	----	75.50 - 26.20	.4760	----	----	4	----	14 + 3
4550	----	----	#172.90B/82.80A	#172.90B/82.80A	----	88.10 - 28.60	.5279	----	----	15	----	50 + 4
4575	----	----	#189.90B/96.20A	#189.90B/96.20A	----	102.00 - 31.10	.5795	----	----	----	----	7 UNCH
4600	----	----	#210.60B/110.50	#210.60B/110.50A	----	117.40 - 33.40	.6295	----	----	----	----	3 UNCH
4700	----	----	#299.80B/181.30	#299.80B/181.30A	----	190.80 - 41.30	.7964	----	----	----	----	1 UNCH
TOTAL										153		1246+ 119

OG2 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4475	----	----	121.00B/*51.50A	121.00B/*51.50A	----	111.90 + 29.50	.6242	----	----	----	----	53 UNCH
4500	45.50	45.50	105.20B/*43.30A	105.20B/*43.30A	----	96.70 + 27.10	.5748	----	----	63	----	64 + 63
4525	----	----	90.90B/*35.70A	90.90B/*35.70A	----	82.90 + 24.70	.5236	----	----	4	----	64 + 4
4550	35.00	35.00	77.80B/*29.20A	77.80B/*29.20A	----	70.50 + 22.20	.4716	----	----	48	----	76 + 34
4575	25.50	25.50	66.30B/*23.70A	66.30B/*23.70A	----	59.50 + 19.80	.4201	----	----	5	----	65 + 4
4600	----	----	55.80B/*19.20A	55.80B/*19.20A	----	49.80 + 17.40	.3700	----	----	2	----	26 + 2
4625	15.00	15.00	46.80B/*15.00	46.80B/*15.00	----	41.50 + 15.20	.3227	----	----	2	----	62 - 1
4650	16.00	16.00	39.00B/*12.50A	39.00B/*12.50A	----	34.40 + 13.10	.2787	----	----	4	----	12 - 1
4675	27.20	27.20	32.10B/*10.20A	32.10B/*10.20A	----	28.40 + 11.20	.2388	----	----	21	----	23 + 21
4700	----	----	26.50B/*8.30A	26.50B/*8.30A	----	23.40 + 9.50	.2031	----	----	----	----	1 UNCH
4725	21.50	21.50	21.80/*6.80A	21.80/*6.80A	----	19.20 + 7.90	.1715	----	----	20	----	40 + 20
4750	8.50	8.50	17.80B/*5.70A	17.80B/*5.70A	----	15.80 + 6.70	.1445	----	----	1	----	4 + 1
4775	9.50	9.50	14.60B/*4.80A	14.60B/*4.80A	----	13.00 + 5.50	.1212	----	----	1	----	1 UNCH
4800	9.60	9.60	12.00/*4.10A	12.00/*4.10A	----	10.70 + 4.60	.1014	----	----	11	----	31 + 11
4825	----	----	9.80B/*3.50A	9.80B/*3.50A	----	8.90 + 3.80	.0852	----	----	----	----	10 UNCH
4850	6.00	6.00	8.20B/*3.00A	8.20B/*3.00A	----	7.40 + 3.20	.0715	----	----	1	----	3 UNCH
4900	5.30	5.30	5.70B/*2.40A	5.70B/*2.40A	----	5.20 + 2.20	.0506	----	----	14	----	15 + 12
4950	----	----	4.00B/*1.90A	4.00B/*1.90A	----	3.80 + 1.60	.0368	----	----	2	----	3 + 2
4975	----	----	3.40B/*1.80A	3.40B/*1.80A	----	3.20 + 1.30	.0310	----	----	----	----	3 UNCH
5000	2.50	2.50	2.90B/2.50	2.90B/*1.60A	----	2.80 NEW	.0269	----	----	1	----	1 + 1
5025	----	----	2.50B/----	2.50B/*1.50A	----	2.50 + 1.10	.0237	----	----	----	----	4 UNCH
5050	2.20	2.20	2.20/2.20	2.20/*1.50A	----	2.20 NEW	.0207	----	----	4	----	4 + 4
5100	----	----	1.80B/----	1.80B/1.40A	----	1.70 + 0.70	.0157	----	----	----	----	4 UNCH
5300	----	----	0.90B/----	0.90B/1.10A	----	1.00 + 0.40	.0081	----	----	----	----	4 UNCH
TOTAL										204		573+ 177

OG1 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3500	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.60 - 0.10	.0026	----	----	1	----	32 UNCH
3600	----	----	----	0.40B/0.80A	----	0.70 - 0.10	.0033	----	----	----	----	1 UNCH
3700	----	----	----/0.90A	0.60B/0.90A	----	0.80 - 0.20	.0042	----	----	----	----	9 UNCH
3750	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0044	----	----	----	----	9 UNCH
3800	0.60	0.60	0.60/*0.60	1.00B/*0.60	----	0.90 - 0.30	.0053	----	----	3	----	17 UNCH
3900	2.20	2.20	2.20/*1.20A	2.20/*1.20A	----	1.10 - 0.50	.0073	----	----	1	----	8 + 1
4000	2.70	2.70	3.10B/*1.60A	3.10B/*1.60A	----	1.40 - 0.90	.0105	----	----	5	----	89 - 1
4050	2.50	2.50	#2.50/*1.90A	#4.20B/*1.90A	----	1.70 NEW	.0136	----	----	1	----	1 + 1
4100	4.00	4.00	6.70/*2.30	6.70/*2.30	----	2.10 - 1.60	.0178	----	----	5	----	4 + 2
4125	----	----	#7.70B/*2.50A	7.70B/*2.50A	----	2.40 - 1.80	.0209	----	----	----	----	8 UNCH
4150	5.20	5.20	10.00/*2.90A	10.00/*2.90A	----	2.80 - 2.00	.0250	----	----	7	----	4 UNCH
4175	11.00	11.00	11.30B/*3.30A	11.30B/*3.30A	----	3.20 - 2.40	.0294	----	----	13	----	28 - 5
4200	16.40	16.40	16.40/*3.70A	16.40/*3.70A	----	3.70 - 2.90	.0349	----	----	7	----	38 + 4
4225	----	----	16.60B/*4.30A	16.60B/*4.30A	----	4.40 - 3.40	.0424	----	----	----	----	3 UNCH
4250	10.00	10.00	20.30B/5.10A	20.30B/5.10A	----	5.20 - 4.10	.0513	----	----	12	----	26 + 3
4275	----	----	25.00B/6.00A	25.00B/6.00A	----	6.20 - 5.00	.0624	----	----	4	----	38 + 4
4300	19.50	19.50	#30.80/7.20A	#30.80/7.20A	----	7.60 - 6.00	.0774	----	----	135	----	120 + 74
4325	19.20	19.20	#36.70B/8.70A	#36.70B/8.70A	----	9.30 - 7.30	.0957	----	----	38	----	41 + 1
4350	30.00	30.00	#45.00/10.60A	#45.00/10.60A	----	11.60 - 8.80	.1195	----	----	182	----	308 + 24
4375	14.20	14.20	#53.70B/13.20A	#53.70B/13.20A	----	14.40 - 10.70	.1482	----	----	59	----	70 + 37
4400	49.50	49.50	#67.30/16.40A	#67.30/16.40A	----	18.10 - 12.80	.1843	----	----	51	----	196 + 9
4425	64.50	64.50	#77.30B/20.50A	#77.30B/20.50A	----	22.80 - 15.30	.2279	----	----	252	100	345 + 294
4450	91.90	91.90	#91.90/25.70A	#91.90/25.70A	----	28.60 - 18.20	.2788	----	----	50	----	44 + 5
4475	62.50	62.50	#107.90B/32.30A	#107.90B/32.30A	----	35.90 - 21.30	.3377	----	----	13	----	18 - 3
4500	112.70	112.70	#125.50B/40.60A	#125.50B/40.60A	----	44.80 - 24.60	.4029	----	----	66	----	231 + 23
4525	----	----	#144.70B/50.50A	#144.70B/50.50A	----	55.40 - 28.10	.4726	----	----	3	----	29 + 2
4550	----	----	#165.20B/62.20A	#165.20B/62.20A	----	67.90 - 31.50	.5443	----	----	3	----	175 UNCH
4575	----	----	#187.10B/75.60A	#187.10B/75.60A	----	82.30 - 34.80	.6147	----	----	1	----	17 + 1
4600	----	----	#209.50B/90.70A	#209.50B/90.70A	----	98.60 - 37.70	.6813	----	----	15	----	36 - 2
4625	----	----	#232.50B/107.50	#232.50B/107.50A	----	116.50 - 40.30	.7412	----	----	11	----	13 UNCH
4650	----	----	#255.90B/126.10	#255.90B/126.10A	----	135.90 - 42.50	.7934	----	----	----	----	2 UNCH
4675	----	----	#280.20B/146.20	#280.20B/146.20A	----	156.50 NEW	.8376	----	----	1	----	1 + 1
4700	----	----	#304.10B/167.80	#304.10B/167.80A	----	178.20 - 45.80	.8732	----	----	1	----	23 UNCH
4750	----	----	#347.50B/212.10	#347.50B/212.10A	----	223.80 - 47.90	.9229	----	----	1	----	29 UNCH
4775	----	----	#372.10B/236.20	#372.10B/236.20A	----	247.40 - 48.50	.9399	----	----	----	----	11 UNCH
4800	----	----	----/259.90A	288.90B/259.90A	----	271.40 - 49.00	.9532	----	----	2	----	2 - 1
4850	----	----	----/308.20A	325.20B/308.20A	----	320.00 - 49.70	.9698	----	----	----	----	3 UNCH
TOTAL										943	100	2029+ 474

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4375	----	----	182.50B/*79.60A	182.50B/*79.60A	----	171.70 NEW	.8515	----	----	16	----	16 + 16
4400	112.10	112.10	161.00B/*65.50A	161.00B/*65.50A	----	150.40 + 38.00	.8154	----	----	1	----	2 + 1
4425	----	----	140.40B/*53.00A	140.40B/*53.00A	----	130.10 + 35.50	.7718	----	----	78	----	38 + 37
4450	46.20	46.20	120.90B/*42.20A	120.90B/*42.20A	----	111.00 NEW	.7209	----	----	10	----	10 + 10
4475	----	----	102.70B/*32.90A	102.70B/*32.90A	----	93.20 NEW	.6621	----	----	21	----	18 + 18
4500	28.80	28.80	86.00B/*25.40A	86.00B/*25.40A	----	77.10 + 26.20	.5968	----	----	5	----	37 + 3
4525	----	----	71.00B/*19.20A	71.00B/*19.20A	----	62.80 + 22.80	.5271	----	----	18	----	51 + 16
4550	20.00	20.00	57.70B/*14.40A	57.70B/*14.40A	----	50.30 + 19.30	.4554	----	----	79	----	138 + 65
4575	12.30	12.30	46.30B/*10.80A	46.30B/*10.80A	----	39.80 + 16.20	.3850	----	----	3	----	53 + 1
4600	12.00	12.00	36.70/*8.00	36.70/*8.00	----	31.00 + 13.10	.3184	----	----	43	----	33 UNCH
4625	6.50	6.50	28.70B/*6.10A	28.70B/*6.10A	----	24.00 + 10.60	.2586	----	----	37	----	64 + 26
4650	5.80	5.80	22.20B/*4.70A	22.20B/*4.70A	----	18.40 + 8.40	.2063	----	----	66	----	47 + 19

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4675	15.20	15.20	17.00B/*3.70A	17.00B/*3.70A	----	14.00 + 6.50	.1621	----	----	4	----	45 + 4
4700	11.60	11.60	13.10B/*2.90A	13.10B/*2.90A	----	10.70 + 5.00	.1266	----	----	5	----	59 + 4
4725	----	----	10.10B/*2.40A	10.10B/*2.40A	----	8.20 + 3.90	.0983	----	----	2	----	51 + 2
4750	6.50	6.50	7.80B/*2.00A	7.80B/*2.00A	----	6.40 + 3.10	.0768	----	----	9	----	73 UNCH
4775	----	----	5.90B/*1.70A	5.90B/*1.70A	----	5.00 + 2.40	.0599	----	----	----	----	26 UNCH
4800	3.80	3.80	4.70B/*1.50A	4.70B/*1.50A	----	3.90 + 1.80	.0465	----	----	9	----	68 + 2
4825	3.20	3.20	3.60B/*1.30A	3.60B/*1.30A	----	3.20 + 1.50	.0375	----	----	7	----	14 + 7
4850	----	----	3.00B/*1.20A	3.00B/*1.20A	----	2.60 + 1.20	.0300	----	----	----	----	280 UNCH
4875	----	----	2.30B/*1.10A	2.30B/*1.10A	----	2.20 + 1.00	.0248	----	----	----	----	2 UNCH
4900	----	----	1.90B/*1.00A	1.90B/*1.00A	----	1.80 + 0.70	.0199	----	----	----	----	20 UNCH
4950	----	----	1.40B/----	1.40B/1.10A	----	1.40 + 0.60	.0146	----	----	----	----	4 UNCH
5000	1.20	1.20	1.20/1.20	1.20/0.90A	----	1.10 + 0.40	.0109	----	----	1	----	12 - 1
5050	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.20	.0076	----	----	----	----	1 UNCH
5100	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.20	.0062	----	----	----	----	2 UNCH
5200	----	----	----	0.40B/0.80A	----	0.50 + 0.10	.0040	----	----	----	----	2 UNCH
5225	----	----	----	0.40B/0.80A	----	0.40 UNCH	.0032	----	----	----	----	1 UNCH
5250	----	----	----	0.30B/0.80A	----	0.40 + 0.10	.0031	----	----	----	----	1 UNCH
5300	----	----	----	----/0.70A	----	0.30 UNCH	.0022	----	----	----	----	4 UNCH
5400	----	----	----	----/0.80A	----	0.20 UNCH	.0014	----	----	----	----	1 UNCH
5600	----	----	----	----/0.70A	----	0.10 UNCH	.0006	----	----	----	----	1 UNCH
TOTAL										414		1174 + 230

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	4	----	19 + 4
2275	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	23 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	127 UNCH
2400	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2500	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	199 UNCH
2550	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	30 UNCH
2575	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2600	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
2620	----	----	----	----/0.40A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2650	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	139 UNCH
2670	----	----	----	0.10B/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	10 UNCH
2675	----	----	----	0.10B/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	66 UNCH
2680	----	----	----	0.10B/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	10 UNCH
2700	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0007	----	----	----	----	6 UNCH
2705	----	----	----	0.10B/*0.40A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
2710	----	----	----	0.10B/*0.40A	----	0.20 UNCH	.0007	----	----	----	----	7 UNCH
2725	----	----	----	0.10B/0.50A	----	0.20 UNCH	.0007	----	----	----	----	141 UNCH
2730	----	----	----	0.10B/0.50A	----	0.20 UNCH	.0007	----	----	----	----	1 UNCH
2750	----	----	----	0.10B/0.50A	----	0.20 UNCH	.0007	----	----	----	----	92 UNCH
2775	----	----	----	0.10B/0.60A	----	0.20 - 0.10	.0007	----	----	----	----	1 UNCH
2785	----	----	----	0.10B/0.60A	----	0.20 - 0.10	.0008	----	----	----	----	2 UNCH
2800	----	----	----	0.30B/*0.40A	----	0.20 - 0.10	.0008	----	----	----	----	9 UNCH
2850	----	----	----	0.20B/0.70A	----	0.30 - 0.10	.0011	----	----	----	----	4 UNCH
2860	----	----	----	0.20B/0.70A	----	0.30 - 0.10	.0012	----	----	----	----	6 UNCH
2885	----	----	----	0.30B/0.70A	----	0.30 - 0.10	.0012	----	----	----	----	14 UNCH
2890	----	----	----	0.30B/0.70A	----	0.30 - 0.10	.0012	----	----	----	----	60 UNCH
2895	----	----	----	0.30B/0.70A	----	0.30 - 0.10	.0012	----	----	----	----	18 UNCH
2900	----	----	----	0.30B/0.70A	----	0.40 UNCH	.0015	----	----	----	----	19 UNCH
2905	----	----	----	0.30B/0.70A	----	0.40 - 0.10	.0015	----	----	----	----	19 UNCH
2915	----	----	----	0.30B/0.70A	----	0.40 - 0.10	.0015	----	----	----	----	2 UNCH
2920	----	----	----	0.30B/0.70A	----	0.40 - 0.10	.0016	----	----	----	----	3 UNCH
2950	----	----	----	0.40B/0.70A	----	0.40 - 0.10	.0016	----	----	----	----	35 UNCH
2985	----	----	----	0.40B/0.80A	----	0.50 - 0.10	.0020	----	----	----	----	21 UNCH
2995	----	----	----	0.50B/0.80A	----	0.50 - 0.10	.0020	----	----	----	----	16 UNCH
3000	----	----	----	0.50B/0.80A	----	0.50 - 0.10	.0020	----	----	----	----	68 UNCH
3010	----	----	----	0.50B/0.80A	----	0.50 - 0.20	.0020	----	----	----	----	1 UNCH
3015	----	----	----	0.50B/*0.80A	----	0.50 - 0.20	.0020	----	----	----	----	5 UNCH
3025	----	----	----	0.60B/*0.80A	----	0.50 - 0.20	.0020	----	----	----	----	1 UNCH
3035	----	----	----	0.60B/0.90A	----	0.60 - 0.10	.0024	----	----	----	----	5 UNCH
3050	----	----	----	0.60B/0.80A	----	0.60 - 0.10	.0024	----	----	----	----	2 UNCH
3060	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0025	----	----	----	----	24 UNCH
3100	----	----	----	0.70B/0.90A	----	0.70 - 0.20	.0029	----	----	----	----	80 UNCH
3105	----	----	----	0.70B/*0.90A	----	0.70 - 0.20	.0029	----	----	----	----	1 UNCH
3110	----	----	----	0.70B/0.90A	----	0.70 - 0.20	.0029	----	----	----	----	5 UNCH
3125	----	----	----	0.80B/*0.90A	----	0.80 - 0.10	.0033	----	----	----	----	42 UNCH
3140	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0033	----	----	----	----	1 UNCH
3150	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0034	----	----	----	----	12 UNCH
3155	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.20	.0034	----	----	----	----	1 UNCH
3165	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.30	.0034	----	----	----	----	1 UNCH
3175	----	----	----/1.00A	0.90B/1.00A	----	0.80 - 0.30	.0034	----	----	----	----	1 UNCH
3180	----	----	----/1.00A	0.90B/1.00A	----	0.90 - 0.20	.0038	----	----	----	----	2 UNCH
3185	----	----	----/1.00A	0.90B/1.00A	----	0.90 - 0.20	.0038	----	----	----	----	22 UNCH
3195	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.30	.0039	----	----	----	----	1 UNCH
3200	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.30	.0039	----	----	----	----	211 UNCH
3210	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.30	.0039	----	----	----	----	1 UNCH
3220	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0039	----	----	----	----	1 UNCH
3225	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.40	.0040	----	----	----	----	71 UNCH
3250	----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.40	.0044	----	----	3	----	111 + 3
3270	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.40	.0045	----	----	----	----	1 UNCH
3275	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0045	----	----	----	----	10 UNCH
3280	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0045	----	----	----	----	24 UNCH
3285	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.40	.0049	----	----	----	----	1 UNCH
3290	----	----	----/*1.10A	1.30B/*1.10A	----	1.10 - 0.40	.0049	----	----	----	----	11 UNCH
3300	1.30	1.30	1.30/*1.10A	1.30/*1.10A	----	1.10 - 0.40	.0050	----	----	8	----	103 UNCH
3320	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 - 0.50	.0051	----	----	----	----	28 UNCH
3325	----	----	----/*1.20A	1.50B/*1.20A	----	1.10 - 0.50	.0051	----	----	----	----	147 UNCH
3335	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 0.40	.0055	----	----	----	----	87 UNCH
3340	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 0.40	.0055	----	----	----	----	1 UNCH
3350	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 0.50	.0056	----	----	----	----	25 UNCH
3355	----	----	----/*1.30A	1.50B/*1.30A	----	1.20 - 0.50	.0056	----	----	----	----	69 UNCH
3360	----	----	----/*1.30A	1.60B/*1.30A	----	1.20 - 0.50	.0056	----	----	----	----	5 UNCH
3370	----	----	----/*1.30A	1.60B/*1.30A	----	1.20 - 0.50	.0057	----	----	----	----	9 UNCH
3375	----	----	----/*1.30A	1.60B/*1.30A	----	1.30 - 0.40	.0061	----	----	----	----	4 UNCH
3380	----	----	----/*1.30A	1.70B/*1.30A	----	1.30 - 0.50	.0061	----	----	----	----	4 UNCH
3385	----	----	----/*1.30A	1.70B/*1.30A	----	1.30 - 0.50	.0061	----	----	----	----	6 UNCH
3390	----	----	----/*1.40A	1.70B/*1.40A	----	1.30 - 0.50	.0062	----	----	----	----	2 UNCH
3395	----	----	----/*1.30A	1.70B/*1.30A	----	1.30 - 0.50	.0062	----	----	----	----	32 UNCH
3400	----	----	1.90B/*1.40A	1.90B/*1.40A	----	1.30 - 0.50	.0062	----	----	3	----	64 UNCH
3405	----	----	----/*1.40A	1.80B/*1.40A	----	1.30 - 0.60	.0063	----	----	----	----	7 UNCH
3410	----	----	----/*1.40A	1.80B/*1.40A	----	1.30 - 0.60	.0063	----	----	----	----	5 UNCH
3415	----	----	----/*1.40A	1.80B/*1.40A	----	1.40 - 0.50	.0067	----	----	----	----	1 UNCH
3420	----	----	----/*1.50A	1.90B/*1.50A	----	1.40 - 0.50	.0067	----	----	----	----	6 UNCH
3425	----	----	----/*1.50A	1.90B/*1.50A	----	1.40 - 0.50	.0068	----	----	----	----	57 UNCH
3435	----	----	----/*1.50A	2.00B/*1.50A	----	1.40 - 0.60	.0068	----	----	----	----	6 UNCH
3440	----	----	----/*1.50A	2.00B/*1.50A	----	1.40 - 0.60	.0069	----	----	----	----	7 UNCH
3445	----	----	----/*1.60A	2.00B/*1.60A	----	1.40 - 0.60	.0069	----	----	----	----	2 UNCH
3450	----	----	----/*1.60A	2.10B/*1.60A	----	1.40 - 0.70	.0069	----	----	----	----	133 UNCH
3455	----	----	----/*1.60A	2.10B/*1.60A	----	1.50 - 0.60	.0074	----	----	----	----	10 UNCH
3460	----	----	----/*1.60A	2.10B/*1.60A	----	1.50 - 0.60	.0074	----	----	----	----	10 UNCH
3465	----	----	----/*1.60A	2.10B/*1.60A	----	1.50 - 0.60	.0074	----	----	----	----	142 UNCH
3475	----	----	----/*1.70A	2.20B/*1.70A	----	1.50 - 0.70	.0075	----	----	----	----	128 UNCH
3480	----	----	----/*1.60A	2.20B/*1.60A	----	1.50 - 0.70	.0075	----	----	----	----	36 UNCH
3495	----	----	2.40B/*1.70A	2.40B/*1.70A	----	1.60 - 0.70	.0081	----	----	----	----	6 UNCH
3500	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.60 - 0.70	.0081	----	----	3	----	581 + 1
3505	----	----	----/*1.70A	2.40B/*1.70A	----	1.60 - 0.80	.0081	----	----	----	----	9 UNCH
3510	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.60 - 0.80	.0082	----	----	----	----	6 UNCH
3515	----	----	2.50B/*1.80A	2.50B/*1.80A	----	1.70 - 0.70	.0086	----	----	----	----	8 UNCH
3520	----	----	----/*1.90A	2.50B/*1.90A	----	1.70 - 0.80	.0087	----	----	----	----	5 UNCH
3525	----	----	2.60B/*1.90A	2.60B/*1.90A	----	1.70 - 0.80	.0087	----	----	----	----	8 UNCH
3530	----	----	2.60B/*1.90A	2.60B/*1.90A	----	1.70 - 0.80	.0087	----	----	----	----	168 UNCH
3535	----	----	2.70B/*1.90A	2.70B/*1.90A	----	1.70 - 0.90	.0088	----	----	----	----	31 UNCH
3545	----	----	2.80B/*1.90A	2.80B/*1.90A	----	1.80 - 0.80	.0093	----	----	----	----	256 UNCH
3550	3.10	3.10	3.10/*2.00A	3.10/*2.00A	----	1.80 - 0.90	.0093	----	----	2	----	165 UNCH
3555	----	----	2.80B/*2.00A	2.80B/*2.00A	----	1.80 - 0.90	.0094	----	----	----	----	1 UNCH
3565	----	----	2.90B/*2.10A	2.90B/*2.10A	----	1.90 - 0.90	.0099	----	----	----	----	2 UNCH
3575	----	----	2.90B/*2.10A	2.90B/*2.10A	----	1.90 - 0.90	.0100	----	----	----	----	1 UNCH
3580	----	----	3.10B/*2.10A	3.10B/*2.10A	----	1.90 - 1.00	.0100	----	----	----	----	6 UNCH
3585	----	----	3.10B/*2.10A	3.10B/*2.10A	----	2.00 - 0.90	.0105	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3590	----	----	3.20B/*2.10A	3.20B/*2.10A	----	2.00 - 1.00	.0106	----	----	----	----	16 UNCH
3600	3.10	3.10	3.30/*2.10	3.30/*2.10	----	2.10 - 0.90	.0111	----	----	135	----	1110 + 115
3605	----	----	3.40B/*2.20A	3.40B/*2.20A	----	2.10 - 1.00	.0112	----	----	----	----	12 UNCH
3610	----	----	3.40B/*2.30A	3.40B/*2.30A	----	2.10 - 1.00	.0112	----	----	----	----	2 UNCH
3615	----	----	3.50B/*2.30A	3.50B/*2.30A	----	2.10 - 1.10	.0113	----	----	----	----	2 UNCH
3620	----	----	3.50B/*2.30A	3.50B/*2.30A	----	2.20 - 1.00	.0118	----	----	----	----	12 UNCH
3625	----	----	3.60B/*2.30A	3.60B/*2.30A	----	2.20 - 1.10	.0118	----	----	----	----	41 UNCH
3630	----	----	3.80B/*2.40A	3.80B/*2.40A	----	2.20 - 1.10	.0119	----	----	----	----	12 UNCH
3635	----	----	3.70B/*2.40A	3.70B/*2.40A	----	2.30 - 1.10	.0124	----	----	----	----	3 UNCH
3640	----	----	3.80B/*2.40A	3.80B/*2.40A	----	2.30 - 1.10	.0124	----	----	----	----	6 UNCH
3645	----	----	3.90B/*2.50A	3.90B/*2.50A	----	2.40 - 1.00	.0129	----	----	----	----	1 UNCH
3650	----	----	3.90B/*2.50A	3.90B/*2.50A	----	2.40 - 1.10	.0130	----	----	----	----	90 UNCH
3655	----	----	4.00B/*2.50A	4.00B/*2.50A	----	2.40 - 1.10	.0131	----	----	----	----	6 UNCH
3660	----	----	4.20B/*2.60A	4.20B/*2.60A	----	2.50 - 1.10	.0136	----	----	----	----	54 UNCH
3665	----	----	4.10B/*2.60A	4.10B/*2.60A	----	2.50 - 1.10	.0136	----	----	----	----	4 UNCH
3670	----	----	4.20B/*2.60A	4.20B/*2.60A	----	2.50 - 1.20	.0137	----	----	----	----	112 UNCH
3675	----	----	4.30B/*2.70A	4.30B/*2.70A	----	2.60 - 1.10	.0142	----	----	----	----	19 UNCH
3680	----	----	4.40B/*2.70A	4.40B/*2.70A	----	2.60 - 1.20	.0143	----	----	----	----	5 UNCH
3685	2.80	2.80	4.50B/*2.70A	4.50B/*2.70A	----	2.70 - 1.20	.0148	----	----	1	----	13 + 1
3690	----	----	4.50B/*2.80A	4.50B/*2.80A	----	2.70 - 1.20	.0149	----	----	----	----	50 UNCH
3695	----	----	4.60B/*2.80A	4.60B/*2.80A	----	2.80 - 1.20	.0154	----	----	----	----	143 UNCH
3700	4.60	4.60	4.80B/*2.90A	4.80B/*2.90A	----	2.80 - 1.20	.0155	----	----	110	----	554 - 10
3705	----	----	4.90B/*2.90A	4.90B/*2.90A	----	2.90 - 1.20	.0160	----	----	----	----	21 UNCH
3715	----	----	5.10B/*3.00A	5.10B/*3.00A	----	2.90 - 1.30	.0162	----	----	----	----	30 UNCH
3720	----	----	5.20B/*3.00A	5.20B/*3.00A	----	3.00 - 1.30	.0167	----	----	----	----	24 UNCH
3725	----	----	5.30B/*3.10A	5.30B/*3.10A	----	3.00 - 1.30	.0168	----	----	160	----	167 + 160
3730	----	----	5.30B/*3.10A	5.30B/*3.10A	----	3.10 - 1.30	.0173	----	----	----	----	3 UNCH
3735	----	----	5.40B/*3.20A	5.40B/*3.20A	----	3.10 - 1.40	.0174	----	----	----	----	30 UNCH
3740	----	----	5.60B/*3.20A	5.60B/*3.20A	----	3.20 - 1.30	.0179	----	----	----	----	20 UNCH
3745	----	----	5.70B/*3.30A	5.70B/*3.30A	----	3.30 - 1.30	.0185	----	----	----	----	1 UNCH
3750	----	----	5.80B/*3.30A	5.80B/*3.30A	----	3.30 - 1.40	.0186	----	----	----	----	533 UNCH
3755	----	----	6.00B/*3.40A	6.00B/*3.40A	----	3.40 - 1.30	.0191	----	----	----	----	2 UNCH
3760	----	----	6.00B/*3.40A	6.00B/*3.40A	----	3.40 - 1.40	.0192	----	----	----	----	3 UNCH
3765	3.60	3.60	6.20B/*3.50A	6.20B/*3.50A	----	3.50 - 1.40	.0197	----	----	5	----	32 - 1
3770	----	----	6.30B/*3.50A	6.30B/*3.50A	----	3.50 - 1.50	.0199	----	----	----	----	126 UNCH
3775	----	----	6.40B/3.60A	6.40B/3.60A	----	3.60 - 1.40	.0204	----	----	----	----	97 UNCH
3780	3.70	3.70	6.60B/*3.60A	6.60B/*3.60A	----	3.60 - 1.50	.0205	----	----	2	----	13 + 2
3785	----	----	6.60B/*3.70A	6.60B/*3.70A	----	3.70 - 1.50	.0211	----	----	----	----	7 UNCH
3790	----	----	6.80B/*3.70A	6.80B/*3.70A	----	3.80 - 1.50	.0216	----	----	----	----	41 UNCH
3795	----	----	6.90B/*3.80A	6.90B/*3.80A	----	3.80 - 1.50	.0218	----	----	----	----	42 UNCH
3800	6.00	6.00	7.10/*3.80	7.10/*3.80	----	3.90 - 1.50	.0223	----	----	53	----	666 - 3
3805	----	----	7.20B/*3.90A	7.20B/*3.90A	----	4.00 - 1.50	.0229	----	----	----	----	5 UNCH
3810	----	----	7.30B/*4.00A	7.30B/*4.00A	----	4.00 - 1.60	.0230	----	----	----	----	22 UNCH
3815	----	----	7.50B/*4.00A	7.50B/*4.00A	----	4.10 - 1.60	.0236	----	----	----	----	17 UNCH
3820	----	----	7.70B/*4.10A	7.70B/*4.10A	----	4.20 - 1.60	.0242	----	----	----	----	11 UNCH
3825	----	----	7.80B/*4.20A	7.80B/*4.20A	----	4.20 - 1.70	.0243	----	----	30	----	45 + 28
3830	----	----	8.00B/*4.20A	8.00B/*4.20A	----	4.30 - 1.70	.0249	----	----	----	----	25 UNCH
3835	----	----	8.10B/*4.30A	8.10B/*4.30A	----	4.40 - 1.70	.0255	----	----	----	----	1 UNCH
3840	----	----	8.30B/*4.40A	8.30B/*4.40A	----	4.40 - 1.80	.0257	----	----	----	----	39 UNCH
3845	----	----	8.50B/4.50A	8.50B/4.50A	----	4.50 - 1.80	.0263	----	----	----	----	14 UNCH
3850	----	----	8.70B/*4.50A	8.70B/*4.50A	----	4.60 - 1.80	.0269	----	----	----	----	239 UNCH
3855	----	----	8.80B/*4.60A	8.80B/*4.60A	----	4.70 - 1.80	.0275	----	----	----	----	3 UNCH
3860	5.00	5.00	9.00B/*4.70A	9.00B/*4.70A	----	4.70 - 1.90	.0276	----	----	10	----	53 + 5
3865	----	----	9.20B/*4.80A	9.20B/*4.80A	----	4.80 - 1.90	.0282	----	----	----	----	85 UNCH
3870	----	----	9.40B/*4.90A	9.40B/*4.90A	----	4.90 - 1.90	.0289	----	----	----	----	10 UNCH
3875	5.10	5.10	9.60B/5.00A	9.60B/5.00A	----	5.00 - 1.90	.0295	----	----	5	----	134 + 1
3880	----	----	9.80B/*5.00A	9.80B/*5.00A	----	5.10 - 2.00	.0301	----	----	----	----	15 UNCH
3885	5.40	5.40	10.00B/*5.10A	10.00B/*5.10A	----	5.20 - 2.00	.0307	----	----	2	----	51 + 2
3890	----	----	10.20B/5.20A	10.20B/5.20A	----	5.30 - 2.00	.0314	----	----	----	----	8 UNCH
3895	----	----	10.50B/5.30A	10.50B/5.30A	----	5.40 - 2.00	.0320	----	----	----	----	21 UNCH
3900	8.60	8.60	10.60B/5.40A	10.60B/5.40A	----	5.50 - 2.10	.0326	----	----	31	----	350 - 4
3905	8.30	8.30	10.90B/5.50A	10.90B/5.50A	----	5.60 - 2.10	.0333	----	----	3	----	34 UNCH
3910	----	----	11.10B/5.60A	11.10B/5.60A	----	5.70 - 2.10	.0339	----	----	----	----	76 UNCH
3915	----	----	11.30B/5.70A	11.30B/5.70A	----	5.80 - 2.20	.0346	----	----	----	----	10 UNCH
3920	9.10	9.10	11.60B/5.80A	11.60B/5.80A	----	5.90 - 2.20	.0353	----	----	2	----	66 + 2
3925	9.00	9.00	11.80B/5.90A	11.80B/5.90A	----	6.00 - 2.30	.0359	----	----	10	----	144 UNCH
3930	----	----	12.10B/6.00A	12.10B/6.00A	----	6.10 - 2.30	.0366	----	----	----	----	40 UNCH
3935	9.20	9.20	12.30B/6.10A	12.30B/6.10A	----	6.20 - 2.40	.0373	----	----	9	----	79 + 9
3940	9.60	9.60	12.70B/6.30A	12.70B/6.30A	----	6.30 - 2.40	.0380	----	----	11	----	73 + 2
3945	7.00	7.00	12.90B/6.40A	12.90B/6.40A	----	6.40 - 2.50	.0387	----	----	1	----	79 UNCH
3950	12.40	12.40	13.20B/6.50A	13.20B/6.50A	----	6.50 - 2.60	.0394	----	----	24	----	773 + 11
3955	10.20	10.20	13.50B/6.60A	13.50B/6.60A	----	6.70 - 2.60	.0405	----	----	2	----	104 + 2
3960	10.40	10.40	13.90B/6.70A	13.90B/6.70A	----	6.80 - 2.60	.0412	----	----	14	----	108 + 13
3965	10.60	10.60	14.10B/6.90A	14.10B/6.90A	----	6.90 - 2.70	.0419	----	----	5	----	130 + 5
3970	10.90	10.90	14.40B/7.00A	14.40B/7.00A	----	7.10 - 2.70	.0431	----	----	12	----	60 + 5
3975	8.30	8.30	14.70B/7.10A	14.70B/7.10A	----	7.20 - 2.80	.0438	----	----	6	----	51 UNCH
3980	11.40	11.40	15.10B/7.30A	15.10B/7.30A	----	7.30 - 2.90	.0446	----	----	9	----	251 - 9
3985	7.70	7.70	15.40B/7.40A	15.40B/7.40A	----	7.50 - 2.90	.0457	----	----	5	----	310 + 5
3990	13.70	13.70	15.80B/7.50A	15.80B/7.50A	----	7.60 - 3.00	.0465	----	----	22	----	69 + 18
3995	----	----	16.20B/7.70A	16.20B/7.70A	----	7.80 - 3.00	.0477	----	----	1	----	27 + 1
4000	13.00	13.00	16.90B/7.80	16.90B/7.80	----	8.00 - 3.00	.0489	----	----	496	----	4647 + 220
4005	----	----	16.80B/8.00A	16.80B/8.00A	----	8.10 - 3.20	.0497	----	----	----	----	165 UNCH
4010	11.80	11.80	17.30B/8.10A	17.30B/8.10A	----	8.30 - 3.20	.0509	----	----	10	----	69 + 10
4015	9.70	9.70	17.70B/8.30A	17.70B/8.30A	----	8.50 - 3.20	.0521	----	----	22	----	68 - 8
4020	10.50	10.50	18.40B/8.50A	18.40B/8.50A	----	8.60 - 3.40	.0529	----	----	9	----	117 - 2
4025	10.40	10.40	18.80B/8.60A	18.80B/8.60A	----	8.80 - 3.40	.0542	----	----	10	----	93 + 5
4030	9.70	9.70	19.20B/8.80A	19.20B/8.80A	----	9.00 - 3.50	.0554	----	----	6	----	76 + 1
4035	----	----	19.70B/9.00A	19.70B/9.00A	----	9.20 - 3.50	.0567	----	----	----	----	14 UNCH
4040	15.60	15.60	20.10B/9.20A	20.10B/9.20A	----	9.40 - 3.60	.0579	----	----	19	----	41 + 5
4045	----	----	20.60B/9.30A	20.60B/9.30A	----	9.60 - 3.70	.0592	----	----	----	----	34 UNCH
4050	20.00	20.00	21.10B/9.50A	21.10B/9.50A	----	9.80 - 3.80	.0605	----	----	14	----	407 - 5
4055	9.90	9.90	21.60B/9.70A	21.60B/9.70A	----	10.00 - 3.90	.0618	----	----	10	----	67 + 10
4060	19.80	19.80	22.10B/9.90A	22.10B/9.90A	----	10.20 - 4.00	.0631	----	----	25	----	27 + 25
4065	16.40	16.40	22.60B/10.10A	22.60B/10.10A	----	10.40 - 4.10	.0644	----	----	6	----	143 + 6
4070	10.90	10.90	23.20B/10.40A	23.20B/10.40A	----	10.70 - 4.10	.0662	----	----	7	----	22 + 4
4075	16.80	16.80	23.70B/10.60A	23.70B/10.60A	----	10.90 - 4.20	.0675	----	----	1	----	30 UNCH
4080	19.80	19.80	24.30B/10.80A	24.30B/10.80A	----	11.10 - 4.30	.0689	----	----	11	----	40 + 5
4085	----	----	24.80B/11.00A	24.80B/11.00A	----	11.40 - 4.40	.0706	----	----	----	----	20 UNCH
4090	19.00	19.00	25.40B/11.30A	25.40B/11.30A	----	11.60 - 4.50	.0720	----	----	6	----	27 + 2
4095	12.20	12.20	26.00B/11.50A	26.00B/11.50A	----	11.90 - 4.60	.0738	----	----	13	----	32 + 2
4100	22.30	22.30	26.70B/11.70A	26.70B/11.70A	----	12.20 - 4.60	.0756	----	----	416	----	1618 + 154
4105	14.50	14.50	27.30B/12.00A	27.30B/12.00A	----	12.50 - 4.70	.0775	----	----	10	----	21 + 5
4110	19.40	19.40	28.00B/12.30A	28.00B/12.30A	----	12.70 - 4.90	.0789	----	----	9	----	35 UNCH
4115	----	----	28.60B/12.50A	28.60B/12.50A	----	13.00 - 5.00	.0808	----	----	----	----	12 UNCH
4120	----	----	29.30B/12.80A	29.30B/12.80A	----	13.30 - 5.10	.0826	----	----	1	----	87 UNCH
4125	24.90	24.90	30.00B/13.10A	30.00B/13.10A	----	13.60 - 5.20	.0845	----	----	2	----	91 - 1
4130	25.60	25.60	30.80B/13.40A	30.80B/13.40A	----	14.00 - 5.20	.0868	----	----	12	----	101 + 3
4135	26.80	26.80	31.50B/13.70A	31.50B/13.70A	----	14.30 - 5.40	.0887	----	----	6	----	35 + 1
4140	22.40	22.40	32.30B/14.00A	32.30B/14.00A	----	14.60 - 5.50	.0906	----	----	9	----	40 - 1
4145	----	----	33.00B/14.30A	33.00B/14.30A	----	15.00 - 5.60	.0930	----	----	----	----	241 UNCH
4150	22.50	22.50	33.90B/14.60A	33.90B/14.60A	----	15.30 - 5.80	.0949	----	----	78	----	350 - 7
4155	----	----	34.70B/14.90A	34.70B/14.90A	----	15.70 - 5.90	.0973	----	----	88	250	311 + 263
4160	25.20	25.20	35.50B/15.30A	35.50B/15.30A	----	16.10 - 6.00	.0996	----	----	28	----	38 + 10
4165	35.50	35.50	36.40B/15.60A	36.40B/15.60A	----	16.40 - 6.20	.1017	----	----	15	----	112 + 3
4170	18.40	18.40	37.30B/16.00A	37.30B/16.00A	----	16.80 - 6.30	.1041	----	----	2	----	105 UNCH
4175	20.30	20.30	38.20B/16.40A	38.20B/16.40A	----	17.20 - 6.40	.1065	----	----	10	----	96 + 4
4180	28.80	28.80	39.10B/16.80A	39.10B/16.80A	----	17.70 - 6.50	.1093	----	----	2	----	38 + 1
4185	21.30	21.30	40.10B/17.20A	40.10B/17.20A	----	18.10 - 6.70	.1118	----	----	6	----	36 + 3
4190	21.60	21.60	41.00B/17.60A	41.00B/17.60A	----	18.50 - 6.90	.1143	----	----	5	----	152 UNCH
4195	22.30	22.30	42.00B/18.00A	42.00B/18.00A	----	19.00 - 7.00	.1171	----	----	7	----	75 UNCH
4200	30.30	30.30	43.10B/18.40A	43.10B/18.40A	----	19.50 - 7.10	.1200	----	----	721	----	1917 + 16
4205	37.50	37.50	44.10B/18.90A	44.10B/18.90A	----	20.00 - 7.20	.1229	----	----	4	----	77 + 2
4210	23.70	23.70	45.20B/19.40A	45.20B/19.40A	----	20.50 - 7.40	.1258	----	----	10	----	97 + 5
4215	----	----	46.30B/19.80A	46.30B/19.80A	----	21.00 - 7.50	.1288	----	----	----	----	59 UNCH
4220	47.00	47.00	47.40B/20.30A	47.40B/20.30A	----	21.50 - 7.70	.1317	----	----	8	----	222 + 7
4225	43.60	43.60	48.60B/20.80A	48.60B/20.80A	----	22.00 - 7.90	.1347	----	----	17	----	118 + 1
4230	44.10	44.10	49.80B/21.30A	49.80B/21.30A	----	22.60 - 8.10	.1381	----	----	10	----	64 + 7
4235	25.70	25.70	51.00B/21.90A	51.00B/21.90A	----	23.20 - 8.20	.1414	----	----	2	----	56 + 1
4240	46.30	46.30	52.20B/22.40A	52.20B/22.40A	----	23.80 - 8.40	.1448	----	----	6	----	118 + 3
4245	25.40	25.40	53.50B/23.00A	53.50B/23.00A	----	24.40 - 8.60	.1483	----	----	4	----	49 - 1
4250	38.90	38.90	54.80B/23.60A	54.80B/23.60A	----	25.00 - 8.80	.1517	----	----	361	----	1503 - 88
4255	50.10	50.10	56.10B/24.20A	56.10B/24.20A	----	25.60 - 9.00	.1552	----	----	14	----	37 - 3
4260	43.50	43.50	57.50B/24.80A	57.50B/24.80A	----	26.30 - 9.20	.1590	----	----	123	----	147 + 105
4265	52.50	52.50	58.90B/25.40A	58.90B/25.40A	----	27.00 - 9.40	.1628	----	----	7	----	218 + 3
4270	45.00	45.00	60.30B/26.10A	60.30B/26.10A	----	27.70 - 9.60	.1666	----	----	9	----	123 + 1
4275	43.80	43.80	61.70B/26.70A	61.70B/26.70A	----	28.40 - 9.80	.1705	----	----	7	----	124 + 4
4280	54.60	54.60	63.20B/27.40A	63.20B/27.40A	----	29.10 - 10.10	.1744	----	----	29	----	192 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4285	57.40	57.40	64.80B/28.20A	64.80B/28.20A	----	29.90 - 10.30	.1787	----	----	104	----	178 + 58
4290	35.10	35.10	66.30B/28.90A	66.30B/28.90A	----	30.70 - 10.50	.1829	----	----	62	----	169 - 11
4295	32.20	32.20	67.90B/29.70A	67.90B/29.70A	----	31.50 - 10.70	.1872	----	----	4	----	33 UNCH
4300	47.10	47.10	70.70/30.40A	70.70/30.40A	----	32.30 - 11.00	.1915	----	----	665	----	2550 + 101
4305	33.20	33.20	71.20B/31.20A	71.20B/31.20A	----	33.20 - 11.20	.1961	----	----	1	----	105 UNCH
4310	52.10	52.10	72.90B/32.00A	72.90B/32.00A	----	34.10 - 11.40	.2007	----	----	3	----	88 - 1
4315	38.50	38.50	74.60B/32.90A	74.60B/32.90A	----	35.00 - 11.70	.2054	----	----	11	----	95 + 2
4320	----	----	76.30B/33.80A	76.30B/33.80A	----	35.90 - 12.00	.2101	----	----	----	----	126 UNCH
4325	40.50	40.50	78.10B/34.70A	78.10B/34.70A	----	36.90 - 12.20	.2150	----	----	2	----	115 UNCH
4330	41.60	41.60	80.00B/35.60A	80.00B/35.60A	----	37.80 - 12.50	.2198	----	----	2	----	158 - 2
4335	----	----	81.80B/36.50A	81.80B/36.50A	----	38.80 - 12.80	.2248	----	----	----	----	159 UNCH
4340	45.60	45.60	83.70B/37.50A	83.70B/37.50A	----	39.90 - 13.00	.2301	----	----	5	----	166 + 3
4345	45.00	45.00	85.70B/38.50A	85.70B/38.50A	----	40.90 - 13.40	.2352	----	----	3	----	33 + 2
4350	64.60	64.60	87.70B/39.50A	87.70B/39.50A	----	42.00 - 13.60	.2406	----	----	246	250	1727 + 421
4355	47.40	47.40	89.70B/40.60A	89.70B/40.60A	----	43.20 - 13.80	.2462	----	----	1	----	166 - 1
4360	52.20	52.20	91.70B/41.60A	91.70B/41.60A	----	44.30 - 14.20	.2516	----	----	17	----	613 + 1
4365	54.00	54.00	93.80B/42.80A	93.80B/42.80A	----	45.50 - 14.40	.2572	----	----	10	----	44 + 8
4370	83.80	83.80	96.00B/43.90A	96.00B/43.90A	----	46.70 - 14.80	.2629	----	----	23	----	148 + 5
4375	96.10	96.10	98.10B/45.10A	98.10B/45.10A	----	48.00 - 15.00	.2688	----	----	14	----	67 + 6
4380	57.80	57.80	100.30B/46.30A	100.30B/46.30A	----	49.30 - 15.30	.2747	----	----	15	----	30 + 9
4385	91.30	91.30	102.60B/47.50A	102.60B/47.50A	----	50.60 - 15.60	.2807	----	----	1	----	67 UNCH
4390	87.80	87.80	104.90B/48.80A	104.90B/48.80A	----	51.90 - 15.90	.2867	----	----	35	----	83 + 8
4395	96.30	96.30	107.20B/50.10A	107.20B/50.10A	----	53.30 - 16.20	.2929	----	----	31	----	62 + 10
4400	102.20	102.20	109.50B/51.40A	109.50B/51.40A	----	54.70 - 16.60	.2991	----	----	447	----	2085 + 26
4405	110.00	110.00	111.90B/52.80A	111.90B/52.80A	----	56.20 - 16.80	.3055	----	----	16	----	33 + 2
4410	66.30	66.30	114.40B/54.20A	114.40B/54.20A	----	57.70 - 17.10	.3119	----	----	5	----	62 + 4
4415	69.60	69.60	116.90B/55.70A	116.90B/55.70A	----	59.20 - 17.50	.3184	----	----	6	----	191 UNCH
4420	61.00	61.00	119.40B/57.30A	119.40B/57.30A	----	60.80 - 17.70	.3250	----	----	33	----	123 + 11
4425	----	----	121.90B/58.80A	121.90B/58.80A	----	62.40 - 18.10	.3317	----	----	221	----	327 + 192
4430	95.80	95.80	124.60B/60.20A	124.60B/60.20A	----	64.00 - 18.40	.3384	----	----	53	----	316 + 28
4435	106.30	106.30	127.20B/61.80A	127.20B/61.80A	----	65.70 - 18.70	.3452	----	----	7	----	93 + 2
4440	100.30	100.30	129.90B/63.40A	129.90B/63.40A	----	67.50 - 19.00	.3522	----	----	17	----	238 - 1
4445	----	----	132.60B/65.10A	132.60B/65.10A	----	69.20 - 19.30	.3591	----	----	----	----	157 UNCH
4450	107.10	107.10	135.40B/66.70A	135.40B/66.70A	----	71.00 - 19.70	.3661	----	----	49	----	1139 + 14
4455	----	----	138.20B/68.50A	138.20B/68.50A	----	72.90 - 19.90	.3732	----	----	5	----	144 - 5
4460	----	----	141.10B/70.30A	141.10B/70.30A	----	74.70 - 20.30	.3803	----	----	2	----	254 UNCH
4465	----	----	144.00B/72.10A	144.00B/72.10A	----	76.60 - 20.70	.3875	----	----	----	----	139 UNCH
4470	77.80	77.80	146.90B/74.00A	146.90B/74.00A	----	78.60 - 21.00	.3947	----	----	13	----	221 - 12
4475	119.20	119.20	150.70B/75.90A	150.70B/75.90A	----	80.60 - 21.30	.4020	----	----	23	----	294 - 2
4480	81.30	81.30	153.40B/77.70A	153.40B/77.70A	----	82.60 - 21.70	.4093	----	----	6	----	351 - 3
4485	----	----	156.70B/79.80A	156.70B/79.80A	----	84.70 - 22.00	.4167	----	----	1	----	105 UNCH
4490	99.50	99.50	159.90B/81.90A	159.90B/81.90A	----	86.80 - 22.40	.4241	----	----	3	----	100 - 2
4495	----	----	162.70B/83.80A	162.70B/83.80A	----	89.00 - 22.70	.4316	----	----	3	----	85 UNCH
4500	138.60	138.60	166.20B/85.80A	166.20B/85.80A	----	91.20 - 23.00	.4391	----	----	78	400	3874 - 155
4505	----	----	169.50B/88.10A	169.50B/88.10A	----	93.40 - 23.40	.4466	----	----	----	----	68 UNCH
4510	104.20	104.20	172.60B/90.30A	172.60B/90.30A	----	95.70 - 23.80	.4541	----	----	2	----	63 + 2
4515	----	----	175.90B/92.50A	175.90B/92.50A	----	98.00 - 24.20	.4617	----	----	4	----	12 + 2
4520	----	----	179.30B/94.80A	179.30B/94.80A	----	100.30 - 24.60	.4692	----	----	----	----	159 UNCH
4525	----	----	182.80B/97.00A	182.80B/97.00A	----	102.70 - 25.00	.4768	----	----	1	----	153 UNCH
4530	----	----	186.00B/99.30A	186.00B/99.30A	----	105.20 - 25.30	.4844	----	----	1	----	70 + 1
4535	----	----	189.60B/101.70A	189.60B/101.70A	----	107.60 - 25.70	.4921	----	----	----	----	17 UNCH
4540	----	----	193.10B/104.10A	193.10B/104.10A	----	110.20 - 26.00	.4997	----	----	1	----	120 + 1
4545	111.70	111.70	196.60B/106.60A	196.60B/106.60A	----	112.70 - 26.50	.5073	----	----	1	----	42 UNCH
4550	188.50	188.50	200.00B/109.00A	200.00B/109.00A	----	115.30 - 26.90	.5149	----	----	28	----	579 + 7
4555	----	----	203.80B/111.70A	203.80B/111.70A	----	117.90 - 27.30	.5225	----	----	----	----	30 UNCH
4560	----	----	207.20B/114.50A	207.20B/114.50A	----	120.60 - 27.60	.5301	----	----	----	----	98 UNCH
4565	----	----	210.90B/117.20A	210.90B/117.20A	----	123.40 - 27.90	.5377	----	----	----	----	122 UNCH
4570	----	----	214.60B/119.80A	214.60B/119.80A	----	126.10 - 28.40	.5453	----	----	----	----	67 UNCH
4575	----	----	218.30B/122.50A	218.30B/122.50A	----	128.90 - 28.70	.5528	----	----	----	----	43 UNCH
4580	----	----	222.10B/125.20A	222.10B/125.20A	----	131.80 - 29.10	.5603	----	----	----	----	43 UNCH
4585	----	----	225.90B/128.00A	225.90B/128.00A	----	134.60 - 29.50	.5678	----	----	----	----	18 UNCH
4590	----	----	229.90B/130.90A	229.90B/130.90A	----	137.60 - 29.80	.5753	----	----	----	----	22 UNCH
4595	----	----	233.80B/133.50A	233.80B/133.50A	----	140.50 - 30.20	.5827	----	----	108	----	144 + 81
4600	----	----	237.60B/136.70A	237.60B/136.70A	----	143.50 - 30.60	.5901	----	----	10	----	1480 - 4
4605	----	----	241.60B/139.60A	241.60B/139.60A	----	146.60 - 30.90	.5974	----	----	----	----	86 UNCH
4610	----	----	245.30B/142.60A	245.30B/142.60A	----	149.70 - 31.20	.6047	----	----	----	----	136 UNCH
4615	----	----	249.30B/145.50A	249.30B/145.50A	----	152.80 - 31.60	.6120	----	----	----	----	22 UNCH
4620	----	----	253.20B/148.50A	253.20B/148.50A	----	156.00 - 31.90	.6192	----	----	----	----	49 UNCH
4625	----	----	257.30B/151.60A	257.30B/151.60A	----	159.20 - 32.30	.6263	----	----	----	----	177 UNCH
4630	----	----	261.50B/155.10A	261.50B/155.10A	----	162.40 - 32.60	.6335	----	----	----	----	17 UNCH
4635	----	----	265.60B/158.60A	265.60B/158.60A	----	165.70 - 33.00	.6405	----	----	----	----	169 UNCH
4640	----	----	269.90B/161.80A	269.90B/161.80A	----	169.00 - 33.30	.6475	----	----	----	----	156 UNCH
4645	----	----	273.80B/164.90A	273.80B/164.90A	----	172.30 - 33.70	.6544	----	----	----	----	26 UNCH
4650	180.40	180.40	277.80B/168.20A	277.80B/168.20A	----	175.70 - 34.00	.6612	----	----	2	----	435 UNCH
4655	----	----	282.00B/171.70A	282.00B/171.70A	----	179.20 - 34.30	.6679	----	----	----	----	13 UNCH
4660	----	----	286.20B/175.00A	286.20B/175.00A	----	182.60 - 34.60	.6747	----	----	1	----	104 - 1
4665	----	----	290.50B/178.40A	290.50B/178.40A	----	186.10 - 35.00	.6813	----	----	----	----	24 UNCH
4670	----	----	294.80B/181.90A	294.80B/181.90A	----	189.70 - 35.20	.6878	----	----	----	----	101 UNCH
4675	----	----	298.90B/185.50A	298.90B/185.50A	----	193.20 - 35.60	.6942	----	----	----	----	171 UNCH
4680	----	----	303.40B/188.80A	303.40B/188.80A	----	196.80 - 35.90	.7006	----	----	1	----	165 UNCH
4685	----	----	307.50B/192.40A	307.50B/192.40A	----	200.50 - 36.10	.7070	----	----	----	----	8 UNCH
4690	----	----	312.20B/195.80A	312.20B/195.80A	----	204.10 - 36.50	.7132	----	----	----	----	60 UNCH
4695	----	----	316.20B/199.40A	316.20B/199.40A	----	207.80 - 36.80	.7194	----	----	----	----	201 UNCH
4700	----	----	320.50B/203.20A	320.50B/203.20A	----	211.60 - 37.00	.7253	----	----	1	----	750 - 1
4705	----	----	324.90B/206.90A	324.90B/206.90A	----	215.30 - 37.40	.7314	----	----	----	----	33 UNCH
4710	----	----	329.60B/210.50A	329.60B/210.50A	----	219.10 - 37.70	.7373	----	----	----	----	128 UNCH
4715	----	----	333.90B/214.30A	333.90B/214.30A	----	223.00 - 37.90	.7430	----	----	----	----	122 UNCH
4720	----	----	338.20B/218.00A	338.20B/218.00A	----	226.80 - 38.20	.7488	----	----	----	----	61 UNCH
4725	----	----	342.60B/221.80A	342.60B/221.80A	----	230.70 - 38.50	.7544	----	----	----	----	227 UNCH
4730	----	----	347.40B/225.60A	347.40B/225.60A	----	234.60 - 38.80	.7597	----	----	----	----	73 UNCH
4735	301.30	301.30	351.70B/228.70A	351.70B/228.70A	----	238.50 - 39.10	.7653	----	----	3	----	38 - 2
4740	----	----	356.20B/232.60A	356.20B/232.60A	----	242.50 - 39.30	.7706	----	----	----	----	119 UNCH
4745	268.10	268.10	360.70B/236.50A	360.70B/236.50A	----	246.50 - 39.50	.7762	----	----	1	----	140 UNCH
4750	243.90	243.90	365.20B/241.10A	365.20B/241.10A	----	250.50 - 39.80	.7811	----	----	3	----	780 + 1
4755	----	----	369.70B/244.40A	369.70B/244.40A	----	254.50 - 40.10	.7864	----	----	----	----	14 UNCH
4760	----	----	374.40B/248.40A	374.40B/248.40A	----	258.50 - 40.40	.7913	----	----	----	----	81 UNCH
4765	----	----	378.90B/252.40A	378.90B/252.40A	----	262.60 - 40.60	.7966	----	----	----	----	305 UNCH
4770	----	----	383.50B/257.10A	383.50B/257.10A	----	266.70 - 40.90	.8011	----	----	----	----	12 UNCH
4775	----	----	388.10B/261.40A	388.10B/261.40A	----	270.90 - 41.00	.8060	----	----	----	----	57 UNCH
4780	----	----	392.70B/265.50A	392.70B/265.50A	----	275.00 - 41.30	.8106	----	----	----	----	39 UNCH
4785	----	----	397.40B/269.40A	397.40B/269.40A	----	279.20 - 41.50	.8151	----	----	----	----	118 UNCH
4790	----	----	402.20B/272.90A	402.20B/272.90A	----	283.50 - 41.70	.8197	----	----	----	----	3 UNCH
4795	----	----	407.00B/277.60A	407.00B/277.60A	----	287.70 - 41.90	.8238	----	----	----	----	80 UNCH
4800	----	----	411.60B/281.80A	411.60B/281.80A	----	292.00 - 42.10	.8283	----	----	----	----	1246 UNCH
4805	----	----	416.30B/286.00A	416.30B/286.00A	----	296.20 - 42.40	.8325	----	----	----	----	22 UNCH
4810	----	----	420.70B/289.70A	420.70B/289.70A	----	300.50 - 42.60	.8366	----	----	----	----	11 UNCH
4815	----	----	425.40B/294.60A	425.40B/294.60A	----	304.80 - 42.80	.8403	----	----	----	----	28 UNCH
4820	----	----	430.40B/298.90A	430.40B/298.90A	----	309.20 - 42.90	.8444	----	----	----	----	207 UNCH
4825	----	----	434.80B/303.10A	434.80B/303.10A	----	313.50 - 43.20	.8481	----	----	----	----	33 UNCH
4830	----	----	439.90B/307.70A	439.90B/307.70A	----	317.90 - 43.30	.8522	----	----	----	----	5 UNCH
4835	----	----	444.40B/311.50A	444.40B/311.50A	----	322.30 - 43.50	.8559	----	----	----	----	24 UNCH
4840	----	----	449.10B/315.70A	449.10B/315.70A	----	326.70 - 43.70	.8595	----	----	----	----	10 UNCH
4845	----	----	454.10B/320.30A	454.10B/320.30A	----	331.10 - 43.90	.8632	----	----	----	----	63 UNCH
4850	----	----	458.60B/324.50A	458.60B/324.50A	----	335.50 - 44.10	.8664	----	----	----	----	300 UNCH
4855	----	----	463.40B/328.90A	463.40B/328.90A	----	340.00 - 44.20	.8696	----	----	----	----	11 UNCH
4860	----	----	468.50B/334.10A	468.50B/334.10A	----	344.40 - 44.50	.8732	----	----	----	----	8 UNCH
4865	----	----	473.30B/338.00A	473.30B/338.00A	----	348.90 - 44.60	.8764	----	----	----	----	30 UNCH
4870	----	----	477.80B/342.50A	477.80B/342.50A	----	353.40 - 44.80	.8796	----	----	----	----	319 UNCH
4875	----	----	482.90B/347.10A	482.90B/347.10A	----	357.90 - 45.00	.8824	----	----	----	----	71 UNCH
4880	----	----	487.40B/351.80A	487.40B/351.80A	----	362.50 - 45.10	.8855	----	----	----	----	51 UNCH
4885	----	----	492.50B/356.30A	492.50B/356.30A	----	367.00 - 45.30	.8882	----	----	----	----	12 UNCH
4890	----	----	497.30B/360.10A	497.30B/360.10A	----	371.60 - 45.40	.8909	----	----	----	----	9 UNCH
4895	----	----	502.10B/364.80A	502.10B/364.80A	----	376.20 - 45.50	.8940	----	----	----	----	48 UNCH
4900	----	----	507.00B/370.10A	507.00B/370.10A	----	380.80 - 45.60	.8963	----	----	3	----	262 + 3
4905	----	----	511.50B/374.80A	511.50B/374.80A	----	385.40 - 45.70	.8989	----	----	----	----	53 UNCH
4910	----	----	516.40B/379.10A	516.40B/379.10A	----	390.00 - 45.90	.9016	----	----	----	----	4 UNCH
4915	----	----	521.20B/383.70A	521.20B/383.70A	----	394.70 - 46.00	.9037	----	----	----	----	118 UNCH
4920	----	----	526.40B/388.40A	526.40B/388.40A	----	399.30 - 46.10	.9063	----	----	----	----	22 UNCH
4925	----	----	531.00B/392.90A	531.00B/392.90A	----	404.00 - 46.20	.9085	----	----	----	----	11 UNCH
4930	----	----	535.80B/396.80A	535.80B/396.80A	----	408.60 - 46.40	.9106	----	----	----	----	52 UNCH
4935	----	----	540.70B/402.50A	540.70B/402.50A	----	413.30 - 46.50	.9127	----	----	----	----	4 UNCH
4940	----	----	545.60B/406.30A	545.60B/406.30A	----	418.00 - 46.60	.9148	----	----	----	----	11 UNCH
4950	----	----	555.60B/416.50A	555.60B/416.50A	----	427.40 - 46.80	.9190	----	----	----	----	110 UNCH
4975	----	----	579.80B/440.00A	579.80B/440.00A	----	451.10 - 47.20	.9283	----	----	----	----	2 UNCH
4980	----	----	584.70B/443.90A	584.70B/443.90A	----	455.90 - 47.30	.9298	----	----	----	----	6 UNCH
4985	----	----	589.60B/449.40A	589.60B/449.40A	----	460.70 - 47.30	.9313	----	----	----	----	103 UNCH
4990	----	----	594.50B/453.30A	594.50B/453.30A	----	465.50 - 47.40	.9328	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4995	----	----	599.40B/458.90A	599.40B/458.90A	----	470.20 - 47.50	.9348	----	----	----	----	12 UNCH
5000	465.80	465.80	604.40B/463.50A	604.40B/463.50A	----	475.00 - 47.60	.9363	----	----	2	----	544 - 2
5005	----	----	609.30B/467.50A	609.30B/467.50A	----	479.80 - 47.70	.9378	----	----	----	----	12 UNCH
5010	----	----	614.20B/473.20A	614.20B/473.20A	----	484.60 - 47.70	.9388	----	----	----	----	8 UNCH
5015	----	----	619.10B/478.00A	619.10B/478.00A	----	489.40 - 47.80	.9402	----	----	----	----	19 UNCH
5020	----	----	624.00B/483.10A	624.00B/483.10A	----	494.20 - 47.90	.9417	----	----	----	----	5 UNCH
5025	----	----	629.00B/487.90A	629.00B/487.90A	----	499.10 - 47.90	.9431	----	----	----	----	150 UNCH
5030	----	----	633.90B/492.60A	633.90B/492.60A	----	503.90 - 48.00	.9446	----	----	----	----	8 UNCH
5035	----	----	639.10B/496.50A	639.10B/496.50A	----	508.70 - 48.10	.9454	----	----	----	----	37 UNCH
5040	----	----	#644.00B/501.30	#644.00B/501.30A	----	513.60 - 48.10	.9469	----	----	----	----	10 UNCH
5045	----	----	648.70B/506.90A	648.70B/506.90A	----	518.40 - 48.20	.9477	----	----	----	----	5 UNCH
5050	----	----	653.60B/511.90A	653.60B/511.90A	----	523.20 - 48.30	.9492	----	----	----	----	79 UNCH
5055	----	----	658.50B/515.80A	658.50B/515.80A	----	528.10 - 48.30	.9500	----	----	----	----	3 UNCH
5065	----	----	668.70B/525.50A	668.70B/525.50A	----	537.80 - 48.40	.9523	----	----	----	----	11 UNCH
5075	----	----	643.80B/535.20A	643.80B/535.20A	----	547.50 - 48.50	.9545	----	----	----	----	6 UNCH
5080	----	----	----/540.90A	562.60B/540.90A	----	552.40 - 48.50	.9553	----	----	----	----	2 UNCH
5085	----	----	653.70B/545.70A	653.70B/545.70A	----	557.20 - 48.70	.9567	----	----	----	----	21 UNCH
5090	----	----	658.60B/549.60A	658.60B/549.60A	----	562.10 - 48.70	.9575	----	----	----	----	6 UNCH
5095	----	----	663.60B/555.60A	663.60B/555.60A	----	567.00 - 48.70	.9583	----	----	----	----	42 UNCH
5100	----	----	668.50B/560.30A	668.50B/560.30A	----	571.90 - 48.70	.9591	----	----	----	----	107 UNCH
5105	----	----	673.50B/565.20A	673.50B/565.20A	----	576.70 - 48.90	.9599	----	----	----	----	22 UNCH
5110	----	----	678.40B/569.10A	678.40B/569.10A	----	581.60 - 48.90	.9607	----	----	----	----	16 UNCH
5115	----	----	683.40B/574.00A	683.40B/574.00A	----	586.50 - 49.00	.9615	----	----	----	----	37 UNCH
5120	----	----	688.30B/578.90A	688.30B/578.90A	----	591.40 - 49.00	.9629	----	----	----	----	13 UNCH
5125	----	----	693.20B/583.80A	693.20B/583.80A	----	596.30 - 49.00	.9637	----	----	----	----	37 UNCH
5130	----	----	698.20B/591.00A	698.20B/591.00A	----	601.20 - 49.10	.9644	----	----	----	----	25 UNCH
5135	----	----	703.20B/595.90A	703.20B/595.90A	----	606.10 - 49.10	.9646	----	----	----	----	19 UNCH
5140	----	----	708.20B/600.80A	708.20B/600.80A	----	611.00 - 49.20	.9654	----	----	----	----	21 UNCH
5145	----	----	#713.10B/605.80	#713.10B/605.80A	----	615.90 - 49.20	.9662	----	----	----	----	3 UNCH
5150	----	----	718.10B/610.60A	718.10B/610.60A	----	620.80 - 49.30	.9669	----	----	----	----	235 UNCH
5155	----	----	723.00B/615.60A	723.00B/615.60A	----	625.80 - 49.20	.9677	----	----	----	----	43 UNCH
5160	----	----	728.00B/620.40A	728.00B/620.40A	----	630.70 - 49.30	.9685	----	----	----	----	44 UNCH
5170	----	----	737.90B/630.30A	737.90B/630.30A	----	640.50 - 49.40	.9694	----	----	----	----	53 UNCH
5175	----	----	742.90B/635.20A	742.90B/635.20A	----	645.40 - 49.50	.9701	----	----	----	----	61 UNCH
5180	----	----	747.80B/640.10A	747.80B/640.10A	----	650.40 - 49.40	.9709	----	----	----	----	12 UNCH
5185	----	----	752.80B/645.00A	752.80B/645.00A	----	655.30 - 49.50	.9710	----	----	----	----	103 UNCH
5190	----	----	757.80B/650.00A	757.80B/650.00A	----	660.20 - 49.60	.9717	----	----	----	----	19 UNCH
5200	----	----	767.70B/659.80A	767.70B/659.80A	----	670.10 - 49.60	.9726	----	----	1	----	54 UNCH
5225	----	----	792.50B/684.60A	792.50B/684.60A	----	694.80 - 49.70	.9750	----	----	----	----	42 UNCH
5230	----	----	----	----	----	699.80 - 49.70	.9752	----	----	----	----	2 UNCH
5235	----	----	802.50B/694.40A	802.50B/694.40A	----	704.70 - 49.80	.9759	----	----	----	----	23 UNCH
5245	----	----	----	----	----	714.60 - 49.80	.9767	----	----	----	----	2 UNCH
5250	----	----	817.40B/709.30A	817.40B/709.30A	----	719.60 - 49.80	.9768	----	----	----	----	14 UNCH
5255	----	----	822.40B/714.20A	822.40B/714.20A	----	724.50 - 49.90	.9775	----	----	----	----	14 UNCH
5285	----	----	----	----	----	754.30 - 49.90	.9793	----	----	----	----	2 UNCH
5290	----	----	857.20B/748.90A	857.20B/748.90A	----	759.20 - 50.00	.9794	----	----	----	----	4 UNCH
5295	----	----	----	----	----	764.20 - 49.90	.9801	----	----	----	----	2 UNCH
5300	----	----	867.20B/758.90A	867.20B/758.90A	----	769.20 - 49.90	.9802	----	----	----	----	68 UNCH
5315	----	----	882.10B/773.80A	882.10B/773.80A	----	784.10 - 49.90	.9810	----	----	----	----	10 UNCH
5325	----	----	----	----	----	794.00 - 50.00	.9812	----	----	----	----	2 UNCH
5350	----	----	917.00B/808.40A	917.00B/808.40A	----	818.90 - 50.00	.9828	----	----	----	----	8 UNCH
5375	----	----	941.90B/833.30A	941.90B/833.30A	----	843.70 - 50.10	.9837	----	----	----	----	8 UNCH
5390	----	----	956.90B/848.30A	956.90B/848.30A	----	858.70 - 50.10	.9845	----	----	----	----	5 UNCH
5400	----	----	967.70B/857.30A	967.70B/857.30A	----	868.60 - 50.20	.9847	----	----	----	----	603 UNCH
5410	----	----	----	----	----	878.60 - 50.20	.9854	----	----	----	----	1 UNCH
5440	----	----	----	----	----	908.40 - 50.30	.9863	----	----	----	----	1 UNCH
5475	----	----	1,041.90B/933.0	1041.90B/933.00A	----	943.30 - 50.40	.9873	----	----	----	----	7 UNCH
5500	----	----	1,066.60B/957.8	1066.60B/957.80A	----	968.20 - 50.40	.9881	----	----	----	----	3 UNCH
5505	----	----	----	----	----	973.20 - 50.40	.9881	----	----	----	----	1 UNCH
5510	----	----	----	----	----	978.20 - 50.40	.9882	----	----	----	----	1 UNCH
TOTAL										5823	900	58792 + 1955
AUG26												
2300	0.90	0.90	0.90/0.80A	0.90/0.80A	----	0.40 UNCH	.0011	----	----	1	----	45 + 1
2325	----	----	----	0.20B/0.90A	----	0.40 - 0.10	.0011	----	----	----	----	1 UNCH
2350	----	----	----	0.30B/0.90A	----	0.40 - 0.10	.0012	----	----	----	----	22 UNCH
2375	----	----	----	0.30B/0.90A	----	0.50 UNCH	.0014	----	----	----	----	7 UNCH
2400	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0015	----	----	----	----	5 UNCH
2425	----	----	----	0.40B/1.00A	----	0.50 - 0.10	.0015	----	----	----	----	1 UNCH
2475	----	----	----	0.50B/1.10A	----	0.60 - 0.10	.0018	----	----	----	----	5 UNCH
2500	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0018	----	----	----	----	114 UNCH
2570	----	----	----	0.70B/1.20A	----	0.80 - 0.10	.0024	----	----	----	----	9 UNCH
2580	----	----	----	0.70B/1.20A	----	0.80 - 0.10	.0024	----	----	----	----	1 UNCH
2590	----	----	----	0.70B/1.30A	----	0.80 - 0.10	.0025	----	----	----	----	2 UNCH
2600	----	----	----	0.80B/1.10A	----	0.80 - 0.20	.0025	----	----	----	----	6 UNCH
2615	----	----	----	0.80B/1.30A	----	0.80 - 0.20	.0025	----	----	----	----	1 UNCH
2625	----	----	----	0.90B/1.20A	----	0.90 - 0.10	.0028	----	----	----	----	2 UNCH
2640	----	----	----	0.90B/1.20A	----	0.90 - 0.20	.0028	----	----	----	----	1 UNCH
2665	----	----	----	1.00B/1.30A	----	1.00 - 0.10	.0031	----	----	----	----	1 UNCH
2685	----	----	----	1.00B/1.30A	----	1.00 - 0.20	.0031	----	----	----	----	1 UNCH
2690	----	----	----	1.00B/1.30A	----	1.00 - 0.20	.0032	----	----	----	----	1 UNCH
2730	----	----	----	1.10B/1.40A	----	1.10 - 0.20	.0035	----	----	----	----	3 UNCH
2740	----	----	----	1.20B/1.40A	----	1.10 - 0.30	.0035	----	----	----	----	2 UNCH
2745	----	----	----	1.20B/1.50A	----	1.20 - 0.20	.0038	----	----	----	----	2 UNCH
2750	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.20	.0038	----	----	----	----	4 UNCH
2800	1.20	1.20	1.20/*1.20	1.40B/*1.20	----	1.30 - 0.20	.0042	----	----	1	----	46 + 1
2860	----	----	----/*1.60A	1.60B/*1.60A	----	1.50 - 0.20	.0049	----	----	----	----	1 UNCH
2875	1.20	1.20	1.20/*1.20	1.60B/*1.20	----	1.50 - 0.30	.0050	----	----	1	----	3 + 1
2900	----	----	----/*1.70A	1.70B/*1.70A	----	1.60 - 0.20	.0053	----	----	----	----	2 UNCH
2940	1.40	1.40	1.40/*1.40	1.90B/*1.40	----	1.70 - 0.30	.0058	----	----	1	----	2 + 1
2950	----	----	----/*1.90A	1.90B/*1.90A	----	1.80 - 0.20	.0061	----	----	----	----	8 UNCH
2965	----	----	----/2.00A	2.00B/2.00A	----	1.80 - 0.30	.0061	----	----	----	----	2 UNCH
2975	----	----	----/2.00A	2.00B/2.00A	----	1.90 - 0.20	.0065	----	----	----	----	1 UNCH
2980	----	----	----/*2.00A	2.10B/*2.00A	----	1.90 - 0.30	.0065	----	----	----	----	1 UNCH
3000	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.30	.0069	----	----	----	----	274 UNCH
3005	----	----	----/*2.10A	2.20B/*2.10A	----	2.00 - 0.30	.0069	----	----	----	----	5 UNCH
3010	----	----	----/*2.20A	2.20B/*2.20A	----	2.00 - 0.30	.0069	----	----	----	----	1 UNCH
3015	----	----	----/*2.20A	2.20B/*2.20A	----	2.00 - 0.30	.0069	----	----	----	----	1 UNCH
3025	----	----	----/*2.20A	2.30B/*2.20A	----	2.10 - 0.30	.0073	----	----	----	----	5 UNCH
3040	----	----	----/*2.30A	2.40B/*2.30A	----	2.10 - 0.40	.0073	----	----	----	----	1 UNCH
3065	----	----	----/*2.40A	2.50B/*2.40A	----	2.20 - 0.40	.0078	----	----	----	----	1 UNCH
3090	----	----	----/*2.50A	2.70B/*2.50A	----	2.30 - 0.50	.0082	----	----	----	----	1 UNCH
3095	----	----	----/*2.50A	2.70B/*2.50A	----	2.40 - 0.40	.0085	----	----	----	----	1 UNCH
3100	2.30	2.30	2.30/*2.30	2.70B/*2.30	----	2.40 - 0.40	.0085	----	----	1	----	259 UNCH
3110	----	----	----/*2.60A	2.80B/*2.60A	----	2.40 - 0.50	.0086	----	----	----	----	15 UNCH
3115	----	----	----/*2.60A	2.80B/*2.60A	----	2.50 - 0.40	.0089	----	----	----	----	1 UNCH
3120	----	----	----/*2.60A	2.90B/*2.60A	----	2.50 - 0.40	.0089	----	----	----	----	29 UNCH
3130	----	----	----/*2.70A	2.90B/*2.70A	----	2.60 - 0.40	.0093	----	----	----	----	5 UNCH
3145	----	----	----/*2.80A	3.00B/*2.80A	----	2.60 - 0.50	.0094	----	----	----	----	1 UNCH
3150	----	----	----/*2.80A	3.10B/*2.80A	----	2.70 - 0.40	.0097	----	----	----	----	10 UNCH
3155	----	----	----/*2.80A	3.10B/*2.80A	----	2.70 - 0.40	.0097	----	----	----	----	3 UNCH
3160	----	----	----/*2.80A	3.20B/*2.80A	----	2.70 - 0.50	.0098	----	----	----	----	1 UNCH
3165	----	----	----/2.90A	3.20B/2.90A	----	2.70 - 0.50	.0098	----	----	----	----	141 UNCH
3170	----	----	----/2.90A	3.20B/2.90A	----	2.80 - 0.40	.0101	----	----	----	----	2 UNCH
3175	----	----	3.30B/*2.90A	3.30B/*2.90A	----	2.80 - 0.40	.0102	----	----	----	----	1 UNCH
3180	----	----	----/*2.90A	3.30B/*2.90A	----	2.80 - 0.50	.0102	----	----	----	----	26 UNCH
3185	----	----	----/*3.00A	3.30B/*3.00A	----	2.90 - 0.40	.0105	----	----	----	----	1 UNCH
3190	----	----	3.40B/*3.00A	3.40B/*3.00A	----	2.90 - 0.40	.0106	----	----	----	----	883 UNCH
3195	----	----	----/*3.00A	3.40B/*3.00A	----	2.90 - 0.50	.0106	----	----	----	----	1 UNCH
3200	----	----	3.50B/3.10A	3.50B/3.10A	----	2.90 - 0.50	.0107	----	----	151	----	510 - 22
3235	----	----	3.80B/3.30A	3.80B/3.30A	----	3.20 - 0.40	.0118	----	----	----	----	20 UNCH
3250	----	----	3.90B/3.40A	3.90B/3.40A	----	3.30 - 0.50	.0122	----	----	75	----	521 - 9
3260	----	----	4.00B/3.50A	4.00B/3.50A	----	3.30 - 0.50	.0123	----	----	----	----	30 UNCH
3295	----	----	4.30B/3.70A	4.30B/3.70A	----	3.60 - 0.50	.0136	----	----	----	----	2 UNCH
3300	4.00	4.00	4.40B/3.80A	4.40B/3.80A	----	3.60 - 0.60	.0136	----	----	41	----	230 - 28
3310	----	----	4.50B/*3.80A	4.50B/*3.80A	----	3.70 - 0.50	.0140	----	----	----	----	20 UNCH
3330	----	----	4.80B/4.00A	4.80B/4.00A	----	3.80 - 0.60	.0145	----	----	----	----	2 UNCH
3350	----	----	5.00B/4.20A	5.00B/4.20A	----	4.00 - 0.60	.0154	----	----	----	----	479 UNCH
3370	----	----	5.30B/4.30A	5.30B/4.30A	----	4.20 - 0.60	.0162	----	----	----	----	1 UNCH
3375	----	----	5.40B/4.40A	5.40B/4.40A	----	4.20 - 0.60	.0163	----	----	----	----	15 UNCH
3380	----	----	5.40B/4.40A	5.40B/4.40A	----	4.30 - 0.60	.0167	----	----	----	----	1 UNCH
3390	----	----	5.60B/4.50A	5.60B/4.50A	----	4.40 - 0.60	.0171	----	----	----	----	1 UNCH
3395	----	----	5.60B/4.60A	5.60B/4.60A	----	4.40 - 0.70	.0172	----	----	----	----	7 UNCH
3400	----	----	5.70B/4.60A	5.70B/4.60A	----	4.50 - 0.60	.0175	----	----	259	----	309 + 245
3405	----	----	5.80B/4.70A	5.80B/4.70A	----	4.50 - 0.70	.0176	----	----	20	----	24 + 20
3410	----	----	5.90B/4.70A	5.90B/4.70A	----	4.60 - 0.70	.0180	----	----	----	----	1 UNCH
3430	----	----	6.20B/4.90A	6.20B/4.90A	----	4.80 - 0.70	.0189	----	----	20	----	20 + 20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3450	----	----	6.60B/5.10A	6.60B/5.10A	----	5.00 - 0.70	.0198	----	----	----	----	2 UNCH
3460	----	----	6.70B/5.20A	6.70B/5.20A	----	5.10 - 0.80	.0203	----	----	----	----	1 UNCH
3465	----	----	6.80B/5.20A	6.80B/5.20A	----	5.20 - 0.80	.0206	----	----	----	----	6 UNCH
3470	----	----	6.90B/5.30A	6.90B/5.30A	----	5.20 - 0.80	.0207	----	----	----	----	1 UNCH
3485	----	----	7.20B/5.50A	7.20B/5.50A	----	5.40 - 0.80	.0216	----	----	----	----	1 UNCH
3495	----	----	7.40B/5.60A	7.40B/5.60A	----	5.50 - 0.90	.0221	----	----	----	----	1 UNCH
3500	----	----	7.50B/5.60A	7.50B/5.60A	----	5.60 - 0.90	.0225	----	----	3	----	827 UNCH
3505	----	----	7.60B/5.70A	7.60B/5.70A	----	5.70 - 0.80	.0229	----	----	----	----	1 UNCH
3510	7.50	7.50	8.00/5.80A	8.00/5.80A	----	5.70 - 0.90	.0230	----	----	2	----	50 UNCH
3520	----	----	7.90B/5.90A	7.90B/5.90A	----	5.90 - 0.90	.0238	----	----	----	----	210 UNCH
3525	----	----	8.00B/6.00A	8.00B/6.00A	----	5.90 - 1.00	.0239	----	----	----	----	60 UNCH
3535	----	----	8.30B/6.10A	8.30B/6.10A	----	6.10 - 0.90	.0247	----	----	----	----	1 UNCH
3545	----	----	8.50B/6.30A	8.50B/6.30A	----	6.20 - 1.00	.0252	----	----	----	----	9 UNCH
3550	----	----	8.70B/6.30A	8.70B/6.30A	----	6.30 - 1.00	.0257	----	----	----	----	151 UNCH
3560	----	----	8.90B/6.50A	8.90B/6.50A	----	6.40 - 1.10	.0262	----	----	----	----	1 UNCH
3565	----	----	9.00B/6.60A	9.00B/6.60A	----	6.50 - 1.10	.0266	----	----	----	----	1 UNCH
3570	----	----	9.10B/6.70A	9.10B/6.70A	----	6.60 - 1.10	.0270	----	----	----	----	32 UNCH
3575	----	----	9.30B/6.70A	9.30B/6.70A	----	6.70 - 1.10	.0275	----	----	----	----	20 UNCH
3585	----	----	9.60B/6.90A	9.60B/6.90A	----	6.90 - 1.10	.0283	----	----	----	----	50 UNCH
3600	10.60	10.60	10.60/7.00	10.60/7.00	----	7.10 - 1.20	.0293	----	----	63	----	637 + 19
3605	----	----	10.10B/7.30A	10.10B/7.30A	----	7.20 - 1.20	.0297	----	----	----	----	1 UNCH
3610	----	----	10.30B/7.30A	10.30B/7.30A	----	7.30 - 1.20	.0302	----	----	----	----	1 UNCH
3630	----	----	11.00B/7.70A	11.00B/7.70A	----	7.70 - 1.30	.0320	----	----	----	----	8 UNCH
3640	----	----	11.30B/7.90A	11.30B/7.90A	----	7.90 - 1.30	.0329	----	----	----	----	1 UNCH
3645	10.80	10.80	11.40B/8.00A	11.40B/8.00A	----	8.00 - 1.30	.0333	----	----	1	----	21 - 1
3650	----	----	11.60B/8.10A	11.60B/8.10A	----	8.10 - 1.40	.0338	----	----	----	----	47 UNCH
3655	----	----	11.80B/8.20A	11.80B/8.20A	----	8.20 - 1.40	.0342	----	----	----	----	55 UNCH
3660	----	----	12.00B/8.30A	12.00B/8.30A	----	8.30 - 1.40	.0347	----	----	----	----	10 UNCH
3665	----	----	12.20B/8.40A	12.20B/8.40A	----	8.40 - 1.50	.0352	----	----	----	----	1 UNCH
3675	----	----	12.60B/8.60A	12.60B/8.60A	----	8.60 - 1.50	.0361	----	----	----	----	24 UNCH
3690	----	----	13.40B/9.00A	13.40B/9.00A	----	9.00 - 1.60	.0378	----	----	----	----	12 UNCH
3700	13.10	13.10	13.90B/9.10A	13.90B/9.10A	----	9.20 - 1.70	.0388	----	----	9	----	283 + 3
3705	----	----	14.10B/9.20A	14.10B/9.20A	----	9.30 - 1.70	.0393	----	----	----	----	21 UNCH
3715	13.40	13.40	14.50B/9.60A	14.50B/9.60A	----	9.60 - 1.70	.0406	----	----	7	----	30 UNCH
3725	----	----	14.90B/9.80A	14.90B/9.80A	----	9.90 - 1.80	.0419	----	----	----	----	6 UNCH
3730	----	----	15.20B/10.00A	15.20B/10.00A	----	10.00 - 1.80	.0424	----	----	----	----	11 UNCH
3735	----	----	15.40B/10.00A	15.40B/10.00A	----	10.10 - 1.90	.0429	----	----	----	----	1 UNCH
3740	----	----	15.60B/10.20A	15.60B/10.20A	----	10.30 - 1.90	.0437	----	----	----	----	7 UNCH
3745	----	----	15.90B/10.30A	15.90B/10.30A	----	10.40 - 2.00	.0442	----	----	----	----	1 UNCH
3750	15.30	15.30	16.20B/10.40A	16.20B/10.40A	----	10.60 - 1.90	.0451	----	----	12	----	89 + 3
3755	----	----	16.40B/10.70A	16.40B/10.70A	----	10.70 - 2.00	.0456	----	----	----	----	1 UNCH
3760	----	----	16.70B/10.80A	16.70B/10.80A	----	10.90 - 2.00	.0464	----	----	----	----	1 UNCH
3765	----	----	16.90B/10.90A	16.90B/10.90A	----	11.00 - 2.10	.0469	----	----	----	----	100 UNCH
3770	----	----	17.20B/11.10A	17.20B/11.10A	----	11.20 - 2.10	.0478	----	----	----	----	4 UNCH
3775	----	----	17.50B/11.20A	17.50B/11.20A	----	11.40 - 2.10	.0486	----	----	----	----	13 UNCH
3785	----	----	18.20B/11.50A	18.20B/11.50A	----	11.70 - 2.20	.0500	----	----	----	----	1 UNCH
3790	----	----	18.50B/11.70A	18.50B/11.70A	----	11.90 - 2.20	.0509	----	----	----	----	6 UNCH
3795	12.70	12.70	18.80B/11.90A	18.80B/11.90A	----	12.00 - 2.30	.0514	----	----	2	----	83 - 1
3800	18.20	18.20	19.60/12.00A	19.60/12.00A	----	12.20 - 2.40	.0523	----	----	28	----	414 + 5
3805	----	----	19.40B/12.20A	19.40B/12.20A	----	12.40 - 2.40	.0531	----	----	----	----	6 UNCH
3810	----	----	19.70B/12.40A	19.70B/12.40A	----	12.60 - 2.40	.0540	----	----	----	----	50 UNCH
3815	----	----	20.00B/12.60A	20.00B/12.60A	----	12.80 - 2.50	.0549	----	----	----	----	151 UNCH
3820	----	----	20.30B/12.80A	20.30B/12.80A	----	12.90 - 2.60	.0555	----	----	----	----	52 UNCH
3825	----	----	20.80B/12.90A	20.80B/12.90A	----	13.10 - 2.60	.0563	----	----	1	----	54 + 1
3830	----	----	21.00B/13.10A	21.00B/13.10A	----	13.30 - 2.70	.0572	----	----	----	----	1 UNCH
3835	----	----	21.40B/13.30A	21.40B/13.30A	----	13.50 - 2.70	.0581	----	----	1	----	16 + 1
3840	----	----	21.90B/13.50A	21.90B/13.50A	----	13.80 - 2.70	.0593	----	----	----	----	1 UNCH
3845	----	----	22.20B/13.70A	22.20B/13.70A	----	14.00 - 2.70	.0602	----	----	----	----	1 UNCH
3850	21.00	21.00	22.70B/14.00A	22.70B/14.00A	----	14.20 - 2.80	.0611	----	----	4	----	138 UNCH
3855	----	----	23.00B/14.20A	23.00B/14.20A	----	14.40 - 2.90	.0620	----	----	----	----	7 UNCH
3860	----	----	23.50B/14.40A	23.50B/14.40A	----	14.60 - 3.00	.0629	----	----	----	----	1 UNCH
3870	----	----	24.10B/14.80A	24.10B/14.80A	----	15.10 - 3.00	.0650	----	----	----	----	17 UNCH
3875	----	----	24.50B/15.00A	24.50B/15.00A	----	15.30 - 3.10	.0660	----	----	----	----	11 UNCH
3880	16.80	16.80	24.80B/15.30A	24.80B/15.30A	----	15.60 - 3.10	.0672	----	----	3	----	341 + 1
3885	----	----	25.30B/15.50A	25.30B/15.50A	----	15.80 - 3.20	.0681	----	----	----	----	90 UNCH
3890	----	----	25.80B/15.70A	25.80B/15.70A	----	16.00 - 3.30	.0691	----	----	----	----	73 UNCH
3895	16.40	16.40	26.20B/16.00A	26.20B/16.00A	----	16.30 - 3.30	.0703	----	----	13	----	14 + 13
3900	21.30	21.30	26.70B/16.20A	26.70B/16.20A	----	16.60 - 3.40	.0715	----	----	280	880	2081 + 802
3905	17.00	17.00	27.10B/16.50A	27.10B/16.50A	----	16.80 NEW	.0725	----	----	23	----	23 + 23
3910	22.50	22.50	27.50B/16.70A	27.50B/16.70A	----	17.10 - 3.50	.0738	----	----	53	----	90 + 53
3915	25.20	25.20	28.00B/17.00A	28.00B/17.00A	----	17.40 - 3.60	.0750	----	----	24	----	59 + 24
3920	17.70	17.70	28.60B/17.20A	28.60B/17.20A	----	17.70 - 3.60	.0763	----	----	16	----	64 + 15
3925	26.10	26.10	29.00B/17.50A	29.00B/17.50A	----	18.00 - 3.70	.0776	----	----	58	----	61 + 50
3930	18.50	18.50	29.60B/17.80A	29.60B/17.80A	----	18.20 - 3.80	.0786	----	----	16	----	62 + 13
3935	----	----	30.10B/18.10A	30.10B/18.10A	----	18.50 - 3.90	.0798	----	----	----	----	13 UNCH
3940	27.50	27.50	30.70B/18.40A	30.70B/18.40A	----	18.90 - 3.90	.0814	----	----	2	----	19 + 2
3945	28.00	28.00	31.30B/18.70A	31.30B/18.70A	----	19.20 NEW	.0827	----	----	1	----	1 + 1
3950	----	----	31.90B/19.00A	31.90B/19.00A	----	19.50 - 4.00	.0840	----	----	3	----	257 + 1
3955	----	----	32.50B/19.30A	32.50B/19.30A	----	19.80 - 4.10	.0853	----	----	----	----	12 UNCH
3960	29.50	29.50	33.00B/19.60A	33.00B/19.60A	----	20.10 - 4.20	.0866	----	----	1	----	4 + 1
3965	----	----	33.80B/19.90A	33.80B/19.90A	----	20.50 - 4.30	.0882	----	----	----	----	29 UNCH
3970	----	----	34.20B/20.30A	34.20B/20.30A	----	20.80 - 4.40	.0896	----	----	----	----	11 UNCH
3975	31.10	31.10	34.80B/20.60A	34.80B/20.60A	----	21.20 - 4.40	.0912	----	----	1	----	269 UNCH
3980	----	----	35.50B/20.90A	35.50B/20.90A	----	21.50 - 4.50	.0925	----	----	1	----	2252 + 1
3985	----	----	36.10B/21.30A	36.10B/21.30A	----	21.90 - 4.60	.0941	----	----	----	----	4 UNCH
3990	----	----	37.00B/21.60A	37.00B/21.60A	----	22.30 - 4.60	.0958	----	----	2	----	45 UNCH
3995	33.40	33.40	37.40B/22.00A	37.40B/22.00A	----	22.70 - 4.70	.0974	----	----	2	----	10 + 1
4000	35.90	35.90	39.60/22.40A	39.60/22.40A	----	23.10 - 4.80	.0990	----	----	917	----	1338 + 35
4005	----	----	38.80B/22.80A	38.80B/22.80A	----	23.50 - 4.90	.1007	----	----	----	----	6 UNCH
4010	32.00	32.00	39.60B/23.20A	39.60B/23.20A	----	23.90 - 5.00	.1024	----	----	10	----	106 + 10
4015	----	----	40.50B/23.60A	40.50B/23.60A	----	24.30 - 5.10	.1040	----	----	1	----	3 UNCH
4020	----	----	41.00B/24.00A	41.00B/24.00A	----	24.70 - 5.20	.1057	----	----	----	----	4 UNCH
4025	37.20	37.20	41.80B/24.40A	41.80B/24.40A	----	25.20 - 5.20	.1076	----	----	287	----	258 - 97
4030	37.30	37.30	42.50B/24.80A	42.50B/24.80A	----	25.60 - 5.30	.1093	----	----	7	----	59 + 7
4035	25.90	25.90	43.20B/25.20A	43.20B/25.20A	----	26.00 - 5.50	.1110	----	----	1	----	23 UNCH
4040	----	----	44.10B/25.70A	44.10B/25.70A	----	26.50 - 5.50	.1130	----	----	2	----	27 + 2
4045	----	----	44.80B/26.10A	44.80B/26.10A	----	27.00 - 5.60	.1150	----	----	----	----	32 UNCH
4050	27.30	27.30	45.80B/26.60A	45.80B/26.60A	----	27.50 - 5.70	.1169	----	----	16	----	329 + 6
4055	27.80	27.80	46.50B/27.00A	46.50B/27.00A	----	28.00 - 5.80	.1189	----	----	1	----	22 + 1
4060	28.30	28.30	47.30B/27.50A	47.30B/27.50A	----	28.50 - 5.90	.1209	----	----	1	----	5 + 1
4065	28.80	28.80	48.20B/28.00A	48.20B/28.00A	----	29.00 - 6.00	.1229	----	----	1	----	12 UNCH
4070	----	----	49.10B/28.50A	49.10B/28.50A	----	29.50 - 6.10	.1249	----	----	----	----	54 UNCH
4075	----	----	50.00B/29.00A	50.00B/29.00A	----	30.00 - 6.20	.1270	----	----	----	----	19 UNCH
4080	43.00	43.00	51.00B/29.50A	51.00B/29.50A	----	30.60 - 6.30	.1292	----	----	2	----	12 + 1
4085	40.60	40.60	51.90B/30.10A	51.90B/30.10A	----	31.10 - 6.40	.1313	----	----	3	----	342 + 3
4090	----	----	52.80B/30.60A	52.80B/30.60A	----	31.70 - 6.50	.1335	----	----	----	----	208 UNCH
4095	----	----	53.70B/31.20A	53.70B/31.20A	----	32.30 - 6.60	.1358	----	----	----	----	84 UNCH
4100	39.00	39.00	54.80B/31.70A	54.80B/31.70A	----	32.90 - 6.70	.1381	----	----	17	200	969 + 178
4105	----	----	55.90B/32.30A	55.90B/32.30A	----	33.50 - 6.80	.1405	----	----	6	----	21 + 6
4110	----	----	56.90B/32.90A	56.90B/32.90A	----	34.10 - 7.00	.1428	----	----	----	----	11 UNCH
4115	34.80	34.80	57.90B/33.50A	57.90B/33.50A	----	34.70 - 7.10	.1451	----	----	3	----	20 + 3
4120	----	----	59.00B/34.10A	59.00B/34.10A	----	35.40 - 7.20	.1477	----	----	3	----	128 + 3
4125	----	----	60.00B/34.80A	60.00B/34.80A	----	36.00 - 7.30	.1500	----	----	3	----	15 + 3
4130	37.00	37.00	61.10B/35.40A	61.10B/35.40A	----	36.70 - 7.40	.1526	----	----	7	----	17 + 1
4135	----	----	62.30B/36.00A	62.30B/36.00A	----	37.40 - 7.50	.1552	----	----	1	----	63 + 1
4140	----	----	63.40B/36.70A	63.40B/36.70A	----	38.10 - 7.70	.1578	----	----	1	----	11 + 1
4145	----	----	64.50B/37.40A	64.50B/37.40A	----	38.80 - 7.80	.1604	----	----	----	----	44 UNCH
4150	----	----	65.90B/38.10A	65.90B/38.10A	----	39.50 - 8.00	.1631	----	----	2	----	1135 UNCH
4155	----	----	67.10B/38.80A	67.10B/38.80A	----	40.20 - 8.10	.1657	----	----	----	----	23 UNCH
4160	54.00	54.00	68.20B/39.50A	68.20B/39.50A	----	41.00 - 8.20	.1686	----	----	2	----	55 + 1
4165	----	----	69.40B/40.30A	69.40B/40.30A	----	41.80 - 8.30	.1714	----	----	2	----	108 UNCH
4170	----	----	70.60B/41.00A	70.60B/41.00A	----	42.60 - 8.50	.1743	----	----	----	----	80 UNCH
4175	----	----	71.90B/41.80A	71.90B/41.80A	----	43.40 - 8.60	.1772	----	----	1	----	38 + 1
4180	----	----	73.30B/42.60A	73.30B/42.60A	----	44.20 - 8.80	.1801	----	----	----	----	115 UNCH
4185	----	----	74.60B/43.30A	74.60B/43.30A	----	45.00 - 8.90	.1830	----	----	----	----	50 UNCH
4190	----	----	75.80B/44.20A	75.80B/44.20A	----	45.90 - 9.00	.1861	----	----	2	----	142 UNCH
4195	----	----	77.40B/45.00A	77.40B/45.00A	----	46.70 - 9.30	.1890	----	----	----	----	218 UNCH
4200	66.20	66.20	78.80B/45.80A	78.80B/45.80A	----	47.60 - 9.40	.1922	----	----	46	225	546 + 74
4205	----	----	80.20B/46.70A	80.20B/46.70A	----	48.50 - 9.50	.1953	----	----	1	----	322 + 1
4210	----	----	81.70B/47.60A	81.70B/47.60A	----	49.40 - 9.70	.1985	----	----	----	----	4 UNCH
4215	----	----	83.00B/48.50A	83.00B/48.50A	----	50.40 - 9.80	.2018	----	----	----	----	21 UNCH
4220	----	----	84.50B/49.40A	84.50B/49.40A	----	51.30 - 10.00	.2050	----	----	----	----	21 UNCH
4225	----	----	86.10B/50.30A	86.10B/50.30A	----	52.30 - 10.20	.2084	----	----	----	----	51 UNCH
4230	----	----	87.70B/51.30A	87.70B/51.30A	----	53.30 - 10.30	.2117	----	----	2	----	14 UNCH
4235	----	----	89.00B/52.20A	89.00B/52.20A	----	54.30 - 10.50	.2151	----	----	----	----	8 UNCH
4240	----	----	90.80B/53.20A	90.80B/53.20A	----	55.30 - 10.70	.2185	----	----	----	----	39 UNCH
4245	----	----	92.50B/54.20A	92.50B/54.20A	----	56.40 - 10.80	.2221	----	----	2	----	53 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4250	92.10	92.10	93.90B/55.20A	93.90B/55.20A	----	57.50 - 10.90	.2257	----	----	174	----	1462 - 39
4255	----	----	95.70B/56.30A	95.70B/56.30A	----	58.50 - 11.20	.2291	----	----	----	----	896 UNCH
4260	----	----	97.20B/57.30A	97.20B/57.30A	----	59.70 - 11.30	.2329	----	----	----	----	31 UNCH
4265	----	----	99.10B/58.40A	99.10B/58.40A	----	60.80 - 11.50	.2365	----	----	1	----	1 - 1
4270	----	----	100.70B/59.50A	100.70B/59.50A	----	61.90 - 11.70	.2402	----	----	----	----	214 UNCH
4275	----	----	102.60B/60.60A	102.60B/60.60A	----	63.10 - 11.90	.2440	----	----	1	----	24 + 1
4280	98.30	98.30	104.40B/61.70A	104.40B/61.70A	----	64.30 - 12.10	.2478	----	----	1	250	320 + 249
4285	65.60	65.60	106.30B/62.90A	106.30B/62.90A	----	65.50 - 12.30	.2516	----	----	2	----	176 + 1
4290	----	----	108.10B/64.10A	108.10B/64.10A	----	66.80 - 12.40	.2556	----	----	----	----	64 UNCH
4295	----	----	109.60B/65.30A	109.60B/65.30A	----	68.00 - 12.60	.2594	----	----	2	----	4 + 1
4300	91.80	91.80	111.50B/66.40A	111.50B/66.40A	----	69.30 - 12.80	.2634	----	----	153	----	1356 + 128
4305	----	----	113.80B/67.80A	113.80B/67.80A	----	70.60 - 13.00	.2674	----	----	----	----	511 UNCH
4310	79.10	79.10	115.70B/69.00A	115.70B/69.00A	----	71.90 - 13.20	.2714	----	----	6	----	10 + 6
4315	----	----	117.40B/70.30A	117.40B/70.30A	----	73.30 - 13.40	.2755	----	----	----	----	12 UNCH
4320	----	----	119.40B/71.60A	119.40B/71.60A	----	74.60 - 13.60	.2796	----	----	----	----	51 UNCH
4325	----	----	121.90B/72.90A	121.90B/72.90A	----	76.00 - 13.80	.2838	----	----	2	----	331 + 1
4330	----	----	123.80B/74.30A	123.80B/74.30A	----	77.50 - 13.90	.2881	----	----	----	----	109 UNCH
4335	----	----	125.70B/75.70A	125.70B/75.70A	----	78.90 - 14.20	.2922	----	----	----	----	10 UNCH
4340	----	----	127.90B/77.10A	127.90B/77.10A	----	80.40 - 14.40	.2966	----	----	1	----	62 UNCH
4345	----	----	130.10B/78.50A	130.10B/78.50A	----	81.90 - 14.60	.3009	----	----	----	----	5 UNCH
4350	120.10	120.10	132.30B/79.90A	132.30B/79.90A	----	83.40 - 14.80	.3052	----	----	10	----	1218 - 1
4355	----	----	134.50B/81.40A	134.50B/81.40A	----	84.90 - 15.00	.3096	----	----	----	----	104 UNCH
4360	----	----	136.40B/83.20A	136.40B/83.20A	----	86.50 - 15.20	.3140	----	----	----	----	71 UNCH
4365	126.40	126.40	138.60B/84.60A	138.60B/84.60A	----	88.10 - 15.40	.3185	----	----	5	----	121 + 4
4370	----	----	141.10B/86.30A	141.10B/86.30A	----	89.70 - 15.70	.3230	----	----	----	----	2 UNCH
4375	----	----	143.40B/87.70A	143.40B/87.70A	----	91.40 - 15.80	.3276	----	----	2	----	44 - 1
4380	92.00	92.00	145.90B/89.30A	145.90B/89.30A	----	93.00 - 16.10	.3321	----	----	1	----	4 + 1
4385	----	----	148.10B/91.00A	148.10B/91.00A	----	94.70 - 16.30	.3367	----	----	----	----	10 UNCH
4390	140.50	140.50	150.50B/92.60A	150.50B/92.60A	----	96.40 - 16.60	.3413	----	----	4	----	33 + 1
4395	----	----	153.00B/94.30A	153.00B/94.30A	----	98.20 - 16.70	.3460	----	----	----	----	31 UNCH
4400	131.00	131.00	155.00B/96.00A	155.00B/96.00A	----	100.00 - 16.90	.3507	----	----	31	----	2052 - 9
4405	144.60	144.60	157.50B/97.70A	157.50B/97.70A	----	101.80 - 17.20	.3554	----	----	2	----	65 UNCH
4410	----	----	160.40B/99.40A	160.40B/99.40A	----	103.60 - 17.40	.3601	----	----	1	----	355 - 1
4415	149.40	149.40	162.70B/101.30A	162.70B/101.30A	----	105.40 - 17.70	.3648	----	----	17	----	149 + 2
4420	159.40	159.40	165.10B/103.10A	165.10B/103.10A	----	107.30 - 17.90	.3696	----	----	2	----	29 UNCH
4425	128.00	128.00	167.70B/104.90A	167.70B/104.90A	----	109.20 - 18.10	.3745	----	----	152	----	100 - 21
4430	140.80	140.80	170.40B/107.00A	170.40B/107.00A	----	111.20 - 18.30	.3793	----	----	7	----	42 - 5
4435	143.40	143.40	173.00B/108.70A	173.00B/108.70A	----	113.10 - 18.60	.3842	----	----	21	----	35 + 19
4440	142.60	142.60	175.70B/110.60A	175.70B/110.60A	----	115.10 - 18.80	.3891	----	----	15	----	80 + 9
4445	----	----	178.50B/112.60A	178.50B/112.60A	----	117.10 - 19.10	.3940	----	----	----	----	6 UNCH
4450	150.60	150.60	181.10B/114.50A	181.10B/114.50A	----	119.20 - 19.20	.3989	----	----	300	625	980 + 535
4455	171.80	171.80	184.00B/116.50A	184.00B/116.50A	----	121.20 - 19.50	.4038	----	----	5	----	275 UNCH
4460	155.30	155.30	186.80B/118.60A	186.80B/118.60A	----	123.30 - 19.80	.4088	----	----	16	----	35 + 8
4465	156.70	156.70	189.60B/120.70A	189.60B/120.70A	----	125.50 - 19.90	.4138	----	----	2	----	26 + 2
4470	----	----	192.40B/122.70A	192.40B/122.70A	----	127.60 - 20.20	.4188	----	----	----	----	117 UNCH
4475	----	----	195.30B/124.90A	195.30B/124.90A	----	129.80 - 20.40	.4238	----	----	1	----	153 + 1
4480	----	----	198.30B/127.10A	198.30B/127.10A	----	132.00 - 20.70	.4288	----	----	----	----	133 UNCH
4485	----	----	201.30B/129.20A	201.30B/129.20A	----	134.20 - 21.00	.4339	----	----	1	----	42 + 1
4490	----	----	204.20B/131.40A	204.20B/131.40A	----	136.50 - 21.20	.4389	----	----	1	----	10 + 1
4495	----	----	207.20B/133.70A	207.20B/133.70A	----	138.80 - 21.40	.4440	----	----	----	----	33 UNCH
4500	196.70	196.70	210.20B/135.80A	210.20B/135.80A	----	141.10 - 21.70	.4491	----	----	32	----	1960 + 4
4505	----	----	213.00B/138.20A	213.00B/138.20A	----	143.50 - 21.90	.4541	----	----	1	----	43 + 1
4510	----	----	216.10B/140.50A	216.10B/140.50A	----	145.90 - 22.10	.4592	----	----	2	----	53 + 2
4515	154.90	154.90	219.60B/142.90A	219.60B/142.90A	----	148.30 - 22.30	.4643	----	----	16	----	50 + 16
4520	151.80	151.80	222.90B/145.20A	222.90B/145.20A	----	150.70 - 22.60	.4694	----	----	5	----	226 + 5
4525	194.00	194.00	225.80B/147.60A	225.80B/147.60A	----	153.20 - 22.80	.4745	----	----	11	----	20 UNCH
4530	156.50	156.50	229.00B/150.00A	229.00B/150.00A	----	155.70 - 23.10	.4796	----	----	22	----	29 + 18
4535	----	----	232.30B/152.50A	232.30B/152.50A	----	158.20 - 23.30	.4847	----	----	1	----	67 + 1
4540	159.40	159.40	235.60B/155.00A	235.60B/155.00A	----	160.70 - 23.60	.4898	----	----	32	----	70 + 30
4545	----	----	238.70B/157.50A	238.70B/157.50A	----	163.30 - 23.80	.4949	----	----	----	----	27 UNCH
4550	224.80	224.80	242.00B/160.10A	242.00B/160.10A	----	165.90 - 24.10	.5000	----	----	1	----	188 - 1
4555	----	----	245.50B/162.60A	245.50B/162.60A	----	168.50 - 24.40	.5051	----	----	----	----	120 UNCH
4560	----	----	248.70B/165.20A	248.70B/165.20A	----	171.20 - 24.60	.5102	----	----	----	----	224 UNCH
4565	----	----	252.10B/167.80A	252.10B/167.80A	----	173.90 - 24.80	.5153	----	----	----	----	12 UNCH
4570	----	----	255.40B/170.50A	255.40B/170.50A	----	176.60 - 25.10	.5204	----	----	----	----	74 UNCH
4575	----	----	258.80B/173.10A	258.80B/173.10A	----	179.40 - 25.30	.5254	----	----	----	----	66 UNCH
4580	----	----	262.50B/175.80A	262.50B/175.80A	----	182.10 - 25.60	.5305	----	----	----	----	196 UNCH
4585	----	----	265.80B/178.60A	265.80B/178.60A	----	184.90 - 25.90	.5356	----	----	----	----	4 UNCH
4590	----	----	269.20B/181.30A	269.20B/181.30A	----	187.80 - 26.00	.5406	----	----	----	----	38 UNCH
4595	----	----	272.70B/184.00A	272.70B/184.00A	----	190.60 - 26.40	.5456	----	----	----	----	169 UNCH
4600	----	----	276.50B/186.70A	276.50B/186.70A	----	193.50 - 26.60	.5506	----	----	1	----	653 UNCH
4605	----	----	279.70B/189.80A	279.70B/189.80A	----	196.40 - 26.90	.5556	----	----	----	----	82 UNCH
4610	----	----	283.60B/192.60A	283.60B/192.60A	----	199.40 - 27.10	.5606	----	----	----	----	52 UNCH
4615	----	----	287.10B/195.40A	287.10B/195.40A	----	202.30 - 27.40	.5656	----	----	----	----	3 UNCH
4620	----	----	290.60B/198.40A	290.60B/198.40A	----	205.30 - 27.60	.5705	----	----	----	----	41 UNCH
4625	----	----	294.40B/201.30A	294.40B/201.30A	----	208.40 - 27.80	.5754	----	----	----	----	340 UNCH
4630	----	----	297.90B/204.40A	297.90B/204.40A	----	211.40 - 28.10	.5803	----	----	----	----	53 UNCH
4635	----	----	301.70B/207.60A	301.70B/207.60A	----	214.50 - 28.30	.5852	----	----	----	----	129 UNCH
4640	----	----	305.30B/210.30A	305.30B/210.30A	----	217.60 - 28.60	.5900	----	----	----	----	310 UNCH
4645	----	----	309.10B/213.40A	309.10B/213.40A	----	220.70 - 28.90	.5948	----	----	----	----	135 UNCH
4650	----	----	313.00B/216.40A	313.00B/216.40A	----	223.90 - 29.10	.5996	----	----	----	----	439 UNCH
4655	----	----	316.70B/219.80A	316.70B/219.80A	----	227.10 - 29.30	.6044	----	----	----	----	30 UNCH
4660	----	----	320.40B/222.80A	320.40B/222.80A	----	230.30 - 29.50	.6092	----	----	----	----	28 UNCH
4665	----	----	324.40B/226.20A	324.40B/226.20A	----	233.50 - 29.80	.6139	----	----	----	----	4 UNCH
4670	----	----	328.10B/229.30A	328.10B/229.30A	----	236.80 - 30.00	.6187	----	----	----	----	53 UNCH
4675	----	----	332.00B/233.10A	332.00B/233.10A	----	240.10 - 30.20	.6234	----	----	----	----	15 UNCH
4680	----	----	335.80B/235.80A	335.80B/235.80A	----	243.40 - 30.50	.6280	----	----	----	----	34 UNCH
4685	----	----	339.70B/239.40A	339.70B/239.40A	----	246.70 - 30.80	.6326	----	----	----	----	224 UNCH
4690	----	----	343.70B/242.60A	343.70B/242.60A	----	250.10 - 31.00	.6372	----	----	----	----	9 UNCH
4695	----	----	347.70B/245.90A	347.70B/245.90A	----	253.40 - 31.30	.6418	----	----	----	----	5 UNCH
4700	----	----	351.80B/249.10A	351.80B/249.10A	----	256.90 - 31.40	.6462	----	----	----	----	1031 UNCH
4705	----	----	355.60B/252.50A	355.60B/252.50A	----	260.30 - 31.70	.6508	----	----	----	----	151 UNCH
4710	----	----	359.80B/256.10A	359.80B/256.10A	----	263.70 - 32.00	.6552	----	----	----	----	10 UNCH
4715	----	----	363.80B/259.70A	363.80B/259.70A	----	267.20 - 32.20	.6597	----	----	----	----	1 UNCH
4720	----	----	367.80B/263.10A	367.80B/263.10A	----	270.70 - 32.40	.6641	----	----	----	----	13 UNCH
4725	----	----	371.90B/267.00A	371.90B/267.00A	----	274.30 - 32.60	.6684	----	----	----	----	59 UNCH
4730	----	----	376.00B/270.50A	376.00B/270.50A	----	277.80 - 32.90	.6727	----	----	----	----	57 UNCH
4735	----	----	380.10B/273.60A	380.10B/273.60A	----	281.40 - 33.10	.6770	----	----	----	----	59 UNCH
4740	----	----	384.00B/277.10A	384.00B/277.10A	----	285.00 - 33.30	.6812	----	----	----	----	38 UNCH
4745	----	----	388.30B/280.70A	388.30B/280.70A	----	288.60 - 33.50	.6855	----	----	----	----	33 UNCH
4750	----	----	392.20B/284.30A	392.20B/284.30A	----	292.20 - 33.80	.6896	----	----	1	----	181 - 1
4755	----	----	396.60B/287.90A	396.60B/287.90A	----	295.90 - 33.90	.6938	----	----	----	----	25 UNCH
4760	----	----	400.70B/291.40A	400.70B/291.40A	----	299.60 - 34.10	.6979	----	----	----	----	8 UNCH
4765	----	----	404.90B/295.00A	404.90B/295.00A	----	303.30 - 34.30	.7020	----	----	----	----	8 UNCH
4770	----	----	408.90B/298.70A	408.90B/298.70A	----	307.00 - 34.60	.7061	----	----	----	----	260 UNCH
4775	----	----	413.10B/302.40A	413.10B/302.40A	----	310.70 - 34.80	.7100	----	----	----	----	172 UNCH
4780	----	----	417.60B/306.20A	417.60B/306.20A	----	314.50 - 35.00	.7140	----	----	----	----	19 UNCH
4785	----	----	421.60B/310.50A	421.60B/310.50A	----	318.30 - 35.20	.7179	----	----	----	----	18 UNCH
4790	----	----	426.10B/313.50A	426.10B/313.50A	----	322.10 - 35.40	.7218	----	----	----	----	54 UNCH
4795	----	----	430.20B/317.40A	430.20B/317.40A	----	325.90 - 35.60	.7256	----	----	----	----	128 UNCH
4800	----	----	434.50B/321.20A	434.50B/321.20A	----	329.80 - 35.80	.7295	----	----	----	----	968 UNCH
4805	----	----	439.00B/325.00A	439.00B/325.00A	----	333.60 - 36.00	.7332	----	----	----	----	9 UNCH
4810	----	----	443.00B/328.90A	443.00B/328.90A	----	337.50 - 36.20	.7370	----	----	----	----	5 UNCH
4815	----	----	447.30B/332.70A	447.30B/332.70A	----	341.40 - 36.40	.7405	----	----	----	----	3 UNCH
4820	----	----	451.70B/336.50A	451.70B/336.50A	----	345.30 - 36.60	.7442	----	----	----	----	4 UNCH
4825	----	----	456.20B/340.50A	456.20B/340.50A	----	349.30 - 36.70	.7478	----	----	----	----	30 UNCH
4830	----	----	460.40B/344.40A	460.40B/344.40A	----	353.20 - 37.00	.7515	----	----	----	----	4 UNCH
4835	----	----	464.70B/348.50A	464.70B/348.50A	----	357.20 - 37.20	.7550	----	----	----	----	36 UNCH
4840	----	----	469.40B/352.20A	469.40B/352.20A	----	361.20 - 37.30	.7585	----	----	----	----	5 UNCH
4850	----	----	478.20B/360.10A	478.20B/360.10A	----	369.20 - 37.80	.7653	----	----	1	----	154 - 1
4855	----	----	482.30B/364.10A	482.30B/364.10A	----	373.30 - 37.90	.7686	----	----	----	----	11 UNCH
4860	----	----	486.80B/368.50A	486.80B/368.50A	----	377.30 - 38.10	.7721	----	----	----	----	9 UNCH
4865	----	----	491.20B/372.30A	491.20B/372.30A	----	381.40 - 38.30	.7754	----	----	----	----	12 UNCH
4870	----	----	495.90B/376.60A	495.90B/376.60A	----	385.50 - 38.50	.7787	----	----	----	----	29 UNCH
4875	----	----	500.30B/380.30A	500.30B/380.30A	----	389.60 - 38.70	.7817	----	----	----	----	82 UNCH
4880	----	----	504.70B/384.40A	504.70B/384.40A	----	393.70 - 38.90	.7850	----	----	----	----	127 UNCH
4885	----	----	509.20B/388.50A	509.20B/388.50A	----	397.80 - 39.10	.7880	----	----	----	----	8 UNCH
4890	----	----	513.70B/392.90A	513.70B/392.90A	----	402.00 - 39.20	.7911	----	----	----	----	6 UNCH
4895	----	----	518.20B/396.90A	518.20B/396.90A	----	406.20 - 39.30	.7943	----	----	----	----	6 UNCH
4900	----	----	522.90B/401.20A	522.90B/401.20A	----	410.40 - 39.50	.7973	----	----	----	----	431 UNCH
4905	----	----	527.20B/405.10A	527.20B/405.10A	----	414.60 - 39.70	.8001	----	----	----	----	29 UNCH
4910	----	----	531.80B/409.40A	531.80B/409.40A	----	418.80 - 39.90	.8031	----	----	----	----	23 UNCH
4920	----	----	540.80B/417.80A	540.80B/417.80A	----	427.20 - 40.20	.8089	----	----	----	----	3 UNCH
4925	----	----	545.40B/422.20A	545.40B/422.20A	----	431.50 - 40.40	.8117	----	----	----	----	57 UNCH
4930	----	----	550.20B/426.40A	550.20B/426.40A	----	435.80 - 40.50	.8144	----	----	----	----	1 UNCH
4950	----	----	568.60B/443.30A	568.60B/443.30A	----	453.00 - 41.10	.8251	----	----	----	----	31 UNCH
4955	----	----	573.00B/447.80A	573.00B/447.80A	----	457.30 - 41.30	.8278	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4965	----	----	582.40B/456.60A	582.40B/456.60A	----	466.00 - 41.60	.8328	----	----	----	----	1 UNCH
4980	----	----	596.10B/469.70A	596.10B/469.70A	----	479.20 - 42.00	.8401	----	----	----	----	1 UNCH
5000	----	----	615.10B/487.10A	615.10B/487.10A	----	496.90 - 42.50	.8496	----	----	----	----	331 UNCH
5010	----	----	624.30B/496.20A	624.30B/496.20A	----	505.80 - 42.70	.8539	----	----	----	----	1 UNCH
5025	----	----	638.30B/509.40A	638.30B/509.40A	----	519.20 - 43.10	.8602	----	----	----	----	25 UNCH
5030	----	----	643.00B/514.30A	643.00B/514.30A	----	523.70 - 43.30	.8624	----	----	----	----	1 UNCH
5040	----	----	652.60B/523.20A	652.60B/523.20A	----	532.70 - 43.50	.8666	----	----	----	----	4 UNCH
5045	----	----	657.30B/527.40A	657.30B/527.40A	----	537.30 - 43.60	.8684	----	----	----	----	31 UNCH
5050	----	----	662.20B/531.80A	662.20B/531.80A	----	541.80 - 43.70	.8705	----	----	----	----	351 UNCH
5070	----	----	681.10B/550.00A	681.10B/550.00A	----	560.00 - 44.20	.8780	----	----	----	----	17 UNCH
5080	----	----	690.40B/559.40A	690.40B/559.40A	----	569.20 - 44.40	.8815	----	----	----	----	3 UNCH
5100	----	----	709.70B/577.60A	709.70B/577.60A	----	587.60 - 44.80	.8883	----	----	----	----	85 UNCH
5120	----	----	#728.70B/596.10	#728.70B/596.10A	----	606.20 - 45.10	.8947	----	----	----	----	2 UNCH
5180	----	----	#786.90B/652.70	#786.90B/652.70A	----	662.40 - 46.20	.9114	----	----	----	----	1 UNCH
5200	----	----	806.40B/671.50A	806.40B/671.50A	----	681.30 - 46.50	.9163	----	----	1	----	114 + 1
5265	----	----	#869.70B/733.60	#869.70B/733.60A	----	743.40 - 47.20	.9300	----	----	----	----	1 UNCH
5300	----	----	904.10B/767.30A	904.10B/767.30A	----	777.10 - 47.50	.9360	----	----	----	----	3 UNCH
5355	----	----	#957.40B/820.70	#957.40B/820.70A	----	830.40 - 48.00	.9443	----	----	----	----	1 UNCH
5400	----	----	1,002.50B/864.4	1002.50B/864.40A	----	874.30 - 48.30	.9500	----	----	----	----	76 UNCH
5460	----	----	----/923.30A	935.70B/923.30A	----	933.10 - 48.60	.9561	----	----	----	----	1 UNCH
5500	----	----	1,067.80B/962.7	1067.80B/962.70A	----	972.40 - 48.80	.9598	----	----	----	----	4 UNCH
5530	----	----	----	----	----	1001.90 - 48.90	.9621	----	----	----	----	1 UNCH
5575	----	----	----	----	----	1046.30 - 49.10	.9654	----	----	----	----	2 UNCH
8000	----	----	----	----	----	3467.60 - 50.90	1.0000	----	----	----	----	0 UNCH
TOTAL										3619	2,180	44899 + 2471
SEP26												
2000	----	----	----	----/0.90A	----	0.50 - 0.10	.0011	----	----	----	----	1 UNCH
2350	----	----	----	0.70B/1.40A	----	1.10 - 0.10	.0028	----	----	----	----	37 UNCH
2375	----	----	----	0.80B/1.40A	----	1.10 - 0.10	.0028	----	----	----	----	5 UNCH
2400	----	----	----	0.80B/1.50A	----	1.20 - 0.10	.0031	----	----	----	----	1 UNCH
2500	1.60	1.60	1.60/1.40A	1.60/1.40A	----	1.40 - 0.10	.0037	----	----	50	----	54 + 50
2575	----	----	----	1.30B/1.90A	----	1.60 - 0.20	.0043	----	----	----	----	1 UNCH
2600	----	----	----	1.40B/2.00A	----	1.70 - 0.10	.0046	----	----	----	----	2 UNCH
2800	----	----	----/2.60A	2.50B/2.60A	----	2.40 - 0.30	.0069	----	----	----	----	2 UNCH
2850	----	----	----	2.70B/2.90A	----	2.60 - 0.30	.0076	----	----	----	----	4 UNCH
2860	----	----	----/*2.90A	2.80B/2.90A	----	2.70 - 0.30	.0079	----	----	----	----	17 UNCH
2865	----	----	----/2.90A	2.80B/2.90A	----	2.70 - 0.30	.0079	----	----	----	----	10 UNCH
2900	----	----	----/3.10A	3.00B/3.10A	----	2.90 - 0.30	.0086	----	----	----	----	5 UNCH
2915	----	----	----/*3.20A	3.10B/3.20A	----	2.90 - 0.40	.0087	----	----	----	----	2 UNCH
2920	----	----	----/*3.20A	3.10B/3.20A	----	3.00 - 0.30	.0089	----	----	----	----	5 UNCH
3000	----	----	----/3.70A	3.60B/3.70A	----	3.40 - 0.40	.0104	----	----	----	----	3 UNCH
3045	----	----	----/*4.00A	4.00B/4.00A	----	3.70 - 0.50	.0114	----	----	----	----	25 UNCH
3100	----	----	----/*4.40A	4.40B/4.40A	----	4.10 - 0.50	.0129	----	----	----	----	25 UNCH
3145	----	----	----/*4.80A	4.80B/4.80A	----	4.50 - 0.50	.0142	----	----	----	----	15 UNCH
3150	----	----	----/*4.80A	4.90B/4.80A	----	4.50 - 0.60	.0143	----	----	----	----	2 UNCH
3200	----	----	----/*5.30A	5.40B/5.30A	----	5.00 - 0.60	.0161	----	----	----	----	1 UNCH
3270	----	----	----/*6.00A	6.40B/6.00A	----	5.70 - 0.70	.0187	----	----	----	----	15 UNCH
3300	----	----	----/*6.30A	6.90B/6.30A	----	6.10 - 0.80	.0201	----	----	----	----	3 UNCH
3400	----	----	8.80B/7.70A	8.80B/7.70A	----	7.50 - 1.00	.0252	----	----	----	----	51 UNCH
3475	----	----	10.70B/9.00A	10.70B/9.00A	----	8.90 - 1.20	.0303	----	----	----	----	2 UNCH
3480	----	----	10.80B/9.10A	10.80B/9.10A	----	9.00 - 1.20	.0307	----	----	----	----	780 UNCH
3495	----	----	11.20B/9.40A	11.20B/9.40A	----	9.30 - 1.30	.0318	----	----	----	----	1 UNCH
3500	11.30	11.30	11.40B/9.40	11.40B/9.40	----	9.40 - 1.30	.0322	----	----	2	----	226 UNCH
3515	----	----	11.80B/9.80A	11.80B/9.80A	----	9.70 - 1.40	.0334	----	----	----	----	5 UNCH
3525	----	----	12.10B/10.10A	12.10B/10.10A	----	9.90 - 1.50	.0341	----	----	----	----	2 UNCH
3530	----	----	12.30B/10.20A	12.30B/10.20A	----	10.00 - 1.50	.0345	----	----	----	----	1 UNCH
3535	----	----	12.50B/10.30A	12.50B/10.30A	----	10.20 - 1.40	.0351	----	----	----	----	1 UNCH
3545	----	----	12.80B/10.50A	12.80B/10.50A	----	10.40 - 1.50	.0359	----	----	----	----	6 UNCH
3550	----	----	13.00B/10.60A	13.00B/10.60A	----	10.50 - 1.60	.0363	----	----	----	----	5 UNCH
3555	----	----	13.10B/10.80A	13.10B/10.80A	----	10.60 - 1.60	.0367	----	----	----	----	6 UNCH
3565	----	----	13.50B/11.00A	13.50B/11.00A	----	10.90 - 1.60	.0378	----	----	----	----	1 UNCH
3570	----	----	13.70B/11.10A	13.70B/11.10A	----	11.00 - 1.70	.0382	----	----	----	----	3 UNCH
3575	----	----	14.90B/11.30A	14.90B/11.30A	----	11.20 - 1.70	.0388	----	----	----	----	64 UNCH
3585	----	----	14.30B/11.50A	14.30B/11.50A	----	11.40 - 1.80	.0396	----	----	----	----	1 UNCH
3590	----	----	14.50B/11.70A	14.50B/11.70A	----	11.60 - 1.70	.0403	----	----	----	----	3 UNCH
3595	----	----	14.70B/11.80A	14.70B/11.80A	----	11.70 - 1.80	.0407	----	----	----	----	5 UNCH
3600	----	----	14.90B/11.90A	14.90B/11.90A	----	11.80 - 1.90	.0411	----	----	----	----	40 UNCH
3605	----	----	15.10B/12.10A	15.10B/12.10A	----	12.00 - 1.90	.0418	----	----	----	----	9 UNCH
3610	----	----	15.30B/12.20A	15.30B/12.20A	----	12.10 - 1.90	.0422	----	----	----	----	8 UNCH
3625	----	----	15.90B/12.70A	15.90B/12.70A	----	12.60 - 2.00	.0440	----	----	----	----	7 UNCH
3635	----	----	16.40B/13.00A	16.40B/13.00A	----	12.90 - 2.10	.0451	----	----	----	----	5 UNCH
3650	----	----	18.20B/13.40A	18.20B/13.40A	----	13.40 - 2.20	.0469	----	----	61	----	48 - 15
3665	----	----	18.00B/13.90A	18.00B/13.90A	----	13.90 - 2.30	.0488	----	----	----	----	1 UNCH
3670	----	----	19.00B/14.10A	19.00B/14.10A	----	14.10 - 2.30	.0495	----	----	----	----	1 UNCH
3675	----	----	18.70B/14.30A	18.70B/14.30A	----	14.20 - 2.40	.0499	----	----	----	----	10 UNCH
3680	----	----	19.00B/14.50A	19.00B/14.50A	----	14.40 - 2.40	.0506	----	----	----	----	3 UNCH
3685	----	----	19.30B/14.60A	19.30B/14.60A	----	14.60 - 2.50	.0513	----	----	----	----	1 UNCH
3690	----	----	19.50B/14.80A	19.50B/14.80A	----	14.80 - 2.50	.0520	----	----	----	----	61 UNCH
3700	----	----	20.10B/15.20A	20.10B/15.20A	----	15.20 - 2.50	.0535	----	----	----	----	155 UNCH
3715	----	----	21.10B/15.80A	21.10B/15.80A	----	15.80 - 2.70	.0556	----	----	----	----	14 UNCH
3720	----	----	21.40B/16.00A	21.40B/16.00A	----	16.00 - 2.70	.0563	----	----	----	----	50 UNCH
3740	----	----	22.60B/16.80A	22.60B/16.80A	----	16.90 - 2.90	.0595	----	----	----	----	1 UNCH
3750	----	----	23.40B/17.30A	23.40B/17.30A	----	17.30 - 3.00	.0610	----	----	2	----	103 UNCH
3755	----	----	23.60B/17.50A	23.60B/17.50A	----	17.50 - 3.10	.0618	----	----	----	----	453 UNCH
3765	----	----	24.50B/17.90A	24.50B/17.90A	----	18.00 - 3.20	.0635	----	----	----	----	1 UNCH
3775	----	----	25.10B/18.40A	25.10B/18.40A	----	18.50 - 3.30	.0653	----	----	----	----	1 UNCH
3790	----	----	26.30B/19.20A	26.30B/19.20A	----	19.30 - 3.40	.0681	----	----	----	----	2 UNCH
3800	28.00	28.00	28.00/19.70A	28.00/19.70A	----	19.80 - 3.60	.0699	----	----	50	----	484 UNCH
3820	----	----	28.80B/20.80A	28.80B/20.80A	----	20.90 - 3.80	.0738	----	----	----	----	1 UNCH
3825	----	----	29.30B/21.00A	29.30B/21.00A	----	21.20 - 3.90	.0748	----	----	----	----	13 UNCH
3830	----	----	29.70B/21.30A	29.70B/21.30A	----	21.50 NEW	.0758	----	----	50	----	50 + 50
3840	27.10	27.10	30.60B/21.90A	30.60B/21.90A	----	22.20 NEW	.0782	----	----	2	----	2 + 2
3850	----	----	31.60B/22.50A	31.60B/22.50A	----	22.80 - 4.10	.0803	----	----	----	----	25 UNCH
3860	----	----	32.60B/23.20A	32.60B/23.20A	----	23.50 - 4.20	.0826	----	----	----	----	2 UNCH
3880	----	----	36.90B/24.50A	36.90B/24.50A	----	24.80 - 4.60	.0872	----	----	----	----	26 UNCH
3890	27.80	27.80	38.10B/25.20A	38.10B/25.20A	----	25.60 NEW	.0898	----	----	2	----	2 + 2
3900	----	----	39.30B/25.90A	39.30B/25.90A	----	26.30 - 4.80	.0922	----	----	1	----	315 UNCH
3910	----	----	40.40B/26.70A	40.40B/26.70A	----	27.10 - 4.90	.0949	----	----	----	----	4 UNCH
3915	28.80	28.80	41.30B/27.10A	41.30B/27.10A	----	27.50 - 5.00	.0962	----	----	3	----	7 + 3
3920	----	----	41.80B/27.50A	41.80B/27.50A	----	27.90 - 5.10	.0976	----	----	----	----	14 UNCH
3930	----	----	43.00B/28.30A	43.00B/28.30A	----	28.80 - 5.20	.1005	----	----	----	----	2 UNCH
3945	37.10	37.10	45.00B/29.60A	45.00B/29.60A	----	30.10 - 5.40	.1048	----	----	20	----	380 UNCH
3950	----	----	45.70B/30.00A	45.70B/30.00A	----	30.60 - 5.50	.1064	----	----	----	----	324 UNCH
3970	----	----	48.70B/31.80A	48.70B/31.80A	----	32.50 - 5.80	.1126	----	----	----	----	5 UNCH
3975	----	----	49.50B/32.30A	49.50B/32.30A	----	33.00 - 5.90	.1142	----	----	----	----	44 UNCH
3980	----	----	50.30B/32.80A	50.30B/32.80A	----	33.50 - 5.90	.1158	----	----	----	----	5 UNCH
3985	----	----	50.90B/33.30A	50.90B/33.30A	----	34.00 NEW	.1174	----	----	1	----	1 + 1
3990	----	----	51.80B/33.80A	51.80B/33.80A	----	34.50 - 6.10	.1190	----	----	----	----	1 UNCH
3995	----	----	52.60B/34.30A	52.60B/34.30A	----	35.10 - 6.20	.1209	----	----	----	----	9 UNCH
4000	----	----	53.40B/34.80A	53.40B/34.80A	----	35.60 - 6.30	.1225	----	----	103	----	1265 + 58
4005	----	----	54.20B/35.30A	54.20B/35.30A	----	36.20 - 6.30	.1243	----	----	----	----	1 UNCH
4015	----	----	56.00B/36.40A	56.00B/36.40A	----	37.30 - 6.50	.1278	----	----	----	----	9 UNCH
4020	----	----	56.90B/37.00A	56.90B/37.00A	----	37.90 - 6.60	.1297	----	----	----	----	14 UNCH
4030	----	----	58.70B/38.10A	58.70B/38.10A	----	39.10 - 6.80	.1334	----	----	----	----	13 UNCH
4040	41.50	41.50	60.40B/39.30A	60.40B/39.30A	----	40.30 - 7.00	.1372	----	----	9	----	19 + 9
4050	----	----	62.40B/40.50A	62.40B/40.50A	----	41.60 - 7.10	.1411	----	----	----	----	44 UNCH
4055	----	----	63.30B/41.20A	63.30B/41.20A	----	42.20 - 7.30	.1430	----	----	----	----	4 UNCH
4060	----	----	64.40B/41.80A	64.40B/41.80A	----	42.90 - 7.40	.1451	----	----	----	----	1 UNCH
4065	----	----	65.40B/42.50A	65.40B/42.50A	----	43.60 - 7.40	.1472	----	----	----	----	5 UNCH
4070	----	----	66.30B/43.10A	66.30B/43.10A	----	44.30 - 7.50	.1493	----	----	----	----	12 UNCH
4080	----	----	68.40B/44.50A	68.40B/44.50A	----	45.70 - 7.70	.1535	----	----	1	----	7 + 1
4085	----	----	69.40B/45.10A	69.40B/45.10A	----	46.40 - 7.80	.1556	----	----	----	----	76 UNCH
4090	----	----	70.50B/45.90A	70.50B/45.90A	----	47.10 - 8.00	.1578	----	----	----	----	36 UNCH
4100	----	----	72.60B/47.30A	72.60B/47.30A	----	48.70 - 8.10	.1624	----	----	1	----	179 + 1
4105	----	----	74.00B/48.00A	74.00B/48.00A	----	49.40 NEW	.1645	----	----	1	----	1 + 1
4110	----	----	74.90B/48.80A	74.90B/48.80A	----	50.20 - 8.40	.1668	----	----	----	----	1 UNCH
4115	----	----	76.20B/49.50A	76.20B/49.50A	----	51.00 - 8.50	.1691	----	----	----	----	28 UNCH
4125	----	----	78.50B/51.10A	78.50B/51.10A	----	52.60 - 8.70	.1738	----	----	----	----	14 UNCH
4130	----	----	79.70B/52.00A	79.70B/52.00A	----	53.50 - 8.80	.1763	----	----	----	----	20 UNCH
4135	----	----	80.90B/52.70A	80.90B/52.70A	----	54.30 - 8.90	.1787	----	----	----	----	3 UNCH
4150	----	----	84.80B/55.30A	84.80B/55.30A	----	57.00 - 9.20	.1862	----	----	1	----	32 + 1
4155	----	----	86.10B/56.20A	86.10B/56.20A	----	57.90 - 9.30	.1888	----	----	----	----	1 UNCH
4165	----	----	88.60B/58.00A	88.60B/58.00A	----	59.70 - 9.60	.1939	----	----	----	----	2 UNCH
4175	----	----	91.50B/59.70A	91.50B/59.70A	----	61.60 - 9.90	.1991	----	----	----	----	1 UNCH
4180	----	----	92.90B/60.70A	92.90B/60.70A	----	62.60 - 10.00	.2019	----	----	2	----	3 + 1
4185	----	----	94.30B/61.70A	94.30B/61.70A	----	63.60 - 10.10	.2046	----	----	----	----	79 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4190	----	----	95.70B/62.70A	95.70B/62.70A	----	64.60 - 10.30	.2073	----	----	----	----	1 UNCH
4195	----	----	97.00B/63.60A	97.00B/63.60A	----	65.60 NEW	.2100	----	----	1	----	1 + 1
4200	----	----	98.40B/64.70A	98.40B/64.70A	----	66.70 - 10.50	.2129	----	----	----	472	704 + 420
4205	----	----	100.10B/65.70A	100.10B/65.70A	----	67.70 - 10.70	.2157	----	----	----	----	10 UNCH
4210	----	----	101.60B/66.70A	101.60B/66.70A	----	68.80 - 10.80	.2186	----	----	----	----	3 UNCH
4220	----	----	104.60B/68.80A	104.60B/68.80A	----	71.00 - 11.10	.2244	----	----	----	----	113 UNCH
4225	----	----	106.20B/69.90A	106.20B/69.90A	----	72.10 - 11.20	.2273	----	----	1	----	3 + 1
4230	----	----	107.80B/71.00A	107.80B/71.00A	----	73.20 - 11.40	.2302	----	----	----	----	29 UNCH
4235	----	----	109.30B/72.20A	109.30B/72.20A	----	74.40 - 11.50	.2333	----	----	----	----	1 UNCH
4240	----	----	111.00B/73.20A	111.00B/73.20A	----	75.50 - 11.70	.2362	----	----	----	----	106 UNCH
4245	----	----	112.50B/74.40A	112.50B/74.40A	----	76.70 - 11.80	.2393	----	----	----	----	1 UNCH
4250	----	----	114.40B/75.50A	114.40B/75.50A	----	77.90 - 12.00	.2423	----	----	21	----	693 - 1
4255	80.20	80.20	115.90B/76.80A	115.90B/76.80A	----	79.20 - 12.10	.2455	----	----	1	----	2 + 1
4260	----	----	117.60B/77.90A	117.60B/77.90A	----	80.40 - 12.20	.2486	----	----	----	----	50 UNCH
4270	----	----	121.00B/80.40A	121.00B/80.40A	----	82.90 - 12.60	.2549	----	----	----	----	28 UNCH
4275	84.60	84.60	122.80B/81.70A	122.80B/81.70A	----	84.20 - 12.70	.2582	----	----	8	----	38 + 8
4285	----	----	126.40B/84.20A	126.40B/84.20A	----	86.90 - 13.00	.2647	----	----	----	----	13 UNCH
4290	----	----	128.20B/85.60A	128.20B/85.60A	----	88.20 - 13.20	.2680	----	----	----	----	1 UNCH
4295	----	----	130.10B/86.90A	130.10B/86.90A	----	89.60 - 13.30	.2713	----	----	----	----	3 UNCH
4300	----	----	132.00B/88.20A	132.00B/88.20A	----	91.00 - 13.50	.2747	----	----	93	----	497 + 72
4310	----	----	135.80B/91.00A	135.80B/91.00A	----	93.80 - 13.80	.2814	----	----	----	----	1 UNCH
4315	----	----	137.70B/92.40A	137.70B/92.40A	----	95.20 - 14.00	.2848	----	----	----	----	70 UNCH
4320	----	----	139.90B/93.80A	139.90B/93.80A	----	96.70 - 14.20	.2883	----	----	----	----	168 UNCH
4325	----	----	141.80B/95.20A	141.80B/95.20A	----	98.20 - 14.30	.2918	----	----	----	----	54 UNCH
4340	----	----	148.20B/99.70A	148.20B/99.70A	----	102.80 - 14.80	.3023	----	----	----	----	50 UNCH
4345	----	----	150.30B/101.20A	150.30B/101.20A	----	104.30 - 15.00	.3058	----	----	----	----	17 UNCH
4350	----	----	152.40B/102.70A	152.40B/102.70A	----	105.90 - 15.20	.3094	----	----	----	----	141 UNCH
4355	107.80	107.80	154.50B/104.60A	154.50B/104.60A	----	107.50 - 15.40	.3130	----	----	3	----	5 + 3
4360	----	----	156.70B/106.30A	156.70B/106.30A	----	109.20 - 15.50	.3167	----	----	----	----	1 UNCH
4365	----	----	159.00B/107.80A	159.00B/107.80A	----	110.80 - 15.70	.3203	----	----	----	----	6 UNCH
4375	----	----	163.30B/111.00A	163.30B/111.00A	----	114.20 - 16.00	.3277	----	----	----	----	63 UNCH
4380	----	----	165.70B/112.70A	165.70B/112.70A	----	115.90 - 16.20	.3315	----	----	----	----	95 UNCH
4385	----	----	167.80B/114.70A	167.80B/114.70A	----	117.60 - 16.40	.3352	----	----	----	----	2 UNCH
4390	----	----	170.30B/116.00A	170.30B/116.00A	----	119.40 - 16.60	.3390	----	----	----	----	41 UNCH
4395	----	----	172.60B/117.90A	172.60B/117.90A	----	121.20 - 16.70	.3427	----	----	10	----	52 + 10
4400	150.10	150.10	174.80B/119.20A	174.80B/119.20A	----	123.00 - 16.90	.3465	----	----	17	----	837 - 16
4405	----	----	177.20B/121.40A	177.20B/121.40A	----	124.80 - 17.10	.3503	----	----	----	----	40 UNCH
4410	----	----	179.60B/123.20A	179.60B/123.20A	----	126.60 - 17.30	.3541	----	----	----	----	6 UNCH
4415	----	----	182.20B/125.20A	182.20B/125.20A	----	128.50 - 17.50	.3580	----	----	----	----	2 UNCH
4420	131.50	131.50	184.60B/127.10A	184.60B/127.10A	----	130.40 - 17.60	.3619	----	----	2	----	3 + 2
4425	----	----	186.60B/128.70A	186.60B/128.70A	----	132.30 - 17.80	.3658	----	----	----	----	201 UNCH
4430	----	----	189.40B/130.70A	189.40B/130.70A	----	134.20 - 18.00	.3696	----	----	----	----	2 UNCH
4440	----	----	194.60B/134.30A	194.60B/134.30A	----	138.10 - 18.50	.3775	----	----	----	----	8 UNCH
4445	----	----	197.10B/136.30A	197.10B/136.30A	----	140.10 - 18.60	.3814	----	----	----	----	5 UNCH
4450	----	----	199.70B/138.10A	199.70B/138.10A	----	142.20 - 18.80	.3854	----	----	----	----	448 UNCH
4455	----	----	202.30B/140.10A	202.30B/140.10A	----	144.20 - 19.00	.3893	----	----	----	----	4 UNCH
4465	149.50	149.50	205.60B/144.70A	205.60B/144.70A	----	148.40 NEW	.3973	----	----	2	----	2 + 2
4470	160.00	160.00	205.70B/146.40A	205.70B/146.40A	----	150.50 - 19.50	.4013	----	----	1	----	5 + 1
4475	----	----	211.20B/148.40A	211.20B/148.40A	----	152.60 - 19.80	.4053	----	----	----	----	6 UNCH
4480	----	----	213.40B/150.50A	213.40B/150.50A	----	154.80 - 19.90	.4094	----	----	----	----	3 UNCH
4485	----	----	216.00B/152.60A	216.00B/152.60A	----	157.00 - 20.10	.4134	----	----	----	----	6 UNCH
4490	198.90	198.90	218.00B/154.80A	218.00B/154.80A	----	159.20 - 20.30	.4174	----	----	4	----	50 UNCH
4495	162.70	162.70	221.50B/156.90A	221.50B/156.90A	----	161.40 - 20.50	.4215	----	----	2	----	4 + 2
4500	180.00	180.00	227.60/158.90A	227.60/158.90A	----	163.60 - 20.70	.4255	----	----	6	----	614 UNCH
4510	----	----	230.70B/163.60A	230.70B/163.60A	----	168.20 - 21.10	.4337	----	----	----	----	11 UNCH
4515	----	----	232.90B/165.90A	232.90B/165.90A	----	170.50 - 21.30	.4378	----	----	----	----	3 UNCH
4520	----	----	234.10B/168.10A	234.10B/168.10A	----	172.90 - 21.50	.4418	----	----	----	----	91 UNCH
4525	----	----	237.10B/170.40A	237.10B/170.40A	----	175.20 - 21.70	.4459	----	----	----	----	4 UNCH
4530	----	----	240.00B/172.80A	240.00B/172.80A	----	177.60 - 21.90	.4500	----	----	----	----	5 UNCH
4540	----	----	245.00B/177.50A	245.00B/177.50A	----	182.50 - 22.30	.4582	----	----	----	----	3 UNCH
4545	----	----	249.00B/179.90A	249.00B/179.90A	----	184.90 - 22.50	.4623	----	----	----	----	14 UNCH
4550	----	----	254.50B/182.10A	254.50B/182.10A	----	187.40 - 22.70	.4664	----	----	----	----	510 UNCH
4555	----	----	255.70B/184.90A	255.70B/184.90A	----	189.90 - 22.90	.4705	----	----	----	----	50 UNCH
4560	----	----	257.10B/187.30A	257.10B/187.30A	----	192.40 - 23.10	.4746	----	----	----	----	42 UNCH
4565	----	----	262.00B/189.70A	262.00B/189.70A	----	195.00 - 23.30	.4788	----	----	----	----	81 UNCH
4570	209.10	209.10	264.30B/192.30A	264.30B/192.30A	----	197.60 - 23.50	.4829	----	----	7	----	18 + 6
4575	----	----	265.70B/194.90A	265.70B/194.90A	----	200.20 - 23.70	.4870	----	----	----	----	47 UNCH
4580	----	----	269.30B/197.40A	269.30B/197.40A	----	202.80 - 23.90	.4910	----	----	----	----	1 UNCH
4585	----	----	271.90B/199.80A	271.90B/199.80A	----	205.40 - 24.10	.4951	----	----	3	----	63 - 3
4595	----	----	276.50B/205.00A	276.50B/205.00A	----	210.80 - 24.50	.5033	----	----	2	----	2 - 1
4600	----	----	281.50B/207.70A	281.50B/207.70A	----	213.50 - 24.70	.5074	----	----	----	----	118 UNCH
4605	213.10	213.10	284.60B/210.40A	284.60B/210.40A	----	216.20 - 24.90	.5115	----	----	8	----	39 + 5
4610	----	----	285.50B/213.10A	285.50B/213.10A	----	219.00 - 25.10	.5155	----	----	----	----	5 UNCH
4615	----	----	288.80B/215.90A	288.80B/215.90A	----	221.70 - 25.40	.5196	----	----	----	----	22 UNCH
4620	257.70	257.70	292.20B/218.30A	292.20B/218.30A	----	224.50 - 25.60	.5236	----	----	10	----	438 + 10
4625	----	----	295.30B/221.30A	295.30B/221.30A	----	227.40 - 25.70	.5277	----	----	3	----	20 UNCH
4630	----	----	298.60B/224.10A	298.60B/224.10A	----	230.20 - 26.00	.5317	----	----	----	----	2 UNCH
4635	----	----	302.00B/226.90A	302.00B/226.90A	----	233.10 - 26.10	.5357	----	----	2	----	1 - 1
4640	----	----	305.30B/229.70A	305.30B/229.70A	----	236.00 - 26.30	.5397	----	----	----	----	9 UNCH
4645	----	----	308.70B/232.60A	308.70B/232.60A	----	238.90 - 26.50	.5438	----	----	1	----	1 UNCH
4650	----	----	312.10B/235.60A	312.10B/235.60A	----	241.80 - 26.80	.5477	----	----	----	----	8 UNCH
4655	----	----	315.60B/238.40A	315.60B/238.40A	----	244.80 - 26.90	.5517	----	----	----	----	16 UNCH
4660	----	----	319.00B/241.30A	319.00B/241.30A	----	247.70 - 27.20	.5557	----	----	----	----	8 UNCH
4665	----	----	322.50B/244.30A	322.50B/244.30A	----	250.70 - 27.40	.5596	----	----	----	----	2 UNCH
4670	----	----	326.00B/247.20A	326.00B/247.20A	----	253.80 - 27.60	.5636	----	----	----	----	26 UNCH
4675	----	----	329.50B/250.30A	329.50B/250.30A	----	256.80 - 27.80	.5675	----	----	----	----	7 UNCH
4685	263.00	263.00	336.60B/256.30A	336.60B/256.30A	----	263.00 NEW	.5753	----	----	8	----	8 + 8
4690	----	----	340.20B/259.30A	340.20B/259.30A	----	266.10 - 28.40	.5792	----	----	----	----	2 UNCH
4695	----	----	343.80B/262.40A	343.80B/262.40A	----	269.20 - 28.60	.5831	----	----	----	----	2 UNCH
4700	----	----	347.40B/265.50A	347.40B/265.50A	----	272.40 - 28.70	.5869	----	----	----	----	138 UNCH
4705	----	----	351.00B/268.50A	351.00B/268.50A	----	275.50 - 29.00	.5908	----	----	----	----	2 UNCH
4710	----	----	354.60B/271.70A	354.60B/271.70A	----	278.70 - 29.20	.5946	----	----	----	----	1 UNCH
4720	----	----	361.90B/278.10A	361.90B/278.10A	----	285.20 - 29.50	.6021	----	----	----	----	4 UNCH
4725	----	----	365.60B/281.60A	365.60B/281.60A	----	288.40 - 29.80	.6059	----	----	----	----	7 UNCH
4730	----	----	369.40B/284.80A	369.40B/284.80A	----	291.70 - 29.90	.6097	----	----	----	----	7 UNCH
4735	----	----	373.10B/288.10A	373.10B/288.10A	----	295.00 - 30.10	.6134	----	----	----	----	100 UNCH
4740	----	----	374.10B/292.30A	374.10B/292.30A	----	298.30 - 30.30	.6172	----	----	----	----	2 UNCH
4750	----	----	372.50B/298.10A	372.50B/298.10A	----	305.00 - 30.70	.6245	----	----	----	----	175 UNCH
4755	----	----	374.80B/301.50A	374.80B/301.50A	----	308.40 - 30.90	.6282	----	----	----	----	10 UNCH
4760	----	----	376.40B/304.90A	376.40B/304.90A	----	311.80 - 31.10	.6317	----	----	----	----	109 UNCH
4770	----	----	376.60B/312.30A	376.60B/312.30A	----	318.60 - 31.50	.6389	----	----	----	----	1 UNCH
4775	----	----	387.70B/315.50A	387.70B/315.50A	----	322.10 - 31.60	.6425	----	----	----	----	130 UNCH
4780	----	----	391.50B/319.20A	391.50B/319.20A	----	325.60 - 31.80	.6460	----	----	----	----	3 UNCH
4795	330.90	330.90	403.10B/329.60A	403.10B/329.60A	----	336.10 - 32.30	.6566	----	----	6	----	6 UNCH
4800	----	----	408.10B/332.80A	408.10B/332.80A	----	339.70 - 32.50	.6600	----	----	----	----	474 UNCH
4805	360.40	360.40	410.90B/336.60A	410.90B/336.60A	----	343.20 - 32.70	.6634	----	----	6	----	9 - 1
4825	----	----	----/350.80A	374.70B/350.80A	----	357.70 - 33.30	.6769	----	----	----	----	2 UNCH
4830	----	----	430.60B/354.40A	430.60B/354.40A	----	361.30 - 33.50	.6802	----	----	----	----	10 UNCH
4835	----	----	434.60B/358.00A	434.60B/358.00A	----	365.00 - 33.70	.6835	----	----	----	----	30 UNCH
4855	----	----	450.70B/372.50A	450.70B/372.50A	----	379.80 - 34.40	.6965	----	----	----	----	14 UNCH
4860	----	----	454.70B/376.30A	454.70B/376.30A	----	383.60 - 34.50	.6997	----	----	----	----	11 UNCH
4875	----	----	467.00B/387.50A	467.00B/387.50A	----	394.90 - 35.10	.7090	----	----	----	----	8 UNCH
4885	----	----	475.20B/394.70A	475.20B/394.70A	----	402.60 - 35.30	.7151	----	----	----	----	4 UNCH
4895	----	----	----	397.80B/506.80A	----	410.30 - 35.60	.7212	----	----	----	----	1 UNCH
4900	----	----	487.70B/407.90A	487.70B/407.90A	----	414.10 - 35.90	.7242	----	----	----	----	25 UNCH
4915	----	----	----	415.10B/522.80A	----	425.80 - 36.40	.7330	----	----	----	----	1 UNCH
4930	----	----	512.80B/431.30A	512.80B/431.30A	----	437.60 - 36.80	.7416	----	----	----	----	20 UNCH
4950	----	----	----	445.70B/550.20A	----	453.50 - 37.50	.7528	----	----	----	----	1 UNCH
4955	----	----	----	450.10B/554.20A	----	457.50 - 37.70	.7555	----	----	----	----	1 UNCH
4975	----	----	551.40B/467.10A	551.40B/467.10A	----	473.80 - 38.20	.7661	----	----	----	----	220 UNCH
5000	----	----	573.20B/487.60A	573.20B/487.60A	----	494.30 - 39.00	.7788	----	----	----	----	10 UNCH
5005	----	----	577.60B/491.70A	577.60B/491.70A	----	498.50 - 39.10	.7813	----	----	----	----	3 UNCH
5020	----	----	590.80B/504.20A	590.80B/504.20A	----	511.00 - 39.60	.7885	----	----	----	----	3 UNCH
5060	----	----	626.10B/537.90A	626.10B/537.90A	----	544.90 - 40.60	.8067	----	----	----	----	4 UNCH
5100	----	----	662.20B/572.30A	662.20B/572.30A	----	579.50 - 41.50	.8234	----	----	----	----	28 UNCH
5105	----	----	----	585.00B/679.70A	----	583.90 - 41.60	.8253	----	----	----	----	2 UNCH
5150	----	----	----	626.50B/718.40A	----	623.50 - 42.60	.8422	----	----	----	----	2 UNCH
5200	----	----	754.30B/660.80A	754.30B/660.80A	----	668.30 - 43.60	.8592	----	----	----	----	45 UNCH
5230	----	----	#783.60B/687.00	783.60B/687.00A	----	695.50 - 44.30	.8683	----	----	----	----	400 UNCH
5300	----	----	849.60B/751.40A	849.60B/751.40A	----	759.90 - 45.40	.8875	----	----	----	----	300 UNCH
5400	----	----	944.10B/845.90A	944.10B/845.90A	----	853.70 - 46.80	.9093	----	----	----	----	100 UNCH
5420	----	----	#963.40B/864.80	#963.40B/864.80A	----	872.70 - 47.00	.9131	----	----	----	----	80 UNCH
5450	----	----	----	----	----	901.30 - 47.30	.9182	----	----	----	----	1 UNCH
5500	947.40	947.40	1,040.90B/941.3	1040.90B/941.30A	----	949.10 - 47.90	.9262	----	----	1	----	3 UNCH
6000	----	----	----	----	----	1439.10 - 50.20	.9672	----	----	----	----	2 UNCH
TOTAL										591	472	15455 + 694

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
1500	----	----	----	----/0.80A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2675	----	----	----	2.70B/3.30A	----	2.80 - 0.40	.0073	----	----	----	----	75 UNCH
2700	----	----	----	2.90B/3.40A	----	2.90 - 0.40	.0076	----	----	----	----	1 UNCH
2800	----	----	----	3.50B/4.00A	----	3.50 - 0.50	.0094	----	----	----	----	8 UNCH
2900	----	----	----	4.40B/4.70A	----	4.20 - 0.50	.0115	----	----	----	----	2 UNCH
3100	----	----	----/6.70A	6.60B/6.70A	----	6.20 - 0.70	.0177	----	----	----	----	1 UNCH
3155	----	----	----/7.30A	7.60B/7.30A	----	6.90 - 0.70	.0199	----	----	----	----	1 UNCH
3190	----	----	----/7.80A	8.20B/7.80A	----	7.40 - 0.80	.0215	----	----	2	----	14 + 2
3200	----	----	----/7.90A	8.40B/7.90A	----	7.60 - 0.80	.0220	----	----	----	----	414 UNCH
3240	----	----	9.20B/8.60A	9.20B/8.60A	----	8.20 - 0.90	.0240	----	----	----	----	5 UNCH
3300	11.00	11.00	11.00/9.70A	11.00/9.70A	----	9.30 - 1.00	.0274	----	----	1	----	417 + 1
3340	----	----	11.50B/10.50A	11.50B/10.50A	----	10.20 - 1.00	.0302	----	----	----	----	9 UNCH
3360	----	----	12.10B/11.00A	12.10B/11.00A	----	10.60 - 1.10	.0315	----	----	----	----	1 UNCH
3380	----	----	12.60B/11.40A	12.60B/11.40A	----	11.10 - 1.20	.0330	----	----	----	----	1 UNCH
3390	----	----	12.90B/11.70A	12.90B/11.70A	----	11.30 - 1.20	.0337	----	----	----	----	4 UNCH
3400	----	----	13.20B/11.90A	13.20B/11.90A	----	11.60 - 1.20	.0346	----	----	----	----	150 UNCH
3430	----	----	14.20B/12.70A	14.20B/12.70A	----	12.40 - 1.30	.0371	----	----	----	----	1 UNCH
3480	----	----	16.10B/14.10A	16.10B/14.10A	----	13.80 - 1.60	.0415	----	----	----	----	12 UNCH
3500	----	----	16.90B/14.80A	16.90B/14.80A	----	14.50 - 1.60	.0437	----	----	1	----	31 + 1
3520	----	----	17.70B/15.50A	17.70B/15.50A	----	15.20 - 1.70	.0458	----	----	----	----	12 UNCH
3530	----	----	18.20B/15.80A	18.20B/15.80A	----	15.50 - 1.80	.0468	----	----	----	----	5 UNCH
3550	----	----	19.10B/16.50A	19.10B/16.50A	----	16.30 - 1.90	.0492	----	----	----	----	25 UNCH
3600	25.00	25.00	25.00/18.50A	25.00/18.50A	----	18.30 - 2.30	.0554	----	----	3	----	174 - 1
3615	----	----	24.00B/19.20A	24.00B/19.20A	----	18.90 - 2.40	.0573	----	----	----	----	1 UNCH
3635	----	----	25.20B/20.10A	25.20B/20.10A	----	19.90 - 2.50	.0603	----	----	----	----	1 UNCH
3680	----	----	28.20B/22.30A	28.20B/22.30A	----	22.20 - 2.90	.0673	----	----	----	----	5 UNCH
3695	----	----	29.40B/23.20A	29.40B/23.20A	----	23.00 - 3.10	.0697	----	----	----	----	1 UNCH
3700	----	----	29.70B/23.40A	29.70B/23.40A	----	23.30 - 3.20	.0706	----	----	----	----	213 UNCH
3715	----	----	30.70B/24.30A	30.70B/24.30A	----	24.20 - 3.30	.0733	----	----	----	----	196 UNCH
3750	----	----	33.80B/26.40A	33.80B/26.40A	----	26.40 - 3.70	.0798	----	----	----	----	19 UNCH
3770	----	----	36.10B/27.70A	36.10B/27.70A	----	27.80 - 3.90	.0839	----	----	----	----	1 UNCH
3785	----	----	37.30B/28.80A	37.30B/28.80A	----	28.90 - 4.10	.0871	----	----	----	----	1 UNCH
3800	----	----	39.30B/29.90A	39.30B/29.90A	----	30.10 - 4.30	.0905	----	----	----	----	22 UNCH
3805	----	----	39.40B/30.30A	39.40B/30.30A	----	30.50 - 4.30	.0916	----	----	8	----	9 + 8
3820	----	----	43.60B/31.50A	43.60B/31.50A	----	31.70 - 4.50	.0951	----	----	----	----	1 UNCH
3865	----	----	49.40B/35.40A	49.40B/35.40A	----	35.70 - 5.10	.1064	----	----	----	----	2 UNCH
3870	----	----	50.10B/35.90A	50.10B/35.90A	----	36.20 - 5.20	.1078	----	----	----	----	1 UNCH
3875	----	----	50.80B/36.40A	50.80B/36.40A	----	36.70 - 5.20	.1092	----	----	1	----	13 + 1
3885	----	----	52.30B/37.30A	52.30B/37.30A	----	37.70 - 5.40	.1119	----	----	----	----	5 UNCH
3890	----	----	53.10B/37.80A	53.10B/37.80A	----	38.20 - 5.50	.1133	----	----	----	----	2 UNCH
3895	----	----	53.80B/38.30A	53.80B/38.30A	----	38.70 - 5.50	.1147	----	----	----	----	2 UNCH
3900	----	----	54.60B/38.80A	54.60B/38.80A	----	39.20 - 5.60	.1161	----	----	----	----	23 UNCH
3920	----	----	57.70B/40.90A	57.70B/40.90A	----	41.40 - 5.90	.1221	----	----	----	----	28 UNCH
3930	----	----	59.30B/42.00A	59.30B/42.00A	----	42.60 - 6.00	.1253	----	----	----	----	2 UNCH
3940	----	----	61.00B/43.20A	61.00B/43.20A	----	43.70 - 6.20	.1283	----	----	----	----	65 UNCH
3950	----	----	62.70B/44.30A	62.70B/44.30A	----	45.00 - 6.30	.1317	----	----	----	----	2 UNCH
3965	----	----	65.40B/46.10A	65.40B/46.10A	----	46.80 - 6.60	.1365	----	----	----	----	1 UNCH
3975	----	----	67.30B/47.40A	67.30B/47.40A	----	48.10 - 6.70	.1399	----	----	----	----	5 UNCH
4000	73.50	73.50	73.50/50.70A	73.50/50.70A	----	51.60 - 7.10	.1490	----	----	4	----	533 UNCH
4025	----	----	77.30B/54.30A	77.30B/54.30A	----	55.20 - 7.60	.1582	----	----	----	----	10 UNCH
4030	----	----	78.30B/55.00A	78.30B/55.00A	----	56.00 - 7.70	.1602	----	----	----	----	2 UNCH
4050	----	----	82.60B/58.10A	82.60B/58.10A	----	59.20 - 8.10	.1682	----	----	8	----	13 + 8
4055	73.20	73.20	84.00B/58.90A	84.00B/58.90A	----	60.00 - 8.20	.1702	----	----	3	----	5 + 2
4065	----	----	86.30B/60.50A	86.30B/60.50A	----	61.70 - 8.40	.1744	----	----	----	----	1 UNCH
4070	----	----	87.50B/61.30A	87.50B/61.30A	----	62.50 - 8.60	.1764	----	----	----	----	31 UNCH
4075	----	----	88.40B/62.20A	88.40B/62.20A	----	63.40 - 8.70	.1786	----	----	----	----	2 UNCH
4090	----	----	92.40B/64.80A	92.40B/64.80A	----	66.10 - 9.00	.1851	----	----	----	----	10 UNCH
4095	----	----	93.40B/65.70A	93.40B/65.70A	----	67.00 - 9.10	.1873	----	----	----	----	20 UNCH
4100	----	----	94.50B/66.50A	94.50B/66.50A	----	67.90 - 9.20	.1895	----	----	----	----	515 UNCH
4115	97.40	97.40	98.60B/69.50A	98.60B/69.50A	----	70.80 NEW	.1964	----	----	1	----	1 + 1
4130	----	----	102.80B/72.40A	102.80B/72.40A	----	73.80 - 9.90	.2034	----	----	----	----	2 UNCH
4150	----	----	108.30B/76.40A	108.30B/76.40A	----	78.00 - 10.30	.2131	----	----	----	----	5 UNCH
4180	----	----	117.40B/82.90A	117.40B/82.90A	----	84.80 - 11.00	.2284	----	----	----	----	1 UNCH
4185	114.70	114.70	118.70B/84.10A	118.70B/84.10A	----	85.90 NEW	.2309	----	----	100	----	100 + 100
4200	125.00	125.00	126.20/87.60A	126.20/87.60A	----	89.60 - 11.40	.2389	----	----	14	----	308 + 14
4220	----	----	130.00B/92.50A	130.00B/92.50A	----	94.60 - 12.00	.2497	----	----	----	----	5 UNCH
4230	129.00	129.00	133.40B/95.00A	133.40B/95.00A	----	97.20 - 12.30	.2553	----	----	1	----	51 + 1
4235	----	----	135.10B/96.30A	135.10B/96.30A	----	98.50 - 12.40	.2580	----	----	----	----	1 UNCH
4240	129.00	129.00	137.10B/97.70A	137.10B/97.70A	----	99.90 NEW	.2609	----	----	1	----	1 + 1
4250	----	----	140.50B/100.20A	140.50B/100.20A	----	102.60 - 12.80	.2666	----	----	903	----	122 - 495
4265	----	----	146.00B/104.40A	146.00B/104.40A	----	106.80 - 13.30	.2753	----	----	----	----	200 UNCH
4270	----	----	147.90B/105.80A	147.90B/105.80A	----	108.30 - 13.40	.2782	----	----	----	----	229 UNCH
4280	----	----	151.70B/108.60A	151.70B/108.60A	----	111.20 - 13.70	.2841	----	----	----	----	196 UNCH
4300	151.00	151.00	159.50B/114.50A	159.50B/114.50A	----	117.30 - 14.20	.2962	----	----	43	----	627 + 8
4310	----	----	163.60B/117.60A	163.60B/117.60A	----	120.40 - 14.60	.3023	----	----	----	----	1 UNCH
4330	----	----	172.00B/124.10A	172.00B/124.10A	----	126.90 - 15.20	.3148	----	----	----	----	1 UNCH
4350	----	----	180.60B/130.50A	180.60B/130.50A	----	133.70 - 15.70	.3275	----	----	900	----	265 - 436
4355	----	----	182.70B/132.20A	182.70B/132.20A	----	135.40 - 15.90	.3307	----	----	----	----	11 UNCH
4370	----	----	189.70B/137.80A	189.70B/137.80A	----	140.80 - 16.30	.3405	----	----	----	----	2 UNCH
4375	----	----	192.00B/139.40A	192.00B/139.40A	----	142.60 - 16.40	.3438	----	----	----	----	11 UNCH
4385	----	----	196.30B/143.10A	196.30B/143.10A	----	146.30 - 16.70	.3504	----	----	----	----	2 UNCH
4390	----	----	199.00B/145.00A	199.00B/145.00A	----	148.10 - 17.00	.3536	----	----	----	----	1 UNCH
4400	----	----	203.70B/148.20A	203.70B/148.20A	----	151.90 - 17.30	.3603	----	----	2	----	606 UNCH
4405	----	----	206.20B/150.40A	206.20B/150.40A	----	153.90 - 17.40	.3637	----	----	----	----	3 UNCH
4410	----	----	208.60B/152.40A	208.60B/152.40A	----	155.80 - 17.60	.3670	----	----	----	----	49 UNCH
4420	----	----	213.30B/156.30A	213.30B/156.30A	----	159.80 - 17.80	.3738	----	----	----	----	1 UNCH
4425	198.00	198.00	216.10B/158.10A	216.10B/158.10A	----	161.80 - 18.00	.3772	----	----	1	----	16 UNCH
4430	----	----	218.50B/160.10A	218.50B/160.10A	----	163.80 - 18.20	.3806	----	----	----	----	4 UNCH
4440	----	----	223.30B/164.40A	223.30B/164.40A	----	167.90 - 18.60	.3874	----	----	----	----	2 UNCH
4445	----	----	226.00B/166.50A	226.00B/166.50A	----	170.00 - 18.70	.3908	----	----	----	----	1 UNCH
4450	----	----	228.80B/168.30A	228.80B/168.30A	----	172.10 - 18.90	.3943	----	----	----	----	64 UNCH
4465	179.30	179.30	236.90B/174.60A	236.90B/174.60A	----	178.60 NEW	.4047	----	----	3	----	3 + 3
4475	----	----	239.50B/179.10A	239.50B/179.10A	----	183.00 - 19.70	.4116	----	----	----	----	3 UNCH
4480	186.00	186.00	241.00B/181.30A	241.00B/181.30A	----	185.20 NEW	.4151	----	----	3	----	3 + 3
4490	----	----	246.90B/185.40A	246.90B/185.40A	----	189.70 NEW	.4221	----	----	10	----	10 + 10
4500	235.00	235.00	251.50B/190.10A	251.50B/190.10A	----	194.30 - 20.60	.4291	----	----	5	----	91 UNCH
4520	----	----	264.20B/199.10A	264.20B/199.10A	----	203.70 - 21.30	.4431	----	----	----	----	2 UNCH
4525	----	----	267.60B/201.50A	267.60B/201.50A	----	206.20 NEW	.4467	----	----	1	----	1 + 1
4535	----	----	275.70B/206.20A	275.70B/206.20A	----	211.00 - 21.90	.4537	----	----	----	----	1 UNCH
4545	----	----	279.90B/211.10A	279.90B/211.10A	----	216.00 - 22.20	.4608	----	----	----	----	1 UNCH
4550	----	----	280.30B/213.60A	280.30B/213.60A	----	218.50 - 22.40	.4643	----	----	----	----	3 UNCH
4555	----	----	283.20B/216.30A	283.20B/216.30A	----	221.00 - 22.60	.4678	----	----	----	----	9 UNCH
4560	----	----	287.80B/218.70A	287.80B/218.70A	----	223.60 - 22.70	.4714	----	----	----	----	78 UNCH
4565	----	----	289.30B/221.00A	289.30B/221.00A	----	226.20 - 22.90	.4749	----	----	13	----	14 + 13
4570	----	----	292.50B/223.60A	292.50B/223.60A	----	228.80 - 23.00	.4784	----	----	4	----	9 + 4
4580	245.40	245.40	298.40B/228.90A	298.40B/228.90A	----	234.00 - 23.40	.4854	----	----	6	----	6 + 3
4595	----	----	308.30B/236.80A	308.30B/236.80A	----	242.00 - 24.00	.4960	----	----	----	----	3 UNCH
4600	----	----	311.00B/239.00A	311.00B/239.00A	----	244.70 - 24.20	.4995	----	----	----	----	328 UNCH
4605	249.10	249.10	314.10B/241.90A	314.10B/241.90A	----	247.50 - 24.30	.5030	----	----	3	----	5 + 3
4610	----	----	317.40B/244.80A	317.40B/244.80A	----	250.20 - 24.50	.5065	----	----	----	----	11 UNCH
4615	----	----	318.10B/247.20A	318.10B/247.20A	----	253.00 - 24.60	.5100	----	----	----	----	9 UNCH
4620	252.70	252.70	323.90B/250.00A	323.90B/250.00A	----	255.80 - 24.80	.5134	----	----	3	----	9 + 3
4625	----	----	325.30B/252.70A	325.30B/252.70A	----	258.60 - 25.00	.5169	----	----	----	----	48 UNCH
4630	----	----	327.20B/255.50A	327.20B/255.50A	----	261.40 - 25.20	.5204	----	----	----	----	13 UNCH
4635	----	----	330.20B/258.20A	330.20B/258.20A	----	264.30 - 25.30	.5239	----	----	----	----	7 UNCH
4640	----	----	335.80B/261.20A	335.80B/261.20A	----	267.10 - 25.50	.5273	----	----	----	----	22 UNCH
4645	----	----	336.70B/263.90A	336.70B/263.90A	----	270.00 - 25.70	.5308	----	----	----	----	8 UNCH
4650	----	----	340.00B/266.80A	340.00B/266.80A	----	272.90 - 25.90	.5342	----	----	----	----	133 UNCH
4655	----	----	343.50B/269.90A	343.50B/269.90A	----	275.80 - 26.10	.5376	----	----	----	----	3 UNCH
4660	----	----	346.70B/272.80A	346.70B/272.80A	----	278.80 - 26.20	.5410	----	----	----	----	3 UNCH
4670	----	----	353.50B/278.70A	353.50B/278.70A	----	284.70 - 26.60	.5478	----	----	----	----	3 UNCH
4675	----	----	356.90B/281.50A	356.90B/281.50A	----	287.70 - 26.70	.5513	----	----	----	----	4 UNCH
4680	----	----	360.30B/284.20A	360.30B/284.20A	----	290.70 - 26.90	.5546	----	----	----	----	1 UNCH
4690	----	----	367.20B/290.40A	367.20B/290.40A	----	296.80 - 27.20	.5614	----	----	----	----	3 UNCH
4700	----	----	374.20B/296.40A	374.20B/296.40A	----	303.00 - 27.50	.5681	----	----	1	----	84 UNCH
4715	----	----	384.80B/305.70A	384.80B/305.70A	----	312.40 - 28.00	.5780	----	----	----	----	3 UNCH
4750	----	----	410.00B/328.00A	410.00B/328.00A	----	334.90 - 29.20	.6008	----	----	----	----	175 UNCH
4755	----	----	413.60B/331.00A	413.60B/331.00A	----	338.20 - 29.30	.6040	----	----	----	----	168 UNCH
4775	----	----	428.40B/344.70A	428.40B/344.70A	----	351.60 - 29.90	.6166	----	----	----	----	26 UNCH
4780	----	----	432.20B/348.40A	432.20B/348.40A	----	354.90 - 30.10	.6197	----	----	----	----	1 UNCH
4800	----	----	442.40B/362.20A	442.40B/362.20A	----	368.60 - 30.70	.6321	----	----	----	----	101 UNCH
4805	----	----	443.40B/366.00A	443.40B/366.00A	----	372.10 - 30.80	.6351	----	----	----	----	1 UNCH
4810	428.70	428.70	443.10B/369.20A	443.10B/369.20A	----	375.60 - 30.90	.6381	----	----	9	----	8 - 1
4815	----	----	444.00B/372.70A	444.00B/372.70A	----	379.10 - 31.10	.6412	----	----	----	----	39 UNCH
4820	397.40	397.40	444.50B/376.30A	444.50B/376.30A	----	382.60 - 31.20	.6441	----	----	3	----	2 - 1
4835	----	----	447.70B/386.80A	447.70B/386.80A	----	393.20 - 31.70	.6531	----	----	----	----	3 UNCH
4845	----	----	448.70B/393.70A	448.70B/393.70A	----	400.30 - 32.10	.6589	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4850	----	----	449.00B/397.20A	449.00B/397.20A	----	403.90 - 32.20	.6618	----	----	1	----	81 + 1
4875	----	----	----/415.30A	437.60B/415.30A	----	422.20 - 32.80	.6761	----	----	----	----	1 UNCH
4900	----	----	----/433.40A	451.50B/433.40A	----	440.70 - 33.60	.6898	----	----	----	----	71 UNCH
4910	----	----	----/441.00A	454.10B/441.00A	----	448.20 - 33.90	.6952	----	----	----	----	1 UNCH
4920	----	----	----/448.40A	456.80B/448.40A	----	455.80 - 34.20	.7006	----	----	----	----	1 UNCH
4925	----	----	----/452.10A	469.90B/452.10A	----	459.60 - 34.30	.7032	----	----	----	----	25 UNCH
4935	----	----	----/459.60A	477.70B/459.60A	----	467.20 - 34.60	.7084	----	----	----	----	5 UNCH
4965	----	----	----/484.80A	501.30B/484.80A	----	490.50 - 35.40	.7237	----	----	----	----	13 UNCH
4980	----	----	----	488.20B/600.60A	----	502.20 - 35.90	.7310	----	----	----	----	1 UNCH
5000	----	----	----/512.30A	529.50B/512.30A	----	518.10 - 36.40	.7407	----	----	----	----	47 UNCH
5010	----	----	----	514.10B/624.50A	----	526.10 - 36.70	.7453	----	----	----	----	1 UNCH
5050	----	----	----/552.60A	572.70B/552.60A	----	558.60 - 37.80	.7633	----	----	----	----	25 UNCH
5150	----	----	----	639.10B/740.60A	----	642.90 - 39.90	.8029	----	----	----	----	1 UNCH
5200	----	----	----/679.50A	701.70B/679.50A	----	686.40 - 40.70	.8201	----	----	----	----	100 UNCH
5230	----	----	----	711.50B/809.70A	----	712.80 - 41.30	.8297	----	----	----	----	1 UNCH
5250	----	----	----/723.50A	746.20B/723.50A	----	730.50 - 41.70	.8360	----	----	----	----	75 UNCH
5300	----	----	----/768.30A	791.20B/768.30A	----	775.30 - 42.60	.8503	----	----	----	----	9 UNCH
5425	----	----	----	862.30B/987.40A	----	889.60 - 44.80	.8806	----	----	----	----	1 UNCH
5455	----	----	----/910.40A	934.60B/910.40A	----	917.50 - 45.20	.8869	----	----	----	----	40 UNCH
5495	----	----	----	870.10B/1052.70A	----	954.90 - 45.70	.8945	----	----	----	----	1 UNCH
5500	----	----	----	869.40B/1057.40A	----	959.60 - 45.70	.8955	----	----	----	----	1 UNCH
5600	----	----	----	----	----	1054.30 - 46.70	.9116	----	----	----	----	1 UNCH
5700	----	----	----	----	----	1150.20 - 47.60	.9247	----	----	----	----	1 UNCH
TOTAL										2062		7997 - 742
NOV26												
2750	----	----	----	3.80B/5.80A	----	4.60 - 0.10	.0111	----	----	----	----	1 UNCH
2800	----	----	----	4.30B/6.20A	----	5.00 - 0.10	.0122	----	----	----	----	8 UNCH
2900	----	----	----	5.20B/7.10A	----	5.90 - 0.10	.0147	----	----	----	----	1 UNCH
3000	----	----	----	6.50B/8.40A	----	7.00 - 0.30	.0178	----	----	----	----	94 UNCH
3120	----	----	----	8.60B/10.30A	----	8.80 - 0.40	.0228	----	----	----	----	10 UNCH
3180	----	----	----	9.90B/11.40A	----	9.90 - 0.60	.0258	----	----	----	----	10 UNCH
3200	----	----	----	10.40B/11.80A	----	10.30 - 0.60	.0269	----	----	----	----	93 UNCH
3215	----	----	----	10.80B/12.10A	----	10.60 - 0.70	.0278	----	----	----	----	1 UNCH
3220	----	----	----	11.00B/12.20A	----	10.70 - 0.70	.0281	----	----	----	----	1 UNCH
3225	----	----	----	11.10B/12.30A	----	10.80 - 0.70	.0283	----	----	----	----	1 UNCH
3235	----	----	----	11.40B/12.60A	----	11.10 - 0.70	.0291	----	----	----	----	2 UNCH
3250	----	----	----	11.80B/12.90A	----	11.40 - 0.80	.0300	----	----	----	----	18 UNCH
3255	----	----	----	11.90B/13.00A	----	11.50 - 0.80	.0303	----	----	----	----	18 UNCH
3300	----	----	15.20B/----	15.20B/14.10A	----	12.70 - 0.90	.0335	----	----	----	----	47 UNCH
3310	----	----	----	13.70B/14.50A	----	12.90 - 1.00	.0341	----	----	----	----	1 UNCH
3320	----	----	----	14.00B/14.70A	----	13.20 - 1.00	.0349	----	----	----	----	16 UNCH
3350	----	----	----	15.10B/15.60A	----	14.10 - 1.10	.0373	----	----	----	----	180 UNCH
3455	----	----	19.70B/19.20A	19.70B/19.20A	----	17.70 - 1.70	.0471	----	----	----	----	1 UNCH
3475	----	----	20.90B/20.00A	20.90B/20.00A	----	18.50 - 1.80	.0492	----	----	----	----	2 UNCH
3500	20.80	20.80	24.40B/20.80	24.40B/20.80	----	19.60 - 1.90	.0522	----	----	1	----	684 UNCH
3520	31.00	31.00	31.00/22.00A	31.00/22.00A	----	20.50 NEW	.0545	----	----	1	----	1 + 1
3535	----	----	25.40B/22.70A	25.40B/22.70A	----	21.20 - 2.20	.0564	----	----	----	----	1 UNCH
3600	31.00	31.00	31.00/26.00A	31.00/26.00A	----	24.70 NEW	.0655	----	----	10	600	610 + 610
3605	----	----	30.20B/26.40A	30.20B/26.40A	----	25.00 - 2.70	.0663	----	----	----	----	1 UNCH
3690	----	----	36.90B/30.80A	36.90B/30.80A	----	30.50 - 3.60	.0804	----	----	----	----	1 UNCH
3700	----	----	38.00B/31.50A	38.00B/31.50A	----	31.20 - 3.70	.0822	----	----	----	----	1 UNCH
3725	----	----	40.50B/33.40A	40.50B/33.40A	----	33.20 - 3.90	.0871	----	----	----	----	1 UNCH
3740	----	----	42.20B/34.60A	42.20B/34.60A	----	34.40 - 4.10	.0901	----	----	----	----	21 UNCH
3750	----	----	43.30B/35.40A	43.30B/35.40A	----	35.20 - 4.20	.0921	----	----	----	----	347 UNCH
3780	----	----	49.60B/38.00A	49.60B/38.00A	----	37.90 - 4.50	.0987	----	----	----	----	1 UNCH
3800	50.20	50.20	52.00B/39.70A	52.00B/39.70A	----	39.70 - 4.90	.1032	----	----	1	----	32 + 1
3820	----	----	54.80B/42.20A	54.80B/42.20A	----	41.70 - 5.10	.1080	----	----	----	----	22 UNCH
3875	----	----	62.90B/48.00A	62.90B/48.00A	----	47.70 - 5.90	.1222	----	----	----	----	24 UNCH
3900	----	----	67.00B/50.90A	67.00B/50.90A	----	50.70 - 6.30	.1292	----	----	----	----	7 UNCH
3920	----	----	70.40B/53.40A	70.40B/53.40A	----	53.30 - 6.50	.1352	----	----	----	----	2 UNCH
3925	----	----	71.40B/54.00A	71.40B/54.00A	----	53.90 - 6.70	.1366	----	----	----	----	2 UNCH
3945	----	----	74.90B/56.80A	74.90B/56.80A	----	56.70 - 6.90	.1429	----	----	----	----	1 UNCH
3980	----	----	81.90B/61.70A	81.90B/61.70A	----	61.80 - 7.50	.1543	----	----	----	----	1 UNCH
4000	----	----	86.00B/64.70A	86.00B/64.70A	----	64.90 - 7.80	.1611	----	----	----	----	7 UNCH
4025	----	----	91.50B/68.70A	91.50B/68.70A	----	69.10 - 8.20	.1701	----	----	----	----	2 UNCH
4065	----	----	100.90B/75.70A	100.90B/75.70A	----	76.30 - 8.90	.1853	----	----	----	----	1 UNCH
4070	----	----	102.10B/76.80A	102.10B/76.80A	----	77.20 - 9.10	.1872	----	----	----	----	25 UNCH
4100	----	----	110.10B/82.50A	110.10B/82.50A	----	83.20 - 9.60	.1995	----	----	----	----	5 UNCH
4135	----	----	119.60B/89.90A	119.60B/89.90A	----	90.70 - 10.30	.2144	----	----	----	----	22 UNCH
4160	----	----	127.00B/95.50A	127.00B/95.50A	----	96.50 - 10.70	.2257	----	----	----	----	1 UNCH
4170	----	----	130.10B/97.90A	130.10B/97.90A	----	98.90 - 10.90	.2302	----	----	----	----	1 UNCH
4180	----	----	133.00B/100.20A	133.00B/100.20A	----	101.40 - 11.10	.2349	----	----	----	----	1 UNCH
4200	----	----	139.60B/105.10A	139.60B/105.10A	----	106.40 - 11.50	.2444	----	----	2	----	7 + 2
4205	----	----	141.20B/106.40A	141.20B/106.40A	----	107.70 - 11.60	.2468	----	----	----	----	1 UNCH
4215	----	----	144.50B/109.10A	144.50B/109.10A	----	110.40 - 11.80	.2517	----	----	----	----	5 UNCH
4250	----	----	156.80B/118.40A	156.80B/118.40A	----	120.10 - 12.60	.2692	----	----	----	----	567 UNCH
4275	----	----	166.30B/125.70A	166.30B/125.70A	----	127.50 - 13.10	.2821	----	----	----	----	23 UNCH
4290	----	----	171.70B/130.10A	171.70B/130.10A	----	132.10 - 13.40	.2900	----	----	----	----	1 UNCH
4300	----	----	175.60B/133.30A	175.60B/133.30A	----	135.20 - 13.70	.2953	----	----	----	----	100 UNCH
4305	----	----	177.60B/134.80A	177.60B/134.80A	----	136.80 - 13.80	.2980	----	----	----	----	1 UNCH
4320	----	----	183.60B/139.60A	183.60B/139.60A	----	141.70 - 14.20	.3062	----	----	----	----	43 UNCH
4330	----	----	187.70B/142.90A	187.70B/142.90A	----	145.00 - 14.40	.3117	----	----	----	----	2 UNCH
4340	----	----	191.90B/146.20A	191.90B/146.20A	----	148.40 - 14.70	.3172	----	----	----	----	6 UNCH
4350	----	----	196.20B/149.50A	196.20B/149.50A	----	151.80 - 15.00	.3228	----	----	----	----	3 UNCH
4390	----	----	213.90B/163.70A	213.90B/163.70A	----	166.20 - 16.10	.3455	----	----	1	----	1 UNCH
4395	----	----	216.20B/165.60A	216.20B/165.60A	----	168.10 - 16.20	.3484	----	----	1	----	1 UNCH
4400	----	----	218.50B/167.50A	218.50B/167.50A	----	170.00 - 16.30	.3513	----	----	1	----	6 + 1
4425	----	----	230.30B/176.90A	230.30B/176.90A	----	179.70 - 17.10	.3659	----	----	----	----	72 UNCH
4430	----	----	232.70B/179.00A	232.70B/179.00A	----	181.70 - 17.20	.3688	----	----	----	----	10 UNCH
4450	----	----	242.70B/186.90A	242.70B/186.90A	----	189.90 - 17.70	.3807	----	----	----	----	39 UNCH
4485	----	----	261.00B/201.80A	261.00B/201.80A	----	204.80 - 18.80	.4017	----	----	----	----	1 UNCH
4490	----	----	263.60B/203.80A	263.60B/203.80A	----	207.00 - 18.90	.4048	----	----	----	----	1 UNCH
4500	----	----	268.90B/208.30A	268.90B/208.30A	----	211.50 - 19.20	.4108	----	----	----	----	45 UNCH
4510	----	----	274.20B/212.70A	274.20B/212.70A	----	216.00 - 19.50	.4169	----	----	----	----	11 UNCH
4535	----	----	284.80B/224.10A	284.80B/224.10A	----	227.60 - 20.30	.4322	----	----	10	----	10 UNCH
4540	----	----	287.40B/226.50A	287.40B/226.50A	----	230.00 - 20.40	.4353	----	----	----	----	6 UNCH
4555	----	----	295.90B/233.60A	295.90B/233.60A	----	237.20 NEW	.4445	----	----	1	----	1 + 1
4580	----	----	309.90B/246.00A	309.90B/246.00A	----	249.70 - 21.60	.4598	----	----	----	----	10 UNCH
4590	----	----	314.60B/250.90A	314.60B/250.90A	----	254.80 NEW	.4660	----	----	1	----	1 + 1
4600	256.60	256.60	320.60B/255.90A	320.60B/255.90A	----	259.90 - 22.20	.4722	----	----	1	----	73 UNCH
4610	----	----	326.90B/261.10A	326.90B/261.10A	----	265.20 - 22.50	.4783	----	----	----	----	4 UNCH
4640	----	----	344.50B/276.90A	344.50B/276.90A	----	281.30 - 23.40	.4966	----	----	----	----	90 UNCH
4645	----	----	347.90B/279.60A	347.90B/279.60A	----	284.00 - 23.60	.4997	----	----	----	----	1 UNCH
4650	----	----	350.80B/282.40A	350.80B/282.40A	----	286.80 - 23.70	.5027	----	----	----	----	76 UNCH
4700	----	----	383.60B/310.40A	383.60B/310.40A	----	315.40 - 25.30	.5328	----	----	----	----	58 UNCH
4710	----	----	388.60B/316.20A	388.60B/316.20A	----	321.30 - 25.60	.5387	----	----	----	----	1 UNCH
4725	----	----	397.80B/325.50A	397.80B/325.50A	----	330.30 - 26.10	.5475	----	----	----	----	2 UNCH
4750	----	----	414.90B/340.20A	414.90B/340.20A	----	345.70 - 26.70	.5621	----	----	----	----	10 UNCH
4755	----	----	418.30B/343.20A	418.30B/343.20A	----	348.80 - 26.90	.5650	----	----	----	----	1 UNCH
4800	386.20	386.20	450.10B/372.00A	450.10B/372.00A	----	377.60 - 28.10	.5906	----	----	1	----	13 + 1
4820	----	----	464.60B/385.00A	464.60B/385.00A	----	390.80 - 28.70	.6017	----	----	----	----	1 UNCH
4840	----	----	479.30B/398.30A	479.30B/398.30A	----	404.20 - 29.20	.6126	----	----	----	----	2 UNCH
4845	----	----	483.00B/401.60A	483.00B/401.60A	----	407.60 - 29.30	.6153	----	----	10	----	10 UNCH
4850	----	----	486.70B/405.00A	486.70B/405.00A	----	411.00 - 29.50	.6179	----	----	----	----	8 UNCH
4900	----	----	517.60B/439.20A	517.60B/439.20A	----	445.70 - 30.90	.6443	----	----	----	----	12 UNCH
4915	----	----	518.80B/449.70A	518.80B/449.70A	----	456.40 - 31.30	.6520	----	----	----	----	3 UNCH
4935	----	----	523.70B/464.00A	523.70B/464.00A	----	470.80 - 31.80	.6620	----	----	----	----	25 UNCH
4950	----	----	524.40B/474.80A	524.40B/474.80A	----	481.70 - 32.30	.6694	----	----	----	----	11 UNCH
4960	----	----	----/482.10A	503.10B/482.10A	----	489.00 - 32.60	.6742	----	----	----	----	2 UNCH
5000	----	----	----/511.60A	528.40B/511.60A	----	518.90 - 33.70	.6932	----	----	----	----	255 UNCH
5020	----	----	----/526.70A	534.00B/526.70A	----	534.20 - 34.20	.7023	----	----	----	----	30 UNCH
5055	----	----	----	536.70B/667.00A	----	561.30 - 35.00	.7177	----	----	----	----	8 UNCH
5200	----	----	----	662.20B/784.60A	----	679.10 - 38.10	.7741	----	----	----	----	81 UNCH
5395	----	----	----	838.70B/952.00A	----	848.00 - 41.70	.8329	----	----	----	----	6 UNCH
5400	----	----	----	843.30B/956.50A	----	852.50 - 41.80	.8341	----	----	----	----	6 UNCH
5760	----	----	----	1064.80B/1293.10A	----	1185.20 - 46.60	.9024	----	----	----	----	1 UNCH
5975	----	----	----	----	----	1391.40 - 48.50	.9265	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1415.70 - 48.60	.9287	----	----	----	----	1 UNCH
TOTAL										42	600	4096 + 618
DEC26												
1350	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/1.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1500	----	----	----	----/0.90A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1600	----	----	----	0.20B/1.30A	----	0.30 UNCH	.0006	----	----	----	----	190 UNCH
1700	----	----	----	0.30B/1.50A	----	0.50 + 0.10	.0010	----	----	----	----	200 UNCH
1845	----	----	----	0.70B/2.40A	----	0.90 + 0.20	.0018	----	----	----	----	55 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
1900	----	----	----	0.70B/2.00A	----	1.00 + 0.10	.0020	----	----	----	----	4 UNCH
2000	----	----	----	0.90B/2.60A	----	1.40 + 0.20	.0028	----	----	----	----	2 UNCH
2400	----	----	----	2.50B/4.40A	----	3.50 + 0.50	.0073	----	----	----	----	1 UNCH
2450	----	----	----	2.50B/4.80A	----	3.90 + 0.50	.0082	----	----	----	----	4 UNCH
2490	----	----	----	2.80B/5.00A	----	4.30 + 0.60	.0090	----	----	----	----	1 UNCH
2500	4.10	4.10	#4.10/4.00	4.10/4.00	----	4.30 NEW	.0091	----	----	120	----	120 + 120
2750	----	----	----	5.40B/7.10A	----	5.80 - 0.10	.0132	----	----	----	----	1 UNCH
2800	----	----	----	5.70B/7.70A	----	6.30 - 0.10	.0145	----	----	----	----	18 UNCH
2900	----	----	----	6.90B/9.00A	----	7.50 - 0.30	.0176	----	----	----	----	28 UNCH
2925	----	----	----	7.40B/9.40A	----	7.90 - 0.20	.0185	----	----	----	----	300 UNCH
2975	----	----	----	8.20B/10.20A	----	8.60 - 0.40	.0204	----	----	----	----	400 UNCH
3000	----	----	----	8.70B/10.50A	----	9.00 - 0.50	.0214	----	----	----	----	1362 UNCH
3100	----	----	----	10.80B/12.60A	----	10.90 - 0.70	.0262	----	----	----	----	3 UNCH
3160	----	----	----	12.40B/14.00A	----	12.30 - 0.80	.0297	----	----	----	----	2 UNCH
3175	----	----	----	13.00B/14.40A	----	12.70 - 0.80	.0307	----	----	----	----	1 UNCH
3250	----	----	----	15.40B/16.60A	----	14.80 - 1.00	.0360	----	----	----	----	20 UNCH
3300	----	----	20.00B/----	20.00B/18.20A	----	16.40 - 1.30	.0400	----	----	8	----	537 + 8
3400	----	----	22.40B/21.00A	22.40B/21.00A	----	20.20 - 2.00	.0494	----	----	----	----	1251 UNCH
3425	----	----	23.70B/23.30A	23.70B/23.30A	----	21.40 - 2.10	.0522	----	----	----	----	350 UNCH
3450	----	----	25.40B/24.50A	25.40B/24.50A	----	22.60 - 2.30	.0551	----	----	----	----	201 UNCH
3460	----	----	27.10B/25.00A	27.10B/25.00A	----	23.10 - 2.40	.0563	----	----	----	----	20 UNCH
3475	----	----	28.10B/25.70A	28.10B/25.70A	----	23.90 - 2.50	.0582	----	----	----	----	152 UNCH
3500	29.00	29.00	30.00B/27.10A	30.00B/27.10A	----	25.20 - 2.80	.0614	----	----	35	----	1513 + 35
3550	----	----	33.80B/30.00A	33.80B/30.00A	----	28.30 - 3.20	.0686	----	----	----	----	18 UNCH
3565	----	----	35.00B/30.90A	35.00B/30.90A	----	29.30 - 3.30	.0709	----	----	----	----	2 UNCH
3590	----	----	36.40B/32.00A	36.40B/32.00A	----	31.10 - 3.50	.0750	----	----	----	----	1 UNCH
3600	----	----	39.20B/32.50A	39.20B/32.50A	----	31.80 - 3.60	.0766	----	----	14	----	539 + 4
3610	----	----	38.10B/33.20A	38.10B/33.20A	----	32.60 - 3.60	.0784	----	----	----	----	3 UNCH
3650	----	----	42.20B/36.60A	42.20B/36.60A	----	35.70 - 4.10	.0855	----	----	----	----	201 UNCH
3660	----	----	43.30B/37.40A	43.30B/37.40A	----	36.60 - 4.10	.0874	----	----	----	----	5 UNCH
3670	----	----	44.40B/37.80A	44.40B/37.80A	----	37.40 - 4.30	.0893	----	----	----	----	1 UNCH
3690	----	----	46.70B/39.80A	46.70B/39.80A	----	39.20 - 4.40	.0932	----	----	----	----	1 UNCH
3700	----	----	50.40B/40.40A	50.40B/40.40A	----	40.10 - 4.50	.0953	----	----	----	----	280 UNCH
3710	----	----	51.90B/41.60A	51.90B/41.60A	----	41.00 - 4.70	.0973	----	----	----	----	37 UNCH
3720	----	----	53.20B/42.30A	53.20B/42.30A	----	42.00 - 4.70	.0994	----	----	----	----	0 UNCH
3725	----	----	53.90B/42.60A	53.90B/42.60A	----	42.40 - 4.90	.1004	----	----	----	----	6 UNCH
3750	----	----	56.90B/45.60A	56.90B/45.60A	----	44.90 - 5.10	.1059	----	----	----	----	166 UNCH
3760	----	----	58.40B/46.70A	58.40B/46.70A	----	46.00 - 5.20	.1082	----	----	----	----	184 UNCH
3780	----	----	61.10B/48.80A	61.10B/48.80A	----	48.10 - 5.40	.1128	----	----	----	----	1 UNCH
3785	----	----	61.90B/49.20A	61.90B/49.20A	----	48.60 - 5.50	.1139	----	----	----	----	10 UNCH
3800	----	----	64.20B/50.90A	64.20B/50.90A	----	50.30 - 5.70	.1176	----	----	----	----	351 UNCH
3805	----	----	65.00B/51.50A	65.00B/51.50A	----	50.90 - 5.80	.1189	----	----	----	----	11 UNCH
3810	----	----	65.70B/52.10A	65.70B/52.10A	----	51.50 - 5.80	.1201	----	----	----	----	56 UNCH
3850	----	----	72.20B/56.80A	72.20B/56.80A	----	56.40 - 6.30	.1305	----	----	----	----	24 UNCH
3880	----	----	77.30B/60.80A	77.30B/60.80A	----	60.30 - 6.80	.1387	----	----	----	----	1 UNCH
3900	----	----	81.20B/63.50A	81.20B/63.50A	----	63.10 - 7.20	.1445	----	----	50	----	1206 UNCH
3920	----	----	85.10B/66.30A	85.10B/66.30A	----	66.10 - 7.40	.1505	----	----	----	----	50 UNCH
3925	----	----	85.90B/67.00A	85.90B/67.00A	----	66.90 - 7.50	.1521	----	----	----	----	255 UNCH
3930	----	----	87.10B/67.80A	87.10B/67.80A	----	67.60 - 7.60	.1536	----	----	----	----	2 UNCH
3950	----	----	91.10B/70.50A	91.10B/70.50A	----	70.80 - 7.90	.1600	----	----	----	----	27 UNCH
3965	----	----	94.40B/72.90A	94.40B/72.90A	----	73.30 - 8.20	.1649	----	----	----	----	50 UNCH
3975	----	----	96.70B/74.40A	96.70B/74.40A	----	75.00 - 8.30	.1682	----	----	----	----	192 UNCH
3980	----	----	97.80B/75.20A	97.80B/75.20A	----	75.90 - 8.40	.1699	----	----	3	----	264 + 3
4000	82.40	82.40	102.40B/78.70A	102.40B/78.70A	----	79.50 - 8.70	.1769	----	----	10	250	2803 + 260
4025	----	----	108.30B/83.50A	108.30B/83.50A	----	84.20 - 9.20	.1858	----	----	----	----	220 UNCH
4050	----	----	114.60B/88.40A	114.60B/88.40A	----	89.20 - 9.70	.1951	----	----	----	----	207 UNCH
4070	----	----	120.10B/92.50A	120.10B/92.50A	----	93.40 - 10.00	.2028	----	----	----	----	8 UNCH
4090	----	----	125.50B/97.50A	125.50B/97.50A	----	97.80 - 10.40	.2107	----	----	----	----	1 UNCH
4100	----	----	128.50B/99.00A	128.50B/99.00A	----	100.10 - 10.60	.2148	----	----	64	----	396 - 2
4130	----	----	137.30B/106.00A	137.30B/106.00A	----	107.10 - 11.30	.2272	----	----	----	----	30 UNCH
4150	----	----	143.40B/110.70A	143.40B/110.70A	----	112.10 - 11.70	.2358	----	----	----	----	93 UNCH
4160	----	----	146.70B/113.20A	146.70B/113.20A	----	114.70 - 11.80	.2402	----	----	----	----	252 UNCH
4165	131.30	131.30	148.30B/114.30A	148.30B/114.30A	----	116.00 NEW	.2424	----	----	28	----	28 + 28
4170	133.50	133.50	149.90B/116.50A	149.90B/116.50A	----	117.30 - 12.10	.2446	----	----	1	----	2 UNCH
4175	----	----	151.40B/117.00A	151.40B/117.00A	----	118.60 - 12.20	.2468	----	----	----	----	60 UNCH
4200	151.30	151.30	159.90B/123.60A	159.90B/123.60A	----	125.40 - 12.80	.2581	----	----	30	----	1343 + 22
4205	143.60	143.60	161.80B/125.30A	161.80B/125.30A	----	126.80 NEW	.2604	----	----	20	----	20 + 20
4215	----	----	165.10B/128.10A	165.10B/128.10A	----	129.70 - 13.10	.2650	----	----	----	----	14 UNCH
4230	----	----	170.60B/132.20A	170.60B/132.20A	----	134.10 - 13.40	.2721	----	----	----	----	150 UNCH
4250	173.00	173.00	177.90B/138.30A	177.90B/138.30A	----	140.10 - 13.80	.2816	----	----	40	----	364 + 20
4265	----	----	183.60B/142.90A	183.60B/142.90A	----	144.80 - 14.10	.2889	----	----	----	----	10 UNCH
4290	----	----	193.50B/151.50A	193.50B/151.50A	----	152.80 NEW	.3012	----	----	1	----	1 + 1
4300	199.00	199.00	199.00/153.80A	199.00/153.80A	----	156.10 - 15.00	.3062	----	----	2	130	2700 + 130
4320	----	----	205.80B/160.60A	205.80B/160.60A	----	163.00 - 15.40	.3164	----	----	----	----	100 UNCH
4325	----	----	208.00B/162.10A	208.00B/162.10A	----	164.70 - 15.50	.3189	----	----	----	----	559 UNCH
4340	----	----	214.60B/167.40A	214.60B/167.40A	----	170.00 - 15.90	.3266	----	----	----	----	82 UNCH
4350	----	----	219.00B/170.90A	219.00B/170.90A	----	173.70 - 16.00	.3319	----	----	----	10	161 + 10
4365	----	----	225.60B/176.60A	225.60B/176.60A	----	179.20 - 16.40	.3397	----	----	----	----	390 UNCH
4375	----	----	230.10B/180.10A	230.10B/180.10A	----	183.00 - 16.60	.3450	----	----	----	----	6 UNCH
4385	----	----	234.60B/183.80A	234.60B/183.80A	----	186.80 - 16.90	.3503	----	----	----	----	75 UNCH
4390	----	----	237.10B/185.70A	237.10B/185.70A	----	188.80 - 16.90	.3530	----	----	----	----	200 UNCH
4400	----	----	241.80B/189.50A	241.80B/189.50A	----	192.70 - 17.10	.3583	----	----	2	----	295 UNCH
4425	----	----	253.80B/199.50A	253.80B/199.50A	----	202.80 - 17.70	.3718	----	----	----	----	9 UNCH
4430	----	----	256.10B/201.30A	256.10B/201.30A	----	204.90 - 17.70	.3745	----	----	----	----	31 UNCH
4435	----	----	258.70B/203.60A	258.70B/203.60A	----	207.00 - 17.80	.3772	----	----	----	----	14 UNCH
4440	----	----	260.90B/206.40A	260.90B/206.40A	----	209.10 - 17.90	.3800	----	----	----	----	2 UNCH
4450	----	----	266.20B/210.00A	266.20B/210.00A	----	213.30 - 18.20	.3854	----	----	----	----	260 UNCH
4470	----	----	276.50B/219.20A	276.50B/219.20A	----	222.00 - 18.50	.3964	----	----	----	----	1 UNCH
4475	----	----	279.10B/220.30A	279.10B/220.30A	----	224.20 - 18.70	.3992	----	----	----	----	9 UNCH
4480	----	----	281.70B/223.20A	281.70B/223.20A	----	226.50 - 18.70	.4020	----	----	----	----	1 UNCH
4490	----	----	286.60B/227.00A	286.60B/227.00A	----	231.00 NEW	.4075	----	----	17	----	17 + 17
4500	----	----	292.30B/231.30A	292.30B/231.30A	----	235.50 - 19.20	.4131	----	----	----	----	1260 UNCH
4510	----	----	297.60B/236.00A	297.60B/236.00A	----	240.10 - 19.40	.4186	----	----	----	----	2 UNCH
4515	----	----	300.10B/238.30A	300.10B/238.30A	----	242.50 - 19.40	.4214	----	----	----	----	247 UNCH
4520	----	----	303.10B/240.40A	303.10B/240.40A	----	244.80 - 19.60	.4242	----	----	----	----	25 UNCH
4525	----	----	305.40B/242.90A	305.40B/242.90A	----	247.20 - 19.70	.4270	----	----	----	----	240 UNCH
4530	----	----	305.70B/245.00A	305.70B/245.00A	----	249.60 - 19.80	.4298	----	----	----	----	20 UNCH
4535	----	----	305.90B/247.50A	305.90B/247.50A	----	252.00 - 19.90	.4326	----	----	----	----	102 UNCH
4540	----	----	309.20B/249.90A	309.20B/249.90A	----	254.40 - 20.00	.4354	----	----	----	----	1 UNCH
4550	----	----	314.30B/254.70A	314.30B/254.70A	----	259.30 - 20.20	.4410	----	----	3	----	9 UNCH
4555	----	----	316.90B/257.00A	316.90B/257.00A	----	261.80 - 20.30	.4438	----	----	----	----	50 UNCH
4570	275.70	275.70	325.70B/264.50A	325.70B/264.50A	----	269.20 NEW	.4522	----	----	5	----	5 + 5
4575	277.80	277.80	328.60B/266.90A	328.60B/266.90A	----	271.80 NEW	.4550	----	----	5	----	5 + 5
4580	280.40	280.40	331.50B/269.40A	331.50B/269.40A	----	274.30 - 20.90	.4578	----	----	4	----	50 UNCH
4585	----	----	334.40B/271.70A	334.40B/271.70A	----	276.90 - 20.90	.4606	----	----	----	----	325 UNCH
4600	296.90	296.90	343.30B/279.60A	343.30B/279.60A	----	284.60 - 21.40	.4690	----	----	4	----	857 + 1
4605	----	----	346.20B/282.10A	346.20B/282.10A	----	287.20 NEW	.4718	----	----	5	----	5 + 5
4610	----	----	348.40B/284.60A	348.40B/284.60A	----	289.90 - 21.60	.4746	----	----	----	----	3 UNCH
4620	----	----	353.50B/290.00A	353.50B/290.00A	----	295.20 - 21.80	.4802	----	----	----	----	53 UNCH
4625	----	----	356.50B/292.50A	356.50B/292.50A	----	297.80 - 22.00	.4830	----	----	----	----	56 UNCH
4630	----	----	359.50B/295.20A	359.50B/295.20A	----	300.50 - 22.20	.4858	----	----	----	----	3 UNCH
4640	----	----	365.60B/300.70A	365.60B/300.70A	----	306.00 - 22.40	.4913	----	----	----	----	104 UNCH
4650	----	----	371.80B/306.10A	371.80B/306.10A	----	311.50 - 22.60	.4969	----	----	----	----	116 UNCH
4655	----	----	374.90B/308.90A	374.90B/308.90A	----	314.20 - 22.80	.4996	----	----	----	----	1 UNCH
4660	----	----	378.10B/312.10A	378.10B/312.10A	----	317.00 - 23.00	.5024	----	----	----	----	2 UNCH
4665	----	----	381.20B/314.90A	381.20B/314.90A	----	319.80 - 23.10	.5052	----	----	----	----	69 UNCH
4675	----	----	387.60B/320.00A	387.60B/320.00A	----	325.50 - 23.30	.5107	----	----	----	----	10 UNCH
4680	----	----	390.70B/323.50A	390.70B/323.50A	----	328.30 - 23.50	.5134	----	----	----	----	60 UNCH
4700	----	----	403.70B/334.00A	403.70B/334.00A	----	339.80 - 24.10	.5243	----	----	----	----	512 UNCH
4710	----	----	410.20B/340.20A	410.20B/340.20A	----	345.70 - 24.40	.5298	----	----	----	----	1 UNCH
4715	----	----	413.50B/343.30A	413.50B/343.30A	----	348.60 - 24.60	.5325	----	----	----	----	15 UNCH
4725	----	----	420.10B/349.20A	420.10B/349.20A	----	354.60 - 24.80	.5379	----	----	----	----	127 UNCH
4750	----	----	436.90B/364.60A	436.90B/364.60A	----	369.70 - 25.60	.5513	----	----	----	----	63 UNCH
4790	----	----	464.40B/389.40A	464.40B/389.40A	----	394.70 - 26.70	.5722	----	----	----	----	60 UNCH
4795	----	----	468.00B/392.20A	468.00B/392.20A	----	397.90 - 26.80	.5749	----	----	----	----	1 UNCH
4800	----	----	471.50B/395.70A	471.50B/395.70A	----	401.10 - 27.00	.5774	----	----	----	----	348 UNCH
4810	----	----	478.70B/402.10A	478.70B/402.10A	----	407.50 - 27.30	.5826	----	----	----	----	56 UNCH
4815	----	----	482.20B/404.90A	482.20B/404.90A	----	410.80 - 27.40	.5851	----	----	----	----	10 UNCH
4820	----	----	485.80B/408.20A	485.80B/408.20A	----	414.10 - 27.50	.5877	----	----	----	----	20 UNCH
4825	----	----	489.40B/411.80A	489.40B/411.80A	----	417.30 - 27.70	.5902	----	----	----	----	112 UNCH
4830	----	----	493.00B/415.00A	493.00B/415.00A	----	420.60 - 27.90	.5928	----	----	----	----	6 UNCH
4835	----	----	496.60B/418.30A	496.60B/418.30A	----	423.90 - 28.00	.5953	----	----	----	----	125 UNCH
4850	----	----	507.50B/428.20A	507.50B/428.20A	----	433.90 - 28.40	.6028	----	----	----	----	13 UNCH
4875	----	----	525.80B/445.20A	525.80B/445.20A	----	450.90 - 29.00	.6151	----	----	----	----	16 UNCH
4880	----	----	529.50B/448.30A	529.50B/448.30A	----	454.30 - 29.10	.6175	----	----	----	----	12 UNCH
4900	----	----	544.50B/462.00A	544.50B/462.00A	----	468.20 - 29.60	.6271	----	----	----	----	110 UNCH
4925	----	----	563.50B/479.60A	563.50B/479.60A	----	485.80 - 30.20	.6389	----	----	----	----	236 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4930	----	----	567.30B/483.20A	567.30B/483.20A	----	489.30 - 30.40	.6412	----	----	----	----	1 UNCH
4935	----	----	571.10B/486.70A	571.10B/486.70A	----	492.90 - 30.40	.6435	----	----	----	----	2 UNCH
4940	----	----	575.00B/490.10A	575.00B/490.10A	----	496.50 - 30.50	.6458	----	----	----	----	29 UNCH
4950	----	----	577.30B/497.20A	577.30B/497.20A	----	503.70 - 30.80	.6504	----	----	----	----	24 UNCH
4975	----	----	581.10B/515.10A	581.10B/515.10A	----	521.90 - 31.30	.6616	----	----	----	----	43 UNCH
4980	----	----	581.40B/518.70A	581.40B/518.70A	----	525.50 - 31.50	.6639	----	----	----	----	5 UNCH
4995	----	----	584.70B/529.60A	584.70B/529.60A	----	536.60 - 31.90	.6704	----	----	----	----	32 UNCH
5000	----	----	585.30B/533.30A	585.30B/533.30A	----	540.30 - 32.00	.6726	----	----	----	----	445 UNCH
5020	----	----	----/548.10A	583.90B/548.10A	----	555.30 - 32.40	.6812	----	----	----	----	8 UNCH
5025	----	----	----/551.80A	582.60B/551.80A	----	559.00 - 32.60	.6833	----	----	----	----	210 UNCH
5035	----	----	----/559.20A	580.50B/559.20A	----	566.60 - 32.80	.6876	----	----	----	----	8 UNCH
5050	----	----	----/570.60A	588.20B/570.60A	----	578.00 - 33.10	.6938	----	----	----	----	201 UNCH
5070	----	----	----/585.80A	593.80B/585.80A	----	593.40 - 33.50	.7019	----	----	----	----	1 UNCH
5075	----	----	----/589.50A	605.40B/589.50A	----	597.20 - 33.70	.7039	----	----	----	----	100 UNCH
5095	----	----	----/604.90A	621.00B/604.90A	----	612.80 - 34.10	.7118	----	----	----	----	6 UNCH
5100	----	----	----/608.80A	625.00B/608.80A	----	616.70 - 34.20	.7138	----	----	----	----	6 UNCH
5195	----	----	----/687.50A	701.60B/687.50A	----	692.70 - 36.30	.7488	----	----	----	----	5 UNCH
5200	----	----	----/691.70A	705.80B/691.70A	----	696.80 - 36.40	.7505	----	----	----	----	38 UNCH
5250	----	----	----/733.00A	747.40B/733.00A	----	738.10 - 37.40	.7672	----	----	----	----	126 UNCH
5290	----	----	----	742.50B/888.30A	----	771.70 - 38.20	.7798	----	----	----	----	1 UNCH
5295	----	----	----	747.00B/892.50A	----	775.90 - 38.30	.7813	----	----	----	----	1 UNCH
5360	----	----	----/826.80A	841.50B/826.80A	----	831.60 - 39.50	.8001	----	----	----	----	100 UNCH
5370	----	----	----/835.60A	850.20B/835.60A	----	840.30 - 39.60	.8029	----	----	----	----	20 UNCH
5375	----	----	----/839.80A	854.60B/839.80A	----	844.60 - 39.80	.8042	----	----	----	----	34 UNCH
5400	----	----	----/861.80A	876.50B/861.80A	----	866.40 - 40.20	.8108	----	----	----	----	102 UNCH
5415	----	----	----/874.90A	889.70B/874.90A	----	879.60 - 40.40	.8146	----	----	----	----	4 UNCH
5460	----	----	----/915.00A	929.60B/915.00A	----	919.40 - 41.10	.8256	----	----	----	----	200 UNCH
5465	----	----	----/919.30A	934.10B/919.30A	----	923.80 - 41.20	.8267	----	----	----	----	50 UNCH
5480	----	----	----/932.90A	947.50B/932.90A	----	937.20 - 41.40	.8302	----	----	----	----	50 UNCH
5500	----	----	----/950.70A	965.40B/950.70A	----	955.10 - 41.70	.8347	----	----	----	----	31 UNCH
5525	----	----	----/973.40A	987.90B/973.40A	----	977.60 - 42.10	.8401	----	----	----	----	80 UNCH
5600	----	----	----/1,040.20A	1058.30B/1040.20A	----	1045.80 - 43.00	.8553	----	----	----	----	252 UNCH
5900	----	----	----/1,323.50A	1335.90B/1323.50A	----	1326.40 - 46.20	.9005	----	----	----	----	125 UNCH
6000	----	----	----/1,419.60A	1430.90B/1419.60A	----	1421.90 - 47.20	.9116	----	----	----	----	40 UNCH
6500	----	----	----/1,911.80A	1914.40B/1911.80A	----	1908.90 - 50.30	.9468	----	----	----	----	4 UNCH
8000	----	----	----	----	----	3403.00 - 51.90	.9792	----	----	----	----	0 UNCH
20000	----	----	----	----	----	5403.00 - 51.90	1.0000	----	----	----	----	0 UNCH
TOTAL										471	390	29519+ 692
JAN27												
2700	----	----	----	4.50B/8.80A	----	5.80 - 0.30	.0126	----	----	----	----	11 UNCH
2800	8.00	8.00	8.00/8.00	8.00/8.00	----	6.90 - 0.30	.0152	----	----	2	----	12 + 2
3000	----	----	----	9.40B/13.90A	----	11.00 - 0.60	.0243	----	----	----	----	36 UNCH
3300	25.00	25.00	25.00/23.20A	25.00/23.20A	----	20.10 NEW	.0448	----	----	1	----	1 + 1
3500	----	----	35.20B/33.70A	35.20B/33.70A	----	30.50 - 3.50	.0675	----	----	----	----	1 UNCH
3520	----	----	36.80B/34.40A	36.80B/34.40A	----	31.90 - 3.60	.0704	----	----	----	----	1 UNCH
3600	----	----	43.10B/39.30A	43.10B/39.30A	----	38.00 - 4.20	.0831	----	----	----	----	7 UNCH
3680	----	----	56.00B/46.50A	56.00B/46.50A	----	45.50 - 4.60	.0980	----	----	----	----	1 UNCH
3800	----	----	73.00B/60.10A	73.00B/60.10A	----	59.10 - 5.60	.1245	----	----	----	----	1 UNCH
3825	----	----	77.20B/63.30A	77.20B/63.30A	----	62.40 - 5.80	.1307	----	----	----	----	1 UNCH
3850	----	----	81.60B/66.70A	81.60B/66.70A	----	65.90 - 6.10	.1372	----	----	----	----	230 UNCH
3900	----	----	91.00B/73.40A	91.00B/73.40A	----	73.30 - 6.80	.1508	----	----	----	----	1 UNCH
3980	----	----	108.30B/86.80A	108.30B/86.80A	----	86.90 - 8.10	.1750	----	----	----	----	1 UNCH
4000	----	----	113.10B/90.50A	113.10B/90.50A	----	90.60 - 8.50	.1814	----	----	----	----	3 UNCH
4025	----	----	119.20B/95.50A	119.20B/95.50A	----	95.60 - 8.90	.1899	----	----	----	----	2 UNCH
4070	----	----	131.10B/105.10A	131.10B/105.10A	----	105.10 - 9.80	.2057	----	----	----	----	1 UNCH
4100	----	----	139.70B/111.70A	139.70B/111.70A	----	111.90 - 10.40	.2167	----	----	----	----	8 UNCH
4200	----	----	171.40B/137.40A	171.40B/137.40A	----	137.70 - 12.40	.2565	----	----	----	----	3 UNCH
4350	----	----	229.50B/184.70A	229.50B/184.70A	----	185.80 - 15.60	.3236	----	----	----	----	1 UNCH
4400	----	----	251.60B/203.20A	251.60B/203.20A	----	204.60 - 16.60	.3475	----	----	----	----	1 UNCH
4425	----	----	263.40B/212.90A	263.40B/212.90A	----	214.50 - 17.10	.3597	----	----	----	----	1500 UNCH
4500	----	----	300.50B/244.00A	300.50B/244.00A	----	246.40 - 18.70	.3971	----	----	----	----	3 UNCH
4575	----	----	338.80B/278.60A	338.80B/278.60A	----	281.50 - 20.40	.4351	----	----	----	----	1 UNCH
4585	----	----	341.00B/283.30A	341.00B/283.30A	----	286.40 - 20.70	.4402	----	----	----	----	1 UNCH
4600	----	----	348.40B/290.80A	348.40B/290.80A	----	293.90 - 21.00	.4479	----	----	----	----	3 UNCH
4610	----	----	354.90B/295.80A	354.90B/295.80A	----	299.00 - 21.20	.4530	----	----	----	----	1 UNCH
4620	----	----	360.70B/300.90A	360.70B/300.90A	----	304.10 - 21.40	.4581	----	----	----	----	1 UNCH
4630	----	----	366.50B/305.80A	366.50B/305.80A	----	309.30 - 21.70	.4632	----	----	----	----	1 UNCH
4650	----	----	377.10B/316.20A	377.10B/316.20A	----	319.80 - 22.20	.4734	----	----	----	----	2 UNCH
4660	----	----	384.20B/321.60A	384.20B/321.60A	----	325.20 - 22.40	.4785	----	----	----	----	4 UNCH
4665	----	----	386.60B/324.30A	386.60B/324.30A	----	327.90 - 22.50	.4810	----	----	----	----	4 UNCH
4700	360.50	360.50	408.00B/343.10A	408.00B/343.10A	----	347.20 NEW	.4986	----	----	1	----	1 + 1
4710	----	----	414.40B/348.60A	414.40B/348.60A	----	352.80 - 23.60	.5037	----	----	----	----	4 UNCH
4760	----	----	447.30B/378.60A	447.30B/378.60A	----	381.80 - 24.80	.5284	----	----	----	----	100 UNCH
4800	----	----	473.80B/402.40A	473.80B/402.40A	----	406.00 - 25.80	.5479	----	----	----	----	6 UNCH
4820	----	----	483.70B/414.60A	483.70B/414.60A	----	418.40 - 26.30	.5575	----	----	----	----	6 UNCH
4860	----	----	511.50B/439.80A	511.50B/439.80A	----	443.90 - 27.20	.5763	----	----	----	----	1 UNCH
4960	----	----	584.40B/506.20A	584.40B/506.20A	----	510.90 - 29.70	.6214	----	----	----	----	42 UNCH
4980	526.00	526.00	599.10B/519.90A	599.10B/519.90A	----	524.80 - 30.20	.6300	----	----	10	----	9 - 1
4990	----	----	606.70B/526.70A	606.70B/526.70A	----	531.90 - 30.40	.6343	----	----	----	----	1 UNCH
4995	----	----	610.80B/530.20A	610.80B/530.20A	----	535.40 - 30.60	.6364	----	----	----	----	1 UNCH
5000	----	----	614.60B/533.70A	614.60B/533.70A	----	539.00 - 30.70	.6385	----	----	----	----	2 UNCH
5050	----	----	642.90B/569.50A	642.90B/569.50A	----	575.10 - 31.80	.6592	----	----	----	----	100 UNCH
5085	----	----	650.60B/595.10A	650.60B/595.10A	----	601.00 - 32.60	.6730	----	----	----	----	2 UNCH
5150	----	----	----/644.10A	656.40B/644.10A	----	650.30 - 34.10	.6976	----	----	----	----	2 UNCH
5235	----	----	----	661.70B/850.80A	----	717.10 - 35.80	.7273	----	----	----	----	2 UNCH
5245	----	----	----	670.20B/858.50A	----	725.10 - 36.00	.7307	----	----	----	----	2 UNCH
5300	----	----	----	717.30B/903.20A	----	769.80 - 37.00	.7482	----	----	----	----	44 UNCH
TOTAL										14		2169+ 3
FEB27												
2800	----	----	----	6.70B/11.90A	----	9.30 + 1.70	.0190	----	----	----	----	4 UNCH
3400	----	----	33.20B/----	33.20B/33.70A	----	29.80 - 2.10	.0619	----	----	----	----	11 UNCH
4000	----	----	127.20B/104.00A	127.20B/104.00A	----	103.80 - 9.00	.1921	----	----	1	----	11 UNCH
4025	----	----	133.90B/109.10A	133.90B/109.10A	----	109.20 - 9.40	.2004	----	----	----	----	35 UNCH
4070	----	----	146.40B/119.40A	146.40B/119.40A	----	119.50 - 10.10	.2160	----	----	----	----	2 UNCH
4200	----	----	188.40B/153.60A	188.40B/153.60A	----	154.10 - 12.50	.2653	----	----	----	----	50 UNCH
4300	----	----	226.50B/185.20A	226.50B/185.20A	----	186.00 - 14.60	.3072	----	----	----	----	0 UNCH
4330	201.20	201.20	239.00B/195.80A	239.00B/195.80A	----	196.60 NEW	.3204	----	----	6	----	6 + 6
4370	----	----	256.50B/210.40A	256.50B/210.40A	----	211.30 - 16.10	.3383	----	----	----	----	1 UNCH
4400	----	----	270.30B/221.80A	270.30B/221.80A	----	223.00 - 16.70	.3520	----	----	1	----	2 UNCH
4440	----	----	289.30B/237.90A	289.30B/237.90A	----	239.20 - 17.70	.3704	----	----	----	----	1 UNCH
4500	----	----	319.30B/263.60A	319.30B/263.60A	----	265.10 - 19.20	.3987	----	----	----	----	2 UNCH
4600	----	----	364.10B/310.60A	364.10B/310.60A	----	312.70 - 21.70	.4466	----	----	----	----	17 UNCH
4630	----	----	381.30B/325.90A	381.30B/325.90A	----	328.00 - 22.50	.4610	----	----	----	----	9 UNCH
4635	----	----	384.70B/328.60A	384.70B/328.60A	----	330.60 - 22.60	.4634	----	----	----	----	2 UNCH
4650	----	----	393.10B/336.30A	393.10B/336.30A	----	338.60 - 22.90	.4706	----	----	----	----	1 UNCH
4655	----	----	396.30B/338.80A	396.30B/338.80A	----	341.20 - 23.10	.4730	----	----	----	----	1 UNCH
4660	----	----	399.30B/341.60A	399.30B/341.60A	----	343.90 - 23.20	.4754	----	----	----	----	435 UNCH
4665	----	----	402.60B/344.10A	402.60B/344.10A	----	346.60 - 23.30	.4777	----	----	----	----	3 UNCH
4680	----	----	411.50B/352.60A	411.50B/352.60A	----	354.80 - 23.70	.4849	----	----	----	----	3 UNCH
4750	----	----	455.00B/393.60A	455.00B/393.60A	----	394.70 - 25.20	.5177	----	----	----	----	1 UNCH
4755	----	----	458.60B/396.50A	458.60B/396.50A	----	397.60 - 25.40	.5200	----	----	----	----	1 UNCH
4775	----	----	471.60B/408.10A	471.60B/408.10A	----	409.60 - 25.70	.5293	----	----	----	----	1 UNCH
4785	----	----	477.90B/414.10A	477.90B/414.10A	----	415.60 - 26.00	.5338	----	----	----	----	100 UNCH
4800	----	----	488.30B/423.00A	488.30B/423.00A	----	424.80 - 26.20	.5407	----	----	----	----	60 UNCH
4805	----	----	491.20B/425.90A	491.20B/425.90A	----	427.90 - 26.30	.5429	----	----	----	----	2 UNCH
4835	----	----	511.50B/444.40A	511.50B/444.40A	----	446.60 - 27.00	.5564	----	----	----	----	1 UNCH
4840	----	----	515.00B/447.40A	515.00B/447.40A	----	449.80 - 27.00	.5586	----	----	----	----	1 UNCH
4845	----	----	519.60B/450.60A	519.60B/450.60A	----	452.90 - 27.20	.5608	----	----	----	----	3 UNCH
4855	----	----	525.20B/456.90A	525.20B/456.90A	----	459.30 - 27.40	.5652	----	----	----	----	3 UNCH
4900	----	----	#556.90B/485.80	#556.90B/485.80A	----	488.60 - 28.30	.5848	----	----	----	----	4 UNCH
4905	----	----	#560.40B/489.10	#560.40B/489.10A	----	491.90 - 28.40	.5870	----	----	----	----	4 UNCH
4950	----	----	#593.00B/518.80	#593.00B/518.80A	----	522.10 - 29.40	.6060	----	----	----	----	1 UNCH
4955	----	----	#596.60B/522.20	#596.60B/522.20A	----	525.60 - 29.40	.6080	----	----	----	----	1 UNCH
5000	----	----	#630.20B/553.20	#630.20B/553.20A	----	556.80 - 30.40	.6264	----	----	----	----	10 UNCH
5005	----	----	#633.90B/556.50	#633.90B/556.50A	----	560.30 - 30.50	.6284	----	----	----	----	2 UNCH
5050	----	----	#668.10B/588.60	#668.10B/588.60A	----	592.40 - 31.50	.6460	----	----	----	----	4 UNCH
5055	----	----	#672.00B/592.20	#672.00B/592.20A	----	596.10 - 31.50	.6479	----	----	----	----	4 UNCH
5100	----	----	#695.70B/624.80	#695.70B/624.80A	----	629.10 - 32.50	.6649	----	----	----	----	2 UNCH
5150	----	----	702.20B/662.00A	702.20B/662.00A	----	666.70 - 33.50	.6829	----	----	----	----	1 UNCH
5175	----	----	----/680.70A	704.80B/680.70A	----	685.80 - 34.00	.6916	----	----	----	----	125 UNCH
5200	----	----	----/699.80A	710.40B/699.80A	----	705.20 - 34.50	.7001	----	----	----	----	1 UNCH
5250	----	----	----	666.70B/897.30A	----	744.50 - 35.40	.7164	----	----	----	----	10 UNCH
5340	----	----	----	742.50B/970.50A	----	817.20 - 36.90	.7438	----	----	----	----	1 UNCH
5355	----	----	----	755.40B/982.50A	----	829.60 - 37.10	.7480	----	----	----	----	0 UNCH
5520	----	----	----	#899.90B/1122.40A	----	969.30 - 39.20	.7904	----	----	----	----	300 UNCH
5530	----	----	----	#908.80B/1131.10A	----	978.00 - 39.20	.7927	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 17

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
5550	----	----	----	#926.70B/1148.80A	----	995.40 - 39.50	.7973	----	----	----	----	65 UNCH
5565	----	----	----	940.10B/1162.00A	----	1008.50 - 39.60	.8006	----	----	----	----	50 UNCH
TOTAL										8		1454 + 6
MAR27												
3600	----	----	#59.50B/52.40A	#59.50B/52.40A	----	49.80 - 4.20	.0948	----	----	----	130	655 + 130
3750	----	----	#81.20B/71.10A	#81.20B/71.10A	----	67.50 - 5.40	.1248	----	----	----	----	10 UNCH
3850	----	----	#99.40B/83.60A	#99.40B/83.60A	----	82.70 - 6.30	.1492	----	----	----	----	21 UNCH
3900	----	----	#109.90B/92.10A	#109.90B/92.10A	----	91.30 - 7.00	.1625	----	----	----	----	11 UNCH
4000	----	----	#133.60B/111.50	#133.60B/111.50A	----	111.20 - 8.20	.1920	----	----	----	----	6 UNCH
4070	----	----	#152.90B/127.30	#152.90B/127.30A	----	127.20 - 9.30	.2147	----	----	----	----	2 UNCH
4200	----	----	#194.50B/161.60	#194.50B/161.60A	----	161.80 - 12.10	.2610	----	----	----	----	525 UNCH
4325	----	----	#242.10B/201.70	#242.10B/201.70A	----	202.10 - 14.80	.3103	----	----	----	----	10 UNCH
4370	----	----	#261.20B/217.80	#261.20B/217.80A	----	218.40 - 15.80	.3290	----	----	----	----	250 UNCH
4500	----	----	#322.30B/270.10	#322.30B/270.10A	----	271.60 - 17.70	.3853	----	----	----	----	6 UNCH
4525	----	----	#335.00B/281.10	#335.00B/281.10A	----	282.90 - 18.00	.3964	----	----	----	----	11 UNCH
4650	343.50	343.50	#393.00B/340.90	#393.00B/340.90A	----	343.70 - 19.60	.4525	----	----	1	----	3 + 1
4660	349.00	349.00	#398.70B/346.00	#398.70B/346.00A	----	348.90 - 19.80	.4570	----	----	2	----	25 + 1
4680	----	----	#410.40B/357.70	#410.40B/357.70A	----	359.40 - 20.10	.4659	----	----	----	----	1 UNCH
4710	----	----	#428.80B/373.60	#428.80B/373.60A	----	375.50 - 20.60	.4793	----	----	----	----	4 UNCH
4720	----	----	#434.80B/379.10	#434.80B/379.10A	----	380.90 - 20.90	.4837	----	----	----	----	2 UNCH
4740	----	----	#445.00B/390.00	#445.00B/390.00A	----	392.00 - 21.20	.4926	----	----	----	----	3 UNCH
4750	----	----	#452.70B/398.70	#452.70B/398.70A	----	397.60 - 21.50	.4970	----	----	----	----	15 UNCH
4810	----	----	#491.30B/433.20	#491.30B/433.20A	----	432.10 - 22.90	.5232	----	----	----	----	22 UNCH
4850	----	----	#515.50B/453.70	#515.50B/453.70A	----	456.10 - 23.80	.5404	----	----	----	----	5 UNCH
4900	----	----	#548.00B/484.70	#548.00B/484.70A	----	487.20 - 25.00	.5614	----	----	----	----	2 UNCH
4905	----	----	#549.60B/487.90	#549.60B/487.90A	----	490.40 - 25.10	.5635	----	----	----	----	2 UNCH
5000	----	----	----/549.70A	560.40B/549.70A	----	553.00 - 27.50	.6017	----	----	----	----	75 UNCH
TOTAL										3	130	1666 + 132
APR27												
4300	----	----	----	108.00B/323.70A	----	245.90 - 17.40	.3152	----	----	----	----	150 UNCH
4500	----	----	----	181.20B/446.90A	----	330.50 - 21.40	.3895	----	----	----	----	1 UNCH
4900	----	----	----	297.30B/743.40A	----	546.00 - 29.10	.5401	----	----	----	----	2 UNCH
4905	----	----	----	298.50B/747.80A	----	549.10 - 29.20	.5420	----	----	----	----	2 UNCH
5000	----	----	----	340.40B/821.60A	----	609.10 - 30.90	.5757	----	----	----	----	100 UNCH
5060	----	----	----	334.40B/885.90A	----	648.60 - 31.90	.5963	----	----	----	----	25 UNCH
5200	----	----	----	445.40B/998.30A	----	745.20 - 34.40	.6423	----	----	----	----	15 UNCH
TOTAL												295 0
JUN27												
2800	----	----	----	----	----	15.80 - 1.60	.0268	----	----	----	----	4 UNCH
3625	----	----	----	----/166.60A	----	106.50 - 7.90	.1394	----	----	----	----	450 UNCH
4900	----	----	----	#248.00B/887.50A	----	584.60 - 27.40	.5111	----	----	----	----	1 UNCH
4905	----	----	----	187.60B/888.40A	----	587.60 - 27.50	.5127	----	----	----	----	1 UNCH
5085	----	----	----	153.70B/1134.50A	----	700.50 - 30.40	.5683	----	----	----	----	150 UNCH
TOTAL												606 0
DEC27												
3700	----	----	----	----	----	177.80 - 9.60	.1703	----	----	----	----	100 UNCH
3715	----	----	----	----	----	181.20 - 9.80	.1731	----	----	----	----	150 UNCH
3820	----	----	----	----	----	206.50 - 10.80	.1933	----	----	----	----	50 UNCH
4130	----	----	----	----	----	293.80 - 14.30	.2598	----	----	----	----	168 UNCH
4500	----	----	----	----	----	431.30 - 19.20	.3518	----	----	----	----	270 UNCH
4630	----	----	----	----	----	490.90 - 21.00	.3864	----	----	----	----	284 UNCH
4860	----	----	----	----	----	610.70 - 24.10	.4480	----	----	----	----	100 UNCH
5000	----	----	----	----	----	691.30 - 25.90	.4843	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1122.10 - 33.90	.6360	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1295.70 - 36.40	.6811	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	692.40 - 25.20	.4715	----	----	----	----	1 UNCH
5100	----	----	----	----	----	751.40 - 26.50	.4961	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
2000	----	----	----	----	----	2532.40 NEW	1.0000	----	----	60	----	25 + 25
3000	----	----	----	----	----	1532.40 NEW	.9989	----	----	60	----	25 + 25
3300	----	----	----	----	----	1232.50 + 50.70	.9954	----	----	----	----	2 UNCH
3400	----	----	#1,142.40B/1,03	1142.40B/1033.50A	----	1132.60 + 50.60	.9940	----	----	----	----	20 - 30
3500	----	----	#1,042.90B/933.	1042.90B/933.80A	----	1032.80 + 50.30	.9921	----	----	----	----	5 UNCH
3600	----	----	943.30B/834.50A	943.30B/834.50A	----	933.30 + 50.10	.9889	----	----	----	----	24 UNCH
3650	----	----	893.60B/785.10A	893.60B/785.10A	----	883.60 + 49.90	.9870	----	----	----	----	10 UNCH
3670	----	----	873.60B/765.40A	873.60B/765.40A	----	863.70 + 49.80	.9862	----	----	----	----	3 UNCH
3700	----	----	843.80B/735.80A	843.80B/735.80A	----	834.00 + 49.80	.9844	----	----	----	----	119 UNCH
3735	----	----	----	----	----	799.30 + 49.60	.9824	----	----	----	----	1 UNCH
3775	----	----	769.70B/629.30A	769.70B/629.30A	----	759.80 + 49.50	.9794	----	----	----	----	4 UNCH
3800	----	----	746.00B/604.70A	746.00B/604.70A	----	735.10 + 49.40	.9774	----	----	----	----	2055 UNCH
3825	----	----	720.40B/580.60A	720.40B/580.60A	----	710.50 + 49.30	.9754	----	----	----	----	3 UNCH
3850	----	----	697.40B/556.20A	697.40B/556.20A	----	685.80 + 49.10	.9728	----	----	----	----	65 UNCH
3860	----	----	688.60B/546.90A	688.60B/546.90A	----	676.00 + 49.10	.9720	----	----	----	----	1 UNCH
3865	----	----	683.70B/542.10A	683.70B/542.10A	----	671.10 + 49.10	.9714	----	----	----	----	7 UNCH
3875	----	----	672.90B/532.40A	672.90B/532.40A	----	661.30 + 49.00	.9702	----	----	----	----	25 UNCH
3900	----	----	648.20B/508.60A	648.20B/508.60A	----	636.70 + 48.80	.9670	----	----	----	----	18 UNCH
3925	----	----	624.10B/484.80A	624.10B/484.80A	----	612.30 + 48.60	.9637	----	----	----	----	35 UNCH
3950	----	----	599.30B/461.20A	599.30B/461.20A	----	587.90 + 48.40	.9602	----	----	----	----	821 UNCH
3960	----	----	589.50B/451.90A	589.50B/451.90A	----	578.10 + 48.20	.9584	----	----	----	----	1 UNCH
4000	----	----	551.90B/414.60A	551.90B/414.60A	----	539.30 + 47.80	.9506	----	----	2	----	29 UNCH
4020	----	----	531.70B/396.20A	531.70B/396.20A	----	520.00 + 47.50	.9466	----	----	----	----	1 UNCH
4040	----	----	513.30B/378.00A	513.30B/378.00A	----	500.80 + 47.20	.9416	----	----	----	----	1 UNCH
4070	----	----	483.40B/351.10A	483.40B/351.10A	----	472.10 + 46.70	.9333	----	----	----	----	1 UNCH
4075	----	----	479.80B/346.60A	479.80B/346.60A	----	467.40 + 46.70	.9319	----	----	----	----	6 UNCH
4095	----	----	459.80B/329.00A	459.80B/329.00A	----	448.40 + 46.30	.9256	----	----	----	----	4 UNCH
4100	----	----	455.20B/324.50A	455.20B/324.50A	----	443.70 + 46.20	.9238	----	----	----	----	194 UNCH
4105	----	----	450.30B/320.30A	450.30B/320.30A	----	439.00 + 46.10	.9220	----	----	----	----	1 UNCH
4110	----	----	445.60B/316.00A	445.60B/316.00A	----	434.30 + 46.00	.9205	----	----	----	----	3 UNCH
4145	----	----	413.50B/286.10A	413.50B/286.10A	----	401.60 + 45.30	.9064	----	----	----	----	28 UNCH
4150	----	----	408.20B/281.70A	408.20B/281.70A	----	396.90 + 45.10	.9045	----	----	----	----	37 UNCH
4155	----	----	404.40B/277.70A	404.40B/277.70A	----	392.30 + 45.00	.9021	----	----	----	----	1 UNCH
4160	----	----	398.80B/273.40A	398.80B/273.40A	----	387.70 + 44.90	.8997	----	----	----	----	1 UNCH
4190	----	----	371.30B/249.40A	371.30B/249.40A	----	360.20 + 44.00	.8851	----	----	----	----	1 UNCH
4200	----	----	362.30B/241.30A	362.30B/241.30A	----	351.20 + 43.80	.8793	----	----	----	----	9 UNCH
4215	----	----	349.60B/229.60A	349.60B/229.60A	----	337.70 + 43.30	.8706	----	----	----	----	25 UNCH
4220	----	----	344.30B/225.70A	344.30B/225.70A	----	333.20 + 43.10	.8676	----	----	----	----	1 UNCH
4225	----	----	340.50B/222.00A	340.50B/222.00A	----	328.80 + 43.00	.8646	----	----	----	----	2 UNCH
4235	----	----	331.00B/214.40A	331.00B/214.40A	----	319.90 + 42.60	.8579	----	----	----	----	1 UNCH
4240	----	----	327.10B/210.60A	327.10B/210.60A	----	315.50 + 42.40	.8545	----	----	----	----	39 UNCH
4245	----	----	322.70B/206.90A	322.70B/206.90A	----	311.10 + 42.20	.8511	----	----	----	----	1 UNCH
4250	----	----	318.30B/203.20A	318.30B/203.20A	----	306.80 + 42.00	.8476	----	----	----	----	318 UNCH
4255	----	----	313.40B/199.50A	313.40B/199.50A	----	302.40 + 41.80	.8442	----	----	----	----	1 UNCH
4265	----	----	304.80B/192.30A	304.80B/192.30A	----	293.80 + 41.40	.8365	----	----	----	----	2 UNCH
4270	----	----	301.00B/188.70A	301.00B/188.70A	----	289.50 + 41.20	.8327	----	----	----	----	38 UNCH
4275	----	----	296.60B/185.10A	296.60B/185.10A	----	285.20 + 40.90	.8288	----	----	----	----	76 UNCH
4280	----	----	292.00B/181.60A	292.00B/181.60A	----	281.00 + 40.80	.8249	----	----	----	----	3 UNCH
4300	----	----	275.40B/167.90A	275.40B/167.90A	----	264.20 + 39.80	.8078	----	----	12	----	91 + 2
4305	182.10	182.10	271.00B/164.40A	271.00B/164.40A	----	260.10 NEW	.8032	----	----	1	----	1 + 1
4315	----	----	262.90B/158.10A	262.90B/158.10A	----	251.90 + 39.10	.7939	----	----	----	----	21 UNCH
4325	----	----	254.60B/151.70A	254.60B/151.70A	----	243.80 + 38.60	.7842	----	----	----	----	22 UNCH
4335	----	----	246.60B/145.50A	246.60B/145.50A	----	235.80 + 38.00	.7744	----	----	----	----	1 UNCH
4350	----	----	234.80B/136.80A	234.80B/136.80A	----	224.00 + 37.20	.7587	----	----	----	----	17 UNCH
4360	----	----	227.00B/130.90A	227.00B/130.90A	----	216.30 + 36.60	.7477	----	----	----	----	53 UNCH
4365	----	----	223.10B/128.00A	223.10B/128.00A	----	212.50 + 36.30	.7420	----	----	----	----	45 UNCH
4370	----	----	219.30B/124.90A	219.30B/124.90A	----	208.80 + 36.10	.7364	----	----	----	----	20 UNCH
4375	----	----	215.50B/122.40A	215.50B/122.40A	----	205.00 + 35.80	.7305	----	----	----	----	5 UNCH
4395	----	----	200.70B/*111.60	200.70B/*111.60A	----	190.40 + 34.60	.7064	----	----	----	----	2 UNCH
4400	121.70	121.70	197.20B/108.90A	197.20B/108.90A	----	186.80 + 34.20	.7002	----	----	82	----	2315 - 3
4405	----	----	193.50B/*106.40	193.50B/*106.40A	----	183.30 + 34.00	.6937	----	----	----	----	1 UNCH
4410	----	----	190.00B/*103.70	190.00B/*103.70A	----	179.80 + 33.70	.6873	----	----	----	----	4 UNCH
4415	----	----	186.40B/*101.30	186.40B/*101.30A	----	176.40 + 33.40	.6808	----	----	----	----	39 UNCH
4420	----	----	183.10B/*98.70A	183.10B/*98.70A	----	172.90 + 33.00	.6742	----	----	29	----	34 + 24
4425	118.10	118.10	179.50B/95.90	179.50B/95.90	----	169.60 + 32.80	.6675	----	----	31	----	30 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4430	103.40	103.40	176.10B/*94.20A	176.10B/*94.20A	----	166.20 + 32.40	.6609	----	----	3	----	13 + 1
4435	----	----	172.70B/*91.90A	172.70B/*91.90A	----	162.90 + 32.10	.6540	----	----	----	----	1 UNCH
4440	----	----	169.50B/*89.40A	169.50B/*89.40A	----	159.60 + 31.70	.6470	----	----	6	----	9 + 5
4445	----	----	166.20B/*87.30A	166.20B/*87.30A	----	156.40 + 31.50	.6402	----	----	----	----	32 UNCH
4450	105.00	105.00	162.90B/*84.70	162.90B/*84.70	----	153.20 + 31.10	.6331	----	----	62	----	308 + 40
4455	102.50	102.50	159.60B/*82.90A	159.60B/*82.90A	----	150.10 + 30.80	.6260	----	----	2	----	4 + 2
4460	----	----	156.40B/*80.70A	156.40B/*80.70A	----	147.00 + 30.50	.6189	----	----	----	----	2 UNCH
4465	103.30	103.30	153.30B/*78.70A	153.30B/*78.70A	----	143.90 + 30.20	.6118	----	----	3	----	39 + 2
4470	96.60	96.60	150.20B/*76.80A	150.20B/*76.80A	----	140.90 + 29.90	.6045	----	----	1	----	29 UNCH
4475	92.90	92.90	147.20B/*74.50	147.20B/*74.50	----	137.90 + 29.50	.5972	----	----	18	----	93 + 17
4480	91.00	91.00	144.10B/*72.90A	144.10B/*72.90A	----	134.90 + 29.10	.5899	----	----	11	----	354 + 4
4485	72.50	72.50	141.10B/*70.90A	141.10B/*70.90A	----	132.00 + 28.80	.5825	----	----	22	----	20 + 11
4490	----	----	138.10B/*69.10A	138.10B/*69.10A	----	129.10 + 28.40	.5751	----	----	----	----	21 UNCH
4495	72.60	72.60	135.30B/*67.20A	135.30B/*67.20A	----	126.30 NEW	.5676	----	----	24	----	24 + 24
4500	65.50	65.50	132.50B/65.40A	132.50B/65.40A	----	123.50 + 27.70	.5602	----	----	259	126	1622 + 236
4505	----	----	129.60B/*63.70A	129.60B/*63.70A	----	120.70 + 27.30	.5527	----	----	1	----	6 + 1
4510	122.30	122.30	126.80B/*62.00A	126.80B/*62.00A	----	118.00 + 26.90	.5451	----	----	12	----	87 + 9
4515	60.80	60.80	124.00B/*60.30A	124.00B/*60.30A	----	115.30 + 26.50	.5376	----	----	2	----	289 - 1
4520	----	----	121.30B/*58.60A	121.30B/*58.60A	----	112.70 + 26.20	.5300	----	----	----	----	185 UNCH
4525	87.50	87.50	118.60B/*57.00A	118.60B/*57.00A	----	110.10 + 25.80	.5224	----	----	49	----	192 + 34
4530	61.20	61.20	115.90B/*55.40A	115.90B/*55.40A	----	107.60 + 25.50	.5148	----	----	2	----	148 UNCH
4535	----	----	113.30B/*53.90A	113.30B/*53.90A	----	105.00 + 25.00	.5072	----	----	----	----	129 UNCH
4540	----	----	110.80B/*52.30A	110.80B/*52.30A	----	102.60 + 24.70	.4996	----	----	2	----	61 UNCH
4545	51.90	51.90	108.30B/*50.90A	108.30B/*50.90A	----	100.10 + 24.30	.4919	----	----	25	----	148 - 2
4550	56.50	56.50	105.80B/*49.50A	105.80B/*49.50A	----	97.70 + 23.90	.4843	----	----	87	----	337 + 29
4555	56.40	56.40	103.40B/*48.10A	103.40B/*48.10A	----	95.40 + 23.50	.4767	----	----	19	----	20 UNCH
4560	55.80	55.80	101.00B/*46.70A	101.00B/*46.70A	----	93.10 + 23.20	.4691	----	----	6	----	62 + 3
4565	----	----	98.60B/*45.40A	98.60B/*45.40A	----	90.80 + 22.80	.4615	----	----	----	----	46 UNCH
4570	46.80	46.80	96.40B/*44.10A	96.40B/*44.10A	----	88.60 + 22.40	.4540	----	----	6	----	54 + 3
4575	46.30	46.30	94.00B/*42.90A	94.00B/*42.90A	----	86.40 + 22.00	.4464	----	----	14	----	138 + 1
4580	----	----	91.90B/*41.70A	91.90B/*41.70A	----	84.30 + 21.70	.4389	----	----	----	----	27 UNCH
4585	70.90	70.90	89.70B/*40.40A	89.70B/*40.40A	----	82.20 + 21.30	.4314	----	----	2	----	14 UNCH
4590	43.00	43.00	87.40B/*39.30A	87.40B/*39.30A	----	80.10 + 20.90	.4239	----	----	16	----	35 - 4
4595	----	----	85.40B/*38.20A	85.40B/*38.20A	----	78.10 + 20.60	.4165	----	----	----	----	25 UNCH
4600	49.60	49.60	83.40B/37.00A	83.40B/37.00A	----	76.10 + 20.20	.4091	----	----	368	----	1757 + 92
4605	----	----	81.30B/*36.00A	81.30B/*36.00A	----	74.20 + 19.90	.4018	----	----	----	----	86 UNCH
4610	62.30	62.30	79.30B/*34.90A	79.30B/*34.90A	----	72.30 + 19.60	.3945	----	----	4	----	24 - 3
4615	----	----	77.30B/*33.90A	77.30B/*33.90A	----	70.40 + 19.20	.3872	----	----	----	----	33 UNCH
4620	58.90	58.90	75.40B/*32.90A	75.40B/*32.90A	----	68.60 + 18.90	.3801	----	----	3	----	48 UNCH
4625	32.50	32.50	73.50B/*31.90A	73.50B/*31.90A	----	66.80 + 18.50	.3729	----	----	7	----	118 - 5
4630	54.20	54.20	71.60B/*31.00A	71.60B/*31.00A	----	65.00 + 18.10	.3657	----	----	7	----	19 - 2
4635	39.80	39.80	69.80B/*30.00A	69.80B/*30.00A	----	63.30 + 17.80	.3587	----	----	4	----	125 - 3
4640	35.00	35.00	68.10B/*29.20A	68.10B/*29.20A	----	61.60 + 17.40	.3517	----	----	15	----	260 + 12
4645	51.00	51.00	66.30B/*28.30A	66.30B/*28.30A	----	60.00 + 17.10	.3449	----	----	9	----	31 + 4
4650	30.00	30.00	64.60B/*27.40A	64.60B/*27.40A	----	58.40 + 16.80	.3380	----	----	207	----	1352 + 78
4655	35.30	35.30	62.90B/*26.60A	62.90B/*26.60A	----	56.90 + 16.50	.3314	----	----	4	----	27 + 4
4660	59.00	59.00	61.30B/*25.80A	61.30B/*25.80A	----	55.30 + 16.10	.3245	----	----	17	----	89 + 17
4665	45.50	45.50	59.70B/*25.00A	59.70B/*25.00A	----	53.80 + 15.80	.3179	----	----	6	----	287 UNCH
4670	32.80	32.80	58.20B/*24.30A	58.20B/*24.30A	----	52.40 + 15.50	.3115	----	----	7	----	133 + 2
4675	33.80	33.80	56.60B/*23.50A	56.60B/*23.50A	----	51.00 + 15.30	.3051	----	----	41	----	213 + 29
4680	29.50	29.50	55.10B/*22.80A	55.10B/*22.80A	----	49.60 + 14.90	.2986	----	----	24	----	161 + 3
4685	47.60	47.60	53.70B/*22.10A	53.70B/*22.10A	----	48.20 + 14.60	.2922	----	----	4	----	20 UNCH
4690	27.70	27.70	52.20B/*21.40A	52.20B/*21.40A	----	46.90 + 14.30	.2861	----	----	21	----	21 + 6
4695	45.00	45.00	50.80B/*20.80A	50.80B/*20.80A	----	45.60 + 14.00	.2799	----	----	9	----	41 - 3
4700	26.20	26.20	49.50B/19.90	49.50B/19.90	----	44.40 + 13.70	.2740	----	----	725	----	2513 + 187
4705	27.00	27.00	48.10B/*19.50A	48.10B/*19.50A	----	43.10 + 13.40	.2678	----	----	7	----	16 + 4
4710	24.80	24.80	46.90B/*18.90A	46.90B/*18.90A	----	41.90 + 13.10	.2619	----	----	3	----	194 UNCH
4715	26.30	26.30	45.50B/*18.30A	45.50B/*18.30A	----	40.80 + 12.90	.2563	----	----	18	----	15 + 10
4720	20.20	20.20	44.30B/*17.70A	44.30B/*17.70A	----	39.60 + 12.50	.2504	----	----	19	----	32 - 1
4725	21.00	21.00	43.10B/*17.10A	43.10B/*17.10A	----	38.50 + 12.30	.2448	----	----	10	----	149 + 5
4730	23.10	23.10	41.90B/*16.60A	41.90B/*16.60A	----	37.50 + 12.10	.2395	----	----	14	----	68 + 2
4735	22.40	22.40	40.70B/*16.10A	40.70B/*16.10A	----	36.40 + 11.80	.2339	----	----	18	----	49 + 3
4740	19.80	19.80	39.60B/*15.60A	39.60B/*15.60A	----	35.40 + 11.50	.2287	----	----	24	----	22 + 7
4745	19.20	19.20	38.50B/*15.10A	38.50B/*15.10A	----	34.30 + 11.20	.2231	----	----	6	----	183 + 3
4750	18.80	18.80	37.40B/*14.50	37.40B/*14.50	----	33.40 + 11.00	.2181	----	----	704	----	1550 + 243
4755	19.60	19.60	36.40B/*14.20A	36.40B/*14.20A	----	32.40 + 10.70	.2129	----	----	24	----	87 + 23
4760	17.50	17.50	35.40B/*13.80A	35.40B/*13.80A	----	31.50 + 10.50	.2080	----	----	12	----	62 - 1
4765	17.70	17.70	34.40B/*13.30A	34.40B/*13.30A	----	30.50 + 10.20	.2027	----	----	12	----	193 + 2
4770	13.40	13.40	33.40B/*12.90A	33.40B/*12.90A	----	29.70 + 10.00	.1982	----	----	21	----	109 + 10
4775	13.00	13.00	32.50B/*12.60A	32.50B/*12.60A	----	28.80 + 9.70	.1933	----	----	89	----	200 + 26
4780	27.30	27.30	31.60B/*12.20A	31.60B/*12.20A	----	28.00 + 9.50	.1887	----	----	8	----	49 + 6
4785	12.70	12.70	30.70B/*11.80A	30.70B/*11.80A	----	27.20 + 9.30	.1842	----	----	15	----	55 + 6
4790	13.50	13.50	29.80B/*11.50A	29.80B/*11.50A	----	26.40 + 9.00	.1796	----	----	3	----	54 + 1
4795	14.10	14.10	29.00B/*11.10A	29.00B/*11.10A	----	25.70 + 8.90	.1755	----	----	1508	----	786 + 697
4800	17.00	17.00	28.20B/*10.80A	28.20B/*10.80A	----	24.90 + 8.60	.1710	----	----	2249	----	3455 + 742
4805	23.80	23.80	27.40B/*10.50A	27.40B/*10.50A	----	24.20 + 8.40	.1669	----	----	4	----	368 - 2
4810	10.20	10.20	26.60B/*10.20	26.60B/*10.20	----	23.50 + 8.20	.1627	----	----	12	----	72 + 2
4815	11.80	11.80	25.90B/*9.90A	25.90B/*9.90A	----	22.90 + 8.10	.1590	----	----	12	----	45 + 6
4820	23.00	23.00	25.10B/*9.70A	25.10B/*9.70A	----	22.20 + 7.80	.1549	----	----	6	----	63 - 2
4825	13.30	13.30	24.40B/*9.40A	24.40B/*9.40A	----	21.60 + 7.70	.1512	----	----	22	----	671 + 6
4830	21.90	21.90	23.70B/*9.10A	23.70B/*9.10A	----	20.90 + 7.40	.1472	----	----	2	----	93 + 2
4835	12.20	12.20	23.10B/*8.90A	23.10B/*8.90A	----	20.30 + 7.20	.1435	----	----	13	----	71 + 1
4840	9.40	9.40	22.40B/*8.60A	22.40B/*8.60A	----	19.70 + 7.00	.1398	----	----	34	----	241 + 18
4845	10.50	10.50	21.80B/*8.40A	21.80B/*8.40A	----	19.10 + 6.80	.1362	----	----	3	----	133 + 1
4850	8.00	8.00	21.20B/*8.00	21.20B/*8.00	----	18.60 + 6.70	.1330	----	----	457	----	2050 + 152
4855	10.40	10.40	20.60B/*8.00A	20.60B/*8.00A	----	18.10 + 6.60	.1297	----	----	7	----	237 + 1
4860	19.70	19.70	20.00B/*7.80A	20.00B/*7.80A	----	17.50 + 6.30	.1261	----	----	4	----	90 - 4
4865	10.60	10.60	19.40B/*7.50A	19.40B/*7.50A	----	17.00 + 6.20	.1229	----	----	3	----	83 + 1
4870	----	----	18.90B/*7.30A	18.90B/*7.30A	----	16.50 + 6.00	.1198	----	----	----	----	126 UNCH
4875	16.10	16.10	18.40B/*7.10A	18.40B/*7.10A	----	16.10 + 5.90	.1170	----	----	21	----	72 + 3
4880	7.00	7.00	17.90B/*7.00	17.90B/*7.00	----	15.60 + 5.70	.1139	----	----	13	----	133 UNCH
4885	----	----	17.40B/*6.80A	17.40B/*6.80A	----	15.20 + 5.60	.1112	----	----	----	----	52 UNCH
4890	----	----	16.90B/*6.60A	16.90B/*6.60A	----	14.80 + 5.50	.1085	----	----	----	----	69 UNCH
4895	----	----	16.50B/*6.40A	16.50B/*6.40A	----	14.30 + 5.30	.1054	----	----	----	----	68 UNCH
4900	7.20	7.20	16.00/*6.00	16.00/*6.00	----	14.00 + 5.20	.1031	----	----	147	----	2711 - 10
4905	6.30	6.30	15.50B/*6.10A	15.50B/*6.10A	----	13.60 + 5.10	.1005	----	----	9	----	27 + 6
4910	6.00	6.00	15.10B/*6.00	15.10B/*6.00	----	13.20 + 4.90	.0979	----	----	40	----	154 - 19
4915	----	----	14.70B/*5.80A	14.70B/*5.80A	----	12.90 + 4.90	.0957	----	----	----	----	69 UNCH
4920	7.60	7.60	14.30B/*5.70A	14.30B/*5.70A	----	12.50 + 4.70	.0931	----	----	6	250	338 + 254
4925	7.40	7.40	13.90B/*5.60A	13.90B/*5.60A	----	12.20 + 4.60	.0909	----	----	45	----	59 UNCH
4930	11.70	11.70	13.60B/*5.40A	13.60B/*5.40A	----	11.90 + 4.50	.0888	----	----	12	----	95 UNCH
4935	11.60	11.60	13.20B/*5.30A	13.20B/*5.30A	----	11.60 + 4.40	.0867	----	----	6	----	650 UNCH
4940	6.90	6.90	12.90B/*5.20A	12.90B/*5.20A	----	11.30 + 4.30	.0846	----	----	5	----	305 + 2
4945	----	----	12.50B/*5.10A	12.50B/*5.10A	----	11.00 + 4.20	.0825	----	----	----	----	34 UNCH
4950	6.10	6.10	12.20B/*4.90A	12.20B/*4.90A	----	10.70 + 4.10	.0804	----	----	10	----	531 + 7
4955	6.40	6.40	11.90B/*4.80A	11.90B/*4.80A	----	10.40 + 4.00	.0784	----	----	15	----	88 + 5
4960	11.30	11.30	11.60B/*4.70A	11.60B/*4.70A	----	10.20 + 4.00	.0768	----	----	2	----	242 + 2
4965	----	----	11.30B/*4.60A	11.30B/*4.60A	----	9.90 + 3.80	.0748	----	----	2	----	202 + 2
4970	----	----	11.00B/*4.50A	11.00B/*4.50A	----	9.70 + 3.80	.0732	----	----	----	----	59 UNCH
4975	----	----	10.70B/*4.40A	10.70B/*4.40A	----	9.40 + 3.60	.0712	----	----	2	----	57 UNCH
4980	7.50	7.50	10.40B/*4.30A	10.40B/*4.30A	----	9.20 + 3.60	.0697	----	----	6	----	44 + 5
4985	7.50	7.50	10.10B/*4.20A	10.10B/*4.20A	----	9.00 + 3.50	.0682	----	----	5	----	73 + 5
4990	5.60	5.60	9.90B/*4.10A	9.90B/*4.10A	----	8.80 + 3.50	.0667	----	----	5	----	59 UNCH
4995	8.90	8.90	9.60B/*4.10A	9.60B/*4.10A	----	8.50 + 3.30	.0647	----	----	1008	----	1049 + 973
5000	5.50	5.50	9.40B/*4.00	9.40B/*4.00	----	8.30 + 3.20	.0632	----	----	1708	----	4289 + 796
5005	----	----	9.20B/*3.90A	9.20B/*3.90A	----	8.10 + 3.20	.0617	----	----	2	----	46 - 1
5010	3.80	3.80	9.00B/*3.80	9.00B/*3.80	----	8.00 + 3.20	.0608	----	----	42	----	59 + 19
5015	3.70	3.70	8.70B/*3.70	8.70B/*3.70	----	7.80 + 3.10	.0593	----	----	21	----	103 + 11
5020	3.60	3.60	8.50B/*3.60	8.50B/*3.60	----	7.60 + 3.00	.0579	----	----	3	----	30 UNCH
5025	3.50	3.50	8.30B/*3.50	8.30B/*3.50	----	7.40 + 2.90	.0564	----	----	78	----	345 - 26
5030	----	----	8.10B/*3.50A	8.10B/*3.50A	----	7.20 + 2.80	.0550	----	----	5	----	211 UNCH
5035	----	----	8.00B/*3.50A	8.00B/*3.50A	----	7.10 + 2.90	.0541	----	----	1	----	62 UNCH
5040	----	----	7.80B/*3.40A	7.80B/*3.40A	----	6.90 + 2.80	.0527	----	----	----	----	21 UNCH
5045	----	----	7.70B/*3.30A	7.70B/*3.30A	----	6.80 + 2.80	.0518	----	----	----	----	19 UNCH
5050	3.30	3.30	7.40B/*3.20	7.40B/*3.20	----	6.60 + 2.60	.0504	----	----	453	----	588 + 274
5055	----	----	7.30B/*3.20A	7.30B/*3.20A	----	6.50 + 2.60	.0496	----	----	2	----	21 UNCH
5060	----	----	7.20B/*3.10A	7.20B/*3.10A	----	6.30 + 2.50	.0482	----	----	1	----	40 UNCH
5065	4.20	4.20	6.90B/*3.10A	6.90B/*3.10A	----	6.20 + 2.50	.0473	----	----	5	----	180 UNCH
5070	----	----	6.90B/*3.10A	6.90B/*3.10A	----	6.00 + 2.40	.0459	----	----	----	----	36 UNCH
5075	5.70	5.70	6.60B/*3.00A	6.60B/*3.00A	----	5.90 + 2.40	.0451	----	----	5	----	168 - 2
5080	----	----	6.50B/*3.00A	6.50B/*3.00A	----	5.80 + 2.30	.0443	----	----	----	----	119 UNCH
5085	4.80	4.80	6.40B/*3.00A	6.40B/*3.00A	----	5.60 + 2.20	.0429	----	----	5	----	48 + 5
5090	6.20	6.20	6.20/*2.90A	6.20/*2.90A	----	5.50 + 2.20	.0421	----	----	11	----	392 + 2
5095	----	----	6.10B/*2.80A	6.10B/*2.80A	----	5.40 + 2.20	.0413	----	----	----	----	253 UNCH
5100	2.80	2.80	6.00B/*2.70A	6.00B/*2.70A	----	5.30 + 2.10	.0405	----	----	426	----	1958 + 41
5105	----	----	5.80B/*2.70A	5.80B/*2.70A	----	5.20 + 2.10	.0397	----	----	----	----	96 UNCH
5110	4.40	4.40	5.70B/*2.60A	5.70B/*2.60A	----	5.10 + 2.10	.0389	----	----	5	----	412 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5115	----	----	5.60B/*2.70A	5.60B/*2.70A	----	5.00 + 2.00	.0381	----	----	----	----	29 UNCH
5120	4.00	4.00	5.60B/*2.70A	5.60B/*2.70A	----	4.80 + 1.90	.0368	----	----	22	----	59 - 7
5125	2.50	2.50	5.40B/*2.50	5.40B/*2.50	----	4.70 + 1.80	.0360	----	----	3	----	260 - 1
5130	4.10	4.10	5.30B/*2.60A	5.30B/*2.60A	----	4.60 + 1.80	.0353	----	----	1	----	44 + 1
5135	4.80	4.80	5.20B/*2.50A	5.20B/*2.50A	----	4.60 + 1.80	.0351	----	----	2	----	173 + 1
5140	----	----	5.10B/*2.50A	5.10B/*2.50A	----	4.50 + 1.80	.0343	----	----	----	----	70 UNCH
5145	----	----	5.00B/*2.50A	5.00B/*2.50A	----	4.40 + 1.70	.0335	----	----	----	----	81 UNCH
5150	2.50	2.50	4.90B/*2.30	4.90B/*2.30	----	4.30 + 1.70	.0328	----	----	9	----	2987 - 2
5155	----	----	4.80B/*2.40A	4.80B/*2.40A	----	4.20 + 1.60	.0320	----	----	----	----	17 UNCH
5160	----	----	4.70B/*2.40A	4.70B/*2.40A	----	4.10 + 1.60	.0313	----	----	----	----	23 UNCH
5165	----	----	4.60B/*2.30A	4.60B/*2.30A	----	4.00 + 1.50	.0306	----	----	----	----	18 UNCH
5170	----	----	4.50B/*2.30A	4.50B/*2.30A	----	4.00 + 1.50	.0304	----	----	----	----	11 UNCH
5175	----	----	4.50B/*2.30A	4.50B/*2.30A	----	3.90 + 1.50	.0297	----	----	----	----	76 UNCH
5180	2.10	2.10	4.30B/*2.10	4.30B/*2.10	----	3.80 + 1.40	.0289	----	----	3	----	31 UNCH
5185	----	----	4.30B/*2.20A	4.30B/*2.20A	----	3.80 + 1.40	.0288	----	----	21	----	148 + 20
5190	----	----	4.20B/*2.20A	4.20B/*2.20A	----	3.70 + 1.40	.0280	----	----	----	----	24 UNCH
5195	----	----	4.20B/2.20A	4.20B/2.20A	----	3.60 + 1.30	.0273	----	----	----	----	37 UNCH
5200	2.00	2.00	4.10/*2.00	4.10/*2.00	----	3.60 + 1.30	.0272	----	----	22	280	2408 - 279
5205	----	----	4.00B/*2.10A	4.00B/*2.10A	----	3.50 + 1.30	.0265	----	----	----	----	48 UNCH
5210	----	----	3.90B/2.10A	3.90B/2.10A	----	3.50 + 1.30	.0263	----	----	----	----	55 UNCH
5215	----	----	3.80B/2.10A	3.80B/2.10A	----	3.40 + 1.20	.0256	----	----	----	----	47 UNCH
5220	3.50	3.50	3.80B/*2.00A	3.80B/*2.00A	----	3.40 + 1.30	.0255	----	----	2	----	44 UNCH
5225	----	----	3.80B/*2.00A	3.80B/*2.00A	----	3.30 + 1.20	.0248	----	----	----	----	89 UNCH
5230	----	----	3.70B/2.00A	3.70B/2.00A	----	3.30 + 1.20	.0247	----	----	1	----	85 - 1
5235	----	----	3.60B/----	3.60B/2.00A	----	3.20 + 1.20	.0240	----	----	----	----	30 UNCH
5240	----	----	3.50B/1.90A	3.50B/1.90A	----	3.20 + 1.20	.0239	----	----	1	----	116 + 1
5245	----	----	3.50B/1.90A	3.50B/1.90A	----	3.10 + 1.10	.0232	----	----	----	----	66 UNCH
5250	2.20	2.20	3.50B/1.90A	3.50B/1.90A	----	3.10 + 1.20	.0231	----	----	195	----	948 + 33
5255	----	----	3.40B/----	3.40B/1.90A	----	3.00 + 1.10	.0224	----	----	----	----	21 UNCH
5260	----	----	3.30B/----	3.30B/1.90A	----	3.00 + 1.10	.0223	----	----	----	----	150 UNCH
5265	----	----	3.30B/----	3.30B/1.80A	----	3.00 + 1.20	.0222	----	----	----	----	14 UNCH
5270	----	----	3.30B/----	3.30B/1.80A	----	2.90 + 1.10	.0215	----	----	----	----	26 UNCH
5275	----	----	3.20B/----	3.20B/1.80A	----	2.90 + 1.10	.0214	----	----	3	----	24 - 3
5280	----	----	3.10B/----	3.10B/1.80A	----	2.80 + 1.00	.0207	----	----	1	----	44 - 1
5285	----	----	3.10B/----	3.10B/1.80A	----	2.80 + 1.10	.0206	----	----	----	----	15 UNCH
5290	----	----	3.10B/----	3.10B/1.80A	----	2.80 + 1.10	.0205	----	----	----	----	55 UNCH
5295	----	----	3.00B/----	3.00B/1.70A	----	2.70 + 1.00	.0199	----	----	----	----	86 UNCH
5300	2.30	2.30	2.90B/2.30	2.90B/1.70A	----	2.70 + 1.10	.0198	----	----	87	----	1207 + 8
5305	2.70	2.70	2.90B/2.70	2.90B/1.70A	----	2.70 + 1.10	.0197	----	----	1	----	65 UNCH
5310	3.00	3.00	3.00/2.60	3.00/1.70A	----	2.60 + 1.00	.0190	----	----	7	----	26 + 5
5315	----	----	2.90B/----	2.90B/1.70A	----	2.60 + 1.00	.0189	----	----	----	----	28 UNCH
5320	----	----	2.80B/----	2.80B/1.70A	----	2.60 + 1.10	.0188	----	----	----	----	57 UNCH
5325	----	----	2.70B/----	2.70B/1.60A	----	2.60 + 1.10	.0188	----	----	----	----	162 UNCH
5330	----	----	2.70B/----	2.70B/1.60A	----	2.50 + 1.00	.0181	----	----	----	----	13 UNCH
5335	2.80	2.80	2.80/2.80	2.80/1.60A	----	2.50 + 1.00	.0180	----	----	1	----	11 UNCH
5340	----	----	2.60B/----	2.60B/1.60A	----	2.50 + 1.00	.0180	----	----	----	----	30 UNCH
5345	----	----	2.60B/----	2.60B/1.60A	----	2.40 + 1.00	.0173	----	----	----	----	35 UNCH
5350	----	----	2.60B/----	2.60B/1.60A	----	2.40 + 1.00	.0172	----	----	----	----	1110 UNCH
5355	----	----	2.50B/----	2.50B/1.60A	----	2.40 + 1.00	.0172	----	----	----	----	71 UNCH
5360	----	----	2.60B/----	2.60B/1.60A	----	2.40 + 1.00	.0171	----	----	----	----	337 UNCH
5365	----	----	2.50B/----	2.50B/1.50A	----	2.30 + 0.90	.0165	----	----	----	----	146 UNCH
5370	----	----	2.40B/----	2.40B/1.50A	----	2.30 + 0.90	.0164	----	----	----	----	25 UNCH
5375	----	----	2.40B/----	2.40B/1.50A	----	2.30 + 0.90	.0163	----	----	----	----	23 UNCH
5380	----	----	2.40B/----	2.40B/1.50A	----	2.30 + 1.00	.0162	----	----	----	----	18 UNCH
5385	----	----	2.40B/----	2.40B/1.50A	----	2.20 + 0.90	.0156	----	----	----	----	18 UNCH
5390	----	----	2.30B/----	2.30B/1.50A	----	2.20 + 0.90	.0156	----	----	----	----	34 UNCH
5395	----	----	2.30B/----	2.30B/1.50A	----	2.20 + 0.90	.0155	----	----	----	----	24 UNCH
5400	----	----	2.30B/----	2.30B/1.50A	----	2.20 + 0.90	.0154	----	----	22	----	3325 + 18
5405	----	----	2.30B/----	2.30B/1.50A	----	2.10 + 0.80	.0148	----	----	----	----	19 UNCH
5410	----	----	2.30B/----	2.30B/1.50A	----	2.10 + 0.80	.0147	----	----	----	----	24 UNCH
5415	----	----	2.20B/----	2.20B/1.40A	----	2.10 + 0.80	.0147	----	----	----	----	18 UNCH
5420	----	----	2.30B/----	2.30B/1.40A	----	2.10 + 0.90	.0146	----	----	----	----	29 UNCH
5425	----	----	2.20B/----	2.20B/1.40A	----	2.10 + 0.90	.0146	----	----	----	----	34 UNCH
5430	----	----	2.10B/----	2.10B/1.40A	----	2.00 + 0.80	.0140	----	----	----	----	11 UNCH
5435	----	----	2.10B/----	2.10B/1.40A	----	2.00 + 0.80	.0139	----	----	----	----	7 UNCH
5440	----	----	2.10B/----	2.10B/1.40A	----	2.00 + 0.80	.0138	----	----	----	----	20 UNCH
5445	----	----	2.10B/----	2.10B/1.40A	----	2.00 + 0.80	.0138	----	----	----	----	24 UNCH
5450	----	----	2.10B/----	2.10B/1.40A	----	2.00 + 0.80	.0137	----	----	----	----	1171 UNCH
5455	----	----	2.10B/----	2.10B/1.40A	----	2.00 + 0.80	.0137	----	----	----	----	36 UNCH
5460	----	----	2.00B/----	2.00B/1.40A	----	1.90 + 0.70	.0131	----	----	----	----	27 UNCH
5465	----	----	2.00B/----	2.00B/1.40A	----	1.90 + 0.70	.0130	----	----	----	----	19 UNCH
5470	----	----	2.00B/----	2.00B/1.40A	----	1.90 + 0.70	.0130	----	----	----	----	28 UNCH
5475	----	----	2.00B/----	2.00B/1.40A	----	1.90 + 0.80	.0129	----	----	----	----	207 UNCH
5480	----	----	1.90B/----	1.90B/1.40A	----	1.90 + 0.80	.0129	----	----	----	----	5 UNCH
5485	----	----	2.00B/----	2.00B/1.40A	----	1.90 + 0.80	.0128	----	----	----	----	16 UNCH
5490	1.70	1.70	2.00B/1.70	2.00B/1.40A	----	1.80 + 0.70	.0122	----	----	5	----	19 UNCH
5495	----	----	1.90B/----	1.90B/1.30A	----	1.80 + 0.70	.0122	----	----	----	----	7 UNCH
5500	0.50	0.50	1.80B/*0.50	1.80B/*0.50	----	1.80 + 0.70	.0122	----	----	24	----	2234 + 2
5505	----	----	1.80B/----	1.80B/1.30A	----	1.80 + 0.70	.0121	----	----	----	----	15 UNCH
5510	----	----	1.80B/----	1.80B/1.30A	----	1.80 + 0.70	.0121	----	----	----	----	13 UNCH
5515	----	----	1.80B/----	1.80B/1.30A	----	1.80 + 0.70	.0120	----	----	----	----	18 UNCH
5520	----	----	1.80B/----	1.80B/1.30A	----	1.80 + 0.70	.0120	----	----	----	----	38 UNCH
5525	----	----	1.80B/----	1.80B/1.30A	----	1.70 + 0.60	.0114	----	----	----	----	91 UNCH
5530	1.60	1.60	1.70B/1.60	1.70B/1.30A	----	1.70 + 0.60	.0114	----	----	5	----	30 + 5
5535	1.60	1.60	1.70B/1.60	1.70B/1.30A	----	1.70 + 0.70	.0113	----	----	5	----	15 + 3
5540	----	----	1.70B/----	1.70B/1.30A	----	1.70 + 0.70	.0113	----	----	----	----	16 UNCH
5545	----	----	1.70B/----	1.70B/1.30A	----	1.70 + 0.70	.0112	----	----	----	----	16 UNCH
5550	----	----	1.70B/----	1.70B/1.20A	----	1.70 + 0.70	.0112	----	----	----	----	195 UNCH
5555	----	----	1.70B/----	1.70B/1.30A	----	1.70 + 0.70	.0112	----	----	----	----	35 UNCH
5560	1.50	1.50	1.70B/1.50	1.70B/1.30A	----	1.70 + 0.70	.0111	----	----	7	----	18 - 5
5565	----	----	1.70B/----	1.70B/1.20A	----	1.70 + 0.70	.0111	----	----	----	----	12 UNCH
5570	----	----	1.70B/----	1.70B/1.30A	----	1.60 + 0.60	.0105	----	----	----	----	4 UNCH
5575	----	----	1.70B/----	1.70B/1.20A	----	1.60 + 0.60	.0105	----	----	----	----	31 UNCH
5580	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.60	.0104	----	----	----	----	7 UNCH
5585	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.60	.0104	----	----	----	----	12 UNCH
5590	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.60	.0104	----	----	----	----	5 UNCH
5595	1.20	1.20	1.60B/1.20	1.60B/1.20	----	1.60 + 0.70	.0103	----	----	14	----	19 UNCH
5600	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.70	.0103	----	----	----	----	2132 UNCH
5605	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.70	.0103	----	----	----	----	32 UNCH
5610	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.70	.0102	----	----	----	----	10 UNCH
5615	----	----	1.60B/----	1.60B/1.20A	----	1.60 + 0.70	.0102	----	----	----	----	1 UNCH
5620	----	----	1.50B/----	1.50B/1.20A	----	1.50 + 0.60	.0096	----	----	----	----	6 UNCH
5625	----	----	1.50B/----	1.50B/1.20A	----	1.50 + 0.60	.0096	----	----	----	----	13 UNCH
5630	----	----	1.50B/----	1.50B/1.20A	----	1.50 + 0.60	.0096	----	----	----	----	6 UNCH
5635	----	----	1.50B/----	1.50B/1.20A	----	1.50 + 0.60	.0096	----	----	----	----	12 UNCH
5640	----	----	1.50B/----	1.50B/1.10A	----	1.50 + 0.60	.0095	----	----	----	----	8 UNCH
5650	----	----	1.50B/----	1.50B/1.20A	----	1.50 + 0.60	.0095	----	----	----	----	402 UNCH
5660	----	----	1.50B/----	1.50B/1.10A	----	1.50 + 0.70	.0094	----	----	----	----	7 UNCH
5670	----	----	1.40B/----	1.40B/1.10A	----	1.50 + 0.70	.0093	----	----	----	----	11 UNCH
5675	----	----	1.40B/----	1.40B/1.10A	----	1.40 + 0.60	.0088	----	----	----	----	7 UNCH
5680	----	----	1.40B/----	1.40B/1.10A	----	1.40 + 0.60	.0088	----	----	----	----	6 UNCH
5690	----	----	1.40B/----	1.40B/1.10A	----	1.40 + 0.60	.0087	----	----	----	----	21 UNCH
5700	----	----	1.40B/----	1.40B/1.10A	----	1.40 + 0.60	.0087	----	----	----	----	995 UNCH
5710	----	----	1.40B/----	1.40B/1.10A	----	1.40 + 0.60	.0086	----	----	----	----	22 UNCH
5720	----	----	1.30B/----	1.30B/1.10A	----	1.40 + 0.60	.0086	----	----	----	----	17 UNCH
5725	----	----	1.30B/----	1.30B/1.00A	----	1.40 + 0.60	.0085	----	----	----	----	56 UNCH
5730	----	----	1.30B/----	1.30B/1.10A	----	1.30 + 0.50	.0080	----	----	----	----	10 UNCH
5740	----	----	1.30B/----	1.30B/1.00A	----	1.30 + 0.50	.0080	----	----	----	----	9 UNCH
5750	----	----	1.20B/----	1.20B/1.00A	----	1.30 + 0.60	.0079	----	----	----	----	1026 UNCH
5760	----	----	1.20B/----	1.20B/1.00A	----	1.30 + 0.60	.0079	----	----	----	----	168 UNCH
5770	----	----	1.20B/----	1.20B/1.00A	----	1.30 + 0.60	.0078	----	----	----	----	4 UNCH
5775	----	----	1.20B/----	1.20B/1.00A	----	1.30 + 0.60	.0078	----	----	----	----	215 UNCH
5780	----	----	1.10B/----	1.10B/1.00A	----	1.30 + 0.60	.0078	----	----	----	----	6 UNCH
5790	----	----	1.20B/----	1.20B/1.00A	----	1.20 + 0.50	.0072	----	----	----	----	9 UNCH
5800	1.20	1.20	1.20/1.20	1.20/1.00A	----	1.20 + 0.50	.0072	----	----	1	----	804 UNCH
5810	----	----	1.10B/----	1.10B/1.00A	----	1.20 + 0.50	.0072	----	----	----	----	11 UNCH
5820	----	----	1.10B/----	1.10B/1.00A	----	1.20 + 0.50	.0071	----	----	----	----	208 UNCH
5825	----	----	1.10B/----	1.10B/1.00A	----	1.20 + 0.50	.0071	----	----	----	----	19 UNCH
5830	----	----	1.00B/----	1.00B/1.00A	----	1.20 + 0.50	.0071	----	----	----	----	1 UNCH
5840	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0065	----	----	----	----	103 UNCH
5850	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0065	----	----	----	----	111 UNCH
5860	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0065	----	----	----	----	193 UNCH
5870	1.00	1.00	1.00/1.00	1.00/0.90A	----	1.10 + 0.40	.0064	----	----	1	----	17 + 1
5875	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0064	----	----	----	----	22 UNCH
5880	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0064	----	----	----	----	11 UNCH
5890	----	----	1.00B/----	1.00B/0.90A	----	1.10 + 0.40	.0064	----	----	----	----	9 UNCH
5900	0.60	0.60	0.90B/*0.60	0.90B/*0.60	----	1.00 + 0.30	.0058	----	----	1	----	436 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5910	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.30	.0058	----	----	----	----	6 UNCH
5920	----	----	0.90B/----	0.90B/0.80A	----	1.00 + 0.40	.0058	----	----	----	----	19 UNCH
5925	----	----	1.00B/----	1.00B/0.90A	----	1.00 + 0.40	.0058	----	----	----	----	5 UNCH
5930	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.40	.0058	----	----	----	----	4 UNCH
5940	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.40	.0057	----	----	----	----	2 UNCH
5950	----	----	0.90B/----	0.90B/0.80A	----	1.00 + 0.40	.0057	----	----	----	----	43 UNCH
5960	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.30	.0052	----	----	----	----	16 UNCH
5970	----	----	0.90B/----	0.90B/0.80A	----	0.90 + 0.30	.0052	----	----	----	----	55 UNCH
5980	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.30	.0051	----	----	----	----	3 UNCH
5990	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.30	.0051	----	----	----	----	76 UNCH
6000	0.80	0.80	0.90/0.80	0.90/0.80	----	0.90 + 0.30	.0051	----	----	3	----	2259 + 3
6025	----	----	0.80B/----	0.80B/0.80A	----	0.90 + 0.30	.0050	----	----	----	----	34 UNCH
6050	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.20	.0045	----	----	----	----	45 UNCH
6075	----	----	0.70B/----	0.70B/0.70A	----	0.80 + 0.20	.0044	----	----	----	----	713 UNCH
6100	----	----	0.70B/----	0.70B/0.70A	----	0.80 + 0.30	.0044	----	----	----	----	290 UNCH
6125	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.20	.0039	----	----	----	----	59 UNCH
6150	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0038	----	----	----	----	881 UNCH
6175	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0038	----	----	----	----	37 UNCH
6200	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0037	----	----	----	----	567 UNCH
6225	----	----	0.60B/----	0.60B/0.70A	----	0.70 + 0.20	.0037	----	----	----	----	20 UNCH
6250	----	----	----	0.50B/0.70A	----	0.60 + 0.10	.0032	----	----	----	----	392 UNCH
6275	----	----	0.50B/----	0.50B/0.70A	----	0.60 + 0.20	.0032	----	----	----	----	3 UNCH
6300	----	----	0.50B/----	0.50B/0.70A	----	0.60 + 0.20	.0031	----	----	----	----	336 UNCH
6325	----	----	0.50B/----	0.50B/0.60A	----	0.60 + 0.20	.0031	----	----	----	----	29 UNCH
6350	----	----	----	0.40B/0.60A	----	0.60 + 0.20	.0031	----	----	----	----	21 UNCH
6375	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0026	----	----	----	----	37 UNCH
6400	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0026	----	----	----	----	171 UNCH
6425	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0026	----	----	----	----	17 UNCH
6450	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0025	----	----	----	----	48 UNCH
6475	----	----	----	0.30B/0.60A	----	0.50 + 0.20	.0025	----	----	----	----	13 UNCH
6500	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.50 + 0.20	.0025	----	----	100	----	584 - 50
6525	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0020	----	----	----	----	132 UNCH
6550	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0020	----	----	----	----	11 UNCH
6575	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0020	----	----	----	----	4 UNCH
6600	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0020	----	----	----	----	27 UNCH
6650	----	----	----	0.20B/0.60A	----	0.40 + 0.10	.0019	----	----	----	----	16 UNCH
6675	----	----	----	0.30B/0.60A	----	0.40 + 0.10	.0019	----	----	----	----	1 UNCH
6700	----	----	----	0.20B/0.60A	----	0.40 + 0.10	.0019	----	----	----	----	127 UNCH
6775	----	----	----	----/0.60A	----	0.30 + 0.10	.0014	----	----	----	----	1 UNCH
6800	----	----	----	----/0.50A	----	0.30 + 0.10	.0014	----	----	----	----	202 UNCH
6825	----	----	----	----/0.50A	----	0.30 + 0.10	.0014	----	----	----	----	19 UNCH
6850	----	----	----	----/0.50A	----	0.30 + 0.10	.0014	----	----	----	----	201 UNCH
6875	----	----	----	----/0.50A	----	0.30 + 0.10	.0014	----	----	----	----	22 UNCH
6900	----	----	----	----/0.50A	----	0.30 + 0.10	.0014	----	----	----	----	19 UNCH
6925	----	----	----	----/0.40A	----	0.30 + 0.10	.0014	----	----	----	----	1 UNCH
6950	----	----	----	----/0.50A	----	0.30 + 0.10	.0014	----	----	----	----	22 UNCH
6975	----	----	----	----/0.40A	----	0.30 + 0.10	.0014	----	----	----	----	10 UNCH
7000	----	----	----	----/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	1470 UNCH
7025	----	----	----	----/0.40A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
7050	----	----	----	----/0.40A	----	0.20 UNCH	.0009	----	----	----	----	18 UNCH
7075	----	----	----	----/0.50A	----	0.20 UNCH	.0009	----	----	----	----	13 UNCH
7100	----	----	----	----/0.40A	----	0.20 UNCH	.0009	----	----	----	----	28 UNCH
7125	----	----	----	----/0.40A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
7150	----	----	----	----/0.40A	----	0.20 UNCH	.0009	----	----	----	----	20 UNCH
7175	----	----	----	----/0.40A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
7200	0.20	0.20	0.20/*0.20	0.20/0.20	----	0.20 + 0.10	.0009	----	----	2	----	3 UNCH
7225	----	----	----	----/0.40A	----	0.20 + 0.10	.0009	----	----	----	----	22 UNCH
7250	----	----	----	----/0.40A	----	0.20 + 0.10	.0009	----	----	----	----	23 UNCH
7275	----	----	----	----/0.40A	----	0.10 UNCH	.0004	----	----	----	----	14 UNCH
7300	----	----	----	----/0.40A	----	0.10 UNCH	.0004	----	----	----	----	50 UNCH
7350	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0003	----	----	----	----	8 UNCH
7400	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0003	----	----	----	----	2 UNCH
7425	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	19 UNCH
7450	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	28 UNCH
7475	----	----	----	----/0.40A	----	0.10 UNCH	.0002	----	----	----	----	9 UNCH
7500	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	297 UNCH
7525	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0002	----	----	----	----	34 UNCH
7550	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH
7575	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
7600	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
7625	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	12 UNCH
7700	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
7725	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	17 UNCH
7750	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	11 + 5
7775	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	11 + 5
7800	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	10 + 5
7825	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	18 + 5
7875	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	15	----	166 + 15
7900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	6 + 5
8000	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	25	----	1116 + 18
8100	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
8200	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
8300	----	----	----	----/4.50A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
8600	----	----	----	----/4.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
8700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
8800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	340 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9300	----	----	----	----/6.50A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	141 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
9900	----	----	----	----/4.00A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	275 UNCH
10100	----	----	----	----/1.00A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10700	----	----	----	----/3.90A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	103 UNCH
11200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	222 UNCH
TOTAL										12525	656	86534 + 5030
AUG26												
2000	----	----	----	----	----	2532.40 + 50.90	1.0000	----	----	----	----	0 UNCH
2800	----	----	----	----	----	1732.40 NEW	.9973	----	----	10	----	0 UNCH
3200	----	----	1,341.40B/1,234	1341.40B/1234.50A	----	1332.70 + 50.60	.9898	----	----	----	----	11 UNCH
3300	----	----	1,242.00B/1,135	1242.00B/1135.10A	----	1233.20 + 50.50	.9866	----	----	10	----	30 + 10
3305	----	----	1,237.00B/1,130	1237.00B/1130.10A	----	1228.20 + 50.50	.9862	----	----	----	----	20 UNCH
3325	----	----	1,217.20B/1,110	1217.20B/1110.30A	----	1208.30 + 50.40	.9857	----	----	----	----	5 UNCH
3350	----	----	1,192.30B/1,085	1192.30B/1085.50A	----	1183.50 + 50.40	.9847	----	----	10	----	170 + 10
3400	----	----	1,143.30B/1,035	1143.30B/1035.10A	----	1133.90 + 50.30	.9825	----	----	----	----	420 UNCH
3500	----	----	1,044.00B/937.5	1044.00B/937.50A	----	1035.00 + 50.10	.9773	----	----	----	----	46 UNCH
3505	----	----	1,039.10B/932.6	1039.10B/932.60A	----	1030.10 + 50.10	.9769	----	----	----	----	4 UNCH
3520	----	----	1,024.30B/917.9	1024.30B/917.90A	----	1015.30 + 50.10	.9759	----	----	----	----	65 UNCH
3550	----	----	995.40B/887.50A	995.40B/887.50A	----	985.70 + 49.90	.9740	----	----	----	----	310 UNCH
3600	----	----	946.80B/808.10A	946.80B/808.10A	----	936.50 + 49.70	.9703	----	----	----	----	1045 UNCH
3610	----	----	935.80B/798.50A	935.80B/798.50A	----	926.70 + 49.70	.9694	----	----	----	----	6 UNCH
3650	----	----	897.80B/759.90A	897.80B/759.90A	----	887.50 + 49.50	.9657	----	----	----	----	4 UNCH
3660	----	----	887.90B/750.20A	887.90B/750.20A	----	877.70 + 49.40	.9648	----	----	----	----	25 UNCH
3685	----	----	863.40B/726.30A	863.40B/726.30A	----	853.30 + 49.30	.9620	----	----	----	----	1 UNCH
3700	----	----	848.90B/711.70A	848.90B/711.70A	----	838.70 + 49.20	.9606	----	----	----	----	40 UNCH
3715	----	----	834.30B/697.60A	834.30B/697.60A	----	824.10 + 49.10	.9588	----	----	----	----	30 UNCH
3720	----	----	829.50B/692.80A	829.50B/692.80A	----	819.30 + 49.20	.9582	----	----	----	----	1 UNCH
3735	----	----	814.80B/678.70A	814.80B/678.70A	----	804.70 + 49.00	.9564	----	----	----	----	1 UNCH
3750	----	----	800.40B/664.30A	800.40B/664.30A	----	790.10 + 48.90	.9542	----	----	----	----	8 UNCH
3775	----	----	776.20B/640.70A	776.20B/640.70A	----	766.00 + 48.70	.9506	----	----	----	----	4 UNCH
3780	----	----	771.40B/636.00A	771.40B/636.00A	----	761.10 + 48.60	.9501	----	----	----	----	10 UNCH
3790	----	----	762.10B/626.50A	762.10B/626.50A	----	751.50 + 48.60	.9484	----	----	----	----	67 UNCH
3800	----	----	752.10B/617.20A	752.10B/617.20A	----	741.90 + 48.50	.9469	----	----	----	----	303 UNCH
3820	----	----	732.90B/598.50A	732.90B/598.50A	----	722.60 + 48.30	.9437	----	----	----	----	3 UNCH
3840	----	----	713.70B/579.90A	713.70B/579.90A	----	703.50 + 48.10	.9398	----	----	----	----	1 UNCH
3850	----	----	704.50B/570.70A	704.50B/570.70A	----	693.90 + 48.00	.9380	----	----	----	----	12 UNCH
3885	----	----	670.80B/538.60A	670.80B/538.60A	----	660.60 + 47.60	.9309	----	----	----	----	2 UNCH
3890	----	----	666.30B/534.00A	666.30B/534.00A	----	655.90 + 47.60	.9300	----	----	----	----	2 UNCH
3900	647.00	647.00	656.70B/525.00A	656.70B/525.00A	----	646.40 + 47.40	.9275	----	----	3	----	149 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3920	----	----	637.90B/506.90A	637.90B/506.90A	----	627.60 + 47.20	.9227	----	----	----	----	1 UNCH
3925	----	----	633.30B/502.40A	633.30B/502.40A	----	622.90 + 47.10	.9214	----	----	----	----	10 UNCH
3950	----	----	609.60B/480.10A	609.60B/480.10A	----	599.50 + 46.80	.9149	----	----	----	----	106 UNCH
3955	----	----	605.10B/476.00A	605.10B/476.00A	----	594.80 + 46.70	.9136	----	----	----	----	7 UNCH
3975	----	----	586.60B/458.30A	586.60B/458.30A	----	576.20 + 46.30	.9077	----	----	----	----	200 UNCH
3995	----	----	567.90B/440.90A	567.90B/440.90A	----	557.80 + 46.00	.9015	----	----	----	----	30 UNCH
4000	454.20	454.20	563.70B/436.50A	563.70B/436.50A	----	553.20 + 46.00	.8998	----	----	1	----	723 - 1
4005	----	----	559.10B/432.60A	559.10B/432.60A	----	548.60 + 45.90	.8982	----	----	----	----	1 UNCH
4015	----	----	549.60B/423.70A	549.60B/423.70A	----	539.50 + 45.70	.8948	----	----	----	----	12 UNCH
4025	----	----	540.70B/415.60A	540.70B/415.60A	----	530.40 + 45.60	.8912	----	----	----	----	174 UNCH
4045	----	----	522.60B/398.80A	522.60B/398.80A	----	512.30 + 45.20	.8838	----	----	----	----	30 UNCH
4050	----	----	518.10B/394.60A	518.10B/394.60A	----	507.80 + 45.10	.8819	----	----	----	----	100 UNCH
4055	----	----	513.50B/390.20A	513.50B/390.20A	----	503.30 + 45.00	.8799	----	----	----	----	100 UNCH
4075	----	----	495.80B/374.00A	495.80B/374.00A	----	485.40 + 44.50	.8718	----	----	----	----	3 UNCH
4080	----	----	491.20B/369.70A	491.20B/369.70A	----	481.00 + 44.50	.8695	----	----	----	----	1 UNCH
4090	----	----	482.40B/361.60A	482.40B/361.60A	----	472.10 + 44.20	.8652	----	----	----	----	1 UNCH
4100	----	----	473.70B/353.70A	473.70B/353.70A	----	463.30 + 44.00	.8606	----	----	----	----	73 UNCH
4110	----	----	464.90B/345.60A	464.90B/345.60A	----	454.60 + 43.80	.8559	----	----	----	----	19 UNCH
4115	----	----	460.10B/341.60A	460.10B/341.60A	----	450.20 + 43.60	.8536	----	----	----	----	2 UNCH
4135	----	----	443.20B/326.20A	443.20B/326.20A	----	433.00 + 43.20	.8435	----	----	----	----	20 UNCH
4140	----	----	438.80B/322.30A	438.80B/322.30A	----	428.70 + 43.00	.8408	----	----	----	----	1 UNCH
4150	----	----	430.30B/314.70A	430.30B/314.70A	----	420.20 + 42.80	.8356	----	----	----	----	40 UNCH
4165	----	----	417.50B/303.40A	417.50B/303.40A	----	407.50 + 42.40	.8272	----	----	----	----	1 UNCH
4195	----	----	392.60B/281.40A	392.60B/281.40A	----	382.60 + 41.50	.8096	----	----	----	----	3 UNCH
4200	----	----	388.50B/277.90A	388.50B/277.90A	----	378.50 + 41.40	.8064	----	----	----	----	73 UNCH
4215	----	----	376.20B/267.20A	376.20B/267.20A	----	366.30 + 40.90	.7968	----	----	----	----	1 UNCH
4220	----	----	372.30B/263.70A	372.30B/263.70A	----	362.30 + 40.70	.7936	----	----	----	----	16 UNCH
4225	----	----	368.30B/260.20A	368.30B/260.20A	----	358.30 + 40.60	.7902	----	----	----	----	102 UNCH
4235	----	----	360.20B/253.30A	360.20B/253.30A	----	350.30 + 40.20	.7834	----	----	----	----	1 UNCH
4250	----	----	349.00B/243.20A	349.00B/243.20A	----	338.50 + 39.70	.7729	----	----	----	----	71 UNCH
4255	----	----	344.50B/239.80A	344.50B/239.80A	----	334.60 + 39.50	.7694	----	----	----	----	1 UNCH
4265	----	----	337.30B/233.40A	337.30B/233.40A	----	326.90 + 39.20	.7620	----	----	----	----	77 UNCH
4285	----	----	321.70B/220.60A	321.70B/220.60A	----	311.70 + 38.40	.7470	----	----	----	----	8 UNCH
4300	----	----	310.80B/211.10A	310.80B/211.10A	----	300.60 + 37.90	.7351	----	----	----	----	43 UNCH
4310	----	----	303.00B/205.10A	303.00B/205.10A	----	293.30 + 37.50	.7271	----	----	----	----	1 UNCH
4320	----	----	295.70B/199.50A	295.70B/199.50A	----	286.00 + 37.10	.7189	----	----	----	----	2 UNCH
4325	----	----	292.20B/196.60A	292.20B/196.60A	----	282.40 + 36.80	.7148	----	----	----	----	6 UNCH
4330	----	----	289.00B/193.70A	289.00B/193.70A	----	278.90 + 36.70	.7105	----	----	----	----	201 UNCH
4350	----	----	274.80B/182.30A	274.80B/182.30A	----	264.90 + 35.90	.6933	----	----	----	----	774 UNCH
4360	----	----	267.60B/176.70A	267.60B/176.70A	----	258.10 + 35.50	.6845	----	----	----	----	1 UNCH
4375	----	----	257.50B/168.50A	257.50B/168.50A	----	248.00 + 34.80	.6709	----	----	----	----	3 UNCH
4385	----	----	251.10B/163.30A	251.10B/163.30A	----	241.40 + 34.40	.6618	----	----	----	----	100 UNCH
4390	----	----	247.50B/160.80A	247.50B/160.80A	----	238.10 + 34.10	.6572	----	----	----	----	1 UNCH
4400	155.00	155.00	241.30B/154.00	241.30B/154.00	----	231.70 + 33.70	.6478	----	----	25	----	338 + 11
4420	156.80	156.80	228.50B/145.90A	228.50B/145.90A	----	219.20 + 32.80	.6288	----	----	7	----	56 + 6
4425	151.70	151.70	225.30B/143.60A	225.30B/143.60A	----	216.10 + 32.60	.6240	----	----	12	----	12 + 7
4430	153.20	153.20	222.20B/141.20A	222.20B/141.20A	----	213.10 NEW	.6191	----	----	3	----	3 + 3
4435	155.00	155.00	219.00B/138.90A	219.00B/138.90A	----	210.00 NEW	.6143	----	----	1	----	1 + 1
4440	----	----	216.00B/136.60A	216.00B/136.60A	----	207.10 + 31.90	.6094	----	----	----	----	2 UNCH
4445	140.80	140.80	213.00B/134.30A	213.00B/134.30A	----	204.10 NEW	.6045	----	----	1	----	1 + 1
4450	160.50	160.50	210.20B/132.10A	210.20B/132.10A	----	201.20 + 31.40	.5996	----	----	4	----	24 + 2
4455	153.40	153.40	207.20B/129.80A	207.20B/129.80A	----	198.30 + 31.20	.5946	----	----	3	----	5 + 2
4460	142.80	142.80	204.30B/127.70A	204.30B/127.70A	----	195.40 + 30.90	.5897	----	----	11	----	15 + 10
4465	----	----	201.40B/125.50A	201.40B/125.50A	----	192.50 + 30.60	.5847	----	----	----	----	9 UNCH
4470	----	----	198.50B/123.40A	198.50B/123.40A	----	189.70 + 30.40	.5797	----	----	12	----	19 + 8
4475	127.40	127.40	195.70B/121.30A	195.70B/121.30A	----	186.90 + 30.20	.5747	----	----	33	----	61 + 7
4480	125.90	125.90	192.90B/119.30A	192.90B/119.30A	----	184.20 + 30.00	.5696	----	----	6	----	25 + 3
4485	----	----	190.10B/117.20A	190.10B/117.20A	----	181.40 + 29.70	.5646	----	----	----	----	21 UNCH
4490	----	----	187.40B/115.20A	187.40B/115.20A	----	178.70 + 29.50	.5595	----	----	----	----	11 UNCH
4500	134.00	134.00	181.90B/110.60	181.90B/110.60	----	173.40 + 29.00	.5494	----	----	153	----	1232 + 46
4505	116.00	116.00	179.30B/*109.10	179.30B/*109.10A	----	170.70 + 28.70	.5443	----	----	14	----	22 + 8
4510	127.80	127.80	176.70B/*107.50	176.70B/*107.50A	----	168.10 + 28.50	.5392	----	----	3	----	8 + 2
4515	105.00	105.00	174.00B/*105.00	174.00B/*105.00	----	165.60 + 28.30	.5341	----	----	3	----	10 + 2
4520	107.90	107.90	171.40B/*103.70	171.40B/*103.70A	----	163.00 + 28.00	.5290	----	----	17	----	29 + 13
4525	----	----	168.80B/*101.90	168.80B/*101.90A	----	160.50 + 27.80	.5239	----	----	----	----	10 UNCH
4530	----	----	166.30B/*100.10	166.30B/*100.10A	----	158.00 + 27.50	.5188	----	----	3	----	13 + 3
4535	----	----	163.80B/*98.40A	163.80B/*98.40A	----	155.60 + 27.30	.5137	----	----	----	----	11 UNCH
4540	152.00	152.00	161.30B/*96.60A	161.30B/*96.60A	----	153.20 + 27.10	.5086	----	----	36	----	39 + 33
4545	----	----	158.90B/*94.90A	158.90B/*94.90A	----	150.80 + 26.80	.5035	----	----	----	----	12 UNCH
4550	155.60	155.60	156.50B/*93.20A	156.50B/*93.20A	----	148.40 + 26.60	.4984	----	----	35	----	346 + 19
4555	----	----	154.00B/*91.60A	154.00B/*91.60A	----	146.10 + 26.40	.4933	----	----	----	----	6 UNCH
4560	----	----	151.90B/*89.90A	151.90B/*89.90A	----	143.70 + 26.00	.4882	----	----	----	----	366 UNCH
4565	144.30	144.30	149.40B/*88.30A	149.40B/*88.30A	----	141.50 + 25.90	.4832	----	----	2	----	4 + 1
4570	----	----	147.20B/*86.70A	147.20B/*86.70A	----	139.20 + 25.60	.4781	----	----	----	----	165 UNCH
4575	121.00	121.00	144.90B/*85.00A	144.90B/*85.00A	----	137.00 + 25.30	.4730	----	----	1	----	43 UNCH
4580	----	----	142.70B/*83.70A	142.70B/*83.70A	----	134.80 + 25.10	.4680	----	----	----	----	209 UNCH
4585	----	----	140.30B/*82.20A	140.30B/*82.20A	----	132.60 + 24.80	.4629	----	----	----	----	6 UNCH
4590	----	----	138.00B/*80.70A	138.00B/*80.70A	----	130.50 + 24.60	.4579	----	----	----	----	75 UNCH
4595	----	----	135.90B/*79.20A	135.90B/*79.20A	----	128.30 + 24.30	.4528	----	----	----	----	40 UNCH
4600	84.00	84.00	133.90B/77.80A	133.90B/77.80A	----	126.30 + 24.10	.4479	----	----	48	55	462 + 14
4605	----	----	131.70B/*76.40A	131.70B/*76.40A	----	124.20 + 23.80	.4429	----	----	----	----	6 UNCH
4610	----	----	129.60B/*75.00A	129.60B/*75.00A	----	122.20 + 23.60	.4379	----	----	----	----	11 UNCH
4615	----	----	127.40B/*73.50A	127.40B/*73.50A	----	120.10 + 23.30	.4329	----	----	----	----	39 UNCH
4620	76.30	76.30	125.50B/*72.20A	125.50B/*72.20A	----	118.20 + 23.10	.4280	----	----	1	----	13 UNCH
4625	88.00	88.00	123.50B/*71.00A	123.50B/*71.00A	----	116.20 + 22.80	.4231	----	----	6	----	38 + 2
4630	----	----	121.50B/*69.70A	121.50B/*69.70A	----	114.30 + 22.60	.4182	----	----	----	----	18 UNCH
4640	----	----	117.40B/*67.00A	117.40B/*67.00A	----	110.50 + 22.00	.4084	----	----	----	----	10 UNCH
4645	----	----	115.60B/*65.80A	115.60B/*65.80A	----	108.70 + 21.80	.4036	----	----	----	----	1 UNCH
4650	70.40	70.40	113.70B/*64.70A	113.70B/*64.70A	----	106.90 + 21.60	.3988	----	----	126	400	975 + 429
4655	----	----	111.90B/*63.50A	111.90B/*63.50A	----	105.10 + 21.40	.3941	----	----	----	----	33 UNCH
4660	----	----	110.00B/*62.30A	110.00B/*62.30A	----	103.30 + 21.10	.3893	----	----	----	----	31 UNCH
4665	----	----	108.20B/*61.10A	108.20B/*61.10A	----	101.60 + 20.90	.3846	----	----	----	----	24 UNCH
4670	----	----	106.40B/*60.00A	106.40B/*60.00A	----	99.80 + 20.60	.3798	----	----	----	----	80 UNCH
4675	----	----	104.70B/*58.90A	104.70B/*58.90A	----	98.10 + 20.30	.3751	----	----	----	----	84 UNCH
4680	60.80	60.80	102.90B/*57.80A	102.90B/*57.80A	----	96.50 + 20.10	.3705	----	----	3	----	37 + 1
4685	----	----	101.20B/*56.60A	101.20B/*56.60A	----	94.80 + 19.80	.3659	----	----	----	----	202 UNCH
4690	----	----	99.50B/*55.70A	99.50B/*55.70A	----	93.20 + 19.60	.3613	----	----	----	----	41 UNCH
4695	59.40	59.40	97.90B/*54.60A	97.90B/*54.60A	----	91.60 + 19.40	.3567	----	----	1	----	8 + 1
4700	60.00	60.00	96.30B/53.50A	96.30B/53.50A	----	90.10 + 19.20	.3523	----	----	1173	1175	4704 + 970
4705	----	----	94.60B/*52.70A	94.60B/*52.70A	----	88.50 + 18.90	.3477	----	----	----	----	114 UNCH
4710	54.40	54.40	93.00B/*51.60A	93.00B/*51.60A	----	87.00 + 18.70	.3433	----	----	25	----	88 + 11
4715	----	----	91.40B/*50.60A	91.40B/*50.60A	----	85.50 + 18.50	.3388	----	----	----	----	2 UNCH
4720	----	----	89.90B/*49.70A	89.90B/*49.70A	----	84.00 + 18.20	.3344	----	----	----	----	160 UNCH
4725	----	----	88.40B/*48.90A	88.40B/*48.90A	----	82.60 + 18.00	.3301	----	----	1	----	123 + 1
4730	----	----	86.80B/*48.00A	86.80B/*48.00A	----	81.20 + 17.80	.3258	----	----	----	----	74 UNCH
4735	----	----	85.30B/*47.10A	85.30B/*47.10A	----	79.80 + 17.60	.3216	----	----	----	----	44 UNCH
4740	----	----	83.90B/*46.10A	83.90B/*46.10A	----	78.40 + 17.40	.3173	----	----	----	----	23 UNCH
4745	----	----	82.50B/*45.40A	82.50B/*45.40A	----	77.00 + 17.10	.3130	----	----	----	----	89 UNCH
4750	72.30	72.30	81.20/44.50A	81.20/44.50A	----	75.70 + 16.90	.3089	----	----	102	----	610 + 83
4755	50.00	50.00	79.60B/*43.60A	79.60B/*43.60A	----	74.40 + 16.70	.3048	----	----	1	----	58 UNCH
4760	43.80	43.80	78.30B/*42.90A	78.30B/*42.90A	----	73.10 + 16.50	.3007	----	----	2	----	45 + 1
4765	----	----	76.90B/*42.10A	76.90B/*42.10A	----	71.80 + 16.30	.2966	----	----	----	----	11 UNCH
4770	75.60	75.60	75.70B/*41.30A	75.70B/*41.30A	----	70.50 + 16.00	.2924	----	----	9	----	264 + 6
4775	----	----	74.30B/*40.50A	74.30B/*40.50A	----	69.30 + 15.90	.2885	----	----	----	----	134 UNCH
4780	----	----	73.10B/*39.80A	73.10B/*39.80A	----	68.10 + 15.70	.2846	----	----	----	----	18 UNCH
4785	63.70	63.70	71.80B/*39.10A	71.80B/*39.10A	----	66.90 + 15.50	.2806	----	----	1	----	175 UNCH
4790	----	----	70.60B/*38.30A	70.60B/*38.30A	----	65.70 + 15.20	.2767	----	----	1	----	33 - 1
4795	----	----	69.40B/*37.50A	69.40B/*37.50A	----	64.60 + 15.10	.2730	----	----	----	----	127 UNCH
4800	38.50	38.50	68.20B/36.50	68.20B/36.50	----	63.40 + 14.80	.2691	----	----	324	30	2793 + 232
4805	----	----	67.00B/*36.20A	67.00B/*36.20A	----	62.30 + 14.60	.2653	----	----	----	----	15 UNCH
4810	----	----	65.80B/*35.60A	65.80B/*35.60A	----	61.20 + 14.50	.2616	----	----	----	----	18 UNCH
4815	----	----	64.70B/*34.90A	64.70B/*34.90A	----	60.20 + 14.30	.2581	----	----	----	----	55 UNCH
4820	----	----	63.50B/*34.30A	63.50B/*34.30A	----	59.10 + 14.10	.2543	----	----	----	----	137 UNCH
4825	----	----	62.40B/*33.60A	62.40B/*33.60A	----	58.10 + 13.90	.2508	----	----	----	250	342 + 250
4830	----	----	61.40B/*33.00A	61.40B/*33.00A	----	57.00 + 13.70	.2471	----	----	15	----	74 + 10
4835	----	----	60.30B/*32.40A	60.30B/*32.40A	----	56.00 + 13.50	.2436	----	----	----	----	37 UNCH
4840	----	----	59.30B/*31.80A	59.30B/*31.80A	----	55.00 + 13.30	.2401	----	----	----	----	25 UNCH
4845	55.60	55.60	58.20B/*31.20A	58.20B/*31.20A	----	54.10 + 13.20	.2368	----	----	5	----	6 + 5
4850	30.80	30.80	57.10B/*30.60A	57.10B/*30.60A	----	53.10 + 12.90	.2333	----	----	72	----	265 - 27
4860	----	----	55.20B/*29.50A	55.20B/*29.50A	----	51.20 + 12.50	.2265	----	----	----	----	30 UNCH
4865	----	----	54.30B/*28.90A	54.30B/*28.90A	----	50.30 + 12.30	.2232	----	----	----	----	14 UNCH
4870	----	----	53.30B/*28.40A	53.30B/*28.40A	----	49.40 + 12.10	.2200	----	----	2	----	51 + 2
4875	42.20	42.20	52.40B/*27.80A	52.40B/*27.80A	----	48.60 + 12.00	.2169	----	----	4	----	177 + 4
4880	----	----	51.50B/*27.30A	51.50B/*27.30A	----	47.70 + 11.80	.2136	----	----	----	----	142 UNCH
4885	50.00	50.00	50.60B/*26.80A	50.60B/*26.80A	----	46.90 + 11.70	.2106	----	----	1	----	50 + 1
4890	----	----	49.70B/*26.30A	49.70B/*26.30A	----	46.10 + 11.50	.2076	----	----	----	----	10 UNCH
4895	----	----	48.90B/*25.80A	48.90B/*25.80A	----	45.20 + 11.30	.2043	----	----	----	----	64 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 22

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4900	27.00	27.00	48.00B/25.30A	48.00B/25.30A	----	44.40 + 11.10	.2013	----	----	286	----	1188 - 80
4905	----	----	47.10B/*24.90A	47.10B/*24.90A	----	43.70 + 11.00	.1985	----	----	1	----	14 UNCH
4910	----	----	46.40B/*24.40A	46.40B/*24.40A	----	42.90 + 10.80	.1955	----	----	----	----	14 UNCH
4915	24.30	24.30	45.60B/*24.00A	45.60B/*24.00A	----	42.10 + 10.60	.1925	----	----	15	----	40 + 14
4920	----	----	44.80B/*23.50A	44.80B/*23.50A	----	41.40 + 10.50	.1898	----	----	----	----	23 UNCH
4925	----	----	44.00B/*23.10A	44.00B/*23.10A	----	40.70 + 10.30	.1870	----	----	----	----	308 UNCH
4930	41.20	41.20	43.20/*22.70A	43.20/*22.70A	----	40.00 + 10.20	.1843	----	----	7	----	46 + 6
4935	----	----	42.50B/*22.30A	42.50B/*22.30A	----	39.30 + 10.00	.1815	----	----	----	----	5 UNCH
4940	----	----	41.70B/*21.90A	41.70B/*21.90A	----	38.60 + 9.90	.1788	----	----	----	----	46 UNCH
4945	----	----	41.00B/*21.50A	41.00B/*21.50A	----	37.90 + 9.70	.1761	----	----	----	----	83 UNCH
4950	27.70	27.70	40.30B/*21.10A	40.30B/*21.10A	----	37.30 + 9.60	.1736	----	----	152	----	532 - 22
4955	----	----	39.60B/*20.80A	39.60B/*20.80A	----	36.60 + 9.40	.1709	----	----	----	----	22 UNCH
4960	----	----	38.90B/*20.40A	38.90B/*20.40A	----	36.00 + 9.30	.1684	----	----	----	----	37 UNCH
4965	----	----	38.20B/*20.10A	38.20B/*20.10A	----	35.40 + 9.20	.1660	----	----	----	----	23 UNCH
4970	----	----	37.60B/*19.70A	37.60B/*19.70A	----	34.80 + 9.00	.1635	----	----	----	----	17 UNCH
4975	----	----	36.90B/*19.40A	36.90B/*19.40A	----	34.20 + 8.90	.1611	----	----	1	----	8 - 1
4980	----	----	36.30B/*19.00A	36.30B/*19.00A	----	33.60 + 8.80	.1586	----	----	----	----	14 UNCH
4985	----	----	35.70B/*18.70A	35.70B/*18.70A	----	33.00 + 8.60	.1562	----	----	----	----	15 UNCH
4990	----	----	35.10B/*18.40A	35.10B/*18.40A	----	32.40 + 8.40	.1538	----	----	----	----	9 UNCH
4995	21.80	21.80	34.40B/*18.10A	34.40B/*18.10A	----	31.90 + 8.40	.1516	----	----	4	----	8 + 4
5000	18.60	18.60	33.90B/17.80A	33.90B/17.80A	----	31.30 + 8.20	.1492	----	----	477	----	2938 + 234
5005	26.40	26.40	33.30B/*17.50A	33.30B/*17.50A	----	30.80 + 8.10	.1471	----	----	1	----	15 UNCH
5010	25.90	25.90	32.70B/*17.20A	32.70B/*17.20A	----	30.30 + 8.00	.1449	----	----	1	----	3 - 1
5015	25.50	25.50	32.20B/*16.90A	32.20B/*16.90A	----	29.80 + 7.90	.1428	----	----	2	----	22 - 2
5020	25.10	25.10	31.60B/*16.60A	31.60B/*16.60A	----	29.30 + 7.80	.1407	----	----	3	----	32 UNCH
5025	24.60	24.60	31.10B/*16.30A	31.10B/*16.30A	----	28.80 + 7.60	.1386	----	----	14	----	233 + 1
5030	24.20	24.20	30.60B/*16.10A	30.60B/*16.10A	----	28.30 + 7.50	.1365	----	----	30	----	208 - 20
5035	23.80	23.80	30.00B/*15.80A	30.00B/*15.80A	----	27.80 + 7.40	.1344	----	----	114	----	73 - 57
5040	----	----	29.60B/*15.50A	29.60B/*15.50A	----	27.30 + 7.20	.1323	----	----	----	----	33 UNCH
5045	----	----	29.00B/*15.30A	29.00B/*15.30A	----	26.90 + 7.20	.1304	----	----	----	----	34 UNCH
5050	15.90	15.90	28.60B/*15.00A	28.60B/*15.00A	----	26.40 + 7.00	.1284	----	----	17	----	431 + 10
5055	----	----	28.10B/*14.80A	28.10B/*14.80A	----	26.00 + 6.90	.1266	----	----	1	----	7 + 1
5060	----	----	27.60B/*14.60A	27.60B/*14.60A	----	25.60 + 6.80	.1248	----	----	----	----	34 UNCH
5065	----	----	27.20B/*14.30A	27.20B/*14.30A	----	25.10 + 6.70	.1227	----	----	----	----	43 UNCH
5070	----	----	26.70B/*14.10A	26.70B/*14.10A	----	24.70 + 6.60	.1209	----	----	----	----	61 UNCH
5075	----	----	26.30B/*13.90A	26.30B/*13.90A	----	24.30 + 6.50	.1191	----	----	----	----	306 UNCH
5080	----	----	25.80B/*13.70A	25.80B/*13.70A	----	23.90 + 6.40	.1174	----	----	----	----	24 UNCH
5085	----	----	25.40B/*13.50A	25.40B/*13.50A	----	23.50 + 6.30	.1156	----	----	----	----	161 UNCH
5090	24.60	24.60	25.00B/*13.30A	25.00B/*13.30A	----	23.20 + 6.20	.1141	----	----	2	----	7 + 2
5095	----	----	24.60B/*13.10A	24.60B/*13.10A	----	22.80 + 6.10	.1124	----	----	----	----	5 UNCH
5100	15.30	15.30	24.20B/*12.90A	24.20B/*12.90A	----	22.40 + 6.00	.1106	----	----	716	1175	5029 + 1131
5105	----	----	23.80B/*12.70A	23.80B/*12.70A	----	22.00 + 5.80	.1089	----	----	----	----	7 UNCH
5110	----	----	23.40B/*12.50A	23.40B/*12.50A	----	21.70 + 5.80	.1075	----	----	----	----	11 UNCH
5115	----	----	23.10B/*12.30A	23.10B/*12.30A	----	21.30 + 5.70	.1057	----	----	----	----	14 UNCH
5120	----	----	22.70B/*12.10A	22.70B/*12.10A	----	21.00 + 5.60	.1043	----	----	----	----	360 UNCH
5125	22.00	22.00	22.30B/*11.90A	22.30B/*11.90A	----	20.70 + 5.50	.1029	----	----	2	----	349 + 2
5130	----	----	22.00B/*11.80A	22.00B/*11.80A	----	20.30 + 5.40	.1012	----	----	----	----	13 UNCH
5135	20.70	20.70	21.60B/*11.60A	21.60B/*11.60A	----	20.00 + 5.30	.0998	----	----	1	----	24 UNCH
5140	----	----	21.30B/*11.40A	21.30B/*11.40A	----	19.70 + 5.30	.0984	----	----	----	----	25 UNCH
5145	----	----	20.90B/*11.30A	20.90B/*11.30A	----	19.40 + 5.20	.0970	----	----	----	----	12 UNCH
5150	11.00	11.00	20.60B/*11.00	20.60B/*11.00	----	19.10 + 5.10	.0956	----	----	4	----	123 + 1
5155	----	----	20.30B/*10.90A	20.30B/*10.90A	----	18.80 + 5.00	.0942	----	----	----	----	25 UNCH
5160	----	----	20.00B/*10.80A	20.00B/*10.80A	----	18.50 + 4.90	.0928	----	----	----	----	16 UNCH
5165	----	----	19.70B/*10.60A	19.70B/*10.60A	----	18.20 + 4.80	.0914	----	----	----	----	24 UNCH
5170	11.50	11.50	19.40B/*10.50A	19.40B/*10.50A	----	18.00 + 4.80	.0904	----	----	1	----	12 + 1
5175	----	----	19.10B/*10.30A	19.10B/*10.30A	----	17.70 + 4.70	.0890	----	----	----	----	362 UNCH
5180	----	----	18.80B/*10.20A	18.80B/*10.20A	----	17.40 + 4.60	.0876	----	----	----	----	1 UNCH
5185	----	----	18.50B/*10.10A	18.50B/*10.10A	----	17.20 + 4.60	.0866	----	----	----	----	2 UNCH
5190	18.00	18.00	18.20B/*9.90A	18.20B/*9.90A	----	16.90 + 4.50	.0852	----	----	9	----	33 + 9
5195	----	----	17.90B/*9.80A	17.90B/*9.80A	----	16.60 + 4.40	.0839	----	----	1	----	42 UNCH
5200	10.30	10.30	17.70B/*9.70A	17.70B/*9.70A	----	16.40 + 4.40	.0829	----	----	237	----	3651 + 202
5205	----	----	17.40B/*9.50A	17.40B/*9.50A	----	16.20 + 4.40	.0818	----	----	----	----	6 UNCH
5210	----	----	17.10B/*9.40A	17.10B/*9.40A	----	15.90 + 4.20	.0805	----	----	----	----	8 UNCH
5215	----	----	16.90B/*9.30A	16.90B/*9.30A	----	15.70 + 4.20	.0795	----	----	----	----	15 UNCH
5220	----	----	16.60B/*9.20A	16.60B/*9.20A	----	15.50 + 4.20	.0785	----	----	----	----	291 UNCH
5225	----	----	16.40B/*9.00A	16.40B/*9.00A	----	15.20 + 4.10	.0771	----	----	----	----	55 UNCH
5230	----	----	16.20B/*8.90A	16.20B/*8.90A	----	15.00 + 4.00	.0761	----	----	----	----	11 UNCH
5235	----	----	15.90B/*8.80A	15.90B/*8.80A	----	14.80 + 4.00	.0752	----	----	----	----	20 UNCH
5240	----	----	15.70B/*8.70A	15.70B/*8.70A	----	14.60 + 4.00	.0742	----	----	----	----	34 UNCH
5245	----	----	15.50B/*8.60A	15.50B/*8.60A	----	14.40 + 3.90	.0732	----	----	----	----	17 UNCH
5250	9.40	9.40	15.30B/*8.50A	15.30B/*8.50A	----	14.20 + 3.90	.0722	----	----	5	----	736 + 2
5255	----	----	15.00B/*8.40A	15.00B/*8.40A	----	14.00 + 3.80	.0712	----	----	----	----	905 UNCH
5260	----	----	14.80B/*8.30A	14.80B/*8.30A	----	13.80 + 3.80	.0702	----	----	----	----	34 UNCH
5265	----	----	14.60B/*8.20A	14.60B/*8.20A	----	13.60 + 3.70	.0693	----	----	----	----	13 UNCH
5270	13.50	13.50	14.40B/*8.10A	14.40B/*8.10A	----	13.40 + 3.60	.0683	----	----	5	----	153 + 2
5275	14.00	14.00	14.20B/*8.00A	14.20B/*8.00A	----	13.20 + 3.60	.0673	----	----	2	----	16 UNCH
5280	----	----	14.00B/*7.90A	14.00B/*7.90A	----	13.10 + 3.60	.0667	----	----	----	----	207 UNCH
5285	----	----	13.80B/*7.80A	13.80B/*7.80A	----	12.90 + 3.50	.0658	----	----	----	----	32 UNCH
5290	----	----	13.60B/*7.70A	13.60B/*7.70A	----	12.70 + 3.50	.0648	----	----	----	----	22 UNCH
5295	----	----	13.50B/*7.60A	13.50B/*7.60A	----	12.50 + 3.40	.0639	----	----	----	----	6 UNCH
5300	----	----	13.30B/*7.50A	13.30B/*7.50A	----	12.40 + 3.40	.0633	----	----	15	----	1180 + 5
5305	----	----	13.10B/*7.40A	13.10B/*7.40A	----	12.20 + 3.30	.0623	----	----	----	----	17 UNCH
5310	----	----	12.90B/*7.40A	12.90B/*7.40A	----	12.10 + 3.30	.0617	----	----	----	----	107 UNCH
5320	----	----	12.60B/*7.20A	12.60B/*7.20A	----	11.80 + 3.20	.0602	----	----	1	----	16 - 1
5325	----	----	12.40B/*7.10A	12.40B/*7.10A	----	11.60 + 3.10	.0593	----	----	----	----	27 UNCH
5330	----	----	12.30B/*7.00A	12.30B/*7.00A	----	11.50 + 3.10	.0587	----	----	----	----	18 UNCH
5335	----	----	12.10B/*7.00A	12.10B/*7.00A	----	11.30 + 3.10	.0578	----	----	----	----	1 UNCH
5345	----	----	11.80B/*6.80A	11.80B/*6.80A	----	11.10 + 3.00	.0566	----	----	----	----	27 UNCH
5350	7.00	7.00	11.70B/*6.70A	11.70B/*6.70A	----	10.90 + 2.90	.0557	----	----	10	----	8011 + 8
5355	----	----	11.50B/*6.70A	11.50B/*6.70A	----	10.80 + 2.90	.0551	----	----	----	----	1 UNCH
5360	----	----	11.40B/*6.60A	11.40B/*6.60A	----	10.70 + 2.90	.0546	----	----	----	----	114 UNCH
5365	----	----	11.20B/*6.50A	11.20B/*6.50A	----	10.50 + 2.80	.0537	----	----	----	----	6 UNCH
5370	----	----	11.10B/*6.50A	11.10B/*6.50A	----	10.40 + 2.80	.0531	----	----	----	----	8008 UNCH
5375	----	----	11.00B/*6.40A	11.00B/*6.40A	----	10.30 + 2.80	.0526	----	----	----	----	256 UNCH
5380	----	----	10.80B/*6.30A	10.80B/*6.30A	----	10.20 + 2.80	.0520	----	----	----	----	38 UNCH
5395	----	----	10.40B/*6.10A	10.40B/*6.10A	----	9.80 + 2.60	.0500	----	----	----	----	4 UNCH
5400	6.90	6.90	10.30B/*6.10A	10.30B/*6.10A	----	9.70 + 2.60	.0495	----	----	39	----	2408 + 10
5405	----	----	10.20B/*6.00A	10.20B/*6.00A	----	9.60 + 2.60	.0489	----	----	----	----	7 UNCH
5410	----	----	10.10B/*6.00A	10.10B/*6.00A	----	9.50 + 2.50	.0484	----	----	----	----	19 UNCH
5420	----	----	9.90B/*5.80A	9.90B/*5.80A	----	9.30 + 2.50	.0474	----	----	----	----	8 UNCH
5425	----	----	9.80B/*5.80A	9.80B/*5.80A	----	9.20 + 2.50	.0468	----	----	----	----	21 UNCH
5430	----	----	9.60B/*5.70A	9.60B/*5.70A	----	9.10 + 2.40	.0463	----	----	----	----	17 UNCH
5435	----	----	9.50B/*5.70A	9.50B/*5.70A	----	9.00 + 2.40	.0458	----	----	----	----	50 UNCH
5440	----	----	9.40B/*5.60A	9.40B/*5.60A	----	8.90 + 2.40	.0453	----	----	----	----	105 UNCH
5445	----	----	9.30B/*5.60A	9.30B/*5.60A	----	8.80 + 2.40	.0447	----	----	----	----	10 UNCH
5450	----	----	9.20B/*5.50A	9.20B/*5.50A	----	8.70 + 2.30	.0442	----	----	----	----	246 UNCH
5455	----	----	9.10B/*5.50A	9.10B/*5.50A	----	8.70 + 2.40	.0441	----	----	----	----	22 UNCH
5460	----	----	9.00B/*5.40A	9.00B/*5.40A	----	8.60 + 2.40	.0436	----	----	----	----	12 UNCH
5465	----	----	8.90B/*5.40A	8.90B/*5.40A	----	8.50 + 2.30	.0431	----	----	----	----	42 UNCH
5470	----	----	8.80B/*5.30A	8.80B/*5.30A	----	8.40 + 2.30	.0425	----	----	----	----	14 UNCH
5475	----	----	8.70B/*5.30A	8.70B/*5.30A	----	8.30 + 2.30	.0420	----	----	----	----	7 UNCH
5480	----	----	8.70B/*5.20A	8.70B/*5.20A	----	8.20 + 2.20	.0415	----	----	----	----	14 UNCH
5485	----	----	8.60B/*5.20A	8.60B/*5.20A	----	8.10 + 2.20	.0410	----	----	----	----	19 UNCH
5490	----	----	8.50B/*5.10A	8.50B/*5.10A	----	8.10 + 2.20	.0409	----	----	----	----	2 UNCH
5495	----	----	8.40B/*5.10A	8.40B/*5.10A	----	8.00 + 2.20	.0404	----	----	----	----	4 UNCH
5500	4.80	4.80	8.30B/*4.80	8.30B/*4.80	----	7.90 + 2.20	.0399	----	----	341	----	1871 + 222
5505	----	----	8.20B/*5.00A	8.20B/*5.00A	----	7.80 + 2.10	.0394	----	----	----	----	13 UNCH
5510	----	----	8.10B/*5.00A	8.10B/*5.00A	----	7.80 + 2.20	.0393	----	----	----	----	9 UNCH
5515	----	----	8.10B/*4.90A	8.10B/*4.90A	----	7.70 + 2.10	.0388	----	----	----	----	41 UNCH
5520	----	----	8.00B/*4.90A	8.00B/*4.90A	----	7.60 + 2.10	.0383	----	----	3	----	4 + 1
5525	----	----	7.90B/*4.90A	7.90B/*4.90A	----	7.50 + 2.10	.0378	----	----	----	----	2236 UNCH
5530	----	----	7.80B/*4.80A	7.80B/*4.80A	----	7.50 + 2.10	.0377	----	----	----	----	1 UNCH
5535	----	----	7.70B/*4.80A	7.70B/*4.80A	----	7.40 + 2.10	.0372	----	----	----	----	12 UNCH
5540	----	----	7.70B/*4.70A	7.70B/*4.70A	----	7.30 + 2.00	.0367	----	----	----	----	9 UNCH
5545	----	----	7.60B/*4.70A	7.60B/*4.70A	----	7.30 + 2.10	.0366	----	----	----	----	18 UNCH
5550	7.30	7.30	7.50B/*4.70A	7.50B/*4.70A	----	7.20 + 2.00	.0361	----	----	4	----	128 - 2
5555	----	----	7.50B/*4.60A	7.50B/*4.60A	----	7.10 + 2.00	.0356	----	----	----	----	1 UNCH
5560	----	----	7.40B/*4.60A	7.40B/*4.60A	----	7.10 + 2.00	.0355	----	----	----	----	3 UNCH
5565	----	----	7.30B/*4.60A	7.30B/*4.60A	----	7.00 + 2.00	.0351	----	----	----	----	37 UNCH
5570	----	----	7.20B/*4.50A	7.20B/*4.50A	----	6.90 + 1.90	.0346	----	----	----	----	21 UNCH
5575	6.90	6.90	7.20B/*4.50A	7.20B/*4.50A	----	6.90 + 2.00	.0345	----	----	2	----	4 UNCH
5580	----	----	7.10B/*4.50A	7.10B/*4.50A	----	6.80 + 1.90	.0340	----	----	----	----	34 UNCH
5590	----	----	7.00B/*4.40A	7.00B/*4.40A	----	6.70 + 1.90	.0334	----	----	----	----	2 UNCH
5595	----	----	6.90B/*4.40A	6.90B/*4.40A	----	6.60 + 1.80	.0330	----	----	----	----	28 UNCH
5600	4.90	4.90	6.90B/*4.30A	6.90B/*4.30A	----	6.60 + 1.90	.0329	----	----	3	----	1092 + 1
5605	----	----	6.80B/*4.30A	6.80B/*4.30A	----	6.50 + 1.80	.0324	----	----	----	----	7 UNCH
5610	----	----	6.70B/*4.30A	6.70B/*4.30A	----	6.50 + 1.90	.0323	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5615	----	----	6.70B/*4.20A	6.70B/*4.20A	----	6.40 + 1.80	.0318	----	----	----	----	3 UNCH
5620	----	----	6.60B/*4.20A	6.60B/*4.20A	----	6.40 + 1.80	.0317	----	----	----	----	37 UNCH
5625	----	----	6.60B/*4.20A	6.60B/*4.20A	----	6.30 + 1.80	.0313	----	----	----	----	5 UNCH
5630	----	----	6.50B/*4.20A	6.50B/*4.20A	----	6.30 + 1.80	.0312	----	----	----	----	15 UNCH
5635	----	----	6.50B/*4.10A	6.50B/*4.10A	----	6.20 + 1.80	.0307	----	----	----	----	2 UNCH
5640	----	----	6.40B/*4.10A	6.40B/*4.10A	----	6.20 + 1.80	.0306	----	----	----	----	9 UNCH
5650	----	----	6.30B/*4.00A	6.30B/*4.00A	----	6.10 + 1.80	.0301	----	----	----	----	602 UNCH
5660	----	----	6.20B/*4.00A	6.20B/*4.00A	----	6.00 + 1.70	.0296	----	----	----	----	34 UNCH
5670	----	----	6.10B/*3.90A	6.10B/*3.90A	----	5.90 + 1.70	.0290	----	----	----	----	10 UNCH
5675	----	----	6.00B/*3.90A	6.00B/*3.90A	----	5.80 + 1.60	.0286	----	----	----	----	3 UNCH
5680	----	----	6.00B/*3.90A	6.00B/*3.90A	----	5.80 + 1.70	.0285	----	----	----	----	4 UNCH
5690	----	----	5.90B/*3.90A	5.90B/*3.90A	----	5.70 + 1.60	.0280	----	----	----	----	16 UNCH
5700	3.80	3.80	5.80B/*3.80	5.80B/*3.80	----	5.60 + 1.60	.0274	----	----	1	----	1691 UNCH
5710	----	----	5.70B/*3.80A	5.70B/*3.80A	----	5.50 + 1.50	.0269	----	----	----	----	7 UNCH
5720	----	----	5.60B/*3.70A	5.60B/*3.70A	----	5.50 + 1.60	.0268	----	----	----	----	19 UNCH
5725	----	----	5.60B/*3.70A	5.60B/*3.70A	----	5.40 + 1.50	.0263	----	----	----	----	1 UNCH
5730	----	----	5.60B/*3.70A	5.60B/*3.70A	----	5.40 + 1.60	.0263	----	----	----	----	15 UNCH
5750	----	----	5.40B/*3.60A	5.40B/*3.60A	----	5.20 + 1.50	.0253	----	----	----	----	830 UNCH
5775	----	----	5.20B/*3.50A	5.20B/*3.50A	----	5.10 + 1.50	.0246	----	----	----	----	3 UNCH
5800	3.30	3.30	5.10/*3.30	5.10/*3.30	----	4.90 + 1.40	.0235	----	----	4	----	1050 UNCH
5825	----	----	4.90B/*3.30A	4.90B/*3.30A	----	4.80 + 1.40	.0229	----	----	----	----	135 UNCH
5850	----	----	4.80B/*3.20A	4.80B/*3.20A	----	4.60 + 1.30	.0219	----	----	----	----	166 UNCH
5875	----	----	4.60B/----	4.60B/*3.20A	----	4.50 + 1.30	.0212	----	----	----	----	26 UNCH
5900	----	----	4.50B/----	4.50B/*3.10A	----	4.40 + 1.30	.0206	----	----	----	----	1490 UNCH
5925	4.50	4.50	4.50/4.50	4.50/*3.00A	----	4.30 + 1.30	.0200	----	----	12	----	14 + 12
5950	----	----	4.30B/----	4.30B/*3.00A	----	4.20 + 1.30	.0194	----	----	----	----	12 UNCH
6000	3.10	3.10	4.30/3.00	4.30/2.90A	----	4.00 + 1.30	.0183	----	----	2467	----	3822 + 1718
6100	----	----	3.70B/----	3.70B/2.70A	----	3.60 + 1.10	.0162	----	----	----	----	816 UNCH
6200	3.60	3.60	3.60/3.60	3.60/2.50A	----	3.40 + 1.10	.0148	----	----	20	----	1429 + 3
6250	----	----	3.30B/----	3.30B/2.40A	----	3.20 + 1.00	.0139	----	----	----	----	4 UNCH
6300	3.30	3.30	3.30/3.30	3.30/2.40A	----	3.10 + 0.90	.0133	----	----	1	----	87 UNCH
6400	----	----	3.00B/----	3.00B/2.20A	----	2.90 + 0.80	.0122	----	----	----	----	54 UNCH
6500	2.50	2.50	2.80B/2.50	2.80B/2.10A	----	2.80 + 0.80	.0114	----	----	1	----	904 UNCH
6600	----	----	2.60B/----	2.60B/2.00A	----	2.60 + 0.70	.0104	----	----	----	----	207 UNCH
6700	----	----	2.50B/----	2.50B/2.00A	----	2.50 + 0.70	.0098	----	----	----	----	332 UNCH
6800	----	----	2.30B/----	2.30B/1.90A	----	2.30 + 0.60	.0089	----	----	----	----	38 UNCH
6900	1.90	1.90	2.20B/1.90	2.20B/1.80A	----	2.20 + 0.60	.0084	----	----	2	----	33 + 2
7000	----	----	2.00B/----	2.00B/1.70A	----	2.10 + 0.60	.0079	----	----	72	----	909 UNCH
7500	----	----	1.50B/----	1.50B/1.40A	----	1.60 + 0.50	.0056	----	----	----	----	801 UNCH
8000	----	----	1.00B/----	1.00B/1.20A	----	1.20 + 0.40	.0040	----	----	36	----	634 UNCH
8500	0.90	0.90	0.90/0.80	0.90/0.80	----	0.90 + 0.20	.0029	----	----	2	----	90 UNCH
9000	----	----	----	0.40B/0.90A	----	0.60 + 0.10	.0019	----	----	----	----	17 UNCH
9500	----	----	----	0.30B/0.80A	----	0.50 UNCH	.0015	----	----	----	----	312 UNCH
10000	0.50	0.50	0.60/0.50	0.60/0.50	----	0.40 UNCH	.0012	----	----	9	----	112 + 9
TOTAL										7498	3,085	85576+ 5632
SEP26												
3875	----	----	----	568.30B/700.60A	----	709.30 + 46.80	.9125	----	----	----	----	1 UNCH
3995	----	----	607.80B/514.90A	607.80B/514.90A	----	600.30 + 45.00	.8775	----	----	----	----	10 UNCH
4085	----	----	529.40B/440.70A	529.40B/440.70A	----	522.10 + 43.30	.8425	----	----	----	----	37 UNCH
4130	----	----	491.60B/405.40A	491.60B/405.40A	----	484.40 + 42.30	.8218	----	----	----	----	10 UNCH
4185	----	----	447.00B/364.10A	447.00B/364.10A	----	439.90 + 41.00	.7934	----	----	----	----	40 UNCH
4200	----	----	----	330.20B/441.30A	----	428.00 + 40.60	.7851	----	----	----	----	1 UNCH
4220	----	----	419.50B/323.20A	419.50B/323.20A	----	412.40 + 40.00	.7736	----	----	----	----	162 UNCH
4290	----	----	367.00B/274.90A	367.00B/274.90A	----	360.10 + 37.90	.7300	----	----	----	----	6 UNCH
4295	----	----	363.40B/270.80A	363.40B/270.80A	----	356.50 + 37.70	.7266	----	----	----	----	50 UNCH
4300	----	----	359.80B/267.70A	359.80B/267.70A	----	353.00 + 37.60	.7232	----	----	----	----	18 UNCH
4320	----	----	348.50B/255.50A	348.50B/255.50A	----	338.80 + 36.90	.7096	----	----	----	----	162 UNCH
4375	----	----	309.60B/224.50A	309.60B/224.50A	----	301.70 + 35.10	.6701	----	----	----	----	1 UNCH
4390	----	----	301.20B/214.30A	301.20B/214.30A	----	292.00 + 34.50	.6589	----	----	----	----	202 UNCH
4400	223.90	223.90	293.50B/208.00A	293.50B/208.00A	----	285.60 + 34.10	.6513	----	----	9	----	4 - 3
4410	----	----	287.10B/202.40A	287.10B/202.40A	----	279.30 + 33.70	.6437	----	----	----	----	1 UNCH
4425	----	----	277.80B/194.90A	277.80B/194.90A	----	270.10 + 33.20	.6321	----	----	----	----	1 UNCH
4450	----	----	262.80B/182.70A	262.80B/182.70A	----	255.20 + 32.30	.6124	----	----	----	----	1 UNCH
4480	----	----	246.70B/169.30A	246.70B/169.30A	----	238.00 + 31.10	.5884	----	----	----	----	1 UNCH
4485	----	----	243.90B/166.70A	243.90B/166.70A	----	235.20 + 30.90	.5844	----	----	----	----	1 UNCH
4495	----	----	238.30B/162.90A	238.30B/162.90A	----	229.70 + 30.50	.5763	----	----	----	----	110 UNCH
4500	----	----	235.60B/161.00A	235.60B/161.00A	----	227.00 + 30.30	.5723	----	----	----	----	83 UNCH
4505	----	----	232.80B/158.20A	232.80B/158.20A	----	224.30 + 30.10	.5682	----	----	----	----	21 UNCH
4510	----	----	230.10B/156.40A	230.10B/156.40A	----	221.60 + 29.90	.5641	----	----	----	----	2 UNCH
4515	----	----	227.50B/154.40A	227.50B/154.40A	----	219.00 + 29.80	.5600	----	----	----	----	2 UNCH
4520	----	----	224.80B/152.40A	224.80B/152.40A	----	216.40 + 29.60	.5560	----	----	----	----	2 UNCH
4530	----	----	219.60B/148.30A	219.60B/148.30A	----	211.20 + 29.20	.5478	----	----	----	----	7 UNCH
4535	----	----	217.00B/146.40A	217.00B/146.40A	----	208.60 + 28.90	.5437	----	----	----	----	7 UNCH
4540	211.00	211.00	214.50B/144.20A	214.50B/144.20A	----	206.10 + 28.70	.5396	----	----	2	----	7 + 2
4545	191.00	191.00	211.90B/142.50A	211.90B/142.50A	----	203.60 + 28.60	.5355	----	----	10	----	8 - 8
4550	188.50	188.50	209.40B/140.50A	209.40B/140.50A	----	201.10 + 28.30	.5314	----	----	1	----	275 UNCH
4555	182.70	182.70	206.80B/138.50A	206.80B/138.50A	----	198.60 NEW	.5273	----	----	7	----	7 + 7
4560	145.50	145.50	204.40B/136.50A	204.40B/136.50A	----	196.20 + 27.90	.5232	----	----	1	----	22 + 1
4565	----	----	201.90B/134.80A	201.90B/134.80A	----	193.80 + 27.70	.5190	----	----	----	----	6 UNCH
4570	----	----	199.40B/133.10A	199.40B/133.10A	----	191.40 + 27.50	.5149	----	----	----	----	19 UNCH
4575	156.50	156.50	197.00B/131.30A	197.00B/131.30A	----	189.00 + 27.30	.5108	----	----	11	----	62 + 9
4580	189.50	189.50	194.60B/129.30A	194.60B/129.30A	----	186.70 + 27.10	.5068	----	----	2	----	3 UNCH
4585	----	----	192.30B/127.60A	192.30B/127.60A	----	184.40 + 27.00	.5027	----	----	----	----	22 UNCH
4590	----	----	189.90B/125.80A	189.90B/125.80A	----	182.10 + 26.80	.4986	----	----	----	----	16 UNCH
4595	186.50	186.50	188.30/124.20A	188.30/124.20A	----	179.80 NEW	.4945	----	----	7	----	7 + 7
4600	----	----	185.20B/122.50A	185.20B/122.50A	----	177.50 + 26.30	.4904	----	----	----	----	166 UNCH
4605	----	----	183.00B/*120.80	183.00B/*120.80A	----	175.30 + 26.10	.4863	----	----	----	----	47 UNCH
4610	----	----	180.80B/*119.10	180.80B/*119.10A	----	173.10 + 25.90	.4823	----	----	----	----	7 UNCH
4615	----	----	178.50B/*117.50	178.50B/*117.50A	----	170.90 + 25.70	.4782	----	----	----	----	2 UNCH
4620	----	----	176.20B/*115.90	176.20B/*115.90A	----	168.70 + 25.40	.4742	----	----	----	----	3 UNCH
4625	----	----	174.10B/*114.30	174.10B/*114.30A	----	166.60 + 25.30	.4701	----	----	----	----	2 UNCH
4630	----	----	171.90B/*113.10	171.90B/*113.10A	----	164.50 + 25.10	.4661	----	----	----	----	8 UNCH
4640	----	----	167.60B/*110.00	167.60B/*110.00A	----	160.30 + 24.70	.4581	----	----	----	----	16 UNCH
4645	----	----	165.50B/*108.50	165.50B/*108.50A	----	158.20 + 24.40	.4540	----	----	----	----	7 UNCH
4650	----	----	163.50B/*106.80	163.50B/*106.80A	----	156.20 + 24.20	.4501	----	----	93	----	83 + 82
4655	----	----	161.40B/*105.30	161.40B/*105.30A	----	154.20 + 24.00	.4461	----	----	----	----	2 UNCH
4660	----	----	159.40B/*104.10	159.40B/*104.10A	----	152.20 + 23.80	.4421	----	----	----	----	10 UNCH
4665	----	----	157.40B/*102.40	157.40B/*102.40A	----	150.30 + 23.70	.4382	----	----	----	----	4 UNCH
4675	----	----	153.50B/*99.70A	153.50B/*99.70A	----	146.40 + 23.30	.4303	----	----	----	----	4 UNCH
4680	----	----	151.40B/*98.50A	151.40B/*98.50A	----	144.50 + 23.10	.4264	----	----	----	----	1 UNCH
4690	----	----	147.60B/*95.80A	147.60B/*95.80A	----	140.80 + 22.70	.4186	----	----	----	----	2 UNCH
4700	99.50	99.50	143.90B/*93.00A	143.90B/*93.00A	----	137.10 + 22.20	.4109	----	----	6	60	364 + 62
4705	----	----	142.10B/*91.80A	142.10B/*91.80A	----	135.30 + 22.00	.4070	----	----	----	----	10 UNCH
4710	----	----	140.10B/*90.50A	140.10B/*90.50A	----	133.50 + 21.80	.4032	----	----	----	----	1 UNCH
4720	----	----	136.50B/*88.10A	136.50B/*88.10A	----	130.10 + 21.50	.3957	----	----	----	----	45 UNCH
4725	----	----	134.90B/*86.80A	134.90B/*86.80A	----	128.40 + 21.30	.3919	----	----	----	----	12 UNCH
4730	----	----	133.10B/*85.60A	133.10B/*85.60A	----	126.70 + 21.10	.3882	----	----	2	----	11 + 2
4740	----	----	129.60B/*83.30A	129.60B/*83.30A	----	123.30 + 20.70	.3807	----	----	----	----	3 UNCH
4745	----	----	127.90B/*82.20A	127.90B/*82.20A	----	121.70 + 20.50	.3770	----	----	----	----	5 UNCH
4750	124.90	124.90	126.30B/*80.90A	126.30B/*80.90A	----	120.10 + 20.30	.3734	----	----	2	472	656 + 429
4755	----	----	124.50B/*79.90A	124.50B/*79.90A	----	118.50 + 20.10	.3697	----	----	----	----	10 UNCH
4760	----	----	123.00B/*78.80A	123.00B/*78.80A	----	117.00 + 20.00	.3661	----	----	----	----	23 UNCH
4770	----	----	119.80B/*76.60A	119.80B/*76.60A	----	113.90 + 19.60	.3589	----	----	----	----	3 UNCH
4775	----	----	118.30B/*75.50A	118.30B/*75.50A	----	112.40 + 19.50	.3554	----	----	----	----	268 UNCH
4780	117.20	117.20	117.50B/*74.50A	117.50B/*74.50A	----	110.90 + 19.30	.3518	----	----	6	----	10 - 1
4785	----	----	115.00B/*73.40A	115.00B/*73.40A	----	109.40 + 19.10	.3483	----	----	----	----	5 UNCH
4790	97.70	97.70	113.50B/*72.50A	113.50B/*72.50A	----	108.00 + 18.90	.3448	----	----	6	----	6 UNCH
4795	----	----	112.10B/*71.40A	112.10B/*71.40A	----	106.50 + 18.70	.3413	----	----	----	----	4 UNCH
4800	----	----	110.60B/*70.40A	110.60B/*70.40A	----	105.10 + 18.60	.3379	----	----	----	----	1151 UNCH
4805	----	----	108.90B/*69.50A	108.90B/*69.50A	----	103.70 + 18.40	.3344	----	----	----	----	2 UNCH
4810	----	----	107.70B/*68.60A	107.70B/*68.60A	----	102.30 + 18.20	.3310	----	----	----	----	4 UNCH
4815	----	----	106.20B/*67.60A	106.20B/*67.60A	----	101.00 + 18.10	.3277	----	----	----	----	12 UNCH
4825	----	----	103.50B/*65.70A	103.50B/*65.70A	----	98.30 + 17.70	.3210	----	----	----	50	368 + 50
4835	----	----	100.50B/*63.90A	100.50B/*63.90A	----	95.70 + 17.40	.3144	----	----	----	----	1 UNCH
4840	----	----	99.30B/*63.00A	99.30B/*63.00A	----	94.40 + 17.20	.3111	----	----	----	----	41 UNCH
4850	----	----	96.70B/*61.30A	96.70B/*61.30A	----	91.90 + 16.90	.3047	----	----	----	----	75 UNCH
4860	----	----	94.00B/*59.60A	94.00B/*59.60A	----	89.40 + 16.50	.2983	----	----	----	----	2 UNCH
4870	----	----	91.60B/*57.90A	91.60B/*57.90A	----	87.00 + 16.20	.2920	----	----	----	----	2 UNCH
4875	----	----	90.50B/*57.10A	90.50B/*57.10A	----	85.90 + 16.10	.2890	----	----	----	----	30 UNCH
4880	----	----	89.40B/*56.20A	89.40B/*56.20A	----	84.70 + 15.90	.2858	----	----	----	----	8 UNCH
4885	----	----	88.20B/*55.40A	88.20B/*55.40A	----	83.60 + 15.80	.2828	----	----	----	----	2 UNCH
4900	65.00	65.00	84.70B/*52.00	84.70B/*52.00	----	80.20 + 15.20	.2738	----	----	12	----	453 - 1
4905	----	----	83.50B/*52.40A	83.50B/*52.40A	----	79.10 + 15.00	.2708	----	----	2	----	21 - 2
4915	----	----	81.30B/*50.90A	81.30B/*50.90A	----	77.00 + 14.70	.2650	----	----	----	----	50 UNCH
4920	----	----	80.20B/*50.20A	80.20B/*50.20A	----	75.90 + 14.50	.2620	----	----	----	----	66 UNCH
4925	----	----	79.10B/*49.50A	79.10B/*49.50A	----	74.90 + 14.40	.2592	----	----	3	----	102 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4930	----	----	78.10B/*48.80A	78.10B/*48.80A	----	73.90 + 14.30	.2564	----	----	----	----	2 UNCH
4935	----	----	77.00B/*48.10A	77.00B/*48.10A	----	72.90 + 14.10	.2536	----	----	1	----	1 UNCH
4945	----	----	75.00B/*46.80A	75.00B/*46.80A	----	70.90 + 13.80	.2480	----	----	2	----	1 - 1
4950	----	----	74.00B/*46.20A	74.00B/*46.20A	----	69.90 + 13.60	.2452	----	----	----	----	285 UNCH
4955	----	----	73.00B/*45.50A	73.00B/*45.50A	----	69.00 + 13.50	.2426	----	----	----	----	1 UNCH
4960	----	----	72.00B/*44.90A	72.00B/*44.90A	----	68.00 + 13.20	.2398	----	----	----	----	48 UNCH
4965	----	----	71.10B/*44.30A	71.10B/*44.30A	----	67.10 + 13.10	.2372	----	----	3	----	5 - 1
4970	----	----	70.10B/*43.60A	70.10B/*43.60A	----	66.20 + 13.00	.2345	----	----	----	----	1 UNCH
4975	67.10	67.10	69.20B/*43.00A	69.20B/*43.00A	----	65.30 + 12.80	.2319	----	----	3	----	327 + 2
4980	----	----	68.30B/*42.50A	68.30B/*42.50A	----	64.40 + 12.70	.2293	----	----	----	----	3 UNCH
4985	----	----	67.30B/*41.90A	67.30B/*41.90A	----	63.50 + 12.50	.2267	----	----	----	----	1 UNCH
5000	43.50	43.50	64.70B/*40.00	64.70B/*40.00	----	61.00 + 12.10	.2193	----	----	27	----	918 + 1
5005	----	----	63.80B/*39.70A	63.80B/*39.70A	----	60.20 + 12.00	.2168	----	----	----	----	3 UNCH
5010	----	----	63.00B/*39.20A	63.00B/*39.20A	----	59.40 + 11.80	.2144	----	----	----	----	10 UNCH
5050	----	----	56.70B/*35.20A	56.70B/*35.20A	----	53.30 + 10.70	.1958	----	----	4	----	342 UNCH
5055	----	----	55.90B/*34.80A	55.90B/*34.80A	----	52.60 + 10.60	.1936	----	----	----	----	5 UNCH
5070	52.10	52.10	53.70B/*33.40A	53.70B/*33.40A	----	50.60 + 10.30	.1873	----	----	2	----	8 + 2
5075	----	----	53.00B/*33.00A	53.00B/*33.00A	----	49.90 + 10.10	.1851	----	----	----	----	1 UNCH
5080	----	----	52.30B/*32.40A	52.30B/*32.40A	----	49.30 + 10.10	.1831	----	----	----	----	9 UNCH
5090	49.50	49.50	51.00B/*31.50A	51.00B/*31.50A	----	48.00 NEW	.1790	----	----	3	----	3 + 3
5095	----	----	50.30B/*31.10A	50.30B/*31.10A	----	47.40 + 9.70	.1770	----	----	----	----	15 UNCH
5100	36.00	36.00	50.00/*30.70A	50.00/*30.70A	----	46.70 + 9.60	.1748	----	----	12	----	396 + 11
5105	----	----	49.00B/*30.30A	49.00B/*30.30A	----	46.10 + 9.50	.1729	----	----	----	----	4 UNCH
5110	----	----	48.40B/*29.90A	48.40B/*29.90A	----	45.50 + 9.40	.1709	----	----	----	----	1 UNCH
5120	----	----	47.10B/*29.20A	47.10B/*29.20A	----	44.30 + 9.10	.1671	----	----	----	----	3 UNCH
5130	----	----	45.90B/*28.40A	45.90B/*28.40A	----	43.20 + 9.00	.1634	----	----	----	----	4 UNCH
5140	----	----	44.70B/*27.70A	44.70B/*27.70A	----	42.10 + 8.80	.1597	----	----	----	----	4 UNCH
5150	----	----	43.60B/*27.00A	43.60B/*27.00A	----	41.00 + 8.60	.1561	----	----	----	----	390 UNCH
5155	----	----	43.00B/*26.70A	43.00B/*26.70A	----	40.40 + 8.40	.1542	----	----	----	----	1 UNCH
5160	----	----	42.50B/*26.30A	42.50B/*26.30A	----	39.90 + 8.30	.1525	----	----	----	----	2 UNCH
5165	----	----	41.90B/*26.00A	41.90B/*26.00A	----	39.40 + 8.20	.1508	----	----	----	----	15 UNCH
5170	----	----	41.40B/*25.60A	41.40B/*25.60A	----	38.90 + 8.10	.1491	----	----	----	----	7 UNCH
5175	----	----	40.80B/*25.30A	40.80B/*25.30A	----	38.40 + 8.00	.1474	----	----	----	----	15 UNCH
5190	25.30	25.30	39.30B/*24.40A	39.30B/*24.40A	----	36.90 + 7.70	.1424	----	----	28	----	10004 UNCH
5195	----	----	38.80B/*24.10A	38.80B/*24.10A	----	36.40 NEW	.1407	----	----	50	----	50 + 50
5200	23.70	23.70	38.40/*23.60A	38.40/*23.60A	----	36.00 + 7.50	.1392	----	----	26	----	10018 - 1
5215	34.70	34.70	36.90B/*23.00A	36.90B/*23.00A	----	34.60 NEW	.1345	----	----	7	----	7 + 7
5230	----	----	35.50B/*22.20A	35.50B/*22.20A	----	33.40 + 7.00	.1302	----	----	----	----	402 UNCH
5235	----	----	35.10B/*21.90A	35.10B/*21.90A	----	32.90 + 6.80	.1285	----	----	----	----	1 UNCH
5240	----	----	34.60B/*21.60A	34.60B/*21.60A	----	32.50 + 6.70	.1271	----	----	----	----	2 UNCH
5245	----	----	34.20B/*21.40A	34.20B/*21.40A	----	32.10 + 6.60	.1257	----	----	1	----	21 + 1
5250	23.50	23.50	33.80B/*21.20A	33.80B/*21.20A	----	31.70 + 6.50	.1243	----	----	1	----	635 UNCH
5270	----	----	32.10B/*20.20A	32.10B/*20.20A	----	30.20 + 6.30	.1189	----	----	----	----	5 UNCH
5275	----	----	31.70B/*20.00A	31.70B/*20.00A	----	29.80 + 6.20	.1175	----	----	----	----	200 UNCH
5290	----	----	30.60B/*19.40A	30.60B/*19.40A	----	28.70 + 5.90	.1136	----	----	----	----	9 UNCH
5295	----	----	30.20B/*19.20A	30.20B/*19.20A	----	28.40 + 5.90	.1125	----	----	----	----	8 UNCH
5300	----	----	29.90B/*18.90A	29.90B/*18.90A	----	28.00 + 5.80	.1111	----	----	----	----	1009 UNCH
5310	----	----	29.10B/*18.50A	29.10B/*18.50A	----	27.40 + 5.70	.1088	----	----	----	----	6 UNCH
5315	----	----	28.80B/*18.30A	28.80B/*18.30A	----	27.00 + 5.60	.1074	----	----	----	----	5 UNCH
5330	----	----	27.80B/*17.70A	27.80B/*17.70A	----	26.10 + 5.40	.1041	----	----	----	----	20 UNCH
5335	----	----	27.40B/*17.70A	27.40B/*17.70A	----	25.80 + 5.40	.1030	----	----	----	----	4 UNCH
5340	----	----	27.10B/*17.50A	27.10B/*17.50A	----	25.50 + 5.30	.1019	----	----	----	----	7 UNCH
5350	----	----	26.50B/*17.00A	26.50B/*17.00A	----	24.90 + 5.20	.0997	----	----	----	----	301 UNCH
5355	----	----	26.20B/*16.80A	26.20B/*16.80A	----	24.60 + 5.10	.0986	----	----	----	----	6 UNCH
5365	----	----	25.70B/*16.50A	25.70B/*16.50A	----	24.00 + 4.90	.0964	----	----	----	----	22 UNCH
5370	24.80	24.80	25.40B/*16.30A	25.40B/*16.30A	----	23.80 + 4.90	.0955	----	----	3	----	18 + 3
5375	----	----	25.10B/*16.30A	25.10B/*16.30A	----	23.50 + 4.80	.0944	----	----	----	----	5 UNCH
5380	----	----	24.70B/*16.00A	24.70B/*16.00A	----	23.20 + 4.70	.0933	----	----	----	----	2 UNCH
5395	----	----	23.90B/*15.60A	23.90B/*15.60A	----	22.40 + 4.50	.0903	----	----	----	----	4 UNCH
5400	----	----	23.70B/*15.30A	23.70B/*15.30A	----	22.20 + 4.50	.0895	----	----	----	----	2276 UNCH
5420	----	----	22.60B/*14.90A	22.60B/*14.90A	----	21.20 + 4.30	.0857	----	----	----	----	83 UNCH
5425	----	----	22.30B/*14.70A	22.30B/*14.70A	----	21.00 + 4.20	.0849	----	----	----	----	50 UNCH
5440	----	----	21.70B/*14.20A	21.70B/*14.20A	----	20.30 + 4.10	.0823	----	----	----	----	1 UNCH
5450	----	----	21.20B/*14.00A	21.20B/*14.00A	----	19.90 + 4.00	.0807	----	----	----	----	29 UNCH
5455	20.70	20.70	20.90B/*13.80A	20.90B/*13.80A	----	19.70 + 3.90	.0799	----	----	2	----	25 + 2
5460	----	----	20.70B/*13.70A	20.70B/*13.70A	----	19.50 + 3.90	.0791	----	----	----	----	2 UNCH
5470	----	----	20.20B/*13.50A	20.20B/*13.50A	----	19.00 + 3.70	.0773	----	----	----	----	3 UNCH
5475	----	----	20.00B/*13.40A	20.00B/*13.40A	----	18.80 + 3.70	.0765	----	----	----	----	26 UNCH
5490	----	----	19.40B/*13.00A	19.40B/*13.00A	----	18.20 + 3.50	.0742	----	----	----	----	1 UNCH
5500	18.00	18.00	19.00B/*12.80A	19.00B/*12.80A	----	17.90 + 3.50	.0729	----	----	24	----	3184 UNCH
5505	----	----	18.80B/*12.70A	18.80B/*12.70A	----	17.70 + 3.40	.0721	----	----	----	----	3 UNCH
5515	----	----	18.40B/*12.50A	18.40B/*12.50A	----	17.30 + 3.30	.0706	----	----	----	----	4 UNCH
5520	----	----	18.20B/*12.40A	18.20B/*12.40A	----	17.10 + 3.30	.0698	----	----	----	----	1 UNCH
5525	----	----	18.00B/*12.30A	18.00B/*12.30A	----	17.00 + 3.30	.0693	----	----	----	----	6 UNCH
5540	----	----	17.50B/*12.00A	17.50B/*12.00A	----	16.50 + 3.20	.0674	----	----	----	----	19 UNCH
5550	----	----	17.10B/*11.80A	17.10B/*11.80A	----	16.10 + 3.00	.0658	----	----	10	----	45 + 9
5555	----	----	17.00B/*11.80A	17.00B/*11.80A	----	16.00 + 3.00	.0654	----	----	----	----	5 UNCH
5570	----	----	16.50B/*11.50A	16.50B/*11.50A	----	15.50 + 2.90	.0634	----	----	----	----	1 UNCH
5575	----	----	16.30B/*11.40A	16.30B/*11.40A	----	15.40 + 2.90	.0630	----	----	----	----	1 UNCH
5590	----	----	15.90B/*11.20A	15.90B/*11.20A	----	15.00 + 2.80	.0613	----	----	----	----	29 UNCH
5595	----	----	15.70B/*11.10A	15.70B/*11.10A	----	14.80 + 2.80	.0606	----	----	----	----	4 UNCH
5600	----	----	15.60B/*11.00A	15.60B/*11.00A	----	14.70 + 2.80	.0601	----	----	4	----	938 + 4
5605	----	----	15.40B/*10.90A	15.40B/*10.90A	----	14.60 + 2.80	.0597	----	----	----	----	3 UNCH
5620	----	----	15.00B/*10.70A	15.00B/*10.70A	----	14.20 + 2.70	.0580	----	----	----	----	20 UNCH
5625	----	----	14.90B/*10.60A	14.90B/*10.60A	----	14.10 + 2.70	.0576	----	----	----	----	2 UNCH
5645	----	----	14.40B/*10.30A	14.40B/*10.30A	----	13.60 + 2.50	.0555	----	----	----	----	5 UNCH
5650	----	----	14.20B/*10.20A	14.20B/*10.20A	----	13.50 + 2.50	.0551	----	----	----	----	744 UNCH
5655	----	----	14.10B/*10.20A	14.10B/*10.20A	----	13.40 + 2.50	.0547	----	----	----	----	4 UNCH
5665	----	----	13.90B/*10.00A	13.90B/*10.00A	----	13.20 + 2.50	.0538	----	----	----	----	3 UNCH
5675	----	----	13.60B/*9.90A	13.60B/*9.90A	----	13.00 + 2.50	.0530	----	----	----	----	8 UNCH
5690	----	----	13.30B/*9.70A	13.30B/*9.70A	----	12.70 + 2.40	.0517	----	----	----	----	3 UNCH
5700	----	----	13.10B/*9.60A	13.10B/*9.60A	----	12.50 + 2.40	.0508	----	----	----	----	1011 UNCH
5710	----	----	12.80B/*9.50A	12.80B/*9.50A	----	12.30 + 2.30	.0500	----	----	----	----	2 UNCH
5730	----	----	12.40B/*9.20A	12.40B/*9.20A	----	11.90 + 2.20	.0483	----	----	----	----	2 UNCH
5750	----	----	12.00B/*9.00A	12.00B/*9.00A	----	11.50 + 2.00	.0467	----	----	----	----	193 UNCH
5760	----	----	11.80B/*8.90A	11.80B/*8.90A	----	11.40 + 2.10	.0462	----	----	----	----	1 UNCH
5770	----	----	11.70B/*8.80A	11.70B/*8.80A	----	11.20 + 2.00	.0454	----	----	----	----	2 UNCH
5775	----	----	11.60B/*8.80A	11.60B/*8.80A	----	11.10 + 2.00	.0450	----	----	----	----	162 UNCH
5800	----	----	11.10B/*8.50A	11.10B/*8.50A	----	10.70 + 1.90	.0433	----	----	----	----	646 UNCH
5850	----	----	10.40B/*8.10A	10.40B/*8.10A	----	10.00 + 1.70	.0402	----	----	----	----	448 UNCH
5900	----	----	9.70B/*7.70A	9.70B/*7.70A	----	9.40 + 1.60	.0376	----	----	----	----	818 UNCH
5950	----	----	9.10B/*7.30A	9.10B/*7.30A	----	8.90 + 1.50	.0353	----	----	----	----	51 UNCH
6000	7.00	7.00	8.60B/7.00	8.60B/7.00	----	8.40 + 1.40	.0331	----	----	9	----	1346 + 1
6075	----	----	7.90B/----	7.90B/6.60A	----	7.80 + 1.30	.0304	----	----	----	----	1 UNCH
6100	----	----	7.70B/----	7.70B/6.40A	----	7.60 + 1.30	.0295	----	----	----	----	185 UNCH
6200	6.20	6.20	7.00B/6.20	7.00B/5.90A	----	6.90 + 1.10	.0264	----	----	1	----	244 + 1
6300	----	----	6.40B/----	6.40B/5.60A	----	6.30 + 0.90	.0238	----	----	----	----	159 UNCH
6400	6.30	6.30	6.40/6.30	6.40/*5.20A	----	5.90 + 0.90	.0218	----	----	8	----	222 - 6
6500	----	----	5.50B/----	5.50B/*4.90A	----	5.60 + 0.90	.0203	----	----	10	----	533 - 8
6600	----	----	5.20B/----	5.20B/*4.60A	----	5.30 + 0.90	.0189	----	----	----	----	21 UNCH
6650	----	----	5.00B/----	5.00B/*4.50A	----	5.20 + 0.90	.0183	----	----	----	----	9 UNCH
6750	----	----	4.70B/----	4.70B/4.30A	----	5.00 + 0.90	.0173	----	----	----	----	11 UNCH
6775	----	----	4.70B/----	4.70B/*4.20A	----	4.90 + 0.80	.0169	----	----	----	----	1 UNCH
6800	----	----	4.60B/----	4.60B/4.20A	----	4.80 + 0.80	.0165	----	----	----	----	170 UNCH
7000	----	----	4.00B/----	4.00B/4.00A	----	4.30 + 0.80	.0144	----	----	----	----	102 UNCH
8000	2.60	2.60	2.60/*2.60	2.70B/*2.60	----	3.20 + 0.50	.0093	----	----	1	----	126 + 1
TOTAL										424	582	45183 + 716
OCT26												
3600	----	----	981.90B/----	981.90B/955.80A	----	975.70 + 49.00	.9433	----	----	----	----	12 UNCH
3900	----	----	703.90B/----	703.90B/677.70A	----	697.80 + 45.50	.8818	----	----	----	----	40 UNCH
4300	----	----	385.20B/296.20A	385.20B/296.20A	----	378.70 + 36.70	.7011	----	----	----	----	102 UNCH
4400	----	----	321.40B/238.00A	321.40B/238.00A	----	314.20 + 33.70	.6369	----	----	----	----	8 UNCH
4405	----	----	318.30B/234.90A	318.30B/234.90A	----	311.20 + 33.50	.6335	----	----	----	----	2 UNCH
4450	283.00	283.00	292.30B/213.50A	292.30B/213.50A	----	284.90 NEW	.6029	----	----	5	----	5 + 5
4480	----	----	276.40B/199.40A	276.40B/199.40A	----	268.20 + 31.00	.5821	----	----	----	----	1 UNCH
4490	----	----	270.70B/195.60A	270.70B/195.60A	----	262.80 NEW	.5751	----	----	10	----	10 + 10
4500	----	----	265.60B/190.90A	265.60B/190.90A	----	257.50 + 30.30	.5681	----	----	----	----	33 UNCH
4515	----	----	258.00B/184.50A	258.00B/184.50A	----	249.70 + 29.80	.5576	----	----	----	----	1 UNCH
4535	244.20	244.20	247.70B/176.40A	247.70B/176.40A	----	239.60 + 29.10	.5435	----	----	2	----	5 + 2
4540	----	----	245.20B/174.40A	245.20B/174.40A	----	237.10 + 28.90	.5399	----	----	----	----	6 UNCH
4545	----	----	242.60B/172.50A	242.60B/172.50A	----	234.60 + 28.70	.5364	----	----	----	----	2 UNCH
4550	----	----	240.10B/170.40A	240.10B/170.40A	----	232.20 + 28.60	.5329	----	----	----	----	1 UNCH
4560	211.30	211.30	235.20B/166.90A	235.20B/166.90A	----	227.40 + 28.20	.5258	----	----	6	----	7 + 6
4565	----	----	232.70B/164.80A	232.70B/164.80A	----	225.00 + 28.10	.5223	----	----	13	----	13 + 12
4570	----	----	230.30B/162.80A	230.30B/162.80A	----	222.60 + 27.80	.5187	----	----	4	----	5 + 4
4575	----	----	228.00B/160.80A	228.00B/160.80A	----	220.30 + 27.70	.5152	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4580	----	----	225.60B/158.90A	225.60B/158.90A	----	218.00 + 27.60	.5117	----	----	----	----	70 UNCH
4585	----	----	223.30B/157.20A	223.30B/157.20A	----	215.70 + 27.40	.5082	----	----	----	----	1 UNCH
4590	212.50	212.50	220.90B/155.40A	220.90B/155.40A	----	213.40 + 27.20	.5047	----	----	3	----	9 + 3
4595	----	----	218.60B/153.90A	218.60B/153.90A	----	211.10 + 27.00	.5012	----	----	----	----	3 UNCH
4600	156.90	156.90	216.20B/152.10A	216.20B/152.10A	----	208.90 + 26.80	.4977	----	----	7	----	108 + 5
4605	----	----	214.00B/150.40A	214.00B/150.40A	----	206.60 + 26.60	.4942	----	----	----	----	9 UNCH
4610	----	----	211.70B/148.50A	211.70B/148.50A	----	204.40 + 26.40	.4907	----	----	----	----	15 UNCH
4615	----	----	209.50B/147.00A	209.50B/147.00A	----	202.20 + 26.20	.4872	----	----	----	----	9 UNCH
4620	----	----	207.30B/145.30A	207.30B/145.30A	----	200.10 + 26.10	.4837	----	----	----	----	15 UNCH
4625	----	----	205.20B/143.50A	205.20B/143.50A	----	197.90 + 25.90	.4802	----	----	----	----	5 UNCH
4630	----	----	203.00B/141.90A	203.00B/141.90A	----	195.80 + 25.70	.4768	----	----	----	----	3 UNCH
4635	----	----	200.70B/140.10A	200.70B/140.10A	----	193.70 + 25.60	.4733	----	----	----	----	6 UNCH
4640	139.40	139.40	198.70B/138.80A	198.70B/138.80A	----	191.60 + 25.40	.4699	----	----	1	----	5 + 1
4645	----	----	196.60B/137.10A	196.60B/137.10A	----	189.50 + 25.20	.4664	----	----	----	----	1 UNCH
4650	----	----	194.50B/135.40A	194.50B/135.40A	----	187.50 + 25.10	.4630	----	----	157	----	272 - 28
4655	----	----	192.40B/133.80A	192.40B/133.80A	----	185.50 + 24.90	.4596	----	----	----	----	3 UNCH
4670	----	----	186.30B/129.20A	186.30B/129.20A	----	179.50 + 24.40	.4493	----	----	----	----	4 UNCH
4675	----	----	184.30B/127.80A	184.30B/127.80A	----	177.50 + 24.20	.4459	----	----	----	----	3 UNCH
4690	----	----	178.40B/123.40A	178.40B/123.40A	----	171.80 + 23.70	.4358	----	----	----	----	4 UNCH
4695	----	----	176.50B/122.00A	176.50B/122.00A	----	169.90 + 23.60	.4325	----	----	----	----	2 UNCH
4700	121.80	121.80	174.60B/120.60A	174.60B/120.60A	----	168.00 + 23.30	.4291	----	----	1	----	169 + 1
4710	----	----	170.80B/117.80A	170.80B/117.80A	----	164.40 + 23.10	.4225	----	----	----	----	2 UNCH
4715	----	----	168.90B/116.60A	168.90B/116.60A	----	162.60 + 22.90	.4192	----	----	----	----	2 UNCH
4725	----	----	165.30B/113.80A	165.30B/113.80A	----	159.00 + 22.60	.4126	----	----	----	----	1 UNCH
4730	----	----	163.40B/*112.60	163.40B/*112.60A	----	157.30 + 22.50	.4094	----	----	----	----	2 UNCH
4735	----	----	161.70B/*111.30	161.70B/*111.30A	----	155.50 + 22.20	.4061	----	----	----	----	1 UNCH
4750	----	----	156.40B/*107.30	156.40B/*107.30A	----	150.40 + 21.80	.3964	----	----	----	----	36 UNCH
4755	----	----	154.70B/*106.30	154.70B/*106.30A	----	148.80 + 21.70	.3933	----	----	----	----	76 UNCH
4760	----	----	152.70B/*105.10	152.70B/*105.10A	----	147.10 + 21.50	.3901	----	----	----	----	1 UNCH
4765	----	----	151.30B/*103.80	151.30B/*103.80A	----	145.50 + 21.30	.3869	----	----	----	----	21 UNCH
4775	----	----	148.00B/*101.40	148.00B/*101.40A	----	142.30 + 21.00	.3806	----	----	----	----	25 UNCH
4785	112.40	112.40	144.70B/*99.20A	144.70B/*99.20A	----	139.10 + 20.70	.3744	----	----	3	----	3 UNCH
4790	137.50	137.50	144.10B/*97.80A	144.10B/*97.80A	----	137.60 + 20.60	.3713	----	----	6	----	7 UNCH
4795	----	----	141.50B/*96.90A	141.50B/*96.90A	----	136.10 + 20.40	.3682	----	----	----	----	3 UNCH
4800	100.50	100.50	140.10B/*95.70A	140.10B/*95.70A	----	134.50 + 20.20	.3651	----	----	23	----	499 + 4
4805	----	----	138.10B/*94.40A	138.10B/*94.40A	----	133.10 + 20.10	.3622	----	----	----	----	1 UNCH
4810	----	----	136.90B/*93.50A	136.90B/*93.50A	----	131.60 + 20.00	.3591	----	----	----	----	3 UNCH
4815	----	----	135.40B/*92.40A	135.40B/*92.40A	----	130.10 + 19.80	.3561	----	----	----	----	36 UNCH
4820	----	----	133.80B/*91.50A	133.80B/*91.50A	----	128.70 + 19.70	.3531	----	----	----	----	3 UNCH
4825	92.50	92.50	132.40B/*90.40A	132.40B/*90.40A	----	127.20 NEW	.3501	----	----	105	----	105 + 105
4830	----	----	130.70B/*89.20A	130.70B/*89.20A	----	125.80 + 19.40	.3471	----	----	----	----	1 UNCH
4835	----	----	129.30B/*88.30A	129.30B/*88.30A	----	124.40 + 19.20	.3442	----	----	----	----	2 UNCH
4840	----	----	127.80B/*87.20A	127.80B/*87.20A	----	123.00 + 19.10	.3413	----	----	----	----	1 UNCH
4845	----	----	126.10B/*86.30A	126.10B/*86.30A	----	121.70 + 19.00	.3384	----	----	----	----	2 UNCH
4850	----	----	125.20B/*85.30A	125.20B/*85.30A	----	120.30 + 18.80	.3355	----	----	----	----	54 UNCH
4860	----	----	122.40B/*83.40A	122.40B/*83.40A	----	117.60 + 18.50	.3297	----	----	----	----	100 UNCH
4865	----	----	120.70B/*82.50A	120.70B/*82.50A	----	116.30 + 18.30	.3269	----	----	----	----	2 UNCH
4870	----	----	119.40B/*81.40A	119.40B/*81.40A	----	115.00 + 18.20	.3241	----	----	----	----	1 UNCH
4880	----	----	116.80B/*79.60A	116.80B/*79.60A	----	112.50 + 18.00	.3185	----	----	----	----	1 UNCH
4885	----	----	115.70B/*78.80A	115.70B/*78.80A	----	111.20 + 17.80	.3157	----	----	----	----	50 UNCH
4900	81.00	81.00	111.90B/*76.00A	111.90B/*76.00A	----	107.50 + 17.40	.3075	----	----	66	----	1431 + 3
4905	----	----	110.60B/*75.30A	110.60B/*75.30A	----	106.30 + 17.20	.3048	----	----	----	----	20 UNCH
4910	----	----	108.90B/*74.30A	108.90B/*74.30A	----	105.10 + 17.10	.3021	----	----	----	----	1 UNCH
4925	----	----	105.80B/*71.70A	105.80B/*71.70A	----	101.60 + 16.70	.2942	----	----	----	----	20 UNCH
4935	----	----	103.50B/*70.10A	103.50B/*70.10A	----	99.30 + 16.40	.2889	----	----	----	----	5 UNCH
4945	----	----	101.10B/*68.60A	101.10B/*68.60A	----	97.10 + 16.10	.2838	----	----	----	----	3 UNCH
4950	----	----	100.10B/*67.60A	100.10B/*67.60A	----	96.00 + 16.00	.2813	----	----	----	----	875 UNCH
4970	----	----	95.60B/*64.60A	95.60B/*64.60A	----	91.70 + 15.40	.2712	----	----	----	----	1 UNCH
4975	----	----	94.50B/*63.80A	94.50B/*63.80A	----	90.70 + 15.30	.2688	----	----	----	----	1 UNCH
5000	61.20	61.20	89.50B/*60.30A	89.50B/*60.30A	----	85.70 + 14.60	.2568	----	----	27	----	1443 + 1
5025	----	----	84.60B/*56.90A	84.60B/*56.90A	----	81.00 + 13.90	.2452	----	----	----	----	2 UNCH
5045	54.60	54.60	80.90B/*54.40A	80.90B/*54.40A	----	77.50 + 13.40	.2364	----	----	7	----	9 + 7
5050	----	----	80.00B/*53.80A	80.00B/*53.80A	----	76.60 + 13.30	.2342	----	----	----	----	59 UNCH
5075	----	----	75.70B/*50.90A	75.70B/*50.90A	----	72.50 + 12.70	.2237	----	----	----	----	4 UNCH
5080	----	----	74.80B/*50.30A	74.80B/*50.30A	----	71.70 + 12.60	.2216	----	----	----	----	4 UNCH
5085	----	----	74.00B/*49.80A	74.00B/*49.80A	----	70.90 + 12.50	.2196	----	----	----	----	3 UNCH
5100	----	----	71.60B/*48.10A	71.60B/*48.10A	----	68.60 + 12.10	.2136	----	----	82	----	790 + 58
5125	----	----	67.80B/*45.60A	67.80B/*45.60A	----	65.00 + 11.70	.2040	----	----	----	----	1 UNCH
5150	----	----	64.20B/*43.10A	64.20B/*43.10A	----	61.60 + 11.20	.1948	----	----	----	----	36 UNCH
5155	----	----	63.50B/*42.70A	63.50B/*42.70A	----	60.90 + 11.10	.1929	----	----	----	----	3 UNCH
5160	----	----	62.80B/*42.20A	62.80B/*42.20A	----	60.30 + 11.00	.1912	----	----	----	----	1 UNCH
5170	----	----	61.50B/*41.30A	61.50B/*41.30A	----	59.00 + 10.80	.1877	----	----	----	----	9 UNCH
5195	43.30	43.30	58.20B/*39.30A	58.20B/*39.30A	----	56.00 + 10.40	.1793	----	----	20	----	20 + 19
5200	----	----	57.60B/*38.90A	57.60B/*38.90A	----	55.40 + 10.30	.1777	----	----	82	----	1663 + 82
5205	----	----	57.00B/*38.50A	57.00B/*38.50A	----	54.80 + 10.20	.1760	----	----	----	----	1 UNCH
5250	----	----	51.80B/*35.20A	51.80B/*35.20A	----	49.80 + 9.40	.1619	----	----	----	----	575 UNCH
5255	----	----	51.20B/*34.80A	51.20B/*34.80A	----	49.30 + 9.30	.1604	----	----	----	----	1 UNCH
5300	35.70	35.70	46.60B/*31.80A	46.60B/*31.80A	----	44.90 + 8.50	.1477	----	----	63	----	1003 + 2
5305	----	----	46.10B/*31.50A	46.10B/*31.50A	----	44.40 + 8.40	.1463	----	----	----	----	1 UNCH
5310	----	----	45.70B/*31.20A	45.70B/*31.20A	----	44.00 + 8.40	.1450	----	----	----	----	2 UNCH
5315	----	----	45.20B/*30.90A	45.20B/*30.90A	----	43.50 + 8.20	.1436	----	----	----	----	4 UNCH
5325	----	----	44.20B/*30.30A	44.20B/*30.30A	----	42.60 + 8.00	.1410	----	----	----	----	9 UNCH
5350	----	----	42.10B/*28.90A	42.10B/*28.90A	----	40.50 + 7.60	.1347	----	----	----	----	4 UNCH
5355	----	----	41.60B/*28.60A	41.60B/*28.60A	----	40.10 + 7.60	.1335	----	----	----	----	5 UNCH
5365	----	----	40.80B/*28.10A	40.80B/*28.10A	----	39.30 + 7.40	.1311	----	----	----	----	1 UNCH
5395	----	----	38.40B/*26.60A	38.40B/*26.60A	----	37.00 + 6.90	.1241	----	----	----	----	2 UNCH
5400	38.30	38.30	38.30/*26.30A	38.30/*26.30A	----	36.70 + 6.90	.1232	----	----	2	----	651 - 2
5410	----	----	37.30B/*25.90A	37.30B/*25.90A	----	35.90 + 6.70	.1208	----	----	----	----	1 UNCH
5420	----	----	36.50B/*25.40A	36.50B/*25.40A	----	35.20 + 6.50	.1186	----	----	----	----	2 UNCH
5435	----	----	35.40B/*24.70A	35.40B/*24.70A	----	34.20 + 6.30	.1155	----	----	----	----	226 UNCH
5440	----	----	35.10B/*24.50A	35.10B/*24.50A	----	33.90 + 6.30	.1146	----	----	----	----	5 UNCH
5450	----	----	34.40B/*24.10A	34.40B/*24.10A	----	33.20 + 6.10	.1124	----	----	----	----	67 UNCH
5455	----	----	34.10B/*24.00A	34.10B/*24.00A	----	32.90 + 6.10	.1115	----	----	----	----	175 UNCH
5460	----	----	33.70B/*23.70A	33.70B/*23.70A	----	32.60 + 6.00	.1105	----	----	----	----	2 UNCH
5475	----	----	32.80B/*23.10A	32.80B/*23.10A	----	31.70 + 5.90	.1077	----	----	----	----	1 UNCH
5480	----	----	32.40B/*22.90A	32.40B/*22.90A	----	31.40 + 5.80	.1067	----	----	----	----	2 UNCH
5485	24.80	24.80	32.10B/*22.80A	32.10B/*22.80A	----	31.10 + 5.80	.1058	----	----	21	----	25 + 21
5500	27.10	27.10	32.00/*22.20A	32.00/*22.20A	----	30.20 + 5.60	.1030	----	----	9	----	4579 + 7
5545	----	----	28.70B/*20.60A	28.70B/*20.60A	----	27.90 + 5.20	.0955	----	----	----	----	5 UNCH
5550	----	----	28.50B/*20.50A	28.50B/*20.50A	----	27.60 + 5.10	.0946	----	----	----	----	280 UNCH
5575	----	----	27.20B/*19.70A	27.20B/*19.70A	----	26.40 + 4.90	.0907	----	----	----	----	3 UNCH
5590	----	----	26.50B/*19.20A	26.50B/*19.20A	----	25.80 + 4.80	.0887	----	----	----	----	7 UNCH
5600	----	----	26.00B/*18.90A	26.00B/*18.90A	----	25.30 + 4.70	.0871	----	----	----	----	230 UNCH
5610	----	----	25.50B/*18.70A	25.50B/*18.70A	----	24.90 + 4.60	.0857	----	----	----	----	1 UNCH
5615	----	----	25.30B/*18.50A	25.30B/*18.50A	----	24.70 + 4.60	.0851	----	----	----	----	5 UNCH
5640	----	----	24.20B/*17.90A	24.20B/*17.90A	----	23.70 + 4.40	.0817	----	----	----	----	2 UNCH
5650	----	----	23.80B/*17.60A	23.80B/*17.60A	----	23.30 + 4.30	.0804	----	----	----	----	401 UNCH
5655	----	----	23.60B/*17.50A	23.60B/*17.50A	----	23.10 + 4.20	.0797	----	----	----	----	2 UNCH
5660	----	----	23.40B/*17.40A	23.40B/*17.40A	----	22.90 + 4.20	.0791	----	----	----	----	1 UNCH
5675	----	----	22.80B/*17.00A	22.80B/*17.00A	----	22.40 + 4.10	.0773	----	----	----	----	3 UNCH
5700	----	----	21.90B/*16.50A	21.90B/*16.50A	----	21.50 + 3.90	.0743	----	----	25	----	206 + 6
5710	----	----	21.60B/*16.20A	21.60B/*16.20A	----	21.20 + 3.80	.0733	----	----	----	----	5 UNCH
5720	----	----	21.20B/*16.00A	21.20B/*16.00A	----	20.80 + 3.70	.0720	----	----	----	----	87 UNCH
5750	----	----	20.20B/*15.40A	20.20B/*15.40A	----	19.90 + 3.50	.0689	----	----	----	----	854 UNCH
5775	----	----	19.50B/*14.90A	19.50B/*14.90A	----	19.20 + 3.30	.0664	----	----	----	----	52 UNCH
5800	----	----	18.80B/*14.50A	18.80B/*14.50A	----	18.50 + 3.20	.0640	----	----	----	----	543 UNCH
5825	----	----	18.10B/*14.10A	18.10B/*14.10A	----	17.80 + 3.00	.0616	----	----	----	----	1 UNCH
5850	13.70	13.70	17.50B/*13.70	17.50B/*13.70	----	17.20 + 2.90	.0595	----	----	1	----	3 + 1
5875	----	----	16.90B/*13.30A	16.90B/*13.30A	----	16.70 + 2.80	.0577	----	----	----	----	2 UNCH
5900	13.00	13.00	17.30/*13.00	17.30/*13.00	----	16.10 + 2.60	.0556	----	----	72	----	277 + 3
5925	----	----	15.80B/*12.70A	15.80B/*12.70A	----	15.60 + 2.60	.0538	----	----	----	----	2 UNCH
5950	12.20	12.20	15.30B/*12.20	15.30B/*12.20	----	15.20 + 2.50	.0523	----	----	1	----	2 + 1
6000	11.40	11.40	14.30B/*11.40	14.30B/*11.40	----	14.30 + 2.30	.0491	----	----	66	----	4369 - 62
6100	10.50	10.50	12.80B/*10.50	12.80B/*10.50	----	12.90 + 2.10	.0439	----	----	1	----	67 + 1
6200	----	----	11.50B/----	11.50B/*10.00A	----	11.70 + 1.80	.0394	----	----	----	----	38 UNCH
6300	----	----	10.50B/----	10.50B/*9.40A	----	10.80 + 1.60	.0359	----	----	----	----	883 UNCH
6400	----	----	9.70B/----	9.70B/*9.00A	----	10.00 + 1.40	.0328	----	----	----	----	1910 UNCH
6500	----	----	9.10B/----	9.10B/8.60A	----	9.40 + 1.30	.0304	----	----	----	----	4037 UNCH
6800	----	----	7.60B/----	7.60B/*7.60A	----	8.00 + 1.00	.0248	----	----	----	----	1425 UNCH
6900	----	----	7.20B/----	7.20B/*7.30A	----	7.60 + 0.90	.0232	----	----	----	----	1 UNCH
7000	----	----	6.90B/----	6.90B/7.10A	----	7.30 + 0.90	.0220	----	----	----	----	1646 UNCH
7500	----	----	----	5.40B/6.10A	----	6.00 + 0.60	.0170	----	----	----	----	1 UNCH
8000	----	----	5.00B/----	5.00B/5.40A	----	5.20 + 0.40	.0139	----	----	4	----	218 + 4
8500	----	----	4.50B/----	4.50B/*4.90A	----	4.70 + 0.40	.0119	----	----	----	----	208 UNCH
9000	4.30	4.30	4.30/*4.30	4.30/*4.30	----	4.20 + 0.30	.0102	----	----	1	----	86 UNCH
9500	----	----	----	3.40B/*3.90A	----	3.80 + 0.30	.0089	----	----	4	----	19 + 4
13000	----	----	1.60B/----	1.60B/2.10A	----	1.80 + 0.30	.0037	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
TOTAL										900		33683 + 286
NOV26												
4000	----	----	----	549.70B/668.50A	----	655.70 + 43.60	.8360	----	----	----	----	1 UNCH
4100	----	----	----	467.90B/594.20A	----	574.90 + 41.90	.7974	----	----	----	----	1 UNCH
4275	----	----	429.20B/363.00A	429.20B/363.00A	----	445.90 + 38.30	.7145	----	----	----	----	38 UNCH
4300	----	----	435.50B/347.80A	435.50B/347.80A	----	428.90 + 37.70	.7013	----	----	----	----	1 UNCH
4375	----	----	386.60B/301.00A	386.60B/301.00A	----	380.20 + 35.70	.6596	----	----	----	----	38 UNCH
4400	----	----	371.00B/290.00A	371.00B/290.00A	----	364.80 + 35.00	.6452	----	----	----	----	4 UNCH
4440	----	----	347.10B/266.30A	347.10B/266.30A	----	341.00 + 33.90	.6217	----	----	----	----	1 UNCH
4455	304.50	304.50	338.40B/257.90A	338.40B/257.90A	----	332.30 + 33.40	.6128	----	----	1	----	0 - 1
4500	----	----	313.40B/240.70A	313.40B/240.70A	----	307.40 + 32.10	.5856	----	----	----	----	28 UNCH
4575	----	----	275.90B/205.00A	275.90B/205.00A	----	268.90 + 29.80	.5397	----	----	----	----	1 UNCH
4585	----	----	270.90B/201.20A	270.90B/201.20A	----	264.10 + 29.60	.5335	----	----	----	----	1 UNCH
4595	----	----	266.20B/197.30A	266.20B/197.30A	----	259.30 + 29.20	.5274	----	----	----	----	1 UNCH
4600	----	----	263.40B/195.90A	263.40B/195.90A	----	257.00 + 29.10	.5243	----	----	----	----	5 UNCH
4650	----	----	240.60B/177.30A	240.60B/177.30A	----	234.40 + 27.50	.4938	----	----	----	----	30 UNCH
4700	----	----	219.40B/160.30A	219.40B/160.30A	----	213.60 + 26.10	.4637	----	----	----	----	10 UNCH
4750	----	----	199.80B/145.40A	199.80B/145.40A	----	194.40 + 24.50	.4343	----	----	----	----	1 UNCH
4775	----	----	190.40B/138.60A	190.40B/138.60A	----	185.50 + 23.90	.4200	----	----	----	----	31 UNCH
4800	----	----	181.80B/131.70A	181.80B/131.70A	----	176.90 + 23.20	.4059	----	----	14	----	16 + 12
4850	----	----	164.70B/119.30A	164.70B/119.30A	----	160.90 + 21.90	.3786	----	----	----	----	25 UNCH
4900	----	----	149.50B/108.10A	149.50B/108.10A	----	146.10 + 20.50	.3523	----	----	----	----	451 UNCH
4915	----	----	145.30B/*105.20	145.30B/*105.20A	----	141.90 + 20.00	.3446	----	----	----	----	1 UNCH
4925	----	----	142.40B/*103.00	142.40B/*103.00A	----	139.20 + 19.80	.3396	----	----	----	----	1 UNCH
4935	----	----	139.80B/*101.20	139.80B/*101.20A	----	136.50 + 19.40	.3346	----	----	----	----	25 UNCH
4950	----	----	136.20B/*98.00A	136.20B/*98.00A	----	132.60 + 19.00	.3272	----	----	----	----	150 UNCH
4970	----	----	130.90B/*94.50A	130.90B/*94.50A	----	127.60 + 18.50	.3176	----	----	----	----	10 UNCH
5000	----	----	123.20B/*89.00A	123.20B/*89.00A	----	120.40 + 17.70	.3035	----	----	1	----	96 + 1
5020	----	----	118.60B/*85.80A	118.60B/*85.80A	----	115.80 + 17.20	.2944	----	----	----	----	30 UNCH
5050	----	----	111.80B/*80.90A	111.80B/*80.90A	----	109.40 + 16.50	.2813	----	----	----	----	100 UNCH
5060	----	----	109.70B/*79.40A	109.70B/*79.40A	----	107.30 + 16.30	.2770	----	----	----	----	2 UNCH
5080	----	----	105.60B/*76.30A	105.60B/*76.30A	----	103.30 + 15.80	.2686	----	----	----	----	4 UNCH
5085	----	----	104.60B/*75.60A	104.60B/*75.60A	----	102.30 + 15.70	.2665	----	----	----	----	4 UNCH
5120	----	----	97.80B/*70.60A	97.80B/*70.60A	----	95.80 + 15.00	.2525	----	----	----	----	50 UNCH
5150	----	----	92.40B/*66.70A	92.40B/*66.70A	----	90.50 + 14.30	.2410	----	----	----	----	100 UNCH
5175	----	----	88.20B/*63.60A	88.20B/*63.60A	----	86.40 + 13.80	.2318	----	----	----	----	12 UNCH
5180	----	----	87.30B/*63.00A	87.30B/*63.00A	----	85.60 + 13.70	.2300	----	----	1	----	5 UNCH
5185	----	----	86.60B/*62.40A	86.60B/*62.40A	----	84.80 + 13.60	.2282	----	----	1	----	1 UNCH
5200	----	----	84.20B/*60.70A	84.20B/*60.70A	----	82.40 + 13.30	.2229	----	----	----	----	31 UNCH
5230	----	----	79.40B/*57.40A	79.40B/*57.40A	----	78.00 + 12.70	.2127	----	----	----	----	5 UNCH
5250	----	----	76.70B/*55.30A	76.70B/*55.30A	----	75.20 + 12.40	.2062	----	----	1	----	11 + 1
5275	----	----	73.20B/*52.80A	73.20B/*52.80A	----	71.80 + 11.90	.1982	----	----	----	----	1 UNCH
5285	----	----	72.00B/*51.90A	72.00B/*51.90A	----	70.50 + 11.70	.1952	----	----	----	----	1 UNCH
5300	----	----	69.90B/*50.30A	69.90B/*50.30A	----	68.60 + 11.40	.1906	----	----	----	----	395 UNCH
5325	----	----	66.90B/*48.20A	66.90B/*48.20A	----	65.60 + 11.00	.1834	----	----	----	----	1 UNCH
5330	----	----	66.40B/*47.80A	66.40B/*47.80A	----	65.00 + 10.90	.1819	----	----	----	----	1 UNCH
5370	----	----	61.70B/*44.70A	61.70B/*44.70A	----	60.60 + 10.30	.1711	----	----	----	----	5 UNCH
5400	----	----	58.60B/*42.60A	58.60B/*42.60A	----	57.50 + 9.80	.1633	----	----	----	----	17 UNCH
5420	----	----	56.50B/*41.30A	56.50B/*41.30A	----	55.50 + 9.50	.1583	----	----	----	----	14 UNCH
5450	----	----	53.80B/*39.30A	53.80B/*39.30A	----	52.70 + 9.00	.1512	----	----	----	----	454 UNCH
5460	----	----	52.80B/*38.70A	52.80B/*38.70A	----	51.80 + 8.90	.1489	----	----	----	----	10 UNCH
5500	----	----	49.40B/*36.50A	49.40B/*36.50A	----	48.40 + 8.30	.1401	----	----	14	----	86 + 2
5530	----	----	47.10B/*35.00A	47.10B/*35.00A	----	46.10 + 7.90	.1340	----	----	----	----	1 UNCH
5535	----	----	46.60B/*34.70A	46.60B/*34.70A	----	45.70 + 7.80	.1329	----	----	----	----	1 UNCH
5540	----	----	46.30B/*34.40A	46.30B/*34.40A	----	45.30 + 7.80	.1319	----	----	----	----	1 UNCH
5545	----	----	45.90B/*34.20A	45.90B/*34.20A	----	44.90 + 7.70	.1309	----	----	----	----	1 UNCH
5550	----	----	45.50B/*33.80A	45.50B/*33.80A	----	44.60 + 7.70	.1300	----	----	----	----	3 UNCH
5555	----	----	45.20B/*33.70A	45.20B/*33.70A	----	44.20 + 7.60	.1290	----	----	----	----	3 UNCH
5560	----	----	44.80B/*33.30A	44.80B/*33.30A	----	43.90 + 7.60	.1281	----	----	----	----	4 UNCH
5565	----	----	44.50B/*33.10A	44.50B/*33.10A	----	43.50 + 7.40	.1271	----	----	----	----	8 UNCH
5570	----	----	44.10B/*33.00A	44.10B/*33.00A	----	43.10 + 7.30	.1261	----	----	----	----	20 UNCH
5575	----	----	43.80B/*32.60A	43.80B/*32.60A	----	42.80 + 7.30	.1252	----	----	----	----	84 UNCH
5600	----	----	42.00B/*31.70A	42.00B/*31.70A	----	41.10 + 7.00	.1206	----	----	----	----	44 UNCH
5650	----	----	38.10B/*29.60A	38.10B/*29.60A	----	38.00 + 6.40	.1122	----	----	----	----	1 UNCH
5655	----	----	37.80B/*29.50A	37.80B/*29.50A	----	37.70 + 6.40	.1114	----	----	----	----	1 UNCH
5660	----	----	37.50B/*29.20A	37.50B/*29.20A	----	37.40 + 6.30	.1105	----	----	----	----	1 UNCH
5665	----	----	37.20B/*29.10A	37.20B/*29.10A	----	37.10 + 6.20	.1097	----	----	----	----	1 UNCH
5670	----	----	36.80B/*28.90A	36.80B/*28.90A	----	36.80 + 6.10	.1089	----	----	----	----	2 UNCH
5675	----	----	36.60B/*28.70A	36.60B/*28.70A	----	36.60 + 6.20	.1083	----	----	----	----	2 UNCH
5680	----	----	36.20B/*28.50A	36.20B/*28.50A	----	36.30 + 6.10	.1075	----	----	----	----	39 UNCH
5685	----	----	35.90B/*28.30A	35.90B/*28.30A	----	36.00 + 6.00	.1067	----	----	----	----	5 UNCH
5690	----	----	35.80B/*28.10A	35.80B/*28.10A	----	35.70 + 5.90	.1058	----	----	----	----	18 UNCH
5695	----	----	35.50B/*27.90A	35.50B/*27.90A	----	35.50 + 6.00	.1052	----	----	----	----	15 UNCH
5700	----	----	35.20B/*27.80A	35.20B/*27.80A	----	35.20 + 5.90	.1044	----	----	----	----	53 UNCH
5710	----	----	34.70B/*27.50A	34.70B/*27.50A	----	34.70 + 5.80	.1030	----	----	----	----	1 UNCH
5800	----	----	30.50B/*24.70A	30.50B/*24.70A	----	30.40 + 4.90	.0909	----	----	----	----	80 UNCH
5825	----	----	29.30B/*24.00A	29.30B/*24.00A	----	29.40 + 4.70	.0880	----	----	----	----	2 UNCH
5900	----	----	25.40B/*22.20A	25.40B/*22.20A	----	26.60 + 4.10	.0798	----	----	----	----	1 UNCH
5925	----	----	24.50B/*21.70A	24.50B/*21.70A	----	25.70 + 3.80	.0772	----	----	----	----	4 UNCH
5975	----	----	22.90B/----	22.90B/*20.70A	----	24.20 + 3.50	.0727	----	----	----	----	3 UNCH
6000	----	----	22.20B/----	22.20B/*20.20A	----	23.50 + 3.40	.0705	----	----	----	----	331 UNCH
6100	----	----	19.60B/----	19.60B/*18.40A	----	21.00 + 2.80	.0629	----	----	----	----	1 UNCH
6200	----	----	17.40B/----	17.40B/*17.30A	----	18.90 + 2.30	.0564	----	----	----	----	1 UNCH
6400	----	----	----	14.30B/*15.10A	----	15.90 + 1.60	.0468	----	----	----	----	14 UNCH
6500	15.00	15.00	15.00/*14.30A	15.00/*14.30A	----	14.80 + 1.30	.0431	----	----	2	----	1155 UNCH
8000	----	----	----	7.00B/9.30A	----	8.50 + 0.10	.0207	----	----	----	----	928 UNCH
9000	----	----	----	5.80B/8.10A	----	7.20 UNCH	.0159	----	----	----	----	951 UNCH
20000	----	----	----	0.80B/1.90A	----	1.20 - 0.10	.0020	----	----	----	----	165 UNCH
TOTAL										35		6252 + 15
DEC26												
2500	----	----	#2,091.60B/----	#2091.60B/*2089.00A	----	2097.00 + 51.90	.9943	----	----	790	----	421 UNCH
3000	----	----	----	----	----	1597.50 + 51.70	.9793	----	----	----	----	0 UNCH
3550	----	----	----	----	----	1065.10 + 48.70	.9294	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1046.50 + 48.50	.9261	----	----	----	----	1 UNCH
3600	----	----	----	788.90B/1028.50A	----	1018.70 + 48.10	.9211	----	----	----	----	1 UNCH
3800	----	----	841.90B/----	841.90B/822.00A	----	838.30 + 45.80	.8795	----	----	----	----	4 UNCH
3900	----	----	----	635.60B/771.90A	----	751.90 + 44.30	.8523	----	----	----	----	2 UNCH
4060	----	----	626.00B/----	626.00B/606.00A	----	621.60 + 41.50	.7974	----	----	----	----	100 UNCH
4100	----	----	595.10B/----	595.10B/575.30A	----	590.80 + 40.70	.7815	----	----	----	----	48 UNCH
4160	----	----	550.40B/458.10A	550.40B/458.10A	----	546.10 + 39.50	.7560	----	----	----	----	100 UNCH
4175	----	----	539.40B/447.80A	539.40B/447.80A	----	535.20 + 39.10	.7494	----	----	----	----	37 UNCH
4200	----	----	521.50B/431.50A	521.50B/431.50A	----	517.30 + 38.50	.7381	----	----	----	----	150 UNCH
4250	----	----	487.50B/399.90A	487.50B/399.90A	----	482.60 + 37.50	.7145	----	----	----	----	293 UNCH
4255	----	----	483.10B/397.10A	483.10B/397.10A	----	479.20 + 37.30	.7121	----	----	----	----	50 UNCH
4300	----	----	456.10B/370.00A	456.10B/370.00A	----	449.30 + 36.30	.6898	----	----	----	----	436 UNCH
4315	----	----	446.20B/361.40A	446.20B/361.40A	----	439.50 + 35.90	.6822	----	----	----	----	1 UNCH
4320	----	----	443.00B/358.30A	443.00B/358.30A	----	436.30 + 35.80	.6796	----	----	----	----	100 UNCH
4350	----	----	424.00B/340.50A	424.00B/340.50A	----	417.40 + 35.20	.6641	----	----	----	----	206 UNCH
4375	----	----	408.40B/325.20A	408.40B/325.20A	----	402.00 + 34.60	.6510	----	----	----	----	61 UNCH
4400	----	----	393.30B/313.30A	393.30B/313.30A	----	387.10 + 34.10	.6376	----	----	----	----	2 UNCH
4425	----	----	378.60B/299.10A	378.60B/299.10A	----	372.50 + 33.60	.6241	----	----	----	----	8 UNCH
4450	----	----	364.30B/285.10A	364.30B/285.10A	----	358.40 + 33.10	.6105	----	----	----	----	87 UNCH
4465	----	----	356.20B/277.90A	356.20B/277.90A	----	350.10 + 32.80	.6022	----	----	----	----	93 UNCH
4475	----	----	350.50B/273.20A	350.50B/273.20A	----	344.60 + 32.60	.5967	----	----	----	----	15 UNCH
4485	----	----	345.10B/268.50A	345.10B/268.50A	----	339.20 + 32.40	.5911	----	----	----	----	3 UNCH
4490	----	----	342.80B/266.20A	342.80B/266.20A	----	336.50 + 32.30	.5884	----	----	----	----	7 UNCH
4500	----	----	337.40B/261.70A	337.40B/261.70A	----	331.20 + 32.00	.5828	----	----	----	----	770 UNCH
4525	----	----	324.80B/249.90A	324.80B/249.90A	----	318.20 + 31.50	.5689	----	----	----	----	20 UNCH
4540	----	----	317.10B/243.50A	317.10B/243.50A	----	310.70 + 31.30	.5605	----	----	----	----	9 UNCH
4550	----	----	312.10B/239.40A	312.10B/239.40A	----	305.70 + 31.10	.5549	----	----	3	----	14 + 1
4560	285.50	285.50	307.50B/235.20A	307.50B/235.20A	----	300.70 NEW	.5493	----	----	2	----	1 + 1
4565	----	----	304.30B/233.10A	304.30B/233.10A	----	298.30 + 30.70	.5465	----	----	----	----	93 UNCH
4570	283.60	283.60	302.80B/231.10A	302.80B/231.10A	----	295.90 NEW	.5436	----	----	5	----	5 + 5
4575	----	----	300.30B/229.20A	300.30B/229.20A	----	293.50 + 30.50	.5408	----	----	----	----	1 UNCH
4580	----	----	297.20B/227.10A	297.20B/227.10A	----	291.10 + 30.40	.5380	----	----	----	----	150 UNCH
4585	----	----	295.40B/225.20A	295.40B/225.20A	----	288.70 + 30.20	.5352	----	----	----	----	325 UNCH
4590	----	----	292.90B/223.20A	292.90B/223.20A	----	286.30 + 30.10	.5324	----	----	----	----	18 UNCH
4600	----	----	287.70B/219.40A	287.70B/219.40A	----	281.70 + 29.90	.5268	----	----	----	60	374 UNCH
4605	----	----	285.80B/217.40A	285.80B/217.40A	----	279.30 NEW	.5240	----	----	5	----	5 + 5
4610	----	----	283.40B/215.50A	283.40B/215.50A	----	277.00 + 29.60	.5212	----	----	----	----	3 UNCH
4615	----	----	281.20B/213.70A	281.20B/213.70A	----	274.70 + 29.40	.5184	----	----	----	----	41 UNCH
4620	----	----	278.80B/211.80A	278.80B/211.80A	----	272.50 + 29.40	.5157	----	----	----	----	5 UNCH
4625	----	----	276.60B/209.90A	276.60B/209.90A	----	270.20 + 29.20	.5129	----	----	----	----	71 UNCH
4630	----	----	274.70B/208.10A	274.70B/208.10A	----	268.00 + 29.10	.5101	----	----	----	----	3 UNCH
4640	----	----	270.00B/204.60A	270.00B/204.60A	----	263.50 + 28.80	.5045	----	----	----	----	103 UNCH
4650	----	----	265.60B/200.90A	265.60B/200.90A	----	259.20 + 28.60	.4990	----	----	----	----	299 UNCH
4675	----	----	255.00B/192.40A	255.00B/192.40A	----	248.50 + 27.80	.4852	----	----	----	----	58 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4680	----	----	253.00B/190.50A	253.00B/190.50A	----	246.40 + 27.70	.4825	----	----	----	----	42 UNCH
4700	----	----	244.60B/183.80A	244.60B/183.80A	----	238.20 + 27.10	.4715	----	----	157	----	206 + 111
4725	----	----	234.60B/175.60A	234.60B/175.60A	----	228.30 + 26.40	.4580	----	----	----	----	127 UNCH
4730	----	----	232.70B/174.00A	232.70B/174.00A	----	226.30 + 26.20	.4553	----	----	----	----	2 UNCH
4750	----	----	224.90B/167.80A	224.90B/167.80A	----	218.70 + 25.60	.4446	----	----	----	----	240 UNCH
4765	----	----	218.90B/*163.30	218.90B/*163.30A	----	213.20 + 25.20	.4367	----	----	----	----	17 UNCH
4775	----	----	215.10B/160.40A	215.10B/160.40A	----	209.60 + 24.90	.4315	----	----	----	----	2 UNCH
4780	----	----	213.80B/159.00A	213.80B/159.00A	----	207.80 + 24.80	.4289	----	----	----	----	3 UNCH
4790	----	----	210.20B/156.10A	210.20B/156.10A	----	204.30 + 24.50	.4237	----	----	----	----	1 UNCH
4795	----	----	208.50B/*154.70	208.50B/*154.70A	----	202.50 + 24.30	.4211	----	----	----	----	9 UNCH
4800	153.00	153.00	206.90B/142.00	206.90B/142.00	----	200.80 + 24.20	.4185	----	----	9	----	636 + 7
4810	----	----	203.20B/150.60A	203.20B/150.60A	----	197.40 + 24.00	.4134	----	----	1	----	60 + 1
4815	198.00	198.00	201.50B/*149.30	201.50B/*149.30A	----	195.70 + 23.80	.4108	----	----	2	----	6 + 2
4820	----	----	199.70B/147.90A	199.70B/147.90A	----	194.00 + 23.70	.4082	----	----	----	----	91 UNCH
4825	----	----	198.10B/146.60A	198.10B/146.60A	----	192.40 + 23.60	.4057	----	----	----	----	104 UNCH
4835	----	----	194.70B/*144.00	194.70B/*144.00A	----	189.10 + 23.30	.4007	----	----	17	----	127 + 2
4850	----	----	189.90B/140.20A	189.90B/140.20A	----	184.30 + 22.90	.3932	----	----	----	----	292 UNCH
4875	----	----	180.20B/134.10A	180.20B/134.10A	----	176.50 + 22.20	.3809	----	----	----	----	2 UNCH
4880	----	----	180.30B/*132.90	180.30B/*132.90A	----	175.00 + 22.10	.3785	----	----	----	----	4 UNCH
4895	170.10	170.10	175.80B/*129.40	175.80B/*129.40A	----	170.60 NEW	.3713	----	----	250	----	200 + 200
4900	----	----	174.00B/128.30A	174.00B/128.30A	----	169.10 + 21.60	.3689	----	----	----	10	358 UNCH
4905	----	----	172.70B/*127.10	172.70B/*127.10A	----	167.70 + 21.50	.3665	----	----	----	----	10 UNCH
4910	----	----	171.20B/*126.00	171.20B/*126.00A	----	166.30 + 21.40	.3642	----	----	2	----	18 + 2
4925	----	----	166.80B/122.70A	166.80B/122.70A	----	162.10 + 21.10	.3572	----	----	1	----	242 + 1
4950	----	----	159.80B/117.40A	159.80B/117.40A	----	155.30 + 20.50	.3457	----	----	----	----	103 UNCH
4955	----	----	158.40B/*116.40	158.40B/*116.40A	----	153.90 + 20.30	.3434	----	----	----	----	10 UNCH
4960	----	----	157.00B/*115.40	157.00B/*115.40A	----	152.60 + 20.20	.3411	----	----	----	----	10 UNCH
4975	----	----	152.90B/112.40A	152.90B/112.40A	----	148.80 + 19.90	.3345	----	----	----	----	50 UNCH
5000	120.00	120.00	146.70B/105.00	146.70B/105.00	----	142.50 + 19.30	.3235	----	----	67	----	2710 - 10
5005	----	----	145.30B/*106.60	145.30B/*106.60A	----	141.30 + 19.20	.3213	----	----	----	----	4 UNCH
5020	----	----	140.20B/*103.90	140.20B/*103.90A	----	137.70 + 18.80	.3149	----	----	----	----	1 UNCH
5025	----	----	140.30B/103.00A	140.30B/103.00A	----	136.60 + 18.80	.3129	----	----	----	----	243 UNCH
5045	----	----	134.30B/*99.50A	134.30B/*99.50A	----	132.00 + 18.30	.3045	----	----	----	----	1 UNCH
5050	----	----	134.30B/*98.60A	134.30B/*98.60A	----	130.80 + 18.10	.3024	----	----	----	----	119 UNCH
5055	----	----	131.90B/*97.80A	131.90B/*97.80A	----	129.70 + 18.00	.3004	----	----	----	----	1 UNCH
5070	----	----	129.70B/*95.30A	129.70B/*95.30A	----	126.40 + 17.70	.2943	----	----	----	----	13 UNCH
5075	----	----	128.60B/*94.50A	128.60B/*94.50A	----	125.30 + 17.60	.2923	----	----	----	----	31 UNCH
5090	----	----	125.30B/*92.10A	125.30B/*92.10A	----	122.20 + 17.30	.2864	----	----	----	----	17 UNCH
5100	----	----	123.40B/*90.50A	123.40B/*90.50A	----	120.10 + 17.10	.2825	----	----	----	----	362 UNCH
5115	109.10	109.10	119.00B/*88.30A	119.00B/*88.30A	----	117.00 NEW	.2767	----	----	1	----	1 + 1
5125	----	----	118.10B/*86.80A	118.10B/*86.80A	----	115.00 + 16.50	.2729	----	----	----	----	70 UNCH
5150	----	----	113.10B/*83.10A	113.10B/*83.10A	----	110.20 + 15.90	.2636	----	----	10	----	22 + 10
5155	----	----	112.10B/*82.40A	112.10B/*82.40A	----	109.30 + 15.90	.2618	----	----	----	----	4 UNCH
5160	----	----	110.10B/*81.70A	110.10B/*81.70A	----	108.40 + 15.80	.2600	----	----	----	----	1 UNCH
5170	----	----	109.30B/*80.40A	109.30B/*80.40A	----	106.50 + 15.50	.2563	----	----	----	----	4 UNCH
5175	----	----	108.40B/*79.70A	108.40B/*79.70A	----	105.60 + 15.40	.2546	----	----	----	----	101 UNCH
5195	----	----	104.80B/*77.10A	104.80B/*77.10A	----	102.10 + 15.00	.2476	----	----	----	----	5 UNCH
5200	----	----	104.10B/*76.50A	104.10B/*76.50A	----	101.30 + 15.00	.2459	----	----	----	----	1330 UNCH
5220	----	----	100.30B/*74.00A	100.30B/*74.00A	----	97.90 + 14.50	.2391	----	----	----	----	6 UNCH
5245	----	----	96.30B/*71.00A	96.30B/*71.00A	----	93.90 + 14.10	.2309	----	----	----	----	10 UNCH
5250	----	----	95.60B/*70.40A	95.60B/*70.40A	----	93.10 + 13.90	.2293	----	----	----	----	407 UNCH
5255	----	----	93.90B/*69.90A	93.90B/*69.90A	----	92.30 + 13.80	.2277	----	----	----	----	1 UNCH
5265	----	----	93.10B/*68.70A	93.10B/*68.70A	----	90.80 + 13.70	.2246	----	----	----	----	5 UNCH
5270	----	----	91.60B/*68.20A	91.60B/*68.20A	----	90.00 + 13.50	.2229	----	----	----	----	1 UNCH
5275	----	----	91.60B/*67.60A	91.60B/*67.60A	----	89.30 + 13.50	.2214	----	----	----	----	24 UNCH
5280	----	----	90.00B/*67.10A	90.00B/*67.10A	----	88.50 + 13.30	.2198	----	----	----	----	1 UNCH
5285	----	----	89.30B/*66.60A	89.30B/*66.60A	----	87.80 + 13.20	.2183	----	----	----	----	1 UNCH
5290	----	----	88.60B/*66.00A	88.60B/*66.00A	----	87.10 + 13.20	.2168	----	----	----	----	2 UNCH
5295	----	----	87.90B/*65.50A	87.90B/*65.50A	----	86.40 + 13.10	.2153	----	----	----	----	2 UNCH
5300	----	----	87.90B/*65.00A	87.90B/*65.00A	----	85.70 + 13.00	.2139	----	----	----	50	750 UNCH
5305	----	----	87.20B/*64.50A	87.20B/*64.50A	----	85.00 + 12.90	.2124	----	----	----	----	6 UNCH
5310	----	----	86.50B/*64.00A	86.50B/*64.00A	----	84.30 + 12.80	.2109	----	----	----	----	4 UNCH
5315	----	----	85.80B/*63.50A	85.80B/*63.50A	----	83.60 + 12.70	.2094	----	----	----	----	4 UNCH
5320	----	----	85.10B/*63.00A	85.10B/*63.00A	----	82.90 + 12.60	.2079	----	----	----	----	5 UNCH
5325	----	----	84.40B/*62.50A	84.40B/*62.50A	----	82.20 + 12.50	.2064	----	----	----	----	6 UNCH
5330	----	----	83.70B/*62.00A	83.70B/*62.00A	----	81.50 + 12.40	.2050	----	----	----	----	6 UNCH
5335	----	----	83.00B/*61.50A	83.00B/*61.50A	----	80.90 + 12.40	.2036	----	----	----	----	21 UNCH
5340	----	----	82.40B/*61.00A	82.40B/*61.00A	----	80.20 + 12.20	.2022	----	----	----	----	7 UNCH
5345	----	----	81.70B/*60.50A	81.70B/*60.50A	----	79.60 + 12.20	.2008	----	----	----	----	5 UNCH
5350	----	----	81.10B/*60.00A	81.10B/*60.00A	----	78.90 + 12.10	.1993	----	----	----	----	466 UNCH
5355	----	----	80.20B/*59.50A	80.20B/*59.50A	----	78.30 + 12.00	.1980	----	----	----	----	4 UNCH
5360	----	----	79.70B/*59.10A	79.70B/*59.10A	----	77.70 + 11.90	.1967	----	----	----	----	107 UNCH
5365	----	----	79.10B/*58.60A	79.10B/*58.60A	----	77.10 + 11.90	.1954	----	----	----	----	22 UNCH
5370	----	----	78.30B/*58.10A	78.30B/*58.10A	----	76.40 + 11.70	.1939	----	----	----	----	38 UNCH
5375	----	----	77.20B/*57.70A	77.20B/*57.70A	----	75.80 + 11.60	.1926	----	----	----	----	2 UNCH
5380	----	----	77.20B/*57.20A	77.20B/*57.20A	----	75.20 + 11.60	.1912	----	----	----	----	3 UNCH
5385	----	----	76.00B/*56.80A	76.00B/*56.80A	----	74.60 + 11.50	.1899	----	----	----	----	2 UNCH
5390	----	----	75.90B/*56.20A	75.90B/*56.20A	----	74.00 + 11.40	.1886	----	----	----	----	203 UNCH
5395	----	----	75.10B/*55.80A	75.10B/*55.80A	----	73.50 + 11.40	.1874	----	----	----	----	3 UNCH
5400	----	----	74.80B/*55.40A	74.80B/*55.40A	----	72.90 + 11.30	.1861	----	----	----	----	583 UNCH
5450	----	----	69.00B/*51.50A	69.00B/*51.50A	----	67.40 + 10.50	.1737	----	----	----	10	288 + 10
5460	----	----	68.00B/*50.80A	68.00B/*50.80A	----	66.40 + 10.40	.1714	----	----	----	----	200 UNCH
5465	----	----	67.30B/*50.40A	67.30B/*50.40A	----	65.90 + 10.40	.1703	----	----	----	----	53 UNCH
5475	----	----	66.50B/*49.70A	66.50B/*49.70A	----	64.90 + 10.20	.1680	----	----	----	----	572 UNCH
5480	----	----	65.70B/*49.40A	65.70B/*49.40A	----	64.40 + 10.10	.1668	----	----	----	----	50 UNCH
5500	----	----	63.40B/*47.90A	63.40B/*47.90A	----	62.50 + 9.90	.1624	----	----	10	50	3240 - 10
5505	----	----	62.90B/*47.60A	62.90B/*47.60A	----	62.00 + 9.80	.1613	----	----	----	----	3 UNCH
5525	----	----	61.10B/*46.30A	61.10B/*46.30A	----	60.20 + 9.60	.1571	----	----	----	----	80 UNCH
5550	----	----	58.90B/*44.80A	58.90B/*44.80A	----	58.00 + 9.20	.1519	----	----	----	----	206 UNCH
5570	----	----	57.20B/*43.60A	57.20B/*43.60A	----	56.30 + 9.00	.1479	----	----	----	----	198 UNCH
5575	----	----	56.70B/*43.30A	56.70B/*43.30A	----	55.90 + 8.90	.1469	----	----	----	----	10 UNCH
5600	----	----	54.70B/*41.90A	54.70B/*41.90A	----	53.90 + 8.60	.1421	----	----	----	----	2652 UNCH
5650	----	----	51.00B/*39.30A	51.00B/*39.30A	----	50.30 + 8.20	.1333	----	----	----	----	306 UNCH
5660	----	----	50.30B/*38.80A	50.30B/*38.80A	----	49.60 + 8.10	.1316	----	----	----	----	1 UNCH
5665	----	----	49.80B/*38.60A	49.80B/*38.60A	----	49.20 + 7.90	.1307	----	----	----	----	1 UNCH
5670	----	----	49.60B/*38.30A	49.60B/*38.30A	----	48.90 + 7.90	.1299	----	----	----	----	2 UNCH
5675	----	----	49.10B/*38.10A	49.10B/*38.10A	----	48.50 + 7.80	.1290	----	----	----	----	18 UNCH
5680	----	----	48.90B/*37.90A	48.90B/*37.90A	----	48.20 + 7.80	.1282	----	----	----	----	21 UNCH
5685	----	----	48.60B/*37.60A	48.60B/*37.60A	----	47.90 + 7.80	.1274	----	----	----	----	18 UNCH
5690	----	----	48.20B/*37.40A	48.20B/*37.40A	----	47.50 + 7.60	.1265	----	----	----	----	27 UNCH
5700	----	----	47.60B/*36.90A	47.60B/*36.90A	----	46.90 + 7.60	.1250	----	----	----	----	375 UNCH
5705	----	----	47.20B/*36.70A	47.20B/*36.70A	----	46.60 + 7.60	.1242	----	----	----	----	5 UNCH
5710	----	----	46.90B/*36.50A	46.90B/*36.50A	----	46.30 + 7.50	.1235	----	----	----	----	5 UNCH
5750	----	----	43.50B/*34.90A	43.50B/*34.90A	----	43.80 + 7.00	.1173	----	----	----	----	315 UNCH
5770	----	----	42.30B/*34.10A	42.30B/*34.10A	----	42.70 + 6.90	.1145	----	----	----	----	8 UNCH
5775	----	----	42.10B/*33.90A	42.10B/*33.90A	----	42.40 + 6.80	.1137	----	----	----	----	2 UNCH
5800	----	----	40.70B/*32.90A	40.70B/*32.90A	----	41.10 + 6.60	.1104	----	----	----	----	2062 UNCH
5810	----	----	40.20B/*32.70A	40.20B/*32.70A	----	40.50 + 6.50	.1089	----	----	----	----	56 UNCH
5825	----	----	39.40B/*32.20A	39.40B/*32.20A	----	39.70 + 6.30	.1069	----	----	----	----	4 UNCH
5850	----	----	38.20B/*31.30A	38.20B/*31.30A	----	38.50 + 6.10	.1038	----	----	----	----	51 UNCH
5875	----	----	37.10B/*30.50A	37.10B/*30.50A	----	37.30 + 5.90	.1007	----	----	----	----	9 UNCH
5900	----	----	36.00B/*29.70A	36.00B/*29.70A	----	36.20 + 5.70	.0978	----	----	3	----	1252 + 3
5950	----	----	33.90B/*28.40A	33.90B/*28.40A	----	34.10 + 5.30	.0923	----	----	----	----	27 UNCH
6000	32.50	32.50	33.00/*27.10A	33.00/*27.10A	----	32.10 + 4.80	.0871	----	----	1330	----	6984 + 1024
6100	----	----	28.70B/----	28.70B/*24.80A	----	28.70 + 4.00	.0780	----	----	----	----	130 UNCH
6150	----	----	27.20B/----	27.20B/*23.80A	----	27.30 + 3.80	.0741	----	----	----	----	29 UNCH
6200	----	----	24.20B/----	24.20B/*23.00A	----	25.90 + 3.40	.0704	----	----	----	----	3207 UNCH
6250	----	----	22.90B/----	22.90B/*22.20A	----	24.70 + 3.10	.0670	----	----	----	----	76 UNCH
6300	----	----	21.80B/----	21.80B/*21.50A	----	23.60 + 2.90	.0639	----	----	----	----	837 UNCH
6400	----	----	19.80B/----	19.80B/*20.20A	----	21.60 + 2.30	.0583	----	----	----	----	686 UNCH
6500	----	----	18.20B/----	18.20B/*19.10A	----	20.00 + 2.00	.0536	----	----	1200	----	6880 + 1054
6750	----	----	----	15.10B/*16.90A	----	17.00 + 1.30	.0447	----	----	----	----	105 UNCH
6775	----	----	----	14.90B/16.70A	----	16.70 + 1.20	.0438	----	----	----	----	164 UNCH
6800	----	----	----	14.70B/*16.50A	----	16.50 + 1.20	.0432	----	----	----	----	1817 UNCH
6900	----	----	----	13.80B/*15.70A	----	15.70 + 1.00	.0407	----	----	----	----	71 UNCH
7000	15.00	15.00	15.00/14.50	15.00/14.50	----	15.00 + 0.80	.0384	----	----	211	----	4975 + 200
7130	----	----	----	12.40B/*14.60A	----	14.20 + 0.60	.0359	----	----	----	----	200 UNCH
7175	----	----	----	12.10B/*14.40A	----	14.00 + 0.60	.0352	----	----	----	----	125 UNCH
7250	----	----	----	11.80B/*14.10A	----	13.70 + 0.60	.0341	----	----	----	----	108 UNCH
7500	----	----	----	11.50B/13.20A	----	12.70 + 0.30	.0307	----	----	----	----	121 UNCH
8000	10.10	10.10	10.10/10.10	10.10/10.10	----	11.30 UNCH	.0259	----	----	903	----	2052 + 448
8125	----	----	----	9.30B/*11.70A	----	11.00 UNCH	.0249	----	----	----	----	801 UNCH
8500	----	----	----	8.70B/11.20A	----	10.30 UNCH	.0225	----	----	----	----	170 UNCH
8630	----	----	----	8.50B/*11.10A	----	10.10 UNCH	.0218	----	----	----	----	400 UNCH
8725	----	----	----	8.40B/*10.90A	----	10.00 + 0.10	.0214	----	----	----	----	250 UNCH
8775	10.00	10.00	10.00/*10.00	10.00/*10.00	----	9.90 UNCH	.0211	----	----	8	----	25 - 8
9000	9.60	9.60	10.00/9.60	10.00/9.60	----	9.80 + 0.20	.0204	----	----	58	----	288 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
9500	----	----	----	7.50B/10.10A	----	9.70 + 0.50	.0192	----	----	200	----	443 + 140
9900	----	----	----	7.20B/*9.70A	----	9.50 + 0.50	.0182	----	----	----	----	17 UNCH
10000	8.80	8.80	8.80/8.00	8.80/8.00	----	9.50 + 0.60	.0180	----	----	227	----	10807 + 174
11000	----	----	----	7.50B/8.70A	----	7.70 - 0.10	.0141	----	----	110	----	662 + 102
13000	5.10	5.10	5.30/*5.10	5.30/*5.10	----	5.60 - 0.50	.0096	----	----	89	----	684 + 41
15000	4.50	4.50	4.80B/4.50	4.80B/4.50	----	4.50 - 0.20	.0074	----	----	455	----	23797 + 422
17000	----	----	----/3.30A	2.30B/3.30A	----	3.30 - 0.10	.0053	----	----	----	----	27 UNCH
19000	----	----	----	1.70B/3.50A	----	2.30 UNCH	.0037	----	----	----	----	6 UNCH
20000	----	----	2.00B/----	2.00B/2.10A	----	2.00 + 0.10	.0032	----	----	----	----	26433 UNCH
21000	----	----	----	----/18.40A	----	1.60 UNCH	.0025	----	----	----	----	31 UNCH
24000	1.50	1.50	1.50/1.50	1.50/1.30A	----	1.00 + 0.10	.0016	----	----	2	----	34 + 2
TOTAL										6128	180	120874+ 3952
JAN27												
4190	----	----	----/*483.70A	503.20B/*483.70A	----	570.40 + 39.50	.7432	----	----	----	----	1 UNCH
4290	----	----	506.60B/*421.50	506.60B/*421.50A	----	502.00 + 37.40	.6996	----	----	----	----	1 UNCH
4300	----	----	500.00B/415.50A	500.00B/415.50A	----	495.50 + 37.20	.6950	----	----	----	----	1 UNCH
4400	----	----	437.20B/*358.20	437.20B/*358.20A	----	433.10 + 35.00	.6477	----	----	----	----	1 UNCH
4500	----	----	380.40B/*307.70	380.40B/*307.70A	----	376.40 + 32.80	.5981	----	----	1	----	2 + 1
4575	----	----	343.20B/*270.60	343.20B/*270.60A	----	337.70 + 31.20	.5600	----	----	----	----	1 UNCH
4600	----	----	330.80B/*260.30	330.80B/*260.30A	----	325.50 + 30.60	.5472	----	----	----	----	4 UNCH
4650	305.00	305.00	306.40B/*240.60	306.40B/*240.60A	----	302.20 + 29.40	.5217	----	----	1	----	3 + 1
4700	----	----	284.90B/*222.50	284.90B/*222.50A	----	280.30 + 28.20	.4965	----	----	----	----	2 UNCH
4710	----	----	281.50B/*219.00	281.50B/*219.00A	----	276.10 + 28.00	.4915	----	----	----	----	3 UNCH
4750	----	----	265.00B/*205.40	265.00B/*205.40A	----	259.90 + 27.10	.4717	----	----	----	----	8 UNCH
4760	----	----	261.00B/*202.30	261.00B/*202.30A	----	255.90 + 26.80	.4667	----	----	----	----	101 UNCH
4765	----	----	259.00B/*200.60	259.00B/*200.60A	----	254.00 NEW	.4643	----	----	6	----	6 + 6
4800	----	----	245.50B/*189.70	245.50B/*189.70A	----	240.70 + 25.80	.4473	----	----	10	----	13 + 10
4850	----	----	227.40B/*175.20	227.40B/*175.20A	----	222.90 + 24.60	.4236	----	----	----	----	1 UNCH
4875	----	----	218.80B/*168.50	218.80B/*168.50A	----	214.50 + 24.00	.4120	----	----	----	----	4 UNCH
4900	----	----	209.70B/*161.90	209.70B/*161.90A	----	206.30 + 23.30	.4005	----	----	30	----	31 + 21
4935	----	----	198.50B/*153.20	198.50B/*153.20A	----	195.40 + 22.50	.3848	----	----	----	----	1 UNCH
4945	----	----	195.50B/*150.80	195.50B/*150.80A	----	192.40 + 22.20	.3804	----	----	----	----	1 UNCH
4960	----	----	191.10B/*147.30	191.10B/*147.30A	----	188.00 + 21.90	.3739	----	----	----	----	1 UNCH
5000	----	----	179.30B/*138.30	179.30B/*138.30A	----	176.70 + 20.90	.3568	----	----	----	----	30 UNCH
5050	----	----	166.00B/*128.00	166.00B/*128.00A	----	163.50 + 19.80	.3363	----	----	----	----	100 UNCH
5075	129.20	129.20	159.60B/*123.10	159.60B/*123.10	----	157.30 NEW	.3264	----	----	2	----	2 + 2
5100	----	----	153.60B/*118.50	153.60B/*118.50A	----	151.30 + 18.60	.3166	----	----	----	----	1 UNCH
5130	----	----	146.70B/*113.00	146.70B/*113.00A	----	144.50 + 18.00	.3053	----	----	----	----	1 UNCH
5195	----	----	132.80B/*102.20	132.80B/*102.20A	----	130.80 + 16.70	.2820	----	----	----	----	5 UNCH
5200	----	----	131.80B/*101.40	131.80B/*101.40A	----	129.80 + 16.60	.2803	----	----	----	----	1103 UNCH
5250	----	----	122.00B/*94.00A	122.00B/*94.00A	----	120.30 + 15.70	.2635	----	----	----	----	7 UNCH
5300	----	----	113.30B/*87.30A	113.30B/*87.30A	----	111.60 + 14.80	.2477	----	----	----	----	1 UNCH
5350	106.50	106.50	107.00/*80.90A	107.00/*80.90A	----	103.60 + 13.90	.2328	----	----	2	----	3 + 2
5380	----	----	100.60B/*77.70A	100.60B/*77.70A	----	99.20 + 13.50	.2244	----	----	----	----	3 UNCH
5400	----	----	97.70B/*75.40A	97.70B/*75.40A	----	96.30 + 13.10	.2188	----	----	----	----	6 UNCH
5450	----	----	90.80B/*70.10A	90.80B/*70.10A	----	89.60 + 12.30	.2057	----	----	----	----	6 UNCH
5500	----	----	84.60B/*65.40A	84.60B/*65.40A	----	83.50 + 11.70	.1935	----	----	----	----	58 UNCH
5550	----	----	79.00B/*61.00A	79.00B/*61.00A	----	77.90 + 11.00	.1821	----	----	----	----	4 UNCH
5555	----	----	78.50B/*60.70A	78.50B/*60.70A	----	77.40 + 11.00	.1811	----	----	----	----	2 UNCH
5600	----	----	73.80B/*57.90A	73.80B/*57.90A	----	72.80 + 10.40	.1715	----	----	----	----	226 UNCH
5700	----	----	64.50B/*51.50A	64.50B/*51.50A	----	63.80 + 9.20	.1523	----	----	----	----	3 UNCH
5750	----	----	60.50B/*48.60A	60.50B/*48.60A	----	59.90 + 8.70	.1438	----	----	----	----	2 UNCH
5820	----	----	55.30B/*44.50A	55.30B/*44.50A	----	54.90 + 7.90	.1327	----	----	----	----	6 UNCH
5850	----	----	53.40B/*43.00A	53.40B/*43.00A	----	53.00 + 7.70	.1284	----	----	----	----	3 UNCH
5900	----	----	50.20B/*40.80A	50.20B/*40.80A	----	49.90 + 7.20	.1214	----	----	----	----	6 UNCH
6000	----	----	43.30B/*37.10A	43.30B/*37.10A	----	44.60 + 6.30	.1091	----	----	----	----	283 UNCH
6025	----	----	42.10B/*36.20A	42.10B/*36.20A	----	43.40 + 6.10	.1063	----	----	----	----	1 UNCH
6250	----	----	33.10B/----	33.10B/*31.40A	----	34.40 + 4.30	.0848	----	----	----	----	1 UNCH
6300	----	----	29.30B/----	29.30B/*30.30A	----	32.80 + 4.00	.0809	----	----	----	----	3 UNCH
6500	----	----	----	24.10B/*26.80A	----	27.30 + 2.70	.0674	----	----	----	----	5 UNCH
20000	----	----	----	2.20B/4.00A	----	3.00 - 1.00	.0045	----	----	----	----	125 UNCH
TOTAL										52		2182+ 43
FEB27												
4500	----	----	398.20B/*327.50	398.20B/*327.50A	----	394.90 + 32.30	.5959	----	----	----	----	0 UNCH
4630	----	----	336.00B/*268.00	336.00B/*268.00A	----	330.10 + 29.00	.5335	----	----	----	----	1 UNCH
4640	----	----	331.40B/*264.10	331.40B/*264.10A	----	325.50 + 28.80	.5287	----	----	----	----	5 UNCH
4650	----	----	326.80B/*260.40	326.80B/*260.40A	----	321.00 + 28.50	.5240	----	----	----	----	6 UNCH
4675	----	----	315.60B/*250.90	315.60B/*250.90A	----	309.90 + 27.90	.5121	----	----	----	----	1 UNCH
4700	----	----	304.80B/*241.90	304.80B/*241.90A	----	299.20 + 27.30	.5002	----	----	----	----	1 UNCH
4750	----	----	284.30B/*224.70	284.30B/*224.70A	----	278.90 + 26.30	.4769	----	----	----	----	36 UNCH
4785	----	----	271.00B/*213.50	271.00B/*213.50A	----	265.40 + 25.50	.4608	----	----	----	----	100 UNCH
4850	----	----	247.10B/*194.00	247.10B/*194.00A	----	242.00 + 24.20	.4316	----	----	----	----	36 UNCH
5000	----	----	198.30B/*155.80	198.30B/*155.80A	----	195.20 + 21.10	.3684	----	----	----	----	151 UNCH
5100	----	----	171.60B/*135.10	171.60B/*135.10A	----	169.10 + 19.00	.3300	----	----	----	----	148 UNCH
5175	----	----	154.20B/*121.20	154.20B/*121.20A	----	152.00 + 17.60	.3034	----	----	----	----	125 UNCH
5200	----	----	148.60B/*117.00	148.60B/*117.00A	----	146.70 + 17.10	.2950	----	----	----	----	3 UNCH
5250	----	----	138.70B/*109.10	138.70B/*109.10A	----	136.80 + 16.20	.2788	----	----	----	----	22 UNCH
5300	----	----	129.30B/*101.70	129.30B/*101.70A	----	127.60 + 15.40	.2633	----	----	----	----	50 UNCH
5375	----	----	116.50B/*91.90A	116.50B/*91.90A	----	115.20 + 14.30	.2418	----	----	----	----	1 UNCH
5400	----	----	112.60B/*88.90A	112.60B/*88.90A	----	111.40 + 14.00	.2351	----	----	----	----	11 UNCH
5450	----	----	105.20B/*83.10A	105.20B/*83.10A	----	104.20 + 13.40	.2221	----	----	----	----	10 UNCH
5500	----	----	98.40B/*77.90A	98.40B/*77.90A	----	97.70 + 12.90	.2101	----	----	----	----	18 UNCH
5520	----	----	95.70B/*76.00A	95.70B/*76.00A	----	95.20 + 12.70	.2054	----	----	----	----	300 UNCH
5530	----	----	94.40B/*75.00A	94.40B/*75.00A	----	94.00 + 12.60	.2032	----	----	----	----	100 UNCH
5550	----	----	92.30B/*73.10A	92.30B/*73.10A	----	91.60 + 12.40	.1987	----	----	----	----	82 UNCH
5600	----	----	86.40B/*68.90A	86.40B/*68.90A	----	86.00 + 11.90	.1880	----	----	----	----	8 UNCH
5700	63.50	63.50	76.20B/*61.80A	76.20B/*61.80A	----	76.10 NEW	.1685	----	----	1	----	1 + 1
5900	----	----	60.40B/*49.50A	60.40B/*49.50A	----	60.20 + 8.80	.1362	----	----	----	----	7 UNCH
6000	----	----	54.10B/*45.00A	54.10B/*45.00A	----	53.90 + 7.70	.1229	----	----	65	----	3035 + 65
6025	----	----	49.80B/*43.90A	49.80B/*43.90A	----	52.50 + 7.50	.1199	----	----	----	----	4 UNCH
6100	----	----	45.70B/*41.20A	45.70B/*41.20A	----	48.50 + 6.70	.1113	----	----	----	----	4 UNCH
6300	----	----	38.40B/----	38.40B/*37.20A	----	39.90 + 4.90	.0922	----	----	----	----	1 UNCH
6500	----	----	33.50B/----	33.50B/32.80A	----	33.70 + 3.60	.0779	----	----	65	----	2910 + 65
6900	----	----	----	21.60B/*26.80A	----	25.80 + 1.80	.0587	----	----	----	----	533 UNCH
7000	23.00	23.00	23.00/23.00	23.00/23.00	----	24.50 + 1.60	.0554	----	----	53	----	497 - 53
7100	----	----	----	19.20B/*24.70A	----	23.40 + 1.40	.0525	----	----	----	----	9 UNCH
7900	----	----	----	13.90B/*20.20A	----	18.00 + 0.20	.0376	----	----	----	----	500 UNCH
8000	----	----	----	13.60B/*19.90A	----	17.60 UNCH	.0365	----	----	----	----	695 UNCH
TOTAL										184		9411+ 78
MAR27												
4610	----	----	376.40B/*315.60	376.40B/*315.60A	----	378.10 + 32.60	.5595	----	----	----	----	2 UNCH
4650	357.00	357.00	357.20B/*294.00	357.20B/*294.00A	----	359.20 NEW	.5415	----	----	1	----	1 + 1
4660	351.00	351.00	352.60B/*290.00	352.60B/*290.00A	----	354.60 NEW	.5370	----	----	2	----	2 + 2
4670	----	----	348.00B/*286.20	348.00B/*286.20A	----	350.00 + 31.70	.5325	----	----	----	----	1 UNCH
4675	348.00	348.00	350.00/*284.20A	350.00/*284.20A	----	347.70 NEW	.5303	----	----	2	----	2 + 2
4680	----	----	344.50B/*282.20	344.50B/*282.20A	----	345.50 + 31.60	.5281	----	----	----	----	2 UNCH
4710	----	----	331.70B/*271.00	331.70B/*271.00A	----	332.10 + 31.00	.5147	----	----	----	----	21 UNCH
4785	----	----	304.00B/*244.50	304.00B/*244.50A	----	300.60 + 29.40	.4816	----	----	1	----	0 - 1
4800	----	----	298.40B/*239.50	298.40B/*239.50A	----	294.70 + 29.10	.4752	----	----	----	----	3 UNCH
4820	----	----	290.60B/*233.10	290.60B/*233.10A	----	286.80 + 28.60	.4665	----	----	----	----	20 UNCH
4995	----	----	229.60B/*183.60	229.60B/*183.60A	----	226.70 + 24.40	.3944	----	----	----	----	2 UNCH
5000	----	----	227.50B/*182.40	227.50B/*182.40A	----	225.20 + 24.30	.3925	----	----	----	----	102 UNCH
5010	----	----	224.70B/*179.90	224.70B/*179.90A	----	222.20 + 24.00	.3886	----	----	----	----	1 UNCH
5200	----	----	173.60B/*139.80	173.60B/*139.80A	----	173.00 + 19.80	.3205	----	----	----	----	3 UNCH
5400	----	----	134.70B/*108.70	134.70B/*108.70A	----	133.60 + 15.90	.2600	----	----	----	----	11 UNCH
5450	----	----	126.30B/*102.10	126.30B/*102.10A	----	125.40 + 15.10	.2467	----	----	----	----	3 UNCH
5500	----	----	118.80B/*95.90A	118.80B/*95.90A	----	117.80 + 14.20	.2341	----	----	----	----	535 UNCH
5550	112.00	112.00	112.00/*90.30A	112.00/*90.30A	----	110.80 NEW	.2222	----	----	1	----	1 + 1
5600	106.00	106.00	106.00/*85.10A	106.00/*85.10A	----	104.30 + 12.80	.2109	----	----	3	----	10 + 3
5650	99.00	99.00	99.00/*80.50A	99.00/*80.50A	----	98.20 + 12.10	.2002	----	----	1	----	16 - 1
5700	----	----	93.20B/*75.90A	93.20B/*75.90A	----	92.70 + 11.50	.1903	----	----	1	----	10 + 1
5790	----	----	84.10B/*68.80A	84.10B/*68.80A	----	83.70 + 10.40	.1738	----	----	----	----	50 UNCH
5820	----	----	81.20B/*67.60A	81.20B/*67.60A	----	81.00 + 10.10	.1687	----	----	----	----	2 UNCH
5850	----	----	78.80B/*67.10A	78.80B/*67.10A	----	78.40 + 9.80	.1638	----	----	----	----	253 UNCH
5900	----	----	74.50B/*63.90A	74.50B/*63.90A	----	74.40 + 9.40	.1561	----	----	----	----	11 UNCH
5950	----	----	70.80B/*61.00A	70.80B/*61.00A	----	70.60 + 8.90	.1488	----	----	2	----	6 + 2
5975	----	----	68.90B/*59.60A	68.90B/*59.60A	----	68.90 + 8.80	.1454	----	----	1	----	3 + 1
6000	----	----	67.20B/*58.20A	67.20B/*58.20A	----	67.20 + 8.60	.1421	----	----	----	----	2 UNCH
6250	45.00	45.00	47.70B/*45.00	47.70B/*45.00	----	53.20 NEW	.1137	----	----	10	----	10 + 10
6500	----	----	39.70B/----	39.70B/*42.40A	----	43.30 + 5.80	.0929	----	----	----	----	526 UNCH
TOTAL										25		1611+ 21
APR27												
5000	----	----	----	89.80B/329.70A	----	281.90 + 20.70	.4179	----	----	----	----	100 UNCH
5060	----	----	----	73.80B/303.70A	----	262.60 + 19.70	.3973	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
5600	----	----	----	63.70B/138.30A	----	136.10 + 11.70	.2411	----	----	----	----	300 UNCH
5800	----	----	----	53.40B/111.50A	----	106.80 NEW	.1980	----	----	----	50	50 + 50
5900	----	----	----	50.30B/96.60A	----	94.80 + 8.70	.1793	----	----	----	----	1 UNCH
6000	----	----	----	47.30B/86.70A	----	84.30 + 7.80	.1623	----	----	----	----	151 UNCH
TOTAL											50	627 + 50
JUN27												
5085	----	----	----	#117.70B/*407.30A	----	325.90 + 21.10	.4241	----	----	----	----	150 UNCH
7000	----	----	----	#40.00B/114.80A	----	53.40 + 4.60	.0960	----	----	----	----	3 UNCH
7500	----	----	----	----	----	38.20 + 3.30	.0698	----	----	----	----	450 UNCH
8000	----	----	----	----	----	29.60 + 2.60	.0539	----	----	----	----	2 UNCH
9000	20.00	20.00	20.00/*20.00	20.00/*20.00	----	21.70 + 1.80	.0379	----	----	1	----	0 - 1
10000	----	----	----	----	----	19.30 + 1.40	.0316	----	----	----	----	3 UNCH
TOTAL										1		608 - 1
DEC27												
4860	----	----	----	----	----	561.40 + 27.60	.5407	----	----	----	----	100 UNCH
5000	----	----	----	----	----	507.00 + 25.80	.5045	----	----	----	----	50 UNCH
5650	----	----	----	----	----	309.60 + 18.00	.3538	----	----	----	----	200 UNCH
5700	----	----	----	----	----	298.00 + 17.50	.3437	----	----	----	----	150 UNCH
5800	----	----	----	----	----	276.10 + 16.40	.3242	----	----	----	----	200 UNCH
5880	----	----	----	----	----	259.90 + 15.70	.3094	----	----	----	----	125 UNCH
6300	----	----	----	----	----	190.90 + 12.20	.2415	----	----	----	----	18 UNCH
7500	----	----	----	----	----	90.30 + 6.20	.1256	----	----	----	----	170 UNCH
7800	----	----	----	----	----	77.80 + 5.40	.1092	----	----	----	----	284 UNCH
10000	36.00	36.00	36.00/36.00	36.00/36.00	----	38.60 + 2.60	.0533	----	----	4	----	103 UNCH
10500	----	----	----	----	----	34.80 + 2.30	.0475	----	----	----	----	10 UNCH
TOTAL										4		1410 0
DEC28												
5750	----	----	----	----	----	521.80 + 22.70	.4316	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUN26												
4400	----	----	----/*8.00A	----/*8.00A	----	5.20 - 9.60	.0778	----	----	----	----	1 UNCH
4430	25.00	25.00	#25.00/*25.00	#25.00/*25.00	----	8.00 NEW	.1245	----	----	1	----	1 + 1
4540	22.00	22.00	#22.00/*22.00	#22.00/*20.00A	----	32.20 NEW	.4658	----	----	1	----	1 + 1
4600	----	----	----	----	----	12.30 + 6.70	.2075	----	----	----	----	4 UNCH
TOTAL										2		7 + 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
MAY26												
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4280	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4285	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4295	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4310	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	136.50 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4390	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	81.50 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	66.50 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	61.50 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	51.50 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	46.50 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	41.50 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	36.50 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	31.50 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	26.50 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	21.50 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	16.50 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	11.50 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	6.50 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	1.50 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	3.50 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	8.50 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	13.50 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	18.50 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	23.50 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	28.50 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	33.50 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	38.50 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	43.50 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	48.50 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	53.50 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	58.50 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	63.50 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	68.50 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	73.50 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	78.50 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 30

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4												
MAY26														
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	83.50	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	88.50	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	93.50	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	98.50	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	103.50	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	108.50	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	113.50	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	118.50	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	123.50	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	128.50	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	133.50	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	143.50	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	148.50	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	158.50	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	168.50	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	178.50	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	188.50	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	193.50	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	218.50	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	243.50	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	268.50	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	318.50	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	323.50	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	418.50	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	----	----	----	438.50	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	443.50	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	468.50	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
JUN26														
3800	----	----	----/*0.50A	0.50B/*0.50A	----	0.30	- 0.40	.0016	----	----	1	----	2	UNCH
3800	----	----	3.50B/*3.10A	3.50B/*3.10A	----	2.30	NEW	.0143	----	----	1	----	1 +	1
3900	----	----	----/*0.70A	0.90B/*0.70A	----	0.50	- 0.50	.0031	----	----	----	----	19	UNCH
4000	----	----	4.60B/*2.70A	4.60B/*2.70A	----	2.40	- 1.70	.0184	----	----	----	----	3	UNCH
4000	1.20	1.20	1.70B/*0.90A	1.70B/*0.90A	----	0.70	- 0.70	.0050	----	----	1	----	6 +	1
4000	5.50	5.50	#9.90B/*5.50	#9.90B/5.50	----	4.70	- 2.00	.0326	----	----	1	----	1	UNCH
4075	----	----	#13.50B/*8.20A	#13.50B/*8.20A	----	6.50	NEW	.0465	----	----	2	----	2 +	2
4100	----	----	9.10B/*4.10A	9.10B/*4.10A	----	3.80	- 2.70	.0314	----	----	----	----	7	UNCH
4150	----	----	#23.00B/9.50A	#23.00B/9.50A	----	9.60	NEW	.0694	----	----	1	----	1 +	1
4150	----	----	14.40B/*5.20A	14.40B/*5.20A	----	5.00	- 3.50	.0424	----	----	----	----	4	UNCH
4175	----	----	7.30B/*1.80A	7.30B/*1.80A	----	1.80	- 1.60	.0169	----	----	----	----	1	UNCH
4200	10.00	10.00	20.30B/6.80A	20.30B/6.80A	----	6.80	- 4.50	.0587	----	----	1	----	4 +	1
4200	----	----	9.00B/*2.10A	9.00B/*2.10A	----	2.10	- 1.90	.0205	----	----	1	----	2	UNCH
4225	----	----	24.00B/7.80A	24.00B/7.80A	----	7.90	- 5.20	.0689	----	----	----	----	4	UNCH
4225	5.80	5.80	11.30B/*2.40A	11.30B/*2.40A	----	2.40	NEW	.0245	----	----	20	----	20 +	20
4250	----	----	28.60B/9.10A	28.60B/9.10A	----	9.30	- 6.00	.0815	----	----	----	----	1	UNCH
4250	----	----	14.50B/*2.80A	14.50B/*2.80A	----	2.90	- 3.00	.0307	----	----	----	----	3	UNCH
4250	----	----	#40.50B/15.90A	#40.50B/15.90A	----	16.80	- 6.80	.1205	----	----	----	----	1	UNCH
4275	----	----	#46.70B/18.50A	#46.70B/18.50A	----	19.10	- 8.20	.1371	----	----	----	----	1	UNCH
4275	----	----	18.00B/*3.30A	18.00B/*3.30A	----	3.50	- 3.70	.0384	----	----	2	----	12	UNCH
4275	----	----	#33.90B/10.60A	#33.90B/10.60A	----	11.00	- 6.90	.0967	----	----	----	----	3	UNCH
4295	----	----	----	#21.80B/*3.90A	----	4.10	NEW	.0463	----	----	2	----	2 +	2
4300	----	----	#53.70B/21.40A	#53.70B/21.40A	----	21.90	- 9.60	.1566	----	----	----	----	23	UNCH
4300	----	----	#39.80B/12.60A	#39.80B/12.60A	----	13.10	- 8.00	.1149	----	----	----	----	3	UNCH
4300	11.00	11.00	22.60B/*4.00A	22.60B/*4.00A	----	4.20	- 4.70	.0479	----	----	5	----	8 -	1
4310	----	----	----	#24.70B/*4.30A	----	4.60	NEW	.0531	----	----	2	----	2 +	2
4325	----	----	#47.00B/14.90A	#47.00B/14.90A	----	15.60	- 9.30	.1364	----	----	2	----	4 +	2
4325	----	----	28.40B/*4.90A	28.40B/*4.90A	----	5.30	- 5.80	.0621	----	----	1	----	62 -	1
4325	----	----	#61.50B/24.70A	#61.50B/24.70A	----	25.30	- 11.20	.1793	----	----	----	----	1	UNCH
4335	14.10	14.10	#14.10/*5.30A	#31.40B/*5.30A	----	5.80	NEW	.0688	----	----	12	----	12 +	12
4340	----	----	----	#32.40B/*5.60A	----	6.10	NEW	.0726	----	----	2	----	2 +	2
4350	----	----	#35.60B/*6.10A	#35.60B/*6.10A	----	6.70	- 7.40	.0805	----	----	3	----	19 +	1
4350	----	----	#70.40B/28.70A	#70.40B/28.70A	----	29.40	- 12.80	.2055	----	----	----	----	3	UNCH
4375	41.30	41.30	#80.50B/33.50A	#80.50B/33.50A	----	34.40	NEW	.2355	----	----	12	----	12 +	12
4375	----	----	#64.90B/21.40A	#64.90B/21.40A	----	22.60	- 12.50	.1929	----	----	----	----	100	UNCH
4375	13.90	13.90	#44.50B/7.70A	#44.50B/7.70A	----	8.60	- 9.30	.1052	----	----	24	----	38 +	11
4380	----	----	----	#46.00B/*8.10A	----	9.00	NEW	.1107	----	----	2	----	2 +	2
4390	10.50	10.50	#10.50/*9.00A	#50.40B/*9.00A	----	10.00	NEW	.1234	----	----	2	----	2 +	2
4400	111.80	111.80	169.90B/*78.80A	169.90B/*78.80A	----	159.70	NEW	.7708	----	----	1	----	1 +	1
4400	----	----	#75.30B/25.60A	#75.30B/25.60A	----	27.40	- 14.40	.2288	----	----	----	----	5	UNCH
4400	41.50	41.50	#54.90B/10.00A	#54.90B/10.00A	----	11.20	- 11.70	.1382	----	----	8	----	65 +	2
4400	----	----	154.60B/*55.60A	154.60B/*55.60A	----	143.50	+ 39.20	.8616	----	----	----	----	1	UNCH
4410	51.80	51.80	#51.80/*11.10A	#59.60B/*11.10A	----	12.50	NEW	.1542	----	----	2	----	1 +	1
4415	53.20	53.20	#53.20/*11.70A	#62.10B/*11.70A	----	13.20	NEW	.1628	----	----	1	----	1 +	1
4420	55.70	55.70	#55.70/*12.30A	#64.60B/*12.30A	----	13.90	NEW	.1715	----	----	1	----	1 +	1
4420	50.80	50.80	#137.30B/*45.20	#137.30B/*45.20A	----	126.30	NEW	.8283	----	----	1	----	1 +	1
4425	----	----	150.40B/*66.30A	150.40B/*66.30A	----	140.50	+ 34.40	.7299	----	----	----	----	1	UNCH
4425	26.00	26.00	#67.20B/13.00A	#67.20B/13.00A	----	14.70	- 14.50	.1811	----	----	184	----	78 -	42
4425	----	----	132.90B/*42.70A	132.90B/*42.70A	----	122.10	+ 36.40	.8187	----	----	----	----	2	UNCH
4425	----	----	#87.40B/30.90A	#87.40B/30.90A	----	33.20	- 16.50	.2697	----	----	----	----	1	UNCH
4425	----	----	#100.50B/45.50A	#100.50B/45.50A	----	47.30	- 17.70	.3060	----	----	9	----	5 +	1
4430	36.40	36.40	#36.40/*13.70A	#70.00B/*13.70A	----	15.60	NEW	.1914	----	----	1	----	1 +	1
4430	42.00	42.00	#128.70B/*40.40	#128.70B/*40.40A	----	117.90	NEW	.8084	----	----	1	----	1 +	1
4440	66.80	66.80	#66.80/*15.30A	#76.00B/*15.30A	----	17.40	NEW	.2126	----	----	7	----	7 +	7
4450	105.70	105.70	#112.40B/53.00A	#112.40B/53.00A	----	55.30	- 19.50	.3457	----	----	15	----	16 +	14
4450	----	----	#96.20B/37.30A	#96.20B/37.30A	----	40.10	- 18.80	.3154	----	----	----	----	75	UNCH
4450	80.00	80.00	143.10B/*70.60A	143.10B/*70.60A	----	137.60	NEW	.6537	----	----	120	----	58 +	58
4450	36.00	36.00	#82.30B/17.10A	#82.30B/17.10A	----	19.50	- 17.80	.2362	----	----	14	----	267 +	9
4450	51.60	51.60	112.40B/*31.90A	112.40B/*31.90A	----	101.90	+ 33.20	.7636	----	----	2	----	4 +	2
4455	49.10	49.10	#49.10/*18.10A	#85.50B/*18.10A	----	20.60	NEW	.2485	----	----	27	----	27 +	27
4455	51.50	51.50	#108.40B/*51.50	#108.40B/*30.10A	----	98.00	NEW	.7513	----	----	2	----	2 +	2
4460	28.90	28.90	#104.70B/*28.90	#104.70B/*28.10A	----	94.20	NEW	.7383	----	----	29	----	29 +	29
4460	51.40	51.40	#51.40/*19.30A	#88.70B/*19.30A	----	21.80	NEW	.2615	----	----	28	----	27 +	27
4465	53.90	53.90	#53.90/*20.30A	#92.10B/*20.30A	----	23.10	NEW	.2751	----	----	27	----	27 +	27
4465	46.50	46.50	#100.80B/*46.50	#100.80B/*26.60A	----	90.50	NEW	.7247	----	----	27	----	27 +	27
4475	----	----	#127.00B/61.70A	#127.00B/61.70A	----	64.40	- 21.50	.3877	----	----	4	----	1 -	4
4475	----	----	#111.40B/44.70A	#111.40B/44.70A	----	48.30	- 21.20	.3656	----	----	----	----	5	UNCH
4475	----	----	93.30B/*23.40A	93.30B/*23.40A	----	83.20	NEW	.6961	----	----	6	----	3 +	3
4475	29.30	29.30	#98.90B/22.70A	#98.90B/22.70A	----	25.90	- 21.30	.3037	----	----	15	----	8 +	7
4480	28.80	28.80	#28.80/*28.80	#102.50B/*24.00A	----	27.40	NEW	.3186	----	----	1	----	1 +	1
4480	25.00	25.00	#89.60B/*25.00	#89.60B/*21.90A	----	79.70	NEW	.6812	----	----	1	----	1 +	1
4485	29.10	29.10	#29.10/*25.40A	#106.20B/*25.40A	----	28.90	NEW	.3337	----	----	33	----	33 +	33
4490	19.60	19.60	#82.60B/*19.60	#82.60B/*19.20A	----	73.00	NEW	.6502	----	----	1	----	1 +	1
4500	----	----	98.60B/*37.50A	98.60B/*37.50A	----	90.20	+ 27.00	.5803	----	----	----	----	4	UNCH
4500	----	----	#143.10B/71.30A	#143.10B/71.30A	----	74.70	- 23.50	.4316	----	----	----	----	0	UNCH
4500	----	----	#128.00B/53.80A	#128.00B/53.80A	----	57.90	- 23.80	.4192	----	----	----	----	1	UNCH
4500	38.10	38.10	#118.00B/30.00A	#118.00B/30.00A	----	34.10	- 25.30	.3821	----	----	24	----	161 +	1
4500	----	----	75.90B/*16.80A	75.90B/*16.80A	----	66.50	+ 25.60	.6177	----	----	6	----	3	UNCH
4510	25.20	25.20	#69.60B/*25.20	#69.60B/*14.70A	----	60.40	NEW	.5838	----	----	1	----	1 +	1
4515	15.20	15.20	#66.60B/*15.20	#66.60B/*13.80A	----	57.50	NEW	.5664	----	----	3	----	3 +	3
4520	13.50	13.50	#63.70B/*12.80A	#63.70B/*12.80A	----	54.70	NEW	.5489	----	----	1	----	1 +	1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4520	64.70	64.70	#64.70/*37.30A	#133.70B/*37.30A	----	42.30 NEW	.4509	----	----	2	----	2 + 2
4525	87.50	87.50	#160.20B/82.40A	#160.20B/82.40A	----	86.20 - 25.60	.4766	----	----	5	----	6 + 5
4525	22.10	22.10	60.80B/*12.00A	60.80B/*12.00A	----	52.00 + 21.60	.5312	----	----	1	----	5 + 1
4525	63.50	63.50	#137.90B/39.30A	#137.90B/39.30A	----	44.60 - 29.30	.4686	----	----	3	----	57 + 2
4525	93.20	93.20	98.10B/*44.00A	98.10B/*44.00A	----	93.50 NEW	.5228	----	----	3	----	3 + 3
4530	----	----	----	#57.90B/*11.20A	----	49.40 NEW	.5134	----	----	10	----	10 + 10
4535	47.00	47.00	#47.00/*47.00	#55.10B/*10.50A	----	46.80 NEW	.4955	----	----	1	----	1 + 1
4540	11.00	11.00	#52.50B/*9.70A	#52.50B/*9.70A	----	44.40 NEW	.4776	----	----	60	----	30 + 30
4550	10.10	10.10	47.50B/*8.40A	47.50B/*8.40A	----	39.80 + 17.70	.4421	----	----	5	----	12 UNCH
4550	----	----	#159.90B/50.80A	#159.90B/50.80A	----	57.40 - 33.20	.5577	----	----	----	----	3 UNCH
4550	----	----	#178.10B/94.60A	#178.10B/94.60A	----	98.80 - 27.80	.5220	----	----	----	----	2 UNCH
4555	----	----	----	#45.10B/*7.90A	----	37.60 NEW	.4244	----	----	4	----	0 UNCH
4565	9.90	9.90	#40.50B/*9.90	#40.50B/*6.90A	----	33.60 NEW	.3899	----	----	2	----	2 + 2
4570	9.20	9.20	#38.40B/*9.00	#38.40B/*6.50A	----	31.70 NEW	.3729	----	----	55	----	49 + 49
4575	97.20	97.20	#185.50B/89.40A	#185.50B/89.40A	----	95.50 - 31.90	.5887	----	----	3	----	7 UNCH
4575	54.20	54.20	59.50B/*19.20A	59.50B/*19.20A	----	53.00 + 19.00	.4109	----	----	4	----	9 UNCH
4575	----	----	#182.40B/64.70A	#182.40B/64.70A	----	72.50 - 36.90	.6435	----	----	----	----	11 UNCH
4575	8.60	8.60	36.30B/*6.00A	36.30B/*6.00A	----	29.90 + 14.00	.3562	----	----	25	----	48 + 19
4580	8.00	8.00	#34.20B/*8.00	#34.20B/*5.70A	----	28.20 NEW	.3400	----	----	7	----	5 + 5
4585	9.60	9.60	#32.30B/*9.60	#32.30B/*5.30A	----	26.60 NEW	.3242	----	----	32	----	32 + 32
4590	8.10	8.10	#30.50B/*8.10	#30.50B/*5.00A	----	25.00 NEW	.3085	----	----	51	----	51 + 51
4595	6.50	6.50	#28.90B/*6.50	#28.90B/*4.70A	----	23.60 NEW	.2937	----	----	6	----	6 + 6
4600	----	----	#205.80B/81.50A	#205.80B/81.50A	----	89.80 - 40.00	.7207	----	----	----	----	3 UNCH
4600	21.90	21.90	49.30B/*15.10A	49.30B/*15.10A	----	43.50 + 16.30	.3564	----	----	6	----	116 + 6
4600	5.20	5.20	27.50B/*4.30A	27.50B/*4.30A	----	22.20 + 10.80	.2790	----	----	42	----	240 + 25
4600	----	----	#217.40B/122.60	#217.40B/122.60A	----	127.70 - 31.90	.6111	----	----	----	----	2 UNCH
4605	4.60	4.60	#25.60B/*4.20A	#25.60B/*4.20A	----	20.90 NEW	.2650	----	----	1	----	1 + 1
4620	12.60	12.60	#21.40B/*12.60	#21.40B/*3.50A	----	17.40 NEW	.2256	----	----	2	----	2 + 2
4625	----	----	55.40B/*21.80A	55.40B/*21.80A	----	51.40 + 16.90	.3461	----	----	----	----	6 UNCH
4625	----	----	#229.50B/98.70A	#229.50B/98.70A	----	108.90 - 42.60	.7866	----	----	----	----	3 UNCH
4625	3.90	3.90	20.30B/*3.10A	20.30B/*3.10A	----	16.30 + 8.20	.2132	----	----	71	----	72 + 66
4625	17.50	17.50	40.60B/*11.90A	40.60B/*11.90A	----	35.50 + 13.90	.3053	----	----	22	----	34 + 21
4630	----	----	----	#18.90B/*3.20A	----	15.30 NEW	.2014	----	----	2	----	2 + 2
4640	4.70	4.70	#16.80B/*4.70	#16.80B/*2.80A	----	13.50 NEW	.1796	----	----	10	----	5 + 5
4650	5.00	5.00	14.90B/*2.40A	14.90B/*2.40A	----	11.90 + 6.10	.1597	----	----	4	----	12 + 4
4650	----	----	47.10B/*17.90A	47.10B/*17.90A	----	43.70 + 15.00	.3061	----	----	----	----	9 UNCH
4675	----	----	26.80B/*7.60A	26.80B/*7.60A	----	23.20 + 9.70	.2165	----	----	----	----	2 UNCH
4675	----	----	10.80B/*1.90A	10.80B/*1.90A	----	8.70 + 4.50	.1182	----	----	----	----	12 UNCH
4675	----	----	#269.00B/140.50	#269.00B/140.50A	----	151.20 - 46.40	.8815	----	----	----	----	1 UNCH
4700	----	----	21.70B/*6.10A	21.70B/*6.10A	----	18.70 + 8.00	.1801	----	----	----	----	25 UNCH
4700	----	----	7.80B/*1.60A	7.80B/*1.60A	----	6.40 + 3.30	.0871	----	----	1	----	102 UNCH
4700	----	----	#293.40B/162.80	#293.40B/162.80A	----	173.90 - 47.60	.9127	----	----	----	----	1 UNCH
4725	10.40	10.40	17.40B/*4.90A	17.40B/*4.90A	----	15.00 NEW	.1486	----	----	4	----	4 + 4
4725	1.50	1.50	5.70B/*1.30A	5.70B/*1.30A	----	4.70 + 2.40	.0636	----	----	2	----	11 + 2
4725	----	----	#298.80B/184.90	#298.80B/184.90A	----	197.20 - 48.50	.9362	----	----	----	----	1 UNCH
4750	----	----	24.10B/*8.90A	24.10B/*8.90A	----	22.20 + 8.70	.1764	----	----	----	----	1 UNCH
4775	----	----	20.20B/*7.60A	20.20B/*7.60A	----	18.70 + 7.50	.1520	----	----	----	----	1 UNCH
4775	----	----	----/241.90A	285.70B/241.90A	----	252.10 - 46.60	.8990	----	----	----	----	2 UNCH
4775	----	----	11.30B/*3.40A	11.30B/*3.40A	----	9.80 + 4.30	.1006	----	----	----	----	1 UNCH
4775	2.60	2.60	3.10B/*1.00A	3.10B/*1.00A	----	2.60 + 1.30	.0341	----	----	1	----	2 + 1
4800	----	----	9.00B/*2.90A	9.00B/*2.90A	----	7.90 + 3.40	.0822	----	----	2	----	3 UNCH
4800	----	----	----/264.40A	309.20B/264.40A	----	275.20 NEW	.9174	----	----	2	----	2 + 2
4800	----	----	2.40B/*0.90A	2.40B/*0.90A	----	2.00 + 1.00	.0255	----	----	----	----	9 UNCH
4800	----	----	16.80B/*6.50A	16.80B/*6.50A	----	15.80 + 6.40	.1309	----	----	----	----	2 UNCH
4825	----	----	7.40B/*2.60A	7.40B/*2.60A	----	6.50 + 2.80	.0680	----	----	----	----	2 UNCH
4825	----	----	1.90B/----	1.90B/*0.90A	----	1.50 + 0.70	.0187	----	----	----	----	3 UNCH
4850	----	----	5.90B/*2.20A	5.90B/*2.20A	----	5.30 + 2.20	.0558	----	----	----	----	1 UNCH
4850	----	----	1.50B/----	1.50B/*0.80A	----	1.20 + 0.50	.0144	----	----	----	----	1 UNCH
4875	----	----	1.20B/----	1.20B/*0.80A	----	1.00 + 0.40	.0116	----	----	----	----	2 UNCH
4875	----	----	10.30B/*4.40A	10.30B/*4.40A	----	9.80 + 4.00	.0841	----	----	----	----	1 UNCH
4900	----	----	4.00B/*1.80A	4.00B/*1.80A	----	3.70 + 1.50	.0387	----	----	----	----	7 UNCH
4900	----	----	1.00B/----	1.00B/0.80A	----	0.80 + 0.30	.0089	----	----	----	----	4 UNCH
4900	----	----	8.60B/*3.80A	8.60B/*3.80A	----	8.40 + 3.30	.0726	----	----	----	----	2 UNCH
4950	----	----	0.70B/----	0.70B/0.80A	----	0.60 + 0.20	.0062	----	----	----	----	2 UNCH
4950	----	----	2.80B/*1.60A	2.80B/*1.60A	----	2.70 + 1.00	.0278	----	----	----	----	3 UNCH
5000	----	----	2.00B/----	2.00B/*1.40A	----	2.10 + 0.80	.0210	----	----	----	----	2 UNCH
5000	----	----	0.50B/----	0.50B/0.70A	----	0.40 + 0.10	.0038	----	----	----	----	1 UNCH
5000	----	----	----/*2.50A	3.10B/*2.50A	----	4.80 + 1.70	.0418	----	----	----	----	2 UNCH
5025	----	----	1.80B/----	1.80B/1.40A	----	1.90 + 0.70	.0186	----	----	----	----	2 UNCH
5050	----	----	0.40B/----	0.40B/*0.60A	----	0.30 + 0.10	.0027	----	----	----	----	2 UNCH
5075	----	----	1.40B/----	1.40B/*1.20A	----	1.50 + 0.50	.0143	----	----	----	----	1 UNCH
5150	----	----	----	----/0.60A	----	0.20 + 0.10	.0015	----	----	----	----	2 UNCH
TOTAL										1154		2431+ 676

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3250	----	----	----	----/5.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500	----	----	----	----/0.60A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3500	1.50	1.50	#1.50/*1.00A	#1.50/*1.00A	----	0.50 NEW	.0025	----	----	2	----	2 + 2
3600	----	----	----/3.10A	1.30B/3.10A	----	2.60 - 0.60	.0130	----	----	----	----	3 UNCH
3700	----	----	----/*1.10A	0.80B/*1.10A	----	0.70 - 0.50	.0043	----	----	----	----	3 UNCH
3800	----	----	----	2.20B/3.50A	----	2.40 - 0.70	.0147	----	----	----	----	1 UNCH
3900	----	----	----	0.50B/0.80A	----	0.30 NEW	.0017	----	----	1	----	1 + 1
4000	3.60	3.60	3.70B/*2.30A	3.70B/*2.30A	----	1.80 - 1.30	.0144	----	----	1	----	3 + 1
4000	0.80	0.80	1.10B/*0.70A	1.10B/*0.70A	----	0.40 - 0.60	.0027	----	----	1	----	2 UNCH
4075	----	----	#12.50B/*6.20A	#12.50B/*6.20A	----	6.00 - 2.70	.0438	----	----	----	----	10 UNCH
4100	----	----	7.90B/*3.50A	7.90B/*3.50A	----	2.90 - 2.20	.0252	----	----	5	----	12 + 2
4100	----	----	#23.10B/10.80A	#23.10B/10.80A	----	10.10 - 4.90	.0667	----	----	----	----	3 UNCH
4100	----	----	2.60B/*0.90A	2.60B/*0.90A	----	0.70 - 0.90	.0056	----	----	----	----	2 UNCH
4125	----	----	#18.40B/7.70A	18.40B/7.70A	----	7.50 - 3.60	.0559	----	----	----	----	10 UNCH
4125	----	----	#26.00B/11.70A	#26.00B/11.70A	----	11.40 - 5.30	.0753	----	----	----	----	1 UNCH
4150	8.80	8.80	21.40B/8.70A	21.40B/8.70A	----	8.50 - 4.10	.0638	----	----	1	----	1 UNCH
4150	----	----	4.30B/*1.10A	4.30B/*1.10A	----	1.00 - 1.20	.0087	----	----	----	----	4 UNCH
4150	----	----	12.60B/*4.40A	12.60B/*4.40A	----	4.00 - 2.80	.0356	----	----	----	----	10 UNCH
4175	----	----	15.00B/*5.00A	15.00B/*5.00A	----	4.60 - 3.30	.0416	----	----	----	----	1 UNCH
4175	----	----	5.50B/*1.20A	5.50B/*1.20A	----	1.20 - 1.30	.0110	----	----	----	----	3 UNCH
4175	----	----	24.60B/9.60A	24.60B/9.60A	----	9.70 - 4.60	.0731	----	----	----	----	1 UNCH
4175	----	----	#33.40B/14.80A	#33.40B/14.80A	----	14.70 - 6.40	.0966	----	----	----	----	2 UNCH
4200	----	----	18.00B/*5.70A	18.00B/*5.70A	----	5.50 - 3.80	.0501	----	----	1	----	2 UNCH
4200	----	----	#28.70B/11.00A	#28.70B/11.00A	----	11.10 - 5.40	.0839	----	----	----	----	3 UNCH
4200	----	----	7.00B/*1.40A	7.00B/*1.40A	----	1.30 - 1.70	.0126	----	----	1	----	2 - 1
4200	----	----	#38.20B/16.70A	#38.20B/16.70A	----	16.80 - 7.00	.1098	----	----	----	----	1 UNCH
4225	----	----	9.10B/*1.60A	9.10B/*1.60A	----	1.60 - 2.00	.0163	----	----	----	----	5 UNCH
4225	----	----	21.60B/*6.60A	21.60B/*6.60A	----	6.50 - 4.40	.0598	----	----	----	----	3 UNCH
4230	4.30	4.30	#9.50B/*1.70A	#9.50B/*1.70A	----	1.60 NEW	.0165	----	----	2	----	2 + 2
4250	----	----	11.70B/*1.90A	11.70B/*1.90A	----	1.90 - 2.50	.0203	----	----	----	----	1 UNCH
4250	----	----	303.70B/*199.40	303.70B/*199.40A	----	296.70 + 43.70	.8883	----	----	----	----	1 UNCH
4250	----	----	#49.00B/21.70A	#49.00B/21.70A	----	21.90 - 8.60	.1411	----	----	----	----	1 UNCH
4250	8.20	8.20	25.80B/7.70A	25.80B/7.70A	----	7.80 - 5.20	.0720	----	----	1	----	4 + 1
4250	----	----	#38.30B/14.40A	#38.30B/14.40A	----	14.70 - 7.20	.1112	----	----	----	----	4 UNCH
4275	2.50	2.50	14.70B/*2.30A	14.70B/*2.30A	----	2.30 - 3.10	.0259	----	----	3	----	14 + 1
4275	----	----	#30.90B/9.00A	#30.90B/9.00A	----	9.30 - 6.20	.0863	----	----	----	----	7 UNCH
4275	----	----	#44.30B/16.70A	#44.30B/16.70A	----	17.00 - 8.30	.1282	----	----	----	----	3 UNCH
4275	----	----	#55.60B/24.80A	#55.60B/24.80A	----	25.10 - 9.60	.1599	----	----	----	----	3 UNCH
4295	----	----	#18.00B/*2.60A	#18.00B/*2.60A	----	2.70 - 3.80	.0316	----	----	----	----	2 UNCH
4300	12.20	12.20	19.30B/*2.70A	19.30B/*2.70A	----	2.90 - 3.90	.0341	----	----	97	----	53 + 25
4300	----	----	#51.10B/19.50A	#51.10B/19.50A	----	19.80 - 9.60	.1482	----	----	----	----	52 UNCH
4300	----	----	#36.80B/10.70A	#36.80B/10.70A	----	11.20 - 7.30	.1039	----	----	4	----	4 UNCH
4300	----	----	258.40B/*161.30	258.40B/*161.30A	----	251.90 + 41.30	.8513	----	----	----	----	1 UNCH
4305	121.90	121.90	#242.80B/*115.2	242.80B/*115.20A	----	230.30 NEW	.9641	----	----	2	----	1 + 1
4325	6.10	6.10	24.40B/*3.30A	24.40B/*3.30A	----	3.60 - 5.00	.0444	----	----	5	----	7 + 1
4325	----	----	#71.20B/32.30A	#71.20B/32.30A	----	32.80 - 12.10	.2039	----	----	----	----	1 UNCH
4325	----	----	#43.80B/12.80A	#43.80B/12.80A	----	13.40 NEW	.1244	----	----	15	----	15 + 15
4345	7.80	7.80	#29.60B/*4.00A	#29.60B/*4.00A	----	4.40 - 6.20	.0561	----	----	2	----	4 UNCH
4350	----	----	199.20B/*81.40A	199.20B/*81.40A	----	187.00 + 44.50	.9406	----	----	1	----	1 UNCH
4350	22.50	22.50	31.50B/*4.20A	31.50B/*4.20A	----	4.60 - 6.50	.0592	----	----	3	----	15 + 2
4350	----	----	#67.80B/26.80A	#67.80B/26.80A	----	27.20 - 12.50	.1980	----	----	----	----	2 UNCH
4350	----	----	#51.70B/15.40A	#51.70B/15.40A	----	16.20 - 10.40	.1495	----	----	----	----	42 UNCH
4360	22.20	22.20	#34.20B/*4.60A	#34.20B/*4.60A	----	5.20 - 7.10	.0676	----	----	1	----	4 + 1
4375	----	----	174.50B/*65.40A	174.50B/*65.40A	----	163.40 NEW	.9189	----	----	2	----	0 UNCH
4375	----	----	39.40B/*5.40A	39.40B/*5.40A	----	6.10 - 8.40	.0809	----	----	2	----	4 - 1
4375	20.70	20.70	#61.30B/18.60A	#61.30B/18.60A	----	19.80 - 12.10	.1802	----	----	44	----	77 + 43

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week1										
JUN26												
4380	----	----	#41.30B/*5.70A	#41.30B/*5.70A	----	6.40 NEW	.0856	----	----	2	----	2 + 2
4385	----	----	#43.30B/*6.00A	#43.30B/*6.00A	----	6.80 - 9.30	.0914	----	----	----	----	1 UNCH
4395	47.00	47.00	#47.80B/*6.70A	#47.80B/*6.70A	----	7.70 NEW	.1041	----	----	4	----	1 + 1
4400	82.10	82.10	151.50B/*50.70A	151.50B/*50.70A	----	140.50 + 40.10	.8895	----	----	2	----	2 + 1
4400	38.10	38.10	49.70B/*7.10A	49.70B/*7.10A	----	8.10 - 10.80	.1103	----	----	38	----	117 + 30
4400	----	----	#72.00B/22.50A	#72.00B/22.50A	----	24.20 - 14.00	.2161	----	----	----	----	152 UNCH
4400	----	----	#101.90B/48.20A	#101.90B/48.20A	----	49.70 - 16.80	.2900	----	----	----	----	1 UNCH
4400	----	----	#88.80B/36.70A	#88.80B/36.70A	----	37.50 - 16.00	.2618	----	----	----	----	182 UNCH
4410	32.40	32.40	#54.40B/*8.00A	#54.40B/*8.00A	----	9.20 NEW	.1258	----	----	1	----	1 + 1
4420	11.70	11.70	#59.50B/*9.00	#59.50B/*9.00	----	10.40 NEW	.1427	----	----	6	----	6 + 6
4425	46.20	46.20	62.50B/9.60A	62.50B/9.60A	----	11.10 - 13.70	.1523	----	----	27	----	22 + 18
4425	----	----	157.90B/*79.10A	157.90B/*79.10A	----	151.50 + 33.00	.7000	----	----	----	----	1 UNCH
4425	----	----	#99.90B/43.10A	#99.90B/43.10A	----	44.20 - 17.90	.2994	----	----	----	----	24 UNCH
4425	----	----	129.30B/*37.80A	129.30B/*37.80A	----	118.40 NEW	.8475	----	----	2	----	0 UNCH
4425	73.40	73.40	#83.20B/27.40A	#83.20B/27.40A	----	29.60 - 16.20	.2578	----	----	36	----	43 + 27
4435	----	----	#120.70B/*33.00	120.70B/*33.00A	----	109.90 + 35.70	.8270	----	----	----	----	2 UNCH
4435	14.30	14.30	#68.50B/*10.90A	#68.50B/*10.90A	----	12.60 - 15.10	.1728	----	----	1	----	3 + 1
4440	----	----	#71.40B/*11.60A	#71.40B/*11.60A	----	13.40 NEW	.1838	----	----	1	----	1 + 1
4450	25.80	25.80	#77.60B/13.20A	77.60B/13.20A	----	15.30 - 17.20	.2084	----	----	4	----	21 + 1
4450	27.00	27.00	108.30B/*26.90A	108.30B/*26.90A	----	97.60 + 33.60	.7914	----	----	50	----	44 + 44
4450	36.70	36.70	#92.60B/33.50A	#92.60B/33.50A	----	36.20 - 18.60	.3053	----	----	14	----	173 + 14
4455	18.30	18.30	#80.80B/*14.00A	#80.80B/*14.00A	----	16.30 NEW	.2214	----	----	2	----	2 + 2
4465	----	----	#87.60B/*15.90A	#87.60B/*15.90A	----	18.50 - 19.70	.2493	----	----	1	----	1 UNCH
4470	----	----	#92.30B/*20.30A	92.30B/*20.30A	----	82.20 NEW	.7351	----	----	5	----	5 + 5
4475	59.50	59.50	#94.80B/18.10A	#94.80B/18.10A	----	21.10 - 21.30	.2803	----	----	23	----	57 + 3
4475	----	----	#124.30B/58.90A	#124.30B/58.90A	----	61.30 - 21.50	.3843	----	----	----	----	1 UNCH
4475	----	----	#107.80B/40.50A	#107.80B/40.50A	----	44.10 - 21.20	.3579	----	----	16	----	21 + 2
4475	----	----	#137.60B/72.20A	#137.60B/72.20A	----	75.20 - 22.20	.3979	----	----	----	----	1 UNCH
4485	22.50	22.50	#81.20B/*16.30A	81.20B/*16.30A	----	71.40 + 27.90	.6862	----	----	20	----	40 UNCH
4500	31.80	31.80	#114.00B/24.80A	#114.00B/24.80A	----	29.00 - 25.60	.3676	----	----	15	----	16 + 4
4500	----	----	94.20B/*33.40A	94.20B/*33.40A	----	85.80 NEW	.5848	----	----	7	----	5 + 5
4500	----	----	#140.50B/68.60A	#140.50B/68.60A	----	71.70 - 23.30	.4299	----	----	2	----	8 UNCH
4500	----	----	#124.70B/49.10A	#124.70B/49.10A	----	53.50 - 24.00	.4148	----	----	27	----	18 + 6
4500	20.00	20.00	70.70B/*12.90A	70.70B/*12.90A	----	61.30 + 25.20	.6322	----	----	44	----	137 + 32
4500	85.10	85.10	108.80B/*49.40A	108.80B/*49.40A	----	104.10 + 27.50	.5696	----	----	1	----	2 + 1
4500	----	----	#153.20B/82.40A	#153.20B/82.40A	----	85.90 - 23.90	.4370	----	----	----	----	1 UNCH
4510	----	----	#64.10B/*11.00A	64.10B/*11.00A	----	55.10 + 23.40	.5942	----	----	----	----	4 UNCH
4515	----	----	#126.80B/*30.40	#126.80B/*30.40A	----	34.80 NEW	.4254	----	----	20	----	12 + 12
4515	18.70	18.70	#60.90B/*10.10A	60.90B/*10.10A	----	52.20 NEW	.5744	----	----	3	----	2 + 2
4525	9.00	9.00	55.10B/*8.70A	55.10B/*8.70A	----	46.60 + 20.80	.5343	----	----	11	----	21 + 9
4525	----	----	#142.70B/59.20A	#142.70B/59.20A	----	64.40 - 26.90	.4746	----	----	----	----	2 UNCH
4525	62.20	62.20	#135.30B/33.90A	#135.30B/33.90A	----	39.20 - 30.10	.4655	----	----	66	----	110 + 51
4525	----	----	95.80B/*41.60A	95.80B/*41.60A	----	90.70 + 25.50	.5229	----	----	----	----	2 UNCH
4525	----	----	#157.70B/79.30A	#157.70B/79.30A	----	83.40 - 25.20	.4765	----	----	----	----	6 UNCH
4530	----	----	#139.20B/*35.80	#139.20B/*35.80A	----	41.50 NEW	.4858	----	----	10	----	6 + 6
4530	----	----	#52.30B/*8.00A	52.30B/*8.00A	----	43.90 NEW	.5140	----	----	5	----	5 + 5
4535	7.70	7.70	#49.60B/*7.40A	49.60B/*7.40A	----	41.40 NEW	.4936	----	----	2	----	2 + 2
4540	----	----	#148.50B/*40.30	#148.50B/*40.30A	----	46.50 NEW	.5267	----	----	1	----	1 + 1
4540	13.30	13.30	#46.90B/*6.90A	46.90B/*6.90A	----	38.90 NEW	.4731	----	----	1	----	1 + 1
4545	8.60	8.60	#44.30B/*6.40A	44.30B/*6.40A	----	36.60 NEW	.4527	----	----	5	----	5 + 5
4550	----	----	#187.40B/105.60	#187.40B/105.60A	----	110.40 - 27.40	.5168	----	----	----	----	1 UNCH
4550	50.40	50.40	#157.30B/45.20A	#157.30B/45.20A	----	51.90 - 34.50	.5674	----	----	1	----	30 + 1
4550	----	----	83.40B/*34.70A	83.40B/*34.70A	----	78.60 + 23.50	.4761	----	----	----	----	1 UNCH
4550	----	----	#175.90B/91.30A	#175.90B/91.30A	----	96.20 - 27.30	.5233	----	----	----	----	101 UNCH
4550	----	----	#162.40B/71.50A	#162.40B/71.50A	----	76.90 - 29.80	.5355	----	----	----	----	5 UNCH
4550	12.70	12.70	41.80B/*5.90A	41.80B/*5.90A	----	34.30 + 16.30	.4323	----	----	35	----	73 + 20
4555	7.30	7.30	#39.50B/*5.40A	39.50B/*5.40A	----	32.20 NEW	.4123	----	----	5	----	5 + 5
4560	9.90	9.90	#37.20B/*5.00A	37.20B/*5.00A	----	30.20 + 14.80	.3925	----	----	3	----	5 + 1
4565	8.40	8.40	#35.10B/*4.70A	35.10B/*4.70A	----	28.20 NEW	.3728	----	----	1	----	1 + 1
4570	5.90	5.90	#32.90B/*4.30A	32.90B/*4.30A	----	26.40 + 13.20	.3537	----	----	14	----	12 - 2
4575	25.80	25.80	54.80B/*16.40A	54.80B/*16.40A	----	48.60 + 18.20	.4038	----	----	125	----	127 + 125
4575	----	----	#195.10B/104.70	#195.10B/104.70A	----	110.10 - 29.50	.5697	----	----	----	----	1 UNCH
4575	----	----	#180.40B/59.80A	#180.40B/59.80A	----	67.20 - 38.50	.6647	----	----	----	----	1 UNCH
4575	----	----	71.90B/*28.90A	71.90B/*28.90A	----	67.60 + 21.40	.4297	----	----	----	----	1 UNCH
4575	7.20	7.20	30.90B/*4.00A	30.90B/*4.00A	----	24.70 + 12.50	.3351	----	----	6	----	7 + 4
4575	----	----	#182.80B/84.60A	#182.80B/84.60A	----	91.10 - 32.70	.5958	----	----	----	----	5 UNCH
4585	----	----	#27.20B/*3.50A	27.20B/*3.50A	----	21.50 + 11.00	.2990	----	----	----	----	0 UNCH
4590	----	----	#25.50B/*3.20A	25.50B/*3.20A	----	20.00 NEW	.2816	----	----	2	----	2 + 2
4595	5.90	5.90	#23.90B/*3.00A	23.90B/*3.00A	----	18.60 NEW	.2649	----	----	20	----	20 + 20
4600	60.00	60.00	76.10B/*34.20A	76.10B/*34.20A	----	71.70 + 20.10	.4041	----	----	4	----	8 + 4
4600	----	----	22.40B/*2.80A	22.40B/*2.80A	----	17.30 + 9.00	.2488	----	----	4	----	63 + 3
4600	----	----	#204.40B/75.80A	#204.40B/75.80A	----	84.90 - 41.80	.7510	----	----	----	----	23 UNCH
4600	----	----	44.80B/*12.50A	44.80B/*12.50A	----	39.30 + 15.40	.3459	----	----	9	----	7 + 6
4600	25.00	25.00	62.10B/*23.90A	62.10B/*23.90A	----	57.70 + 19.10	.3844	----	----	350	----	197 - 158
4600	----	----	#225.30B/133.50	#225.30B/133.50A	----	139.10 - 30.70	.5952	----	----	----	----	1 UNCH
4610	----	----	#19.60B/*2.50A	19.60B/*2.50A	----	15.00 + 7.90	.2190	----	----	----	----	1 UNCH
4625	5.00	5.00	15.90B/*2.10A	15.90B/*2.10A	----	12.00 + 6.40	.1788	----	----	11	----	19 + 7
4625	----	----	36.40B/*9.80A	36.40B/*9.80A	----	31.60 + 12.90	.2922	----	----	2	----	152 UNCH
4625	----	----	#226.70B/116.30	#226.70B/116.30A	----	124.10 - 37.90	.7074	----	----	----	----	2 UNCH
4625	----	----	66.30B/*29.30A	66.30B/*29.30A	----	62.50 + 18.40	.3663	----	----	----	----	2 UNCH
4635	218.30	218.30	#238.20B/*103.3	#238.20B/103.30A	----	112.90 NEW	.8438	----	----	2	----	1 + 1
4635	----	----	#13.70B/*1.90A	13.70B/*1.90A	----	10.40 + 5.60	.1560	----	----	----	----	1 UNCH
4650	----	----	#232.10B/115.60	#232.10B/115.60A	----	125.90 - 46.30	.8742	----	----	----	----	1 UNCH
4650	10.00	10.00	11.20B/*1.60A	11.20B/*1.60A	----	8.30 + 4.50	.1256	----	----	2	----	15 + 2
4650	----	----	44.40B/*16.50A	44.40B/*16.50A	----	41.20 + 14.80	.2996	----	----	----	----	1 UNCH
4650	----	----	57.70B/*25.10A	57.70B/*25.10A	----	54.30 + 16.80	.3302	----	----	----	----	1 UNCH
4670	2.30	2.30	#8.30B/*1.40A	#8.30B/*1.40A	----	6.30 NEW	.0948	----	----	1	----	1 + 1
4675	----	----	#256.70B/136.60	#256.70B/136.60A	----	148.40 - 47.70	.9123	----	----	----	----	2 UNCH
4675	----	----	#271.60B/152.70	#271.60B/152.70A	----	162.50 - 42.10	.7983	----	----	----	----	1 UNCH
4675	----	----	23.40B/*6.10A	23.40B/*6.10A	----	20.10 + 8.80	.2013	----	----	2	----	5 + 2
4675	----	----	7.70B/*1.30A	7.70B/*1.30A	----	5.80 + 3.10	.0875	----	----	1	----	4 UNCH
4675	----	----	#287.60B/182.50	#287.60B/182.50A	----	189.20 - 35.60	.7036	----	----	1	----	1 UNCH
4685	5.70	5.70	#6.70B/*1.20A	#6.70B/*1.20A	----	5.10 NEW	.0763	----	----	20	----	20 + 20
4700	----	----	#273.90B/173.60	#273.90B/173.60A	----	183.30 - 43.80	.8352	----	----	----	----	1 UNCH
4700	8.00	8.00	18.60B/*4.90A	18.60B/*4.90A	----	15.90 + 7.10	.1644	----	----	3	----	7 + 3
4700	----	----	31.60B/*11.20A	31.60B/*11.20A	----	29.00 + 11.10	.2266	----	----	----	----	16 UNCH
4700	2.70	2.70	5.40B/*1.10A	5.40B/*1.10A	----	4.10 + 2.20	.0608	----	----	3	----	18 + 1
4700	32.00	32.00	42.90B/*18.00A	42.90B/*18.00A	----	40.40 NEW	.2634	----	----	1	----	1 + 1
4725	----	----	3.90B/*1.00A	3.90B/*1.00A	----	3.00 + 1.50	.0431	----	----	1	----	4 UNCH
4725	----	----	----/184.10A	215.90B/184.10A	----	195.50 - 49.30	.9567	----	----	----	----	1 UNCH
4725	----	----	26.30B/*9.30A	26.30B/*9.30A	----	24.20 + 9.50	.1952	----	----	----	----	1 UNCH
4725	5.50	5.50	14.70B/*4.00A	14.70B/*4.00A	----	12.60 + 5.70	.1336	----	----	1	----	3 UNCH
4750	----	----	2.80B/*0.90A	2.80B/*0.90A	----	2.20 + 1.10	.0305	----	----	----	----	6 UNCH
4750	----	----	----/208.20A	242.10B/208.20A	----	219.70 - 49.80	.9693	----	----	----	----	1 UNCH
4750	----	----	11.80B/*3.40A	11.80B/*3.40A	----	10.10 + 4.60	.1087	----	----	----	----	2 UNCH
4750	----	----	22.30B/*8.10A	22.30B/*8.10A	----	20.20 + 8.10	.1674	----	----	----	----	22 UNCH
4775	----	----	----/231.40A	268.30B/231.40A	----	244.20 - 50.10	.9773	----	----	----	----	2 UNCH
4775	----	----	9.40B/*2.80A	9.40B/*2.80A	----	8.10 + 3.70	.0883	----	----	----	----	24 UNCH
4775	----	----	2.00B/*0.80A	2.00B/*0.80A	----	1.70 + 0.80	.0226	----	----	----	----	3 UNCH
4775	8.60	8.60	27.40B/*8.60	27.40B/*8.60	----	25.50 + 9.50	.1813	----	----	4	----	4 UNCH
4800	----	----	7.40B/*2.40A	7.40B/*2.40A	----	6.50 + 2.90	.0714	----	----	----	----	28 UNCH
4800	----	----	15.30B/*5.90A	15.30B/*5.90A	----	14.20 + 5.90	.1226	----	----	----	----	8 UNCH
4800	----	----	----	294.00B/363.90A	----	268.80 - 50.30	.9834	----	----	----	----	2 UNCH
4800	----	----	1.50B/----	1.50B/*0.80A	----	1.30 + 0.50	.0165	----	----	----	----	6 UNCH
4825	----	----	----	319.20B/388.30A	----	293.50 - 50.50	.9877	----	----	----	----	1 UNCH
4825	----	----	12.80B/*4.80A	12.80B/*4.80A	----	11.90 + 4.90	.1044	----	----	----	----	2 UNCH
4850	----	----	0.90B/----	0.90B/0.70A	----	0.80 + 0.30	.0092	----	----	----	----	4 UNCH
4850	----	----	17.30B/*9.30A	17.30B/*9.30A	----	16.20 + 6.40	.1222	----	----	----	----	1 UNCH
4850	----	----	10.90B/*4.20A	10.90B/*4.20A	----	10.10 + 4.20	.0895	----	----	----	----	6 UNCH
4875	----	----	0.80B/----	0.80B/0.70A	----	0.60 + 0.20	.0066	----	----	----	----	1 UNCH
4875	----	----	15.00B/*8.30A	15.00B/*8.30A	----	14.00 + 5.60	.1071	----	----	----	----	4 UNCH
4900	----	----	0.60B/----	0.60B/0.60A	----	0.50 + 0.10	.0053	----	----	----	----	4 UNCH
4900	----	----	7.70B/----	7.70B/*4.50A	----	7.30 + 3.00	.0657	----	----	----	----	4 UNCH
4900	----	----	3.10B/*1.60A	3.10B/*1.60A	----	3.10 + 1.30	.0335	----	----	----	----	8 UNCH
4950	----	----	0.40B/----	0.40B/0.60A	----	0.30 UNCH	.0029	----	----	----	----	2 UNCH
4950	----	----	2.20B/----	2.20B/*1.50A	----	2.30 + 0.90	.0242	----	----	----	----	1 UNCH
4950	----	----	4.10B/----	4.10B/*4.00A	----	5.50 + 2.30	.0495	----	----	----	----	2 UNCH
4950	----	----	9.80B/----	9.80B/*6.10A	----	9.20 + 3.70	.0725	----	----	----	----	2 UNCH
4975	----	----	3.30B/----	3.30B/*3.60A	----	4.80 + 2.00	.0432	----	----	----	----	4 UNCH
5000	----	----	0.30B/----	0.30B/0.60A	----	0.20 UNCH	.0017	----	----	----	----	8 UNCH
5000	----	----	1.60B/----	1.60B/*1.30A	----	1.70 + 0.60	.0174	----	----	----	----	1 UNCH
5000	----	----	2.90B/----	2.90B/*3.50A	----	4.20 + 1.70	.0377	----	----	----	----	3 UNCH
5000	----	----	5.50B/----	5.50B/*5.20A	----	7.10 + 2.80	.0564	----	----	----	----	3 UNCH
5050	----	----	----	1.70B/*2.80A	----	3.10 + 1.30	.0279	----	----	----	----	4 UNCH
5075	----	----	----	----/0.50A	----	0.10 UNCH	.0007	----	----	----	----	1 UNCH
5100	----	----	1.00B/----	1.00B/1.10A	----	1.00 + 0.30	.0097	----	----	----	----	1 UNCH
5200	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
5250	----	----	----	0.50B/*2.90A	----	1.00 + 0.40	.0089	----	----	----	----	1 UNCH
5250	----	----	0.50B/----	0.50B/1.00A	----	0.60 + 0.20	.0052	----	----	----	----	2 UNCH
5250	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	1	----	1 + 1
5500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5500	----	----	----	----/0.90A	----	0.20 UNCH	.0015	----	----	----	----	1 UNCH
5500	----	----	----	0.80B/*2.60A	----	1.60 + 0.50	.0110	----	----	----	----	3 UNCH
5600	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										1307		2884 + 468

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
3250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3700	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
3750	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4110	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4150	0.20	0.20	0.20/0.20	0.20/0.20	----	0.00 - 0.10	----	----	----	5	----	0 - 4
4175	0.20	0.20	0.20/0.20	0.20/0.20	----	0.00 - 0.10	----	----	----	5	----	0 - 1
4180	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4200	0.20	0.20	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.20	----	----	----	8	----	0 - 22
4205	----	----	0.40B/*0.10A	0.40B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4210	0.30	0.30	0.40B/0.10A	0.40B/0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 1
4220	1.50	1.50	#1.50/*0.10A	1.50/*0.10A	----	0.00 NEW	----	----	----	4	----	0 UNCH
4225	----	----	0.70B/*0.10A	0.70B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4230	0.60	0.60	0.70B/*0.10A	0.70B/*0.10A	----	0.00 NEW	----	----	----	3	----	0 UNCH
4240	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4245	1.50	1.50	1.50/*0.10A	1.50/*0.10A	----	0.00 - 0.40	----	----	----	2	----	0 - 2
4250	1.50	1.50	1.50/*0.10	1.50/*0.10	----	0.00 - 0.40	----	----	----	2	----	0 - 13
4255	----	----	1.30B/*0.10A	1.30B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 13
4260	----	----	1.50B/*0.10A	1.50B/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 3
4265	0.80	0.80	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 2
4270	----	----	1.90B/*0.10A	1.90B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 16
4275	1.30	1.30	2.50/*0.10A	2.50/*0.10A	----	0.00 - 0.60	----	----	----	7	----	0 - 9
4280	0.30	0.30	2.20B/*0.10A	2.20B/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 19
4285	----	----	2.50B/*0.10A	2.50B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4290	1.20	1.20	2.80B/*0.10A	2.80B/*0.10A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4295	----	----	3.10B/*0.10A	3.10B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 12
4300	0.50	0.50	3.40/*0.10A	3.40/*0.10A	----	0.00 - 0.80	----	----	----	37	----	0 - 16
4300	108.00	108.00	243.50B/*102.60	243.50B/*102.60A	----	232.40 + 50.10	----	----	----	2	----	0 UNCH
4305	2.20	2.20	3.80B/*0.10A	3.80B/*0.10A	----	0.00 NEW	----	----	----	7	----	0 UNCH
4310	2.50	2.50	4.00B/*0.10A	4.00B/*0.10A	----	0.00 - 0.90	----	----	----	4	----	0 - 1
4315	4.00	4.00	#4.90B/*0.10A	#4.90B/*0.10A	----	0.00 - 0.90	----	----	----	6	----	0 - 4
4320	3.00	3.00	#5.40B/*0.10A	#5.40B/*0.10A	----	0.00 - 1.00	----	----	----	5	----	0 - 3
4325	6.00	6.00	6.00/*0.10A	6.00/*0.10A	----	0.00 - 1.10	----	----	----	9	----	0 - 32
4330	2.40	2.40	#6.50/*0.10A	#6.50/*0.10A	----	0.00 - 1.20	----	----	----	32	----	0 - 2
4335	2.90	2.90	#7.00B/*0.10A	#7.00B/*0.10A	----	0.00 - 1.30	----	----	----	26	----	0 - 1
4340	4.70	4.70	#7.70B/*0.10	#7.70B/*0.10	----	0.00 - 1.40	----	----	----	27	----	0 - 12
4340	----	----	203.60B/*67.30A	203.60B/*67.30A	----	192.40 + 49.50	----	----	----	----	----	0 - 1
4345	8.00	8.00	#8.80B/*0.20A	#8.80B/*0.20A	----	0.00 - 1.50	----	----	----	6	----	0 - 3
4350	5.00	5.00	10.50/*0.10	10.50/*0.10	----	0.00 - 1.60	----	----	----	144	----	0 - 32
4355	1.30	1.30	#10.40B/*0.30	#10.40B/*0.30	----	0.00 - 1.70	----	----	----	10	----	0 - 2
4360	1.20	1.20	#12.00/*0.30A	#12.00/*0.30A	----	0.00 - 1.90	----	----	----	108	----	0 - 3
4365	5.50	5.50	#12.70B/*0.10A	#12.70B/*0.10A	----	0.00 - 2.00	----	----	----	23	----	0 - 9
4370	6.70	6.70	#14.10B/*0.30A	#14.10B/*0.30A	----	0.00 - 2.20	----	----	----	42	----	0 - 12
4375	6.00	6.00	15.60B/*0.30A	15.60B/*0.30A	----	0.00 - 2.40	----	----	----	140	----	0 - 49
4380	38.60	38.60	163.60B/*37.00A	163.60B/*37.00A	----	152.40 NEW	----	----	----	2	----	0 UNCH
4380	5.80	5.80	#17.00/*0.20A	#17.00/*0.20A	----	0.00 - 2.60	----	----	----	59	----	0 - 60
4385	8.50	8.50	#18.90B/*0.20A	#18.90B/*0.20A	----	0.00 - 2.90	----	----	----	12	----	0 - 7
4390	10.00	10.00	#20.60B/*0.30A	#20.60B/*0.30A	----	0.00 - 3.20	----	----	----	70	----	0 - 7
4395	2.90	2.90	#22.90B/*0.10	#22.90B/*0.10	----	0.00 - 3.50	----	----	----	18	----	0 - 6
4400	3.00	3.00	24.90B/*0.10	24.90B/*0.10	----	0.00 - 3.90	----	----	----	583	----	0 - 192
4400	54.80	54.80	143.60B/*22.50	143.60B/*22.50	----	132.40 + 47.00	----	----	----	21	----	0 - 1
4405	----	----	138.60B/*20.40A	138.60B/*20.40A	----	127.40 NEW	----	----	----	1	----	0 UNCH
4405	5.50	5.50	#27.30B/*0.20A	#27.30B/*0.20A	----	0.00 - 4.30	----	----	----	59	----	0 - 6
4410	4.40	4.40	#29.90B/*0.10A	#29.90B/*0.10A	----	0.00 - 4.70	----	----	----	140	----	0 - 89
4410	19.00	19.00	133.60B/*17.70A	133.60B/*17.70A	----	122.40 + 46.20	----	----	----	1	----	0 - 6
4415	13.50	13.50	#33.20B/*0.10	#33.20B/*0.10	----	0.00 - 5.30	----	----	----	11	----	0 - 5
4415	24.00	24.00	128.60B/*15.10A	128.60B/*15.10A	----	117.40 NEW	----	----	----	28	----	0 UNCH
4420	17.10	17.10	123.60B/*12.70A	123.60B/*12.70A	----	112.40 NEW	----	----	----	7	----	0 UNCH
4420	5.50	5.50	#36.20B/*0.30A	#36.20B/*0.30A	----	0.00 - 5.80	----	----	----	166	----	0 - 7
4425	10.00	10.00	39.30B/*0.10A	39.30B/*0.10A	----	0.00 - 6.50	----	----	----	56	----	0 - 50
4425	29.00	29.00	118.60B/*10.50A	118.60B/*10.50A	----	107.40 + 44.40	----	----	----	32	----	0 - 1
4430	19.30	19.30	#43.00B/*0.20	#43.00B/*0.20	----	0.00 - 7.20	----	----	----	79	----	0 - 39
4430	12.80	12.80	113.70B/*8.70A	113.70B/*8.70A	----	102.40 NEW	----	----	----	88	----	0 UNCH
4435	20.00	20.00	#46.20B/*0.30A	#46.20B/*0.30A	----	0.00 - 8.00	----	----	----	39	----	0 - 24
4435	27.00	27.00	108.70B/*7.10A	108.70B/*7.10A	----	97.40 + 42.90	----	----	----	23	----	0 - 3
4440	9.00	9.00	#49.80B/*0.20A	#49.80B/*0.20A	----	0.00 - 9.00	----	----	----	129	----	0 - 13
4440	9.20	9.20	103.70B/*5.80A	103.70B/*5.80A	----	92.40 + 41.90	----	----	----	22	----	0 - 8
4445	13.70	13.70	#54.10B/*0.30A	#54.10B/*0.30A	----	0.00 - 10.00	----	----	----	11	----	0 - 7
4445	6.10	6.10	98.70B/*4.60A	98.70B/*4.60A	----	87.40 + 40.90	----	----	----	12	----	0 - 14
4450	27.00	27.00	58.00B/*0.30	58.00B/*0.30	----	0.00 - 11.20	----	----	----	54	----	0 - 143
4450	40.40	40.40	93.70B/*3.70A	93.70B/*3.70A	----	82.40 + 39.70	----	----	----	99	----	0 - 10
4455	14.10	14.10	#62.00B/*0.30	#62.00B/*0.30	----	0.00 - 12.50	----	----	----	22	----	0 - 60
4455	22.90	22.90	88.70B/*2.90A	88.70B/*2.90A	----	77.40 + 38.40	----	----	----	180	----	0 - 25
4460	12.00	12.00	#66.20B/*0.10A	#66.20B/*0.10A	----	0.00 - 14.00	----	----	----	176	----	0 - 191
4460	19.50	19.50	83.70B/*2.30A	83.70B/*2.30A	----	72.40 + 36.90	----	----	----	113	----	0 - 47
4465	16.10	16.10	#70.50B/*0.10	#70.50B/*0.10	----	0.00 - 15.60	----	----	----	25	----	0 - 23
4465	19.00	19.00	78.70B/*1.90A	78.70B/*1.90A	----	67.40 + 35.30	----	----	----	51	----	0 - 33
4470	18.00	18.00	#75.20B/*0.20A	#75.20B/*0.20A	----	0.00 - 17.40	----	----	----	25	----	0 - 30
4470	4.50	4.50	73.70B/*1.60A	73.70B/*1.60A	----	62.40 + 33.50	----	----	----	19	----	0 - 6
4475	3.00	3.00	68.70B/*0.90	68.70B/*0.90	----	57.40 + 31.50	----	----	----	119	----	0 - 8
4475	16.10	16.10	#79.70B/*0.30A	#79.70B/*0.30A	----	0.00 - 19.40	----	----	----	17	----	0 - 70
4480	20.70	20.70	63.70B/*1.10A	63.70B/*1.10A	----	52.40 + 29.30	----	----	----	260	----	0 - 66
4480	0.30	0.30	#84.00B/*0.10	#84.00B/*0.10	----	0.00 - 21.60	----	----	----	64	----	0 - 23
4485	43.40	43.40	#88.70B/*0.20A	#88.70B/*0.20A	----	0.00 - 24.00	----	----	----	28	----	0 - 11
4485	5.00	5.00	58.70B/*1.00A	58.70B/*1.00A	----	47.40 + 26.90	----	----	----	52	----	0 - 17
4490	5.00	5.00	53.70B/*0.80A	53.70B/*0.80A	----	42.40 + 24.30	----	----	----	55	----	0 - 13
4490	41.10	41.10	#93.40B/*0.20	#93.40B/*0.20	----	0.00 - 26.60	----	----	----	44	----	0 - 6
4495	7.40	7.40	#98.10B/*0.20A	#98.10B/*0.20A	----	0.00 - 29.40	----	----	----	15	----	0 - 3
4495	19.00	19.00	48.70B/*0.70A	48.70B/*0.70A	----	37.40 + 21.50	----	----	----	67	----	0 - 2
4500	30.40	30.40	#102.90B/*0.10	#102.90B/*0.10	----	0.00 - 32.40	----	----	----	79	----	0 - 73
4500	16.90	16.90	43.70B/*0.60	43.70B/*0.60	----	32.40 + 18.50	----	----	----	170	----	0 - 77
4505	9.30	9.30	38.70B/*0.60A	38.70B/*0.60A	----	27.40 + 15.30	----	----	----	47	----	0 - 10
4505	9.50	9.50	#107.70B/*0.30	#107.70B/*0.30	----	0.00 - 35.60	----	----	----	30	----	0 - 1
4510	3.00	3.00	33.70B/*0.60A	33.70B/*0.60A	----	22.40 + 11.90	----	----	----	158	----	0 - 31
4510	12.60	12.60	#112.80B/*0.10	#112.80B/*0.10	----	0.00 - 39.00	----	----	----	56	----	0 - 28
4515	8.40	8.40	28.80B/*0.50A	28.80B/*0.50A	----	17.40 + 8.30	----	----	----	27	----	0 - 18
4515	7.30	7.30	#117.80B/*0.10	#117.80B/*0.10	----	0.00 - 42.60	----	----	----	46	----	0 - 3
4520	1.10	1.10	23.80B/*0.50	23.80B/*0.50	----	12.40 + 4.60	----	----	----	52	----	0 - 7
4520	20.90	20.90	#122.30B/*0.30A	#122.30B/*0.30A	----	0.00 - 46.30	----	----	----	16	----	0 - 9
4525	4.20	4.20	#127.20B/*0.30A	#127.20B/*0.30A	----	0.00 - 50.30	----	----	----	31	----	0 - 30
4525	5.30	5.30	18.90B/*0.40A	18.90B/*0.40A	----	7.40 + 0.60	----	----	----	77	----	0 - 60
4530	5.60	5.60	#132.10B/*0.40A	#132.10B/*0.40A	----	0.00 - 54.30	----	----	----	45	----	0 - 21
4530	4.50	4.50	14.00B/*0.40A	14.00B/*0.40A	----	2.40 - 3.40	----	----	----	59	----	0 - 18
4535	0.20	0.20	9.40B/*0.10	9.40B/*0.10	----	0.00 - 5.00	----	----	----	12	----	0 - 17
4535	8.00	8.00	#137.00B/*1.00A	#137.00B/*1.00A	----	2.60 - 55.90	----	----	----	31	----	0 - 4
4540	0.50	0.50	5.60B/*0.20A	5.60B/*0.20A	----	0.00 - 4.30	----	----	----	37	----	0 - 29
4540	5.60	5.60	#142.00B/*2.00	#142.00B/*2.00	----	7.60 - 55.20	----	----	----	25	----	0 - 55
4545	4.30	4.30	#147.00B/*4.30	#147.00B/*4.30	----	12.60 - 54.60	----	----	----	1	----	0 - 4
4545	0.60	0.60	4.40/*0.10A	4.40/*0.10A	----	0.00 - 3.70	----	----	----	50	----	0 - 40
4550	3.00	3.00	3.00/*0.10	3.00/*0.10	----	0.00 - 3.20	----	----	----	156	----	0 - 171
4550	139.50	139.50	#152.30B/*8.80A	#152.30B/*8.80A	----	17.60 - 54.10	----	----	----	11	----	0 - 28
4555	1.20	1.20	1.20/*0.20A	2.40B/*0.20A	----	0.00 - 2.80	----	----	----	64	----	0 - 43
4555	44.00	44.00	#157.20B/*12.70	#157.20B/*12.70A	----	22.60 - 53.70	----	----	----	1	----	0 - 2
4560	----	----	#161.80B/*17.20	#161.80B/*17.20A	----	27.60 - 53.30	----	----	----	6	----	0 - 7
4560	1.70	1.70	1.70/*0.10	2.00B/*0.10	----	0.00 - 2.40	----	----	----	23	----	0 - 23
4565	0.20	0.20	0.20/*0.10A	1.70B/*0.10A	----	0.00 - 2.10	----	----	----	7	----	0 - 12
4565	----	----	#167.20B/21.90A	#167.20B/21.90A	----	32.60 - 53.00	----	----	----	4	----	0 - 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
MAY26												
4570	----	----	#171.80B/26.80A	#171.80B/26.80A	----	37.60 - 52.80	----	----	----	----	----	0 - 1
4570	1.20	1.20	1.20/*0.10A	1.50B/*0.10A	----	0.00 - 1.90	----	----	----	2	----	0 - 16
4575	----	----	#176.80B/31.60A	#176.80B/31.60A	----	42.60 - 52.50	----	----	----	----	----	0 - 56
4575	0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.00 - 1.60	----	----	----	56	----	0 - 67
4580	----	----	#181.80B/36.50A	#181.80B/36.50A	----	47.60 - 52.30	----	----	----	1	----	0 - 2
4580	0.10	0.10	0.10/*0.10	0.90B/*0.10	----	0.00 - 1.40	----	----	----	4	----	0 - 10
4585	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.00 - 1.30	----	----	----	2	----	0 - 17
4590	----	----	#191.70B/46.60A	#191.70B/46.60A	----	57.60 - 52.00	----	----	----	1	----	0 - 1
4590	0.50	0.50	0.50/*0.10A	0.70B/*0.10A	----	0.00 - 1.10	----	----	----	1	----	0 - 1
4595	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 1.00	----	----	----	14	----	0 - 9
4600	----	----	#202.10B/56.40A	#202.10B/56.40A	----	67.60 - 51.80	----	----	----	8	----	0 - 11
4600	0.40	0.40	0.40/*0.20	0.40/*0.20	----	0.00 - 0.90	----	----	----	9	----	0 - 85
4605	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 6
4610	----	----	#211.70B/66.40A	#211.70B/66.40A	----	77.60 - 51.60	----	----	----	3	----	0 - 4
4610	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.70	----	----	----	4	----	0 - 22
4615	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.60	----	----	----	1	----	0 - 2
4620	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 7
4625	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 12
4630	----	----	#232.00B/86.50A	#232.00B/86.50A	----	97.60 - 51.30	----	----	----	1	----	0 - 1
4630	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 5
4635	----	----	#236.60B/91.50A	#236.60B/91.50A	----	102.60 - 51.30	----	----	----	----	----	0 - 1
4635	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.00 - 0.40	----	----	----	2	----	0 - 2
4640	219.00	219.00	#241.60B/96.40A	#241.60B/96.40A	----	107.60 - 51.30	----	----	----	3	----	0 - 8
4640	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 4
4645	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4650	----	----	#251.60B/106.40	#251.60B/106.40A	----	117.60 - 51.20	----	----	----	----	----	0 - 5
4650	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 4
4665	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4670	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
4675	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 61
4675	----	----	#276.60B/131.50	#276.60B/131.50A	----	142.60 - 51.10	----	----	----	----	----	0 - 1
4695	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4700	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 58
4700	----	----	#301.60B/156.50	#301.60B/156.50A	----	167.60 - 51.00	----	----	----	----	----	0 - 1
4705	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4715	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
4730	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4735	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4750	----	----	#351.60B/206.50	#351.60B/206.50A	----	217.60 - 51.00	----	----	----	----	----	0 - 1
4750	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 159
4775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4775	----	----	#376.60B/231.50	#376.60B/231.50A	----	242.60 - 51.00	----	----	----	----	----	0 - 50
4800	388.00	388.00	#401.60B/256.50	#401.60B/256.50A	----	267.60 - 51.00	----	----	----	1	----	0 - 1
4800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
4825	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4830	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4850	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
4855	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4875	----	----	#476.60B/331.50	#476.60B/331.50A	----	342.60 - 51.00	----	----	----	----	----	0 UNCH
4875	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4925	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
4970	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4975	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4990	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5150	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5750	----	----	----	----/9.00A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
TOTAL										5259		0 - 3379
JUN26												
3500	----	----	----	0.70B/*1.20A	----	0.80 - 0.20	.0040	----	----	----	----	2 UNCH
3800	----	----	----/*0.80A	0.80B/*0.80A	----	0.50 - 0.40	.0029	----	----	2	----	3 + 2
4000	1.80	1.80	2.40B/*1.10A	2.40B/*1.10A	----	1.10 - 0.70	.0081	----	----	6	----	4 + 2
4050	----	----	----	#3.20B/*1.50A	----	1.30 NEW	.0103	----	----	2	----	2 + 2
4075	----	----	#9.10B/*4.20A	#9.10B/*4.20A	----	4.10 NEW	.0320	----	----	1	----	1 + 1
4075	----	----	#4.10B/*1.60A	#4.10B/*1.60A	----	1.50 NEW	.0122	----	----	1	----	1 + 1
4100	----	----	10.50B/4.70A	10.50B/4.70A	----	4.60 - 2.40	.0365	----	----	1	----	2 + 1
4150	----	----	7.50B/*2.20A	7.50B/*2.20A	----	2.10 NEW	.0191	----	----	1	----	1 + 1
4175	----	----	18.80B/*6.80A	18.80B/*6.80A	----	6.80 NEW	.0561	----	----	2	----	1 + 1
4175	----	----	9.10B/*2.50A	9.10B/*2.50A	----	2.40 - 2.00	.0226	----	----	----	----	12 UNCH
4200	----	----	22.20B/7.80A	22.20B/7.80A	----	7.80 NEW	.0650	----	----	1	----	1 + 1
4200	9.70	9.70	11.20B/*2.90A	11.20B/*2.90A	----	2.80 - 2.40	.0272	----	----	100	----	104 + 95
4225	11.20	11.20	13.80B/*3.30A	13.80B/*3.30A	----	3.30 - 2.90	.0330	----	----	1	----	17 + 1
4225	----	----	26.30B/8.90A	26.30B/8.90A	----	9.10 - 5.00	.0762	----	----	----	----	2 UNCH
4225	----	----	#38.00B/15.70A	#38.00B/15.70A	----	15.50 - 7.40	.1092	----	----	----	----	3 UNCH
4250	10.00	10.00	#31.00B/10.00	#31.00B/10.00	----	10.60 NEW	.0892	----	----	1	----	1 + 1
4250	----	----	#43.50B/18.10A	#43.50B/18.10A	----	17.90 - 8.30	.1252	----	----	----	----	1 UNCH
4275	17.40	17.40	21.30B/*4.60A	21.30B/*4.60A	----	4.70 - 4.30	.0498	----	----	80	----	167 + 61
4275	----	----	#49.80B/20.80A	#49.80B/20.80A	----	20.60 - 9.50	.1431	----	----	----	----	2 UNCH
4300	6.20	6.20	26.20B/*5.50A	26.20B/*5.50A	----	5.80 - 5.20	.0627	----	----	10	----	109 + 6
4300	----	----	#42.90B/14.20A	#42.90B/14.20A	----	14.70 - 8.00	.1236	----	----	2	----	31 + 1
4300	----	----	#56.70B/23.80A	#56.70B/23.80A	----	23.90 - 10.60	.1641	----	----	----	----	1 UNCH
4325	----	----	#64.90B/27.50A	#64.90B/27.50A	----	27.80 - 11.90	.1879	----	----	----	----	5 UNCH
4325	27.00	27.00	#32.80B/6.70A	#32.80B/6.70A	----	7.10 NEW	.0785	----	----	154	----	153 + 153
4350	8.80	8.80	#40.00B/8.20A	#40.00B/8.20A	----	8.90 - 8.10	.0997	----	----	22	----	85 + 13
4375	----	----	#84.20B/36.50A	#84.20B/36.50A	----	37.60 - 14.90	.2443	----	----	----	----	4 UNCH
4375	15.40	15.40	#48.80B/10.20A	#48.80B/10.20A	----	11.30 - 10.00	.1272	----	----	17	----	13 + 10
4375	----	----	179.70B/*74.60A	179.70B/*74.60A	----	168.60 + 40.80	.8726	----	----	----	----	1 UNCH
4375	----	----	201.10B/*112.10	201.10B/*112.10A	----	194.70 + 35.90	.7551	----	----	----	----	9 UNCH
4400	110.10	110.10	157.70B/*60.30A	157.70B/*60.30A	----	146.70 + 38.50	.8379	----	----	1	----	2 + 1
4400	14.40	14.40	#59.60B/13.00A	#59.60B/13.00A	----	14.40 - 12.30	.1618	----	----	5	----	20 + 3
4400	----	----	#78.80B/28.20A	#78.80B/28.20A	----	30.20 - 14.40	.2389	----	----	----	----	3 UNCH
4425	53.50	53.50	136.50B/*47.80A	136.50B/*47.80A	----	125.90 NEW	.7943	----	----	2	----	2 + 2
4425	41.50	41.50	#72.20B/16.50A	#72.20B/16.50A	----	18.50 - 15.00	.2055	----	----	4	----	10 + 1
4425	95.00	95.00	164.00B/*85.50A	164.00B/*85.50A	----	158.10 NEW	.6865	----	----	4	----	1 + 1
4425	96.00	96.00	#106.60B/49.10A	#106.60B/49.10A	----	50.90 NEW	.3129	----	----	1	----	1 + 1
4450	89.50	89.50	135.00B/*58.30A	135.00B/*58.30A	----	125.60 NEW	.6767	----	----	4	----	4 + 4
4450	45.50	45.50	116.50B/*36.80A	116.50B/*36.80A	----	106.20 + 32.80	.7411	----	----	34	----	29 + 28
4450	----	----	#115.30B/56.70A	#115.30B/56.70A	----	59.00 - 19.80	.3511	----	----	----	----	5 UNCH
4450	25.10	25.10	#86.80B/21.20A	#86.80B/21.20A	----	23.80 - 18.10	.2587	----	----	20	----	69 + 3
4475	----	----	#110.50B/47.90A	#110.50B/47.90A	----	51.60 - 21.10	.3710	----	----	----	----	1 UNCH
4475	93.00	93.00	97.80B/*27.90A	97.80B/*27.90A	----	88.00 NEW	.6778	----	----	8	----	8 + 8
4475	39.00	39.00	#103.10B/27.40A	#103.10B/27.40A	----	30.70 - 21.40	.3219	----	----	4	----	15 + 3
4500	35.20	35.20	80.70B/*20.80A	80.70B/*20.80A	----	71.60 NEW	.6065	----	----	4	----	4 + 4
4500	110.10	110.10	115.80B/*55.20A	115.80B/*55.20A	----	111.00 + 27.50	.5657	----	----	1	----	2 + 1
4500	----	----	#142.50B/75.60A	#142.50B/75.60A	----	78.60 - 23.30	.4337	----	----	----	----	6 UNCH
4500	56.40	56.40	102.00B/*40.40A	102.00B/*40.40A	----	93.60 NEW	.5773	----	----	2	----	2 + 2
4500	----	----	#121.70B/35.10A	#121.70B/35.10A	----	39.20 - 25.10	.3933	----	----	----	----	33 UNCH
4525	----	----	#145.00B/67.60A	#145.00B/67.60A	----	72.40 - 26.10	.4757	----	----	----	----	38 UNCH
4525	33.00	33.00	87.70B/*33.00	87.70B/*33.00	----	79.70 NEW	.5239	----	----	8	----	6 + 6
4525	16.50	16.50	65.40B/*15.40A	65.40B/*15.40A	----	57.10 + 22.10	.5289	----	----	6	----	5 + 2
4525	48.50	48.50	#141.20B/44.70A	#141.20B/44.70A	----	49.80 - 28.70	.4708	----	----	1	----	43 + 1
4550	----	----	#163.00B/79.50A	#163.00B/79.50A	----	84.90 - 28.80	.5299	----	----	----	----	80 UNCH
4550	112.10	112.10	#162.10B/56.30A	#162.10B/56.30A	----	62.30 - 32.50	.5507	----	----	1	----	110 UNCH
4550	45.50	45.50	91.00B/*40.60A	91.00B/*40.60A	----	85.30 + 23.90	.4793	----	----	3	----	4 + 3
4550	28.10	28.10	52.20B/*11.20A	52.20B/*11.20A	----	44.70 + 18.40	.4490	----	----	2	----	11 UNCH
4575	----	----	#184.60B/69.90A	#184.60B/69.90A	----	77.00 - 35.90	.6288	----	----	----	----	189 UNCH
4575	11.50	11.50	40.90B/*8.20A	40.90B/*8.20A	----	34.40 + 14.90	.3709	----	----	14	----	10 + 5
4575	72.70	72.70	80.40B/*34.60A	80.40B/*34.60A	----	74.30 NEW	.4363	----	----	1	----	1 + 1
4600	----	----	52.60B/*17.30A	52.60B/*17.30A	----	46.80 + 16.90	.3638	----	----	----	----	3 UNCH
4600	8.40	8.40	31.60B/*6.00A	31.60B/*6.00A	----	26.10 + 11.80	.2986	----	----	12	----	51 + 9
4600	----	----	#207.10B/85.50A	#207.10B/85.50A	----	93.70 - 39.00	.7011	----	----	----	----	10 UNCH
4600	----	----	#215.40B/126.40	#215.40B/126.40A	----	131.80 - 30.60	.6050	----	----	----	----	2 UNCH
4600	----	----	70.00B/*29.10A	70.00B/*29.10A	----	64.40 + 20.30	.3944	----	----	----	----	16 UNCH
4625	----	----	43.70B/*13.70A	43.70B/*13.70A	----	38.60 NEW	.3146	----	----	2	----	2 + 2
4625	20.50	20.50	24.10B/*4.50A	24.10B/*4.50A	----	19.60 + 9.10	.2350	----	----	13	----	39 + 3
4625	----	----	#230.50B/103.40	#230.50B/103.40A	----	112.10 - 41.80	.7647	----	----	----	----	2 UNCH
4650	5.20	5.20	18.10B/*3.40A	18.10B/*3.40A	----	14.70 + 7.00	.1821	----	----	71	----	148 + 71
4650	----	----	36.00B/*11.00A	36.00B/*11.00A	----	31.60 + 12.30	.2691	----	----	2	----	15 - 2
4650	----	----	#254.90B/122.10	#254.90B/122.10A	----	132.20 - 43.90	.8177	----	----	----	----	1 UNCH
4675	5.00	5.00	13.60B/*2.70A	13.60B/*2.70A	----	10.90 + 5.20	.1385	----	----	33	----	36 + 33

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4675	12.20	12.20	29.50B/*8.90A	29.50B/*8.90A	----	25.80 NEW	.2281	----	----	35	----	35 + 35
4700	----	----	24.10B/*7.20A	24.10B/*7.20A	----	21.00 + 8.70	.1919	----	----	----	----	5 UNCH
4700	----	----	37.60B/*14.50A	37.60B/*14.50A	----	34.80 NEW	.2464	----	----	285	----	285 + 285
4700	2.80	2.80	10.20B/*2.10A	10.20B/*2.10A	----	8.20 + 3.90	.1053	----	----	6	----	8 + 4
4725	14.00	14.00	19.60B/*5.90A	19.60B/*5.90A	----	17.10 NEW	.1605	----	----	4	----	4 + 4
4725	----	----	7.70B/*1.80A	7.70B/*1.80A	----	6.10 + 2.90	.0789	----	----	----	----	2 UNCH
4725	29.30	29.30	32.10B/*12.20A	32.10B/*12.20A	----	29.60 + 11.50	.2159	----	----	10	----	10 UNCH
4750	----	----	5.70B/*1.50A	5.70B/*1.50A	----	4.60 + 2.20	.0593	----	----	----	----	2 UNCH
4750	13.90	13.90	16.00B/*4.90A	16.00B/*4.90A	----	13.90 + 6.00	.1336	----	----	1	----	2 UNCH
4750	25.00	25.00	27.20B/*10.30A	27.20B/*10.30A	----	25.10 NEW	.1883	----	----	9	----	9 + 9
4750	----	----	#347.00B/234.10	#347.00B/234.10A	----	242.40 - 40.90	.8112	----	----	----	----	2 UNCH
4775	----	----	4.30B/*1.30A	4.30B/*1.30A	----	3.50 + 1.60	.0447	----	----	----	----	150 UNCH
4775	----	----	13.00B/*4.10A	13.00B/*4.10A	----	11.30 + 4.90	.1107	----	----	----	----	3 UNCH
4800	10.50	10.50	10.60B/*3.40A	10.60B/*3.40A	----	9.30 + 4.10	.0922	----	----	11	----	16 + 9
4800	3.00	3.00	3.30B/*1.20A	3.30B/*1.20A	----	2.70 + 1.20	.0340	----	----	1	----	4 + 1
4800	----	----	----/257.70A	276.40B/257.70A	----	270.20 - 49.60	.9658	----	----	----	----	1 UNCH
4800	18.00	18.00	19.30B/*7.60A	19.30B/*7.60A	----	18.00 + 7.10	.1415	----	----	286	----	286 + 285
4825	----	----	2.60B/*1.10A	2.60B/*1.10A	----	2.20 + 1.00	.0270	----	----	----	----	1 UNCH
4825	12.20	12.20	16.50B/*6.50A	16.50B/*6.50A	----	15.20 + 5.90	.1220	----	----	19	----	21 + 19
4850	----	----	14.00B/*5.70A	14.00B/*5.70A	----	12.90 + 5.00	.1053	----	----	----	----	1 UNCH
4850	----	----	7.10B/*2.50A	7.10B/*2.50A	----	6.40 + 2.90	.0642	----	----	1	----	10 UNCH
4850	----	----	2.00B/----	2.00B/*1.00A	----	1.70 + 0.70	.0205	----	----	----	----	1 UNCH
4875	8.90	8.90	12.00B/*5.00A	12.00B/*5.00A	----	11.10 + 4.30	.0915	----	----	5	----	19 + 5
4900	----	----	1.40B/----	1.40B/*1.00A	----	1.20 + 0.50	.0136	----	----	----	----	4 UNCH
4900	----	----	4.80B/*2.00A	4.80B/*2.00A	----	4.50 + 2.00	.0452	----	----	----	----	3 UNCH
4900	8.10	8.10	10.00B/*4.40A	10.00B/*4.40A	----	9.60 NEW	.0797	----	----	1	----	1 + 1
4925	----	----	1.10B/----	1.10B/*0.90A	----	1.00 NEW	.0110	----	----	2	----	2 + 2
4925	----	----	8.60B/*3.80A	8.60B/*3.80A	----	8.40 + 3.30	.0699	----	----	----	----	14 UNCH
4950	----	----	3.30B/*1.70A	3.30B/*1.70A	----	3.30 + 1.40	.0328	----	----	----	----	2 UNCH
4975	----	----	4.70B/*3.10A	4.70B/*3.10A	----	6.60 + 2.70	.0547	----	----	----	----	2 UNCH
5000	----	----	0.70B/----	0.70B/0.90A	----	0.60 + 0.20	.0060	----	----	----	----	2 UNCH
5000	----	----	4.30B/*2.80A	4.30B/*2.80A	----	5.90 + 2.50	.0487	----	----	----	----	2 UNCH
5025	----	----	0.60B/----	0.60B/0.90A	----	0.50 + 0.10	.0049	----	----	----	----	1 UNCH
5125	----	----	0.40B/----	0.40B/0.70A	----	0.30 + 0.10	.0026	----	----	----	----	1 UNCH
5400	----	----	----	----/0.70A	----	0.10 UNCH	.0000	----	----	2	----	3 + 2
TOTAL										1345		2691+ 1210

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3250	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3500	----	----	----	----/0.60A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
3500	----	----	----	0.30B/0.90A	----	0.30 - 0.30	.0015	----	----	----	----	1 UNCH
3600	----	----	----/*1.50A	1.30B/*1.50A	----	1.10 - 0.50	.0062	----	----	----	----	1 UNCH
3700	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3700	----	----	----/*1.70A	1.80B/*1.70A	----	1.50 - 0.60	.0089	----	----	----	----	1 UNCH
3750	----	----	----/*1.90A	2.10B/*1.90A	----	1.70 - 0.80	.0104	----	----	----	----	6 UNCH
3750	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
3800	----	----	----/*2.20A	2.70B/*2.20A	----	2.00 - 0.90	.0127	----	----	----	----	32 UNCH
3800	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
3800	----	----	----/*1.20A	1.10B/*1.20A	----	0.80 - 0.70	.0053	----	----	----	----	9 UNCH
3900	----	----	4.10B/*3.00A	4.10B/*3.00A	----	2.70 - 1.30	.0183	----	----	----	----	4 UNCH
3900	----	----	----/*1.50A	1.70B/*1.50A	----	1.10 - 0.90	.0080	----	----	----	----	2 UNCH
3900	----	----	6.60B/5.70A	6.60B/5.70A	----	4.30 - 1.80	.0270	----	----	----	----	3 UNCH
3900	----	----	----/*0.40A	0.20B/*0.40A	----	0.10 - 0.40	.0004	----	----	----	----	2 UNCH
4000	12.60	12.60	#12.80B/7.80A	12.80B/7.80A	----	5.70 - 3.30	.0382	----	----	5	----	6 + 5
4000	0.70	0.70	0.70/0.40A	0.70/0.40A	----	0.20 - 0.40	.0011	----	----	18	----	39 + 17
4000	3.50	3.50	4.50B/*1.90A	4.50B/*1.90A	----	1.70 - 1.30	.0135	----	----	1	----	27 + 1
4000	----	----	7.50B/*4.20A	7.50B/*4.20A	----	3.90 - 2.00	.0281	----	----	----	----	102 UNCH
4100	----	----	6.80B/*2.90A	6.80B/*2.90A	----	2.70 - 2.10	.0235	----	----	----	----	20 UNCH
4100	2.00	2.00	2.00/*0.30A	2.00/*0.30A	----	0.30 - 0.70	.0021	----	----	1	----	43 + 1
4100	----	----	#21.60B/10.10A	#21.60B/10.10A	----	8.60 - 5.30	.0598	----	----	----	----	6 UNCH
4100	----	----	14.70B/6.20A	14.70B/6.20A	----	6.00 - 3.20	.0455	----	----	----	----	1 UNCH
4120	0.30	0.30	#2.30B/*0.30	#2.30B/*0.30	----	0.40 NEW	.0029	----	----	1	----	1 + 1
4125	0.30	0.30	2.40B/*0.30	2.40B/*0.30	----	0.40 NEW	.0030	----	----	3	----	3 + 3
4130	0.30	0.30	#2.60B/*0.30	#2.60B/*0.30	----	0.40 NEW	.0030	----	----	1	----	1 + 1
4150	----	----	19.70B/7.80A	19.70B/7.80A	----	7.60 - 4.10	.0589	----	----	----	----	1 UNCH
4150	1.20	1.20	3.10B/*0.50A	3.10B/*0.50A	----	0.50 - 0.90	.0039	----	----	4	----	3 UNCH
4150	----	----	#27.90B/12.10A	#27.90B/12.10A	----	11.40 - 6.10	.0786	----	----	----	----	7 UNCH
4165	----	----	#3.70B/*0.60A	#3.70B/*0.60A	----	0.50 NEW	.0041	----	----	1	----	1 + 1
4175	----	----	4.10B/*0.60A	4.10B/*0.60A	----	0.60 - 1.00	.0050	----	----	----	----	7 UNCH
4175	----	----	22.70B/8.80A	22.70B/8.80A	----	8.70 - 4.70	.0678	----	----	----	----	1 UNCH
4175	----	----	13.20B/*4.20A	13.20B/*4.20A	----	4.20 - 3.00	.0384	----	----	----	----	1 UNCH
4175	----	----	#31.80B/13.70A	#31.80B/13.70A	----	13.10 - 6.60	.0899	----	----	----	----	1 UNCH
4180	3.40	3.40	#4.20B/*0.60A	#4.20B/*0.60A	----	0.60 NEW	.0051	----	----	1	----	1 + 1
4200	----	----	26.50B/9.90A	26.50B/9.90A	----	10.00 - 5.30	.0782	----	----	----	----	3 UNCH
4200	----	----	15.90B/*4.90A	15.90B/*4.90A	----	4.80 - 3.60	.0449	----	----	----	----	2 UNCH
4200	5.30	5.30	5.30/*0.70A	5.30/*0.70A	----	0.70 - 1.30	.0063	----	----	5	----	28 + 3
4200	----	----	#36.10B/15.50A	#36.10B/15.50A	----	15.20 - 7.00	.1033	----	----	----	----	22 UNCH
4225	----	----	#30.90B/11.30A	#30.90B/11.30A	----	11.50 - 6.10	.0902	----	----	----	----	28 UNCH
4225	----	----	19.30B/*5.60A	19.30B/*5.60A	----	5.70 - 4.10	.0539	----	----	----	----	2 UNCH
4225	----	----	6.60B/*0.90A	6.60B/*0.90A	----	0.90 - 1.50	.0086	----	----	2	----	8 + 2
4235	----	----	#7.40B/*0.90A	#7.40B/*0.90A	----	0.90 - 1.70	.0089	----	----	----	----	2 UNCH
4250	4.80	4.80	9.00B/*1.00	9.00B/*1.00	----	1.10 - 1.90	.0112	----	----	33	----	30 + 27
4250	----	----	#36.00B/13.00A	#36.00B/13.00A	----	13.40 - 7.00	.1049	----	----	----	----	5 UNCH
4250	15.00	15.00	23.30B/*6.50A	23.30B/*6.50A	----	6.70 - 4.90	.0643	----	----	1	----	2 + 1
4255	3.40	3.40	#9.40B/*1.10A	#9.40B/*1.10A	----	1.10 - 2.00	.0114	----	----	1	----	11 + 1
4260	3.60	3.60	#9.80B/*1.10A	#9.80B/*1.10A	----	1.10 NEW	.0116	----	----	1	----	1 + 1
4265	3.80	3.80	#10.70B/*1.10A	#10.70B/*1.10A	----	1.20 NEW	.0128	----	----	6	----	6 + 6
4270	6.60	6.60	#11.20B/*1.20A	#11.20B/*1.20A	----	1.30 - 2.30	.0140	----	----	2	----	4 + 2
4275	8.00	8.00	11.90B/*1.20A	11.90B/*1.20A	----	1.30 - 2.50	.0143	----	----	6	----	12 UNCH
4275	----	----	28.10B/7.70A	28.10B/7.70A	----	8.00 - 5.80	.0775	----	----	75	----	77 + 74
4275	----	----	#41.70B/15.20A	#41.70B/15.20A	----	15.60 - 8.00	.1217	----	----	----	----	3 UNCH
4280	----	----	#12.40B/*1.30A	#12.40B/*1.30A	----	1.40 - 2.60	.0155	----	----	1	----	1 - 1
4285	5.80	5.80	#13.10B/*1.30A	#13.10B/*1.30A	----	1.40 NEW	.0158	----	----	6	----	6 + 6
4290	5.10	5.10	#13.90B/*1.40A	#13.90B/*1.40A	----	1.50 NEW	.0172	----	----	3	----	3 + 3
4295	5.40	5.40	#14.60B/*1.50A	#14.60B/*1.50A	----	1.60 NEW	.0185	----	----	5	----	5 + 5
4300	41.70	41.70	#48.60B/17.70A	#48.60B/17.70A	----	18.30 - 9.10	.1417	----	----	13	----	27 + 10
4300	9.50	9.50	#33.80B/9.20A	#33.80B/9.20A	----	9.60 - 6.90	.0936	----	----	3	----	9 + 1
4300	4.20	4.20	15.50B/*1.50A	15.50B/*1.50A	----	1.60 - 3.20	.0189	----	----	13	----	78 + 5
4300	----	----	#60.60B/26.50A	#60.60B/26.50A	----	26.80 - 10.60	.1746	----	----	2	----	10 UNCH
4300	----	----	245.40B/*115.20	245.40B/*115.20A	----	234.00 + 47.80	.9810	----	----	----	----	1 UNCH
4305	----	----	#16.30B/*1.60A	#16.30B/*1.60A	----	1.70 - 3.40	.0203	----	----	----	----	1 UNCH
4310	----	----	#17.20B/*1.70A	#17.20B/*1.70A	----	1.80 - 3.50	.0218	----	----	1	----	12 + 1
4315	2.20	2.20	#18.20B/*1.70A	#18.20B/*1.70A	----	1.90 - 3.70	.0233	----	----	1	----	69 UNCH
4320	----	----	#19.10B/*1.80A	#19.10B/*1.80A	----	2.00 - 3.90	.0248	----	----	----	----	1 UNCH
4325	56.30	56.30	#56.30/21.00A	#56.30/21.00A	----	21.50 - 10.40	.1647	----	----	2	----	37 + 1
4325	8.10	8.10	20.40B/*1.90A	20.40B/*1.90A	----	2.10 - 4.10	.0264	----	----	2	----	17 + 1
4325	----	----	#40.70B/11.10A	#40.70B/11.10A	----	11.60 - 8.20	.1134	----	----	1	----	1 UNCH
4330	2.20	2.20	#21.30B/*2.00A	#21.30B/*2.00A	----	2.20 NEW	.0281	----	----	12	----	11 + 11
4335	2.00	2.00	#22.40B/*2.00	#22.40B/*2.00	----	2.30 - 4.60	.0298	----	----	9	----	7 - 1
4340	8.10	8.10	#23.90B/*2.20A	#23.90B/*2.20A	----	2.50 - 4.80	.0327	----	----	2	----	5 + 2
4345	----	----	#24.90B/*2.30A	#24.90B/*2.30A	----	2.60 - 5.10	.0345	----	----	2	----	2 UNCH
4350	48.90	48.90	#65.00B/24.60A	#65.00B/24.60A	----	25.30 - 11.90	.1911	----	----	17	----	34 + 17
4350	13.10	13.10	#48.20B/13.10	#48.20B/13.10	----	14.10 - 9.90	.1377	----	----	3	----	6 + 1
4350	15.10	15.10	26.30B/*2.50A	26.30B/*2.50A	----	2.70 - 5.40	.0364	----	----	108	----	138 + 100
4350	204.00	204.00	207.20B/*105.00	207.20B/*105.00A	----	196.40 NEW	.8620	----	----	2	----	2 + 2
4355	----	----	#27.80B/*2.60A	#27.80B/*2.60A	----	2.90 - 5.70	.0395	----	----	1	----	2 + 1
4360	----	----	#29.20B/*2.80A	#29.20B/*2.80A	----	3.10 - 6.00	.0427	----	----	----	----	1 UNCH
4365	21.90	21.90	#31.10B/*2.90A	#31.10B/*2.90A	----	3.30 NEW	.0460	----	----	14	----	14 + 14
4370	----	----	#32.60B/*3.10A	#32.60B/*3.10A	----	3.50 - 6.80	.0493	----	----	----	----	31 UNCH
4375	----	----	#57.90B/16.30A	#57.90B/16.30A	----	17.40 - 11.60	.1679	----	----	2	----	39 + 2
4375	26.10	26.10	34.50B/*3.30A	34.50B/*3.30A	----	3.70 - 7.20	.0528	----	----	157	----	157 + 146
4375	----	----	#88.40B/40.10A	#88.40B/40.10A	----	40.90 NEW	.2531	----	----	2	----	0 UNCH
4375	----	----	#74.80B/29.00A	#74.80B/29.00A	----	29.90 - 13.60	.2215	----	----	----	----	36 UNCH
4380	13.50	13.50	#36.40B/*3.50A	#36.40B/*3.50A	----	4.00 - 7.60	.0575	----	----	6	----	8 UNCH
4385	15.30	15.30	#38.20B/*3.70A	#38.20B/*3.70A	----	4.20 NEW	.0613	----	----	2	----	2 + 2
4390	----	----	#40.20B/*4.00A	#40.20B/*4.00A	----	4.50 - 8.60	.0663	----	----	----	----	22 UNCH
4395	65.30	65.30	153.30B/*47.50A	153.30B/*47.50A	----	142.20 NEW	.9284	----	----	1	----	1 + 1
4395	30.80	30.80	#42.10B/*4.20A	#42.10B/*4.20A	----	4.80 - 9.10	.0714	----	----	2	----	9 + 1
4400	26.00	26.00	44.60B/*4.50A	44.60B/*4.50A	----	5.20 - 9.60	.0778	----	----	27	----	485 - 3
4400	----	----	173.70B/*88.60A	173.70B/*88.60A	----	167.60 + 35.40	.7436	----	----	----	----	14 UNCH
4400	85.10	85.10	148.70B/*44.80A	148.70B/*44.80A	----	137.50 NEW	.9220	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK2										
4400	100.10	100.10	165.00/*71.80A	165.00/*71.80A	----	153.70 NEW	.7961	----	----	4	----	4 + 4
4400	----	----	#68.30B/20.00A	#68.30B/20.00A	----	21.40 - 13.80	.2036	----	----	----	----	26 UNCH
4400	----	----	#85.70B/34.00A	#85.70B/34.00A	----	35.40 - 15.40	.2559	----	----	----	----	25 UNCH
4405	----	----	#46.70B/*4.80A	#46.70B/*4.80A	----	5.60 - 10.10	.0844	----	----	1	----	2 + 1
4410	20.00	20.00	#49.40B/*5.10A	#49.40B/*5.10A	----	6.00 - 10.70	.0911	----	----	5	----	3 + 1
4410	38.50	38.50	139.40B/*38.50	139.40B/*38.50	----	128.30 NEW	.9087	----	----	2	----	1 + 1
4415	----	----	#51.80B/*5.40A	#51.80B/*5.40A	----	6.40 - 11.30	.0981	----	----	----	----	1 UNCH
4420	----	----	130.30B/*34.20A	130.30B/*34.20A	----	119.20 + 38.90	.8935	----	----	----	----	3 UNCH
4420	25.50	25.50	#54.30B/*5.80A	#54.30B/*5.80A	----	6.90 - 12.00	.1063	----	----	2	----	2 + 1
4425	----	----	143.90B/*59.10A	143.90B/*59.10A	----	133.80 NEW	.7535	----	----	78	----	38 + 38
4425	67.90	67.90	#80.80B/24.60A	#80.80B/24.60A	----	26.50 - 16.10	.2461	----	----	51	----	73 + 25
4425	----	----	#97.60B/40.10A	#97.60B/40.10A	----	41.90 - 17.40	.2941	----	----	----	----	11 UNCH
4425	31.50	31.50	57.40B/*6.20A	57.40B/*6.20A	----	7.40 - 12.70	.1147	----	----	206	----	225 + 27
4430	32.00	32.00	121.20B/*29.50A	121.20B/*29.50A	----	110.30 NEW	.8754	----	----	2	----	0 UNCH
4430	27.70	27.70	#60.40B/*6.60A	#60.40B/*6.60A	----	8.00 - 13.30	.1244	----	----	7	----	4 + 3
4435	----	----	#63.30B/*7.10A	#63.30B/*7.10A	----	8.60 NEW	.1344	----	----	2	----	2 + 2
4440	30.70	30.70	#66.30B/*7.70A	#66.30B/*7.70A	----	9.20 - 14.90	.1446	----	----	2	----	3 + 2
4445	----	----	108.10B/*23.20A	108.10B/*23.20A	----	97.30 NEW	.8437	----	----	1	----	1 + 1
4450	16.10	16.10	72.70B/8.80A	72.70B/8.80A	----	10.70 - 16.60	.1688	----	----	19	----	48 - 9
4450	67.00	67.00	#92.00/30.30A	#92.00/30.30A	----	32.80 - 18.70	.2952	----	----	20	----	16 UNCH
4450	----	----	124.70B/*48.20A	124.70B/*48.20A	----	115.10 + 32.10	.7045	----	----	----	----	8 UNCH
4450	56.60	56.60	#103.10B/45.00	#103.10B/45.00	----	49.50 - 19.40	.3359	----	----	76	----	91 + 75
4450	43.50	43.50	103.70B/*21.40A	103.70B/*21.40A	----	93.10 + 34.30	.8310	----	----	2	----	4 + 2
4450	----	----	140.40B/*65.00A	140.40B/*65.00A	----	131.80 + 31.40	.6636	----	----	----	----	12 UNCH
4455	----	----	#76.20B/9.60A	#76.20B/9.60A	----	11.50 - 17.50	.1818	----	----	----	----	7 UNCH
4455	22.00	22.00	99.50B/*19.70A	99.50B/*19.70A	----	88.90 NEW	.8180	----	----	3	----	2 + 2
4460	----	----	95.30B/*18.10A	95.30B/*18.10A	----	84.80 NEW	.8038	----	----	1	----	1 + 1
4465	36.50	36.50	#83.20B/*11.00A	#83.20B/11.00A	----	13.40 NEW	.2114	----	----	4	----	2 + 2
4470	14.90	14.90	#86.80B/*11.90A	#86.80B/11.90A	----	14.50 - 20.20	.2278	----	----	11	----	15 + 11
4470	----	----	87.20B/*15.20A	87.20B/*15.20A	----	76.90 + 30.70	.7721	----	----	17	----	20 + 17
4475	15.50	15.50	83.30B/*13.80A	83.30B/*13.80A	----	73.00 + 29.70	.7553	----	----	185	----	46 + 38
4475	117.70	117.70	123.80B/*55.10A	123.80B/*55.10A	----	115.60 NEW	.6188	----	----	4	----	4 + 4
4475	57.00	57.00	#100.20B/37.00A	#100.20B/37.00A	----	40.50 - 21.50	.3503	----	----	3	----	4 + 2
4475	43.40	43.40	#90.40B/12.80A	#90.40B/12.80A	----	15.60 - 21.20	.2445	----	----	78	----	126 + 19
4475	60.00	60.00	#117.30B/55.40A	#117.30B/55.40A	----	58.30 - 21.60	.3807	----	----	10	----	16 + 10
4480	14.80	14.80	79.30B/*12.60A	79.30B/*12.60A	----	69.20 + 28.70	.7375	----	----	2	----	3 + 1
4480	17.90	17.90	#94.70B/*13.80A	#94.70B/13.80A	----	16.80 NEW	.2623	----	----	7	----	6 + 6
4485	21.40	21.40	#98.20B/14.90A	#98.20B/14.90A	----	18.20 - 23.20	.2817	----	----	18	----	10 + 5
4485	----	----	75.50B/*11.50A	75.50B/*11.50A	----	65.50 + 27.60	.7181	----	----	----	----	3 UNCH
4490	21.60	21.60	#102.20B/*16.10	#102.20B/16.10A	----	19.60 - 24.20	.3013	----	----	17	----	17 + 16
4490	12.70	12.70	71.80B/*10.50A	71.80B/*10.50A	----	62.00 + 26.70	.6985	----	----	15	----	10 + 5
4495	----	----	68.10B/*9.60A	68.10B/*9.60A	----	58.50 + 25.60	.6779	----	----	4	----	29 UNCH
4495	35.60	35.60	#106.70B/*17.30	#106.70B/17.30A	----	21.10 NEW	.3219	----	----	4	----	1 + 1
4500	----	----	#133.10B/65.00A	#133.10B/65.00A	----	68.40 - 23.70	.4278	----	----	----	----	15 UNCH
4500	109.00	109.00	109.00/*46.50A	109.00/*46.50A	----	100.70 + 27.00	.5717	----	----	1	----	10 UNCH
4500	----	----	#110.90B/18.60A	#110.90B/18.60A	----	22.70 - 26.40	.3432	----	----	4	----	75 + 2
4500	----	----	#117.50B/45.40A	#117.50B/45.40A	----	49.70 - 24.40	.4104	----	----	26	----	105 - 1
4500	64.00	64.00	120.60B/*59.10A	120.60B/*59.10A	----	114.70 + 26.10	.5637	----	----	1	----	2 + 1
4500	32.10	32.10	64.60B/*8.70A	64.60B/*8.70A	----	55.10 + 24.50	.6566	----	----	92	----	79 + 59
4500	----	----	#150.80B/79.80A	#150.80B/79.80A	----	82.40 - 24.60	.4356	----	----	----	----	1 UNCH
4505	----	----	61.10B/*8.00A	61.10B/*8.00A	----	51.80 + 23.40	.6345	----	----	----	----	8 UNCH
4510	----	----	57.70B/*7.10A	57.70B/*7.10A	----	48.60 NEW	.6115	----	----	8	----	4 + 4
4515	34.20	34.20	54.60B/*6.60A	54.60B/*6.60A	----	45.60 NEW	.5882	----	----	8	----	3 + 3
4515	29.90	29.90	#123.70B/*23.30	#123.70B/23.30A	----	28.20 NEW	.4116	----	----	10	----	10 + 10
4520	30.10	30.10	51.50B/*6.00A	51.50B/*6.00A	----	42.70 + 20.20	.5642	----	----	114	----	48 + 47
4520	35.40	35.40	#127.60B/*25.20	#127.60B/25.20A	----	30.30 - 30.70	.4356	----	----	16	----	11 + 7
4525	82.00	82.00	#136.70B/55.80A	#136.70B/55.80A	----	60.50 - 27.50	.4739	----	----	4	----	7 UNCH
4525	31.90	31.90	#132.50B/27.00A	#132.50B/27.00A	----	32.50 - 31.70	.4599	----	----	7	----	6 + 3
4525	13.80	13.80	48.50B/*5.50A	48.50B/*5.50A	----	39.90 + 19.20	.5399	----	----	64	----	54 + 53
4530	----	----	#136.70B/*29.10	#136.70B/29.10A	----	34.80 - 32.80	.4845	----	----	----	----	1 UNCH
4530	7.00	7.00	45.70B/*5.00A	45.70B/*5.00A	----	37.20 + 18.10	.5153	----	----	67	----	67 + 62
4535	----	----	#141.10B/*31.10	#141.10B/31.10A	----	37.20 - 33.80	.5093	----	----	2	----	3 + 2
4535	7.10	7.10	42.90B/*4.50A	42.90B/*4.50A	----	34.60 NEW	.4906	----	----	10	----	8 + 8
4540	38.30	38.30	#145.90B/*33.50	#145.90B/33.50A	----	39.80 NEW	.5340	----	----	1	----	1 + 1
4540	34.20	34.20	40.20B/*4.20A	40.20B/*4.20A	----	32.20 + 16.10	.4658	----	----	22	----	16 + 14
4545	8.20	8.20	37.70B/*3.80A	37.70B/*3.80A	----	29.90 + 15.10	.4411	----	----	30	----	52 + 17
4545	41.00	41.00	#150.40B/*35.90	#150.40B/35.90A	----	42.50 - 35.80	.5587	----	----	2	----	35 + 1
4550	38.30	38.30	81.90B/*32.10A	81.90B/*32.10A	----	74.80 + 22.50	.4741	----	----	5	----	108 + 1
4550	32.50	32.50	62.40B/*18.00	62.40B/*18.00	----	55.50 + 20.30	.4609	----	----	8	----	3 UNCH
4550	58.00	58.00	#155.50B/38.70A	#155.50B/38.70A	----	45.30 - 36.70	.5832	----	----	1	----	135 + 1
4550	----	----	#154.80B/67.50A	#154.80B/67.50A	----	73.10 - 30.50	.5388	----	----	----	----	1 UNCH
4550	----	----	95.50B/*43.90A	95.50B/*43.90A	----	89.40 + 22.80	.4811	----	----	----	----	1 UNCH
4550	----	----	#168.70B/87.70A	#168.70B/87.70A	----	92.40 - 28.20	.5253	----	----	1	----	25 - 1
4550	5.40	5.40	35.30B/*3.50A	35.30B/*3.50A	----	27.70 + 14.10	.4166	----	----	129	125	251 + 159
4555	----	----	32.90B/*3.20A	32.90B/*3.20A	----	25.70 NEW	.3927	----	----	8	----	3 + 3
4555	43.20	43.20	#160.20B/41.00A	#160.20B/41.00A	----	48.30 NEW	.6071	----	----	3	----	3 + 3
4560	24.80	24.80	30.60B/*3.00A	30.60B/*3.00A	----	23.80 + 12.40	.3692	----	----	9	----	5 + 3
4565	22.20	22.20	28.50B/*2.70A	28.50B/*2.70A	----	21.90 + 11.50	.3458	----	----	3	----	3 + 3
4570	15.10	15.10	26.60B/*2.50A	26.60B/*2.50A	----	20.30 NEW	.3239	----	----	1	----	1 + 1
4575	----	----	#188.10B/101.00	#188.10B/101.00A	----	106.30 - 30.50	.5739	----	----	----	----	5 UNCH
4575	90.70	90.70	#179.10B/52.90A	#179.10B/52.90A	----	61.30 - 40.90	.6976	----	----	1	----	24 UNCH
4575	5.40	5.40	24.70B/*2.30A	24.70B/*2.30A	----	18.70 + 10.00	.3022	----	----	31	----	92 + 21
4575	22.10	22.10	51.00B/*14.10A	51.00B/*14.10A	----	44.80 NEW	.3968	----	----	7	----	5 + 5
4575	26.10	26.10	70.30B/*26.10	70.30B/*26.10	----	63.80 + 20.30	.4256	----	----	1	----	6 - 1
4580	9.40	9.40	22.90B/*2.20A	22.90B/*2.20A	----	17.20 + 9.20	.2813	----	----	5	----	23 + 4
4585	17.60	17.60	21.30B/*2.00A	21.30B/*2.00A	----	15.80 + 8.50	.2612	----	----	6	----	12 + 6
4590	14.20	14.20	19.70B/*1.90A	19.70B/*1.90A	----	14.60 NEW	.2427	----	----	5	----	5 + 5
4595	14.10	14.10	18.30B/*1.80A	18.30B/*1.80A	----	13.40 NEW	.2246	----	----	8	----	7 + 7
4600	4.00	4.00	16.90B/*1.70A	16.90B/*1.70A	----	12.30 + 6.70	.2074	----	----	48	----	91 UNCH
4600	----	----	#208.60B/115.50	#208.60B/115.50A	----	121.60 - 32.70	.6211	----	----	----	----	1 UNCH
4600	53.00	53.00	59.80B/*21.70A	59.80B/*21.70A	----	54.10 + 18.10	.3784	----	----	1	----	151 + 1
4600	----	----	#203.40B/70.10A	#203.40B/70.10A	----	79.90 - 44.20	.7924	----	----	----	----	6 UNCH
4600	----	----	41.10B/*10.70A	41.10B/*10.70A	----	35.80 + 14.60	.3359	----	----	2	----	35 - 2
4600	----	----	74.30B/*32.30A	74.30B/*32.30A	----	68.70 + 19.70	.4004	----	----	----	----	1 UNCH
4605	12.30	12.30	15.60B/*1.60A	15.60B/*1.60A	----	11.30 NEW	.1914	----	----	1	----	1 + 1
4610	----	----	14.40B/*1.50A	14.40B/*1.50A	----	10.40 NEW	.1766	----	----	1	----	1 + 1
4615	----	----	13.30B/*1.40A	13.30B/*1.40A	----	9.50 + 5.20	.1621	----	----	----	----	1 UNCH
4620	----	----	#222.60B/86.60A	#222.60B/86.60A	----	96.30 - 46.10	.8500	----	----	----	----	3 UNCH
4620	9.60	9.60	12.20B/*1.30A	12.20B/*1.30A	----	8.80 + 4.80	.1498	----	----	2	----	7 + 2
4625	4.50	4.50	11.40B/*1.30A	11.40B/*1.30A	----	8.10 + 4.40	.1378	----	----	63	----	116 - 2
4625	----	----	#219.70B/112.20	#219.70B/112.20A	----	120.80 - 38.80	.7200	----	----	----	----	1 UNCH
4625	----	----	#227.80B/90.00A	#227.80B/90.00A	----	100.60 - 46.50	.8620	----	----	----	----	4 UNCH
4630	10.20	10.20	10.30B/*1.20A	10.30B/*1.20A	----	7.40 + 4.00	.1260	----	----	8	----	15 + 8
4635	----	----	9.50B/*1.20A	9.50B/*1.20A	----	6.80 + 3.70	.1156	----	----	----	----	1 UNCH
4640	6.50	6.50	9.00B/*1.10A	9.00B/*1.10A	----	6.30 NEW	.1065	----	----	3	----	3 + 3
4645	----	----	8.30B/*1.10A	8.30B/*1.10A	----	5.80 + 3.10	.0977	----	----	----	----	2 UNCH
4650	9.00	9.00	25.90B/*6.40A	25.90B/*6.40A	----	22.20 + 9.80	.2294	----	----	3	----	7 + 3
4650	3.50	3.50	7.60B/*1.00A	7.60B/*1.00A	----	5.30 + 2.80	.0890	----	----	3	----	92 - 1
4650	----	----	#252.50B/111.30	#252.50B/111.30A	----	122.90 - 48.00	.9108	----	----	----	----	6 UNCH
4650	----	----	#243.00B/131.00	#243.00B/131.00A	----	139.70 - 41.10	.7702	----	----	----	----	1 UNCH
4650	32.10	32.10	42.50B/*14.40A	42.50B/*14.40A	----	38.20 + 14.00	.2911	----	----	2	----	7 + 2
4660	----	----	6.50B/*1.00A	6.50B/*1.00A	----	4.50 + 2.40	.0747	----	----	----	----	3 UNCH
4665	----	----	6.00B/*0.90A	6.00B/*0.90A	----	4.20 + 2.20	.0691	----	----	----	----	1 UNCH
4670	----	----	#272.30B/130.20	#272.30B/130.20A	----	141.40 - 48.90	.9363	----	----	----	----	2 UNCH
4670	----	----	5.50B/*0.90A	5.50B/*0.90A	----	3.90 + 2.10	.0636	----	----	----	----	2 UNCH
4675	----	----	35.50B/*11.80A	35.50B/*11.80A	----	31.80 + 12.10	.2520	----	----	1	----	1 UNCH
4675	1.00	1.00	5.00B/*0.90A	5.00B/*0.90A	----	3.60 + 1.90	.0582	----	----	3	----	11 UNCH
4675	----	----	#277.10B/134.00	#277.10B/134.00A	----	146.10 - 49.00	.9416	----	----	----	----	4 UNCH
4675	----	----	20.40B/*5.00A	20.40B/*5.00A	----	17.40 + 7.90	.1863	----	----	2	----	4 + 1
4690	3.80	3.80	#3.90B/*0.80A	3.90B/*0.80A	----	2.80 + 1.40	.0442	----	----	11	----	11 + 10
4700	0.80	0.80	3.40B/*0.60	3.40B/*0.60	----	2.50 + 1.20	.0384	----	----	95	----	126 - 1
4700	----	----	#302.30B/158.60	#302.30B/158.60A	----	170.00 - 49.70	.9614	----	----	----	----	3 UNCH
4700	----	----	252.00B/170.50A	252.00B/170.50A	----	181.10 - 44.50	.8498	----	----	1	----	1 - 1
4700	7.00	7.00	16.10B/*4.10A	16.10B/*4.10A	----	13.60 + 6.30	.1499	----	----	4	----	7 + 3
4700	10.00	10.00	29.60B/*9.70A	29.60B/*9.70A	----	26.40 + 10.40	.2166	----	----	22	----	19 + 17
4700	----	----	#296.70B/186.60	#296.70B/186.60A	----	193.80 - 40.40	.7829	----	----	----	----	5 UNCH
4705	----	----	#306.90B/163.20	#306.90B/163.20A	----	174.80 - 49.80	.9648	----	----	----	----	1 UNCH
4720	----	----	#2.50B/*0.70A	2.50B/*0.70A	----	1.90 + 0.90	.0279	----	----	----	----	2 UNCH
4725	8.70	8.70	24.50B/*8.00A	24.50B/*8.00A	----	21.90 + 8.80	.1852	----	----	5	----	6 UNCH
4725	----	----	----/182.70A	231.20B/182.70A	----	194.30 - 10.10	.9738	----	----	----	----	1 UNCH
4725	----	----	12.60B/*3.30A	12.60B/*3.30A	----	10.70 + 5.10	.1203	----	----	----	----	2 UNCH
4725	----	----	253.00B/192.70A	253.00B/192.70A	----	203.10 - 45.80	.8794	----	----	----	----	1 UNCH
4725	0.60	0.60	2.30B/*0.60	2.30B/*0.60	----	1.80 + 0.80	.0260	----	----	54	----	81 UNCH
4730	----	----	2.10B/*0.70A	2.10B/*0.70A	----	1.60 + 0.70	.0230	----	----	----	----	1 UNCH
4735	----	----	#2.00B/*0.70A	2.00B/*0.70A	----	1.50 + 0.60	.0213	----	----	----	----	1 UNCH
4750	----	----	20.20B/*6.70A	20.20B/*6.70A	----	18.10 + 7.40	.1573	----	----	3	----	5 - 2
4750	----	----	30.30B/*12.10A	30.30B/*12.10A	----	28.10 + 10.60	.2002	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
JUN26												
4750	----	----	1.70B/*0.70A	1.70B/*0.70A	----	1.30 + 0.50	.0177	----	----	----	----	8 UNCH
4750	----	----	----/206.00A	245.80B/206.00A	----	218.80 - 50.40	.9822	----	----	----	----	2 UNCH
4750	----	----	----/215.40A	259.20B/215.40A	----	225.80 - 46.90	.9038	----	----	----	----	1 UNCH
4750	9.00	9.00	9.80B/*2.80A	9.80B/*2.80A	----	8.40 + 4.00	.0959	----	----	7	----	43 UNCH
4775	----	----	1.20B/----	1.20B/*0.70A	----	1.00 + 0.30	.0127	----	----	----	----	1 UNCH
4775	----	----	#376.90B/257.60	#376.90B/257.60A	----	266.20 - 41.40	.8240	----	----	----	----	1 UNCH
4775	----	----	7.70B/*2.40A	7.70B/*2.40A	----	6.70 + 3.20	.0770	----	----	----	----	1 UNCH
4800	----	----	----	296.80B/360.80A	----	268.30 - 50.70	.9905	----	----	----	----	1 UNCH
4800	0.70	0.70	0.90/*0.60A	0.90/*0.60A	----	0.80 + 0.20	.0094	----	----	3	----	58 + 2
4800	----	----	6.20B/*2.00A	6.20B/*2.00A	----	5.40 + 2.60	.0621	----	----	----	----	102 UNCH
4800	----	----	22.20B/*9.10A	22.20B/*9.10A	----	20.60 + 8.20	.1537	----	----	----	----	2 UNCH
4800	----	----	13.90B/*4.80A	13.90B/*4.80A	----	12.40 + 5.20	.1125	----	----	----	----	2 UNCH
4825	----	----	0.70B/----	0.70B/*0.50A	----	0.60 + 0.10	.0066	----	----	----	----	1 UNCH
4825	----	----	4.80B/*1.80A	4.80B/*1.80A	----	4.40 + 2.10	.0504	----	----	----	----	1 UNCH
4850	----	----	0.50B/----	0.50B/*0.40A	----	0.50 + 0.10	.0052	----	----	----	----	13 UNCH
4850	10.60	10.60	16.20B/*8.60A	16.20B/*8.60A	----	15.20 + 6.20	.1174	----	----	10	----	11 + 9
4850	----	----	3.80B/*1.60A	3.80B/*1.60A	----	3.60 + 1.70	.0410	----	----	----	----	3 UNCH
4850	3.10	3.10	9.60B/*3.10	9.60B/*3.10	----	8.70 + 3.70	.0809	----	----	1	----	11 + 1
4875	----	----	8.00B/*3.10A	8.00B/*3.10A	----	7.40 + 3.20	.0691	----	----	----	----	1 UNCH
4875	----	----	0.40B/----	0.40B/*0.30A	----	0.30 UNCH	.0029	----	----	1	----	128 UNCH
4875	----	----	----/333.80A	350.20B/333.80A	----	345.30 - 49.60	.9659	----	----	----	----	1 UNCH
4875	----	----	3.00B/*1.50A	3.00B/*1.50A	----	3.00 + 1.30	.0338	----	----	----	----	1 UNCH
4875	----	----	13.90B/*7.60A	13.90B/*7.60A	----	13.10 + 5.40	.1026	----	----	----	----	1 UNCH
4900	----	----	----	0.30B/*0.30A	----	0.20 - 0.10	.0018	----	----	----	----	49 UNCH
4900	----	----	----	#397.50B/455.20A	----	367.80 - 50.90	.9982	----	----	----	----	2 UNCH
4900	----	----	2.40B/----	2.40B/*1.40A	----	2.60 + 1.20	.0288	----	----	----	----	4 UNCH
4900	----	----	6.80B/*2.70A	6.80B/*2.70A	----	6.30 + 2.70	.0591	----	----	----	----	5 UNCH
4925	----	----	----	0.20B/*0.20A	----	0.20 UNCH	.0017	----	----	----	----	5 UNCH
4925	----	----	5.50B/*2.50A	5.50B/*2.50A	----	5.40 + 2.30	.0507	----	----	2	----	7 UNCH
4935	0.20	0.20	#0.20/*0.20	0.20/*0.20	----	0.20 UNCH	.0016	----	----	25	----	26 + 25
4950	----	----	1.70B/----	1.70B/1.40A	----	1.90 + 0.80	.0204	----	----	----	----	5 UNCH
4950	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0008	----	----	----	----	32 UNCH
4950	8.10	8.10	8.80B/8.10	8.80B/*5.70A	----	8.70 NEW	.0696	----	----	1	----	1 + 1
4950	----	----	4.60B/*2.20A	4.60B/*2.20A	----	4.70 + 2.00	.0440	----	----	1	----	11 UNCH
4975	----	----	----	0.10B/*0.30A	----	0.10 UNCH	.0004	----	----	----	----	5 UNCH
5000	----	----	3.40B/*1.90A	3.40B/*1.90A	----	3.60 + 1.50	.0334	----	----	----	----	1 UNCH
5000	----	----	----	----/*0.20A	----	0.10 UNCH	.0002	----	----	----	----	31 UNCH
5000	----	----	1.30B/----	1.30B/1.30A	----	1.50 + 0.60	.0154	----	----	1	----	32 UNCH
5000	----	----	5.30B/----	5.30B/*4.80A	----	6.90 + 3.00	.0552	----	----	----	----	1 UNCH
5025	----	----	3.10B/*1.70A	3.10B/*1.70A	----	3.20 + 1.30	.0294	----	----	----	----	4 UNCH
5025	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
5050	----	----	2.70B/*1.60A	2.70B/*1.60A	----	2.80 + 1.10	.0256	----	----	1	----	11 UNCH
5050	----	----	4.00B/----	4.00B/*4.20A	----	5.60 + 2.50	.0445	----	----	----	----	1 UNCH
5050	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	29 UNCH
5050	----	----	1.00B/----	1.00B/1.10A	----	1.20 + 0.40	.0119	----	----	----	----	5 UNCH
5075	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5100	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5100	----	----	2.10B/----	2.10B/1.50A	----	2.20 + 0.80	.0199	----	----	----	----	6 UNCH
5125	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
5150	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
5150	----	----	0.70B/----	0.70B/1.00A	----	0.80 + 0.30	.0073	----	----	1	----	1 - 1
5175	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5200	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5225	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5250	----	----	----	0.40B/0.90A	----	0.60 + 0.20	.0050	----	----	----	----	4 UNCH
5250	----	----	----	1.00B/*2.60A	----	3.10 + 1.80	.0228	----	----	----	----	1 UNCH
5275	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5300	----	----	----	0.30B/0.90A	----	0.50 + 0.10	.0041	----	----	----	----	5 UNCH
5300	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5325	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5350	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5400	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
5500	----	----	----	----/8.50A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5600	----	----	----	----/8.50A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5700	----	----	----	----/8.60A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5750	----	----	----	----/1.00A	----	0.30 + 0.10	.0021	----	----	----	----	3 UNCH
5750	----	----	----	----/8.80A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
6000	----	----	----	----/8.90A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
TOTAL										2567	125	5824 + 1384

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK5										
MAY26												
4350	10.50	10.50	#10.50/*10.50	#10.50/10.50	----	0.90 NEW	.0028	----	----	1	----	1 + 1
4470	----	----	----	----/*57.70A	----	69.20 + 31.50	.9013	----	----	----	----	1 UNCH
4500	----	----	----	----/*40.00A	----	45.20 + 22.90	.7619	----	----	----	----	1 UNCH
4515	18.00	18.00	#18.00/*18.00	#18.00/*18.00	----	35.00 NEW	.6525	----	----	1	----	1 + 1
TOTAL										2		4+ 2
JUN26												
4675	5.50	5.50	#5.50/*5.50	#5.50/*5.50	----	14.00 NEW	.1621	----	----	4	----	4 + 4
TOTAL										4		4+ 4

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
MAY26												
6400	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 NEW	----	----	----	1	----	0 UNCH
6700	----	----	----	----/0.114A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6900	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.000 NEW	----	----	----	1	----	0 UNCH
6950	----	----	----	0.001B/0.115A	----	0.000 - 0.012	----	----	----	----	----	0 - 1
7000	0.020	0.020	0.036B/*0.001	0.036B/*0.001	----	0.000 - 0.020	----	----	----	6	----	0 - 4
7050	----	----	0.086B/----	0.086B/0.121A	----	0.000 - 0.032	----	----	----	----	----	0 - 3
7100	0.300	0.300	0.300/*0.010	0.300/*0.010	----	0.000 NEW	----	----	----	2	----	0 UNCH
7150	----	----	0.338B/----	0.338B/0.129A	----	0.000 - 0.078	----	----	----	----	----	0 - 10
7200	0.300	0.300	0.540B/*0.145A	0.540B/*0.145A	----	0.000 - 0.119	----	----	----	7	----	0 - 61
7210	0.350	0.350	#0.572B/*0.155A	#0.572B/*0.155A	----	0.000 NEW	----	----	----	11	----	0 UNCH
7230	----	----	#0.669B/----	#0.669B/*0.167A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7250	----	----	0.756B/----	0.756B/*0.171A	----	0.000 - 0.169	----	----	----	5	----	0 - 5
7300	0.580	0.580	0.778B/0.236A	0.778B/0.236A	----	0.000 - 0.240	----	----	----	12	----	0 - 15
7300	0.600	0.600	0.600/*0.600	0.827B/*0.600	----	2.912 NEW	----	----	----	2	----	0 UNCH
7320	0.203	0.203	#0.726B/0.195A	#0.726B/0.195A	----	0.000 - 0.275	----	----	----	1	----	0 - 1
7330	0.787	0.787	#0.787/*0.185A	#0.787/*0.185A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7350	0.700	0.700	0.700/*0.500	0.817B/*0.500	----	2.412 NEW	----	----	----	2	----	0 UNCH
7350	0.700	0.700	0.700/*0.188A	0.700/*0.188A	----	0.000 - 0.338	----	----	----	1	----	0 - 7
7390	----	----	0.727B/*0.168A	0.727B/*0.168A	----	0.000 - 0.444	----	----	----	----	----	0 - 1
7400	0.753	0.753	0.759B/*0.055A	0.759B/*0.055A	----	0.000 - 0.474	----	----	----	1	----	0 - 5
7400	0.600	0.600	0.750/*0.250A	0.798B/*0.250A	----	1.912 + 0.543	----	----	----	8	----	0 - 1
7430	----	----	0.715B/*0.085A	0.715B/*0.085A	----	0.000 - 0.576	----	----	----	----	----	0 - 1
7430	0.350	0.350	#0.350/*0.313A	0.780B/*0.313A	----	1.612 NEW	----	----	----	5	----	0 UNCH
7450	0.300	0.300	0.400/*0.296A	0.813B/*0.296A	----	1.412 NEW	----	----	----	2	----	0 UNCH
7480	0.008	0.008	0.008/*0.008	0.699B/*0.008	----	0.000 - 0.787	----	----	----	1	----	0 - 1
7490	0.130	0.130	0.130/*0.130	0.620B/*0.130	----	1.012 + 0.181	----	----	----	1	----	0 - 2
7500	1.550	1.550	1.550/*0.105A	1.550/*0.105A	----	0.000 - 0.887	----	----	----	14	----	0 - 23
7500	0.090	0.090	0.200/*0.090	0.587B/*0.090	----	0.912 NEW	----	----	----	10	----	0 UNCH
7510	0.192	0.192	#0.192/*0.161A	0.511B/*0.161A	----	0.812 NEW	----	----	----	6	----	0 UNCH
7510	0.238	0.238	0.238/*0.114A	0.725B/*0.114A	----	0.000 NEW	----	----	----	15	----	0 UNCH
7530	0.500	0.500	0.500/*0.080A	0.500/*0.080A	----	0.612 - 0.036	----	----	----	2	----	0 - 2
7550	----	----	----/*0.155A	0.323B/*0.155A	----	0.412 - 0.158	----	----	----	4	----	0 - 8
7550	0.001	0.001	0.001/*0.001	0.677B/*0.001	----	0.000 - 1.175	----	----	----	1	----	0 - 1
7560	----	----	----/*0.146A	0.283B/*0.146A	----	0.312 NEW	----	----	----	1	----	0 UNCH
7580	0.200	0.200	#0.200/*0.143A	0.216B/*0.143A	----	0.112 NEW	----	----	----	1	----	0 UNCH
7590	----	----	----/*0.493A	0.029B/*0.493A	----	0.000 - 1.444	----	----	----	----	----	0 - 2
7590	----	----	----/*0.136A	0.185B/*0.136A	----	0.012 NEW	----	----	----	3	----	0 UNCH
7600	0.029	0.029	0.029/*0.028	0.178B/*0.028	----	0.000 - 0.410	----	----	----	16	----	0 - 7
7600	----	----	----/0.576A	0.029B/0.576A	----	0.088 - 1.427	----	----	----	2	----	0 - 18

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4											
MAY26													
7620	0.150	0.150	0.150/*0.123A	0.150/*0.123A	----	0.000	NEW	----	----	----	1	----	0 UNCH
7650	----	----	----/*0.125A	0.051B/*0.125A	----	0.000	- 0.292	----	----	----	2	----	0 - 11
7680	0.006	0.006	0.006/*0.001A	0.011B/*0.001A	----	0.000	- 0.237	----	----	----	2	----	0 - 1
7700	----	----	----/*0.119A	0.009B/*0.119A	----	0.000	- 0.206	----	----	----	----	----	0 - 9
7700	----	----	----	----	----	1.088	- 1.223	----	----	----	----	----	0 - 2
7710	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.000	- 0.192	----	----	----	2	----	0 - 2
7710	----	----	----	----	----	1.188	- 1.209	----	----	----	1	----	0 - 1
7850	----	----	----	0.001B/*0.126A	----	0.000	- 0.071	----	----	----	----	----	0 - 1
7950	----	----	----	0.001B/0.141A	----	0.000	- 0.033	----	----	----	----	----	0 - 1
8000	----	----	----	0.010B/0.174A	----	0.000	- 0.023	----	----	----	----	----	0 - 6
8100	----	----	----	----/0.153A	----	0.000	- 0.012	----	----	----	----	----	0 - 2
8150	----	----	----	----/0.144A	----	0.000	- 0.009	----	----	----	----	----	0 - 5
8200	----	----	----	----/0.135A	----	0.000	- 0.007	----	----	----	----	----	0 - 2
8250	----	----	----	----/0.128A	----	0.000	- 0.006	----	----	----	----	----	0 - 5
8300	7.790	7.790	#9.700B/7.790	#9.700B/7.790	----	7.088	- 1.021	----	----	----	1	----	0 - 1
8330	----	----	----	----/0.116A	----	0.000	- 0.005	----	----	----	----	----	0 - 1
8400	----	----	----	----	----	8.088	- 1.020	----	----	----	----	----	0 - 2
8400	----	----	----	----/0.108A	----	0.000	- 0.004	----	----	----	----	----	0 - 1
8500	9.740	9.740	9.740/9.740	9.740/9.740	----	9.088	- 1.018	----	----	----	1	----	0 - 1
8600	----	----	----	----/0.086A	----	0.000	- 0.001	----	----	----	----	----	0 - 1
8800	----	----	----	----	----	12.088	- 1.017	----	----	----	----	----	0 - 1
9000	----	----	----	----/*0.055A	----	0.000	- 0.001	----	----	----	----	----	0 - 10
10000	----	----	----	----/*0.037A	----	0.000	- 0.001	----	----	----	----	----	0 - 1
TOTAL											158	0	0 - 246
JUN26													
5500	----	----	#0.026B/----	#0.026B/0.164A	----	0.035	+ 0.019	.0080	----	----	----	----	5 UNCH
6000	----	----	----	0.003B/0.100A	----	0.013	NEW	.0033	----	----	1	----	1 + 1
6500	----	----	0.112B/----	0.112B/0.156A	----	0.069	NEW	.0206	----	----	1	----	1 + 1
6900	----	----	0.634B/*0.289A	0.634B/*0.289A	----	0.227	- 0.130	.0739	----	----	----	----	1 UNCH
7000	----	----	#2.184B/1.253A	#2.184B/1.253A	----	1.107	NEW	.2121	----	----	1	----	1 + 1
7000	----	----	0.913B/0.399A	0.913B/0.399A	----	0.306	- 0.178	.1007	----	----	----	----	1 UNCH
7050	0.400	0.400	1.048B/*0.400	1.048B/*0.400	----	0.358	NEW	.1178	----	----	1	----	1 + 1
7100	0.477	0.477	1.262B/0.477	1.262B/0.477	----	0.418	- 0.236	.1372	----	----	1	----	2 + 1
7200	----	----	1.689B/0.689A	1.689B/0.689A	----	0.573	- 0.308	.1854	----	----	----	----	1 UNCH
7200	----	----	#3.100B/1.814A	#3.100B/1.814A	----	1.654	- 0.398	.2924	----	----	1	----	1 UNCH
7250	----	----	#3.347B/2.011A	#3.347B/2.011A	----	1.823	- 0.422	.3147	----	----	----	----	1 UNCH
7300	1.630	1.630	#2.691B/1.630	2.691B/1.630	----	1.480	NEW	.3117	----	----	4	----	4 + 4
7350	----	----	#2.943B/*1.641A	2.943B/*1.641A	----	3.330	+ 0.581	.7174	----	----	----	----	1 UNCH
7400	----	----	#4.236B/2.560A	#4.236B/2.560A	----	2.413	NEW	.3853	----	----	1	----	1 + 1
7550	2.820	2.820	3.467B/2.638A	3.467B/2.638A	----	2.530	NEW	.4577	----	----	2	----	2 + 2
7550	2.500	2.500	2.566B/*1.705A	2.566B/*1.705A	----	2.941	NEW	.5421	----	----	2	----	2 + 2
7600	----	----	1.619B/*0.870A	1.619B/*0.870A	----	1.828	+ 0.350	.5035	----	----	----	----	1 UNCH
7600	----	----	3.782B/2.857A	3.782B/2.857A	----	2.787	- 0.598	.4878	----	----	----	----	25 UNCH
7700	----	----	2.775B/*1.677A	2.775B/*1.677A	----	2.879	+ 0.407	.4695	----	----	----	----	104 UNCH
7750	----	----	4.020B/3.165A	4.020B/3.165A	----	2.792	- 0.790	.6287	----	----	----	----	1 UNCH
7800	----	----	2.363B/*1.470A	2.363B/*1.470A	----	2.502	NEW	.4236	----	----	6	----	6 + 6
7850	----	----	----/3.903A	4.080B/3.903A	----	3.482	- 0.858	.7074	----	----	----	----	2 UNCH
7900	1.500	1.500	2.010B/*1.275A	2.010B/*1.275A	----	2.171	NEW	.3802	----	----	2	----	2 + 2
7900	----	----	----/4.269A	3.945B/4.269A	----	3.855	- 0.888	.7427	----	----	----	----	1 UNCH
7950	----	----	----/*0.407A	0.510B/*0.407A	----	0.657	+ 0.100	.2247	----	----	----	----	2 UNCH
8000	----	----	1.724B/*1.116A	1.724B/*1.116A	----	1.884	+ 0.291	.3399	----	----	----	----	0 UNCH
8000	0.320	0.320	0.441B/*0.319A	0.441B/*0.319A	----	0.561	+ 0.076	.1954	----	----	5	----	8 + 5
8000	1.006	1.006	1.094B/*0.803A	1.094B/*0.803A	----	1.269	+ 0.177	.2926	----	----	7	----	8 + 5
8050	0.329	0.329	0.329/*0.293A	0.329/*0.293A	----	0.477	NEW	.1690	----	----	1	----	1 + 1
8200	1.240	1.240	1.241B/*0.867A	1.241B/*0.867A	----	1.419	NEW	.2690	----	----	7	----	7 + 7
8200	0.340	0.340	0.340/*0.237A	0.340/*0.237A	----	0.304	NEW	.1098	----	----	1	----	1 + 1
8300	----	----	----/*0.467A	0.544B/*0.467A	----	0.702	+ 0.069	.1768	----	----	3	----	4 UNCH
8850	----	----	----	0.019B/*0.135A	----	0.077	- 0.011	.0241	----	----	----	----	1 UNCH
9500	----	----	----	0.055B/*0.166A	----	0.128	+ 0.013	.0314	----	----	----	----	1 UNCH
TOTAL											47	0	201 + 41
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2											
JUN26													
5250	----	----	----	----/0.102A	----	0.003	- 0.004	.0007	----	----	----	----	15 UNCH
5750	----	----	----	----/*0.049A	----	0.001	UNCH	----	----	----	----	----	1 UNCH
6000	----	----	----	0.102B/0.178A	----	0.108	- 0.030	.0248	----	----	----	----	2 UNCH
6000	----	----	----	----	----	15.912	+ 1.017	.9999	----	----	----	----	0 - 1
6500	0.100	0.100	0.100/*0.074A	0.100/*0.074A	----	0.011	- 0.003	.0029	----	----	5	----	13 + 5
6750	0.135	0.135	0.270/*0.094A	0.270/*0.094A	----	0.043	NEW	.0140	----	----	2	----	2 + 2
6900	----	----	0.318B/*0.114A	0.318B/*0.114A	----	0.081	- 0.038	.0291	----	----	----	----	1 UNCH
7000	----	----	0.532B/*0.138A	0.532B/*0.138A	----	0.105	- 0.089	.0412	----	----	----	----	4 UNCH
7010	----	----	#0.534B/*0.141A	#0.534B/*0.141A	----	0.108	- 0.096	.0427	----	----	----	----	1 UNCH
7050	----	----	0.645B/*0.158A	0.645B/*0.158A	----	0.122	- 0.123	.0499	----	----	----	----	1 UNCH
7100	----	----	0.824B/*0.182A	0.824B/*0.182A	----	0.145	- 0.162	.0616	----	----	----	----	1 UNCH
7200	0.300	0.300	1.231B/*0.228A	1.231B/*0.228A	----	0.216	- 0.256	.0971	----	----	1	----	3 + 1
7250	0.841	0.841	1.433B/*0.255	1.433B/*0.255	----	0.269	- 0.312	.1231	----	----	29	----	23 + 21
7300	----	----	2.562B/1.098A	2.562B/1.098A	----	1.099	- 0.403	.2834	----	----	----	----	1 UNCH
7300	0.342	0.342	1.712B/*0.324A	1.712B/*0.324A	----	0.337	- 0.373	.1557	----	----	6	----	3 UNCH
7350	0.410	0.410	1.657B/*0.410	1.657B/*0.410	----	0.426	NEW	.1964	----	----	3	----	3 + 3
7400	1.643	1.643	1.691B/0.514A	1.691B/0.514A	----	0.538	- 0.503	.2452	----	----	2	----	4 + 1
7410	----	----	#1.658B/*0.538A	#1.658B/*0.538A	----	0.564	- 0.516	.2560	----	----	----	----	2 UNCH
7430	----	----	1.656B/*0.589A	1.656B/*0.589A	----	0.619	- 0.543	.2785	----	----	----	----	6 UNCH
7450	----	----	1.663B/0.639A	1.663B/0.639A	----	0.679	- 0.569	.3021	----	----	----	----	1 UNCH
7450	----	----	2.175B/*0.732A	2.175B/*0.732A	----	2.090	NEW	.6978	----	----	5	----	5 + 5
7490	----	----	1.892B/*0.761A	1.892B/*0.761A	----	0.814	- 0.622	.3526	----	----	2	----	73 - 2
7490	----	----	#1.888B/*0.621A	1.888B/*0.621A	----	1.825	NEW	.6473	----	----	2	----	2 + 2
7500	----	----	1.962B/0.793A	1.962B/0.793A	----	0.851	- 0.635	.3658	----	----	----	----	12 UNCH
7500	0.570	0.570	1.819B/*0.570	1.819B/*0.570	----	1.763	+ 0.382	.6341	----	----	10	----	8 + 5
7510	1.924	1.924	#2.034B/*0.827A	#2.034B/*0.827A	----	0.890	- 0.647	.3792	----	----	1	----	1 UNCH
7520	1.255	1.255	#2.107B/*0.862A	#2.107B/*0.862A	----	0.930	NEW	.3928	----	----	2	----	2 + 2
7570	0.764	0.764	#1.452B/*0.439A	1.452B/*0.439A	----	1.363	NEW	.5374	----	----	3	----	3 + 3
7600	0.490	0.490	1.344B/*0.366A	1.344B/*0.366A	----	1.214	+ 0.264	.4949	----	----	2	----	7 UNCH
7600	----	----	2.260B/*1.160A	2.260B/*1.160A	----	2.296	+ 0.473	.5084	----	----	1	----	1 + 1
7690	----	----	#3.515B/1.678A	#3.515B/1.678A	----	1.830	NEW	.6280	----	----	1	----	1 + 1
7700	0.300	0.300	0.879B/*0.233	0.879B/*0.233	----	0.808	+ 0.170	.3591	----	----	13	----	7 - 5
7750	----	----	4.066B/2.147A	4.066B/2.147A	----	2.242	- 0.883	.7008	----	----	----	----	1 UNCH
7800	----	----	0.541B/*0.178A	0.541B/*0.178A	----	0.529	+ 0.104	.2459	----	----	----	----	8 UNCH
7850	0.175	0.175	0.418B/*0.155	0.418B/*0.155	----	0.428	+ 0.080	.2006	----	----	6	----	16 + 6
7900	0.125	0.125	0.330B/*0.124A	0.330B/*0.124A	----	0.348	+ 0.063	.1629	----	----	1	----	3 UNCH
7950	----	----	#5.989B/3.695A	#5.989B/3.695A	----	3.870	- 0.968	.8680	----	----	----	----	7 UNCH
8000	----	----	#6.481B/4.134A	#6.481B/4.134A	----	4.320	- 0.978	.8932	----	----	----	----	3 UNCH
8000	----	----	1.861B/*1.351A	1.861B/*1.351A	----	2.015	+ 0.268	.3482	----	----	----	----	1 UNCH
8000	----	----	1.336B/*0.960A	1.336B/*0.960A	----	1.615	+ 0.302	.3217	----	----	----	----	16 UNCH
8000	----	----	0.209B/*0.142A	0.209B/*0.142A	----	0.233	+ 0.038	.1067	----	----	----	----	10 UNCH
8050	0.170	0.170	0.170/*0.129A	0.170/*0.129A	----	0.193	NEW	.0867	----	----	2	----	2 + 2
8100	----	----	----/*0.120A	0.127B/*0.120A	----	0.161	+ 0.024	.0706	----	----	----	----	8 UNCH
8100	----	----	0.701B/*0.446A	0.701B/*0.446A	----	0.769	+ 0.192	.2134	----	----	----	----	1 UNCH
8200	----	----	----/5.988A	7.137B/5.988A	----	6.201	- 1.000	.9522	----	----	----	----	1 UNCH
8350	----	----	----	0.038B/0.086A	----	0.074	+ 0.010	.0279	----	----	----	----	1 UNCH
8400	----	----	#10.432B/8.427A	#10.432B/8.427A	----	8.470	- 0.934	.8852	----	----	----	----	20 UNCH
8500	----	----	----/*0.443A	0.489B/*0.443A	----	0.718	+ 0.132	.1606	----	----	----	----	16 UNCH
8500	----	----	----	----/39.303A	----	9.126	- 1.012	.9856	----	----	----	----	1 UNCH
8600	----	----	----	0.008B/0.066A	----	0.026	+ 0.002	.0085	----	----	----	----	1 UNCH
8700	----	----	----	0.002B/0.062A	----	0.016	UNCH	.0049	----	----	----	----	1 UNCH
8800	----	----	----	0.147B/*0.175A	----	0.178	+ 0.021	.0524	----	----	----	----	13 UNCH
9050	----	----	----	----/*0.052A	----	0.004	UNCH	.0009	----	----	----	----	1 UNCH
9200	----	----	----	0.181B/*0.242A	----	0.261	+ 0.030	.0612	----	----	----	----	7 UNCH
9500	----	----	----	----/*0.052A	----	0.001	UNCH	.0000	----	----	----	----	1 UNCH
10250	----	----	----	----/0.298A	----	0.001	UNCH	----	----	----	----	----	1 UNCH
TOTAL											99	0	349 + 52
SO CALL		COMEX SILVER OPTIONS											
JUL26													
2700	----	----	49.081B/46.646A	49.081B/46.646A	----	48.912	+ 1.017	.0000	----	----	----	----	1 UNCH
4000	----	----	36.084B/33.643A	36.084B/33.643A	----	35.912	+ 1.016	.9967	----	----	----	----	6 UNCH
4500	----	----	31.086B/28.647A	31.086B/28.647A	----	30.919	+ 1.015	.9941	----	----	----	----	2 UNCH
4600	----	----	30.155B/27.569A	30.155B/27.569A	----	29.921	+ 1.014	.9935	----	----	----	----	28 - 102
4700	----	----	29.092B/26.654A	29.092B/26.654A	----	28.924	+ 1.014	.9928	----	----	----	----	0 - 1
4750	----	----	28.593B/26.156A	28.593B/26.156A	----	28.425	+ 1.013	.9926	----	----	----	----	0 - 1
4825	----	----	27.842B/25.410A	27.842B/25.410A	----	27.677	+ 1.011	.9921	----	----	----	----	3 UNCH
4900	----	----	27.097B/24.664A	27.097B/24.664A	----	26.930	+ 1.010	.9914	----	----	----	----	1 UNCH
4925	----	----	26.848B/24.415A	26.848B/24.415A	----	26.681	+ 1.010	.9912	----	----	----	----	16 UNCH
5000	----	----	26.165B/23.590A	26.165B/23.590A	----	25.934	+ 1.008	.9905	----	----	----	----	306 UNCH
5025	----	----	25.852B/23.423A	25.852B/23.423A	----	25.685	+ 1.008	.9902	----	----	----	----	4 UNCH
5050	----	----	25.603B/23.175A	25.603B/23.175A	----	25.436	+ 1.007	.9899	----	----	----	----	2 UNCH
5100	----	----	25.170B/22.598A	25.170B/22.598A	----	24.938	+ 1.005	.9894	----	----	----	----	133 UNCH
5150	----	----	24.608B/22.182A	24.608B/22.182A	----	24.441	+ 1.004	.9887	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
5200	----	----	24.143B/21.648A	24.143B/21.648A	----	23.944 + 1.003	.9880	----	----	----	----	40 UNCH
5225	----	----	23.862B/21.440A	23.862B/21.440A	----	23.696 + 1.003	.9876	----	----	----	----	9 UNCH
5250	----	----	23.614B/21.194A	23.614B/21.194A	----	23.448 + 1.002	.9872	----	----	----	----	2 UNCH
5275	----	----	23.366B/20.947A	23.366B/20.947A	----	23.200 + 1.001	.9868	----	----	----	----	1 UNCH
5300	----	----	23.118B/20.699A	23.118B/20.699A	----	22.952 + 1.001	.9865	----	----	----	----	7 UNCH
5350	----	----	22.686B/20.126A	22.686B/20.126A	----	22.456 + 0.999	.9854	----	----	----	----	157 UNCH
5375	----	----	22.373B/19.961A	22.373B/19.961A	----	22.208 + 0.998	.9850	----	----	----	----	1 UNCH
5400	----	----	22.126B/19.713A	22.126B/19.713A	----	21.961 + 0.997	.9845	----	----	----	----	21 UNCH
5425	----	----	21.911B/19.427A	21.911B/19.427A	----	21.713 + 0.996	.9839	----	----	----	----	42 UNCH
5450	----	----	21.623B/19.222A	21.623B/19.222A	----	21.466 + 0.995	.9834	----	----	----	----	1 UNCH
5500	----	----	21.201B/18.244A	21.201B/18.244A	----	20.972 + 0.993	.9821	----	----	----	----	496 UNCH
5550	----	----	20.634B/17.755A	20.634B/17.755A	----	20.478 + 0.991	.9808	----	----	----	----	3 UNCH
5600	----	----	20.213B/17.268A	20.213B/17.268A	----	19.985 + 0.988	.9793	----	----	----	----	106 UNCH
5650	----	----	19.688B/16.782A	19.688B/16.782A	----	19.493 + 0.985	.9776	----	----	----	----	43 UNCH
5675	----	----	19.442B/16.539A	19.442B/16.539A	----	19.248 + 0.985	.9767	----	----	----	----	25 UNCH
5700	----	----	19.201B/16.297A	19.201B/16.297A	----	19.002 + 0.983	.9757	----	----	----	----	26 UNCH
5750	----	----	18.738B/15.814A	18.738B/15.814A	----	18.512 + 0.980	.9736	----	----	----	----	164 UNCH
5775	----	----	18.421B/15.573A	18.421B/15.573A	----	18.267 + 0.978	.9725	----	----	----	----	1 UNCH
5800	----	----	18.184B/15.333A	18.184B/15.333A	----	18.023 + 0.976	.9714	----	----	----	----	16 UNCH
5900	----	----	17.331B/14.379A	17.331B/14.379A	----	17.049 + 0.968	.9661	----	----	----	----	10 UNCH
5925	----	----	17.088B/14.143A	17.088B/14.143A	----	16.807 + 0.966	.9646	----	----	----	----	10 UNCH
5950	----	----	16.845B/13.907A	16.845B/13.907A	----	16.565 + 0.964	.9630	----	----	----	----	6 UNCH
5975	----	----	16.603B/13.672A	16.603B/13.672A	----	16.323 + 0.961	.9613	----	----	----	----	20 UNCH
6000	----	----	16.363B/13.438A	16.363B/13.438A	----	16.082 + 0.959	.9597	----	----	----	----	547 UNCH
6050	----	----	15.880B/12.972A	15.880B/12.972A	----	15.601 + 0.953	.9558	----	----	----	----	58 UNCH
6075	----	----	15.638B/12.741A	15.638B/12.741A	----	15.361 + 0.950	.9538	----	----	----	----	1 UNCH
6100	----	----	15.401B/12.511A	15.401B/12.511A	----	15.122 + 0.947	.9516	----	----	----	----	10 UNCH
6200	----	----	14.448B/11.603A	14.448B/11.603A	----	14.173 + 0.933	.9419	----	----	----	----	101 UNCH
6250	----	----	13.975B/11.157A	13.975B/11.157A	----	13.703 + 0.926	.9363	----	----	----	----	1 UNCH
6300	----	----	13.506B/10.717A	13.506B/10.717A	----	13.236 + 0.916	.9300	----	----	----	----	3 UNCH
6350	----	----	13.041B/10.282A	13.041B/10.282A	----	12.774 + 0.908	.9233	----	----	----	----	2 UNCH
6450	----	----	12.120B/9.434A	12.120B/9.434A	----	11.861 + 0.885	.9077	----	----	----	----	1 UNCH
6500	----	----	11.669B/9.022A	11.669B/9.022A	----	11.412 + 0.872	.8987	----	----	----	----	181 UNCH
6600	----	----	10.781B/8.220A	10.781B/8.220A	----	10.532 + 0.845	.8786	----	----	----	----	56 UNCH
6650	----	----	10.346B/7.832A	10.346B/7.832A	----	10.102 + 0.830	.8674	----	----	----	----	102 UNCH
6750	----	----	9.497B/7.085A	9.497B/7.085A	----	9.262 + 0.797	.8423	----	----	----	----	24 UNCH
6800	----	----	9.086B/6.727A	9.086B/6.727A	----	8.855 + 0.780	.8285	----	----	----	----	251 UNCH
6825	----	----	8.880B/6.552A	8.880B/6.552A	----	8.654 + 0.770	.8212	----	----	----	----	6 UNCH
6850	----	----	8.679B/6.379A	8.679B/6.379A	----	8.456 + 0.761	.8138	----	----	----	----	1 UNCH
6875	----	----	8.480B/6.209A	8.480B/6.209A	----	8.260 + 0.752	.8060	----	----	1	----	17 + 1
6900	----	----	8.283B/6.042A	8.283B/6.042A	----	8.066 + 0.742	.7982	----	----	----	----	99 UNCH
6950	----	----	7.922B/5.716A	7.922B/5.716A	----	7.685 + 0.722	.7818	----	----	----	----	26 UNCH
6975	----	----	7.706B/5.551A	7.706B/5.551A	----	7.499 NEW	.7733	----	----	1	----	1 + 1
7000	6.810	6.810	7.556B/5.395A	7.556B/5.395A	----	7.315 + 0.703	.7646	----	----	3	----	153 - 1
7025	----	----	7.371B/4.872A	7.371B/4.872A	----	7.134 + 0.693	.7558	----	----	----	----	125 UNCH
7050	----	----	7.175B/4.726A	7.175B/4.726A	----	6.955 + 0.682	.7467	----	----	----	----	1 UNCH
7100	----	----	6.819B/4.336A	6.819B/4.336A	----	6.606 + 0.662	.7282	----	----	----	----	10 UNCH
7150	----	----	6.487B/*4.085A	6.487B/*4.085A	----	6.268 + 0.641	.7090	----	----	----	----	100 UNCH
7200	3.880	3.880	6.132B/*3.839A	6.132B/*3.839A	----	5.942 + 0.620	.6892	----	----	1	----	12 UNCH
7225	----	----	5.973B/*3.720A	5.973B/*3.720A	----	5.783 + 0.609	.6791	----	----	----	----	1 UNCH
7250	----	----	5.832B/*3.607A	5.832B/*3.607A	----	5.627 + 0.598	.6690	----	----	----	----	169 UNCH
7300	4.381	4.381	5.509B/3.386A	5.509B/3.386A	----	5.324 + 0.576	.6483	----	----	3	----	106 + 2
7325	----	----	5.367B/*3.275A	5.367B/*3.275A	----	5.177 + 0.566	.6379	----	----	----	----	113 UNCH
7350	3.545	3.545	5.206B/*3.181A	5.206B/*3.181A	----	5.033 + 0.555	.6274	----	----	3	----	5 + 3
7400	3.326	3.326	4.918B/2.994A	4.918B/2.994A	----	4.753 + 0.532	.6062	----	----	4	----	22 + 2
7425	3.661	3.661	4.779B/*2.895A	4.779B/*2.895A	----	4.618 + 0.521	.5955	----	----	1	----	7 + 1
7450	3.538	3.538	4.644B/*2.804A	4.644B/*2.804A	----	4.486 + 0.510	.5848	----	----	3	----	17 + 2
7475	3.431	3.431	4.526B/*2.719A	4.526B/*2.719A	----	4.357 + 0.500	.5741	----	----	11	----	14 + 9
7500	3.750	3.750	4.428/2.630A	4.428/2.630A	----	4.231 + 0.489	.5634	----	----	29	----	312 UNCH
7525	3.233	3.233	4.277B/*2.545A	4.277B/*2.545A	----	4.108 + 0.478	.5527	----	----	1	----	4 + 1
7550	----	----	4.160B/*2.455A	4.160B/*2.455A	----	3.988 + 0.468	.5420	----	----	----	----	8 UNCH
7575	3.031	3.031	4.032B/*2.375A	4.032B/*2.375A	----	3.871 + 0.457	.5314	----	----	1	----	33 UNCH
7600	2.681	2.681	3.919B/*2.312A	3.919B/*2.312A	----	3.757 + 0.447	.5208	----	----	24	----	169 + 9
7625	----	----	3.805B/*2.237A	3.805B/*2.237A	----	3.645 + 0.435	.5102	----	----	1	----	18 UNCH
7650	3.515	3.515	3.699B/*2.160A	3.699B/*2.160A	----	3.537 + 0.425	.4997	----	----	3	----	40 UNCH
7675	3.534	3.534	3.582B/*2.083A	3.582B/*2.083A	----	3.431 + 0.414	.4893	----	----	1	----	22 UNCH
7700	2.480	2.480	3.478B/*2.018A	3.478B/*2.018A	----	3.329 + 0.404	.4789	----	----	42	----	224 + 10
7725	----	----	3.371B/*1.953A	3.371B/*1.953A	----	3.229 + 0.393	.4687	----	----	----	----	15 UNCH
7750	2.433	2.433	3.273B/*1.891A	3.273B/*1.891A	----	3.131 + 0.382	.4585	----	----	2	----	170 + 1
7775	----	----	3.170B/*1.828A	3.170B/*1.828A	----	3.037 + 0.372	.4484	----	----	----	----	8 UNCH
7800	2.000	2.000	3.080B/*1.780A	3.080B/*1.780A	----	2.945 + 0.362	.4384	----	----	19	----	82 - 2
7825	----	----	2.980B/*1.723A	2.980B/*1.723A	----	2.855 + 0.351	.4286	----	----	----	----	1 UNCH
7850	----	----	2.895B/*1.670A	2.895B/*1.670A	----	2.769 + 0.342	.4189	----	----	----	----	23 UNCH
7900	2.252	2.252	2.724B/*1.546A	2.724B/*1.546A	----	2.603 + 0.323	.3998	----	----	5	----	117 + 1
7925	2.028	2.028	2.635B/*1.522A	2.635B/*1.522A	----	2.523 + 0.313	.3904	----	----	2	----	7 + 1
7950	----	----	2.558B/*1.477A	2.558B/*1.477A	----	2.446 + 0.303	.3812	----	----	----	----	5 UNCH
7975	----	----	2.477B/*1.430A	2.477B/*1.430A	----	2.372 + 0.295	.3722	----	----	----	----	2 UNCH
8000	1.920	1.920	2.408B/1.309	2.408B/1.309	----	2.299 + 0.285	.3633	----	----	157	----	845 - 6
8025	----	----	2.328B/*1.348A	2.328B/*1.348A	----	2.229 + 0.277	.3546	----	----	----	----	18 UNCH
8050	1.410	1.410	2.261B/*1.303A	2.261B/*1.303A	----	2.161 + 0.268	.3460	----	----	7	----	45 + 3
8075	----	----	2.177B/*1.270A	2.177B/*1.270A	----	2.096 + 0.261	.3376	----	----	----	----	11 UNCH
8100	1.380	1.380	2.124B/*1.236A	2.124B/*1.236A	----	2.032 + 0.253	.3293	----	----	41	----	85 - 9
8125	----	----	2.054B/*1.194A	2.054B/*1.194A	----	1.970 + 0.245	.3212	----	----	----	----	1 UNCH
8150	----	----	1.998B/*1.162A	1.998B/*1.162A	----	1.910 + 0.237	.3132	----	----	----	----	35 UNCH
8175	----	----	1.930B/*1.133A	1.930B/*1.133A	----	1.853 + 0.230	.3055	----	----	----	----	2 UNCH
8200	1.208	1.208	1.877B/*1.098A	1.877B/*1.098A	----	1.797 + 0.223	.2979	----	----	63	----	266 + 18
8225	----	----	1.814B/*1.068A	1.814B/*1.068A	----	1.743 + 0.214	.2904	----	----	----	----	4 UNCH
8250	----	----	1.764B/*1.041A	1.764B/*1.041A	----	1.690 + 0.205	.2831	----	----	----	----	112 UNCH
8275	----	----	1.698B/*1.010A	1.698B/*1.010A	----	1.640 + 0.198	.2760	----	----	----	----	8 UNCH
8300	1.615	1.615	1.664B/*0.976A	1.664B/*0.976A	----	1.591 + 0.190	.2690	----	----	4	----	507 + 2
8325	----	----	1.596B/*0.957A	1.596B/*0.957A	----	1.544 + 0.185	.2622	----	----	----	----	11 UNCH
8350	----	----	1.564B/*0.919A	1.564B/*0.919A	----	1.498 + 0.179	.2556	----	----	5	----	30 + 5
8375	0.985	0.985	1.509B/*0.907A	1.509B/*0.907A	----	1.454 + 0.174	.2491	----	----	2	----	58 + 2
8400	1.000	1.000	1.469B/*0.862A	1.469B/*0.862A	----	1.411 + 0.169	.2428	----	----	35	----	82 - 7
8425	----	----	1.416B/*0.858A	1.416B/*0.858A	----	1.370 + 0.164	.2366	----	----	1	----	46 UNCH
8450	0.850	0.850	1.383B/*0.811A	1.383B/*0.811A	----	1.330 + 0.158	.2306	----	----	19	----	38 + 6
8475	----	----	1.336B/*0.806A	1.336B/*0.806A	----	1.291 + 0.152	.2247	----	----	----	----	9 UNCH
8500	0.993	0.993	1.306B/*0.750	1.306B/*0.750	----	1.254 + 0.146	.2190	----	----	130	----	1045 + 33
8525	----	----	1.263B/*0.762A	1.263B/*0.762A	----	1.218 + 0.141	.2135	----	----	----	----	21 UNCH
8550	----	----	1.231B/*0.721A	1.231B/*0.721A	----	1.183 + 0.135	.2080	----	----	1	----	195 + 1
8575	----	----	1.191B/*0.719A	1.191B/*0.719A	----	1.149 + 0.130	.2027	----	----	----	----	7 UNCH
8600	----	----	1.158B/*0.683A	1.158B/*0.683A	----	1.117 + 0.126	.1976	----	----	1	----	433 UNCH
8625	----	----	1.124B/*0.680A	1.124B/*0.680A	----	1.085 + 0.121	.1926	----	----	----	----	14 UNCH
8650	----	----	1.093B/*0.646A	1.093B/*0.646A	----	1.055 + 0.117	.1877	----	----	3	----	49 UNCH
8675	----	----	1.063B/*0.643A	1.063B/*0.643A	----	1.026 + 0.113	.1830	----	----	2	----	25 + 2
8700	0.700	0.700	1.036B/*0.624A	1.036B/*0.624A	----	0.997 + 0.108	.1784	----	----	31	----	193 + 9
8725	1.003	1.003	1.005B/*0.610A	1.005B/*0.610A	----	0.970 + 0.105	.1739	----	----	1	----	4 UNCH
8750	----	----	0.980B/*0.591A	0.980B/*0.591A	----	0.943 + 0.100	.1695	----	----	3	----	107 + 1
8775	----	----	0.952B/*0.579A	0.952B/*0.579A	----	0.918 + 0.097	.1654	----	----	----	----	15 UNCH
8800	0.661	0.661	0.931B/*0.556A	0.931B/*0.556A	----	0.893 + 0.093	.1612	----	----	26	----	265 + 13
8825	----	----	0.901B/*0.548A	0.901B/*0.548A	----	0.869 + 0.090	.1572	----	----	----	----	4 UNCH
8850	----	----	0.880B/*0.532A	0.880B/*0.532A	----	0.846 + 0.086	.1533	----	----	----	----	7 UNCH
8875	----	----	0.854B/*0.521A	0.854B/*0.521A	----	0.824 + 0.083	.1496	----	----	----	----	1 UNCH
8900	0.493	0.493	0.837B/*0.493	0.837B/*0.493	----	0.803 + 0.080	.1460	----	----	26	----	153 UNCH
8925	0.502	0.502	0.809B/*0.497A	0.809B/*0.497A	----	0.782 + 0.077	.1424	----	----	8	----	14 + 6
8950	0.494	0.494	0.791B/*0.481A	0.791B/*0.481A	----	0.762 + 0.074	.1389	----	----	8	----	32 + 4
8975	0.490	0.490	0.768B/*0.472A	0.768B/*0.472A	----	0.743 + 0.072	.1356	----	----	6	----	7 + 5
9000	0.583	0.583	0.751B/0.450	0.751B/0.450	----	0.725 + 0.070	.1325	----	----	104	----	1707 + 8
9025	0.459	0.459	0.731B/*0.451A	0.731B/*0.451A	----	0.707 + 0.067	.1293	----	----	12	----	11 + 10
9050	0.505	0.505	0.715B/*0.436A	0.715B/*0.436A	----	0.689 + 0.064	.1262	----	----	10	----	22 + 9
9075	0.448	0.448	0.695B/*0.428A	0.695B/*0.428A	----	0.673 + 0.062	.1233	----	----	5	----	7 + 5
9100	0.429	0.429	0.676B/*0.416A	0.676B/*0.416A	----	0.657 + 0.060	.1205	----	----	16	----	57 + 2
9125	0.427	0.427	0.661B/*0.409A	0.661B/*0.409A	----	0.641 + 0.058	.1176	----	----	11	----	12 + 10
9150	0.408	0.408	0.643B/*0.399A	0.643B/*0.399A	----	0.626 + 0.056	.1150	----	----	11	----	19 + 11
9175	0.448	0.448	0.627B/*0.392A	0.627B/*0.392A	----	0.612 + 0.055	.1124	----	----	9	----	12 + 7
9200	0.440	0.440	0.612B/*0.380A	0.612B/*0.380A	----	0.597 + 0.053	.1097	----	----	6	----	75 + 5
9225	0.427	0.427	0.596B/*0.379A	0.596B/*0.379A	----	0.584 + 0.052	.1074	----	----	4	----	9 + 4
9250	----	----	0.584B/*0.373A	0.584B/*0.373A	----	0.570 + 0.050	.1049	----	----	----	----	27 UNCH
9275	----	----	0.568B/*0.366A	0.568B/*0.366A	----	0.557 + 0.048	.1025	----	----	----	----	4 UNCH
9300	0.550	0.550	0.555B/*0.355A	0.555B/*0.355A	----	0.545 + 0.047	.1003	----	----	5	----	539 + 3
9325	----	----	0.541B/*0.348A	0.541B/*0.348A	----	0.532 + 0.045	.0980	----	----	----	----	2 UNCH
9350	----	----	0.529B/*0.341A	0.529B/*0.341A	----	0.520 + 0.044	.0958	----	----	----	----	22 UNCH
9375	0.401	0.401	0.516B/*0.338A	0.516B/*0.338A	----	0.508 + 0.042	.0936	----	----	14	----	22 UNCH
9400	----	----	0.504B/*0.328A	0.504B/*0.328A	----	0.496 + 0.040	.0915	----	----	4	----	45 + 1
9425	----	----	0.493B/*0.323A	0.493B/*0.323A	----	0.484 + 0.037	.0893	----	----	----	----	8 UNCH
9450	0.400	0.400	0.480B/*0.315A	0.480B/*0.315A	----	0.473 + 0.036	.0873	----	----	1	----	85 UNCH
9475	----	----	0.471B/*0.311A	0.471B/*0.311A	----	0.462 + 0.034	.0854	----	----	----	----	6 UNCH
9500	0.405	0.405	0.466B/*0.305A	0.466B/*0.305A	----	0.451 + 0.032	.0834	----	----	22	----	819 - 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
9525	----	----	0.449B/*0.299A	0.449B/*0.299A	----	0.440 + 0.029	.0814	----	----	----	----	25 UNCH
9550	----	----	0.439B/*0.294A	0.439B/*0.294A	----	0.430 + 0.028	.0796	----	----	----	----	7 UNCH
9575	----	----	0.430B/*0.288A	0.430B/*0.288A	----	0.420 + 0.026	.0778	----	----	----	----	1 UNCH
9600	0.405	0.405	0.420B/*0.283A	0.420B/*0.283A	----	0.410 + 0.024	.0760	----	----	2	----	166 UNCH
9625	----	----	0.412B/*0.272A	0.412B/*0.272A	----	0.401 + 0.022	.0743	----	----	1	----	7 UNCH
9650	----	----	0.404B/*0.274A	0.404B/*0.274A	----	0.393 + 0.022	.0728	----	----	----	----	4 UNCH
9675	0.404	0.404	0.404/*0.269A	0.404/*0.269A	----	0.385 + 0.021	.0713	----	----	8	----	8 - 2
9700	----	----	0.387B/*0.266A	0.387B/*0.266A	----	0.378 + 0.021	.0700	----	----	----	----	141 UNCH
9725	----	----	0.380B/*0.262A	0.380B/*0.262A	----	0.372 + 0.022	.0687	----	----	----	----	3 UNCH
9750	----	----	0.373B/*0.257A	0.373B/*0.257A	----	0.366 + 0.023	.0675	----	----	2	----	109 UNCH
9775	----	----	0.364B/*0.252A	0.364B/*0.252A	----	0.360 + 0.023	.0663	----	----	----	----	31 UNCH
9800	0.233	0.233	0.357B/*0.233	0.357B/*0.233	----	0.355 + 0.025	.0652	----	----	6	----	264 - 4
9825	----	----	0.350B/*0.244A	0.350B/*0.244A	----	0.349 + 0.025	.0641	----	----	----	----	6 UNCH
9850	----	----	0.343B/*0.239A	0.343B/*0.239A	----	0.343 + 0.025	.0629	----	----	----	----	38 UNCH
9875	----	----	0.336B/*0.237A	0.336B/*0.237A	----	0.337 + 0.025	.0617	----	----	----	----	1 UNCH
9900	----	----	0.329B/*0.231A	0.329B/*0.231A	----	0.331 + 0.025	.0606	----	----	----	----	32 UNCH
9925	----	----	0.324B/*0.229A	0.324B/*0.229A	----	0.325 + 0.024	.0594	----	----	----	----	15 UNCH
9950	0.222	0.222	0.317B/*0.222	0.317B/*0.222	----	0.319 + 0.024	.0583	----	----	7	----	11 - 2
9975	----	----	0.314B/*0.221A	0.314B/*0.221A	----	0.313 + 0.023	.0572	----	----	----	----	4 UNCH
10000	0.250	0.250	0.315/*0.200	0.315/*0.200	----	0.308 + 0.023	.0562	----	----	102	----	1949 + 22
10025	----	----	0.301B/*0.211A	0.301B/*0.211A	----	0.302 + 0.022	.0551	----	----	----	----	2 UNCH
10050	----	----	0.295B/*0.209A	0.295B/*0.209A	----	0.296 + 0.021	.0540	----	----	----	----	2 UNCH
10075	----	----	0.291B/*0.206A	0.291B/*0.206A	----	0.291 + 0.021	.0530	----	----	----	----	21 UNCH
10100	0.199	0.199	0.284B/*0.199	0.284B/*0.199	----	0.285 + 0.020	.0519	----	----	4	----	112 - 1
10125	----	----	0.278B/*0.200A	0.278B/*0.200A	----	0.280 + 0.020	.0510	----	----	----	----	3 UNCH
10150	----	----	0.274B/*0.199A	0.274B/*0.199A	----	0.275 + 0.019	.0500	----	----	----	----	30 UNCH
10175	----	----	0.271B/*0.197A	0.271B/*0.197A	----	0.270 + 0.018	.0491	----	----	----	----	1 UNCH
10200	----	----	0.265B/*0.193A	0.265B/*0.193A	----	0.265 + 0.018	.0481	----	----	----	----	124 UNCH
10250	0.196	0.196	0.257B/*0.187A	0.257B/*0.187A	----	0.256 + 0.017	.0464	----	----	1	----	21 - 1
10275	----	----	0.251B/*0.184A	0.251B/*0.184A	----	0.252 + 0.017	.0456	----	----	----	----	8 UNCH
10300	----	----	0.247B/*0.181A	0.247B/*0.181A	----	0.248 + 0.017	.0449	----	----	----	----	6 UNCH
10325	----	----	0.244B/*0.179A	0.244B/*0.179A	----	0.244 + 0.017	.0441	----	----	----	----	1 UNCH
10375	----	----	0.237B/*0.174A	0.237B/*0.174A	----	0.236 + 0.016	.0426	----	----	----	----	20 UNCH
10400	----	----	0.231B/*0.171A	0.231B/*0.171A	----	0.233 + 0.017	.0420	----	----	----	----	15 UNCH
10425	----	----	0.229B/*0.169A	0.229B/*0.169A	----	0.229 + 0.016	.0412	----	----	----	----	2 UNCH
10450	----	----	0.225B/*0.166A	0.225B/*0.166A	----	0.226 + 0.017	.0406	----	----	----	----	25 UNCH
10475	----	----	0.221B/*0.164A	0.221B/*0.164A	----	0.223 + 0.017	.0400	----	----	----	----	26 UNCH
10500	0.170	0.170	0.228/*0.162A	0.228/*0.162A	----	0.219 + 0.016	.0393	----	----	16	----	620 - 2
10525	----	----	0.215B/*0.159A	0.215B/*0.159A	----	0.216 + 0.017	.0387	----	----	----	----	2 UNCH
10550	----	----	0.211B/*0.157A	0.211B/*0.157A	----	0.213 + 0.017	.0381	----	----	----	----	10 UNCH
10575	----	----	0.208B/*0.156A	0.208B/*0.156A	----	0.210 + 0.017	.0375	----	----	----	----	1 UNCH
10600	----	----	0.204B/*0.153A	0.204B/*0.153A	----	0.207 + 0.017	.0369	----	----	----	----	54 UNCH
10625	----	----	0.202B/*0.151A	0.202B/*0.151A	----	0.204 + 0.017	.0363	----	----	----	----	2 UNCH
10650	----	----	0.197B/*0.151A	0.197B/*0.151A	----	0.201 + 0.017	.0357	----	----	----	----	2 UNCH
10675	----	----	0.195B/*0.149A	0.195B/*0.149A	----	0.199 + 0.017	.0353	----	----	----	----	10 UNCH
10700	0.189	0.189	0.192B/*0.145A	0.192B/*0.145A	----	0.196 + 0.017	.0347	----	----	1	----	69 UNCH
10725	0.201	0.201	0.201/*0.144A	0.201/*0.144A	----	0.193 + 0.017	.0342	----	----	4	----	4 UNCH
10750	----	----	0.186B/*0.142A	0.186B/*0.142A	----	0.191 + 0.018	.0338	----	----	----	----	60 UNCH
10775	----	----	0.183B/*0.142A	0.183B/*0.142A	----	0.188 + 0.017	.0332	----	----	----	----	9 UNCH
10800	----	----	0.182B/*0.140A	0.182B/*0.140A	----	0.185 + 0.017	.0326	----	----	----	----	35 UNCH
10875	----	----	0.173B/*0.135A	0.173B/*0.135A	----	0.177 + 0.016	.0311	----	----	----	----	15 UNCH
10900	----	----	0.170B/*0.133A	0.170B/*0.133A	----	0.175 + 0.017	.0307	----	----	----	----	6 UNCH
10925	0.164	0.164	0.167B/*0.131A	0.167B/*0.131A	----	0.172 + 0.016	.0302	----	----	1	----	1 UNCH
10950	0.162	0.162	0.165B/*0.130A	0.165B/*0.130A	----	0.170 + 0.016	.0298	----	----	1	----	1 UNCH
10975	0.160	0.160	0.163B/*0.128A	0.163B/*0.128A	----	0.168 + 0.017	.0294	----	----	1	----	1 UNCH
11000	0.113	0.113	0.161B/*0.113	0.161B/*0.113	----	0.165 + 0.016	.0289	----	----	62	----	1346 - 1
11025	0.171	0.171	0.171/*0.125A	0.171/*0.125A	----	0.163 + 0.016	.0285	----	----	2	----	13 - 2
11050	0.170	0.170	0.170/*0.124A	0.170/*0.124A	----	0.161 + 0.016	.0281	----	----	2	----	8 UNCH
11075	0.163	0.163	0.163/*0.122A	0.163/*0.122A	----	0.159 + 0.016	.0277	----	----	2	----	2 UNCH
11100	0.152	0.152	0.152/*0.121A	0.152/*0.121A	----	0.157 + 0.016	.0273	----	----	2	----	15 UNCH
11125	0.162	0.162	0.162/*0.119A	0.162/*0.119A	----	0.154 + 0.015	.0268	----	----	2	----	5 - 1
11150	0.145	0.145	0.146B/*0.118A	0.146B/*0.118A	----	0.152 + 0.015	.0264	----	----	1	----	2 UNCH
11175	0.143	0.143	0.145B/*0.115A	0.145B/*0.115A	----	0.150 + 0.015	.0260	----	----	1	----	2 UNCH
11200	0.143	0.143	0.143/*0.114A	0.143/*0.114A	----	0.148 + 0.015	.0257	----	----	1	----	16 - 1
11225	0.139	0.139	0.141B/*0.113A	0.141B/*0.113A	----	0.146 + 0.015	.0253	----	----	1	----	6 UNCH
11250	----	----	0.139B/*0.112A	0.139B/*0.112A	----	0.145 + 0.016	.0250	----	----	----	----	12 UNCH
11275	----	----	0.137B/*0.111A	0.137B/*0.111A	----	0.143 + 0.016	.0247	----	----	----	----	2 UNCH
11300	----	----	0.135B/*0.110A	0.135B/*0.110A	----	0.141 + 0.016	.0243	----	----	----	----	52 UNCH
11325	----	----	0.133B/*0.107A	0.133B/*0.107A	----	0.139 + 0.015	.0239	----	----	----	----	2 UNCH
11350	----	----	0.132B/*0.106A	0.132B/*0.106A	----	0.137 + 0.015	.0236	----	----	----	----	2 UNCH
11400	----	----	0.128B/*0.104A	0.128B/*0.104A	----	0.134 + 0.015	.0230	----	----	----	----	21 UNCH
11425	----	----	0.126B/*0.102A	0.126B/*0.102A	----	0.132 + 0.015	.0226	----	----	----	----	10 UNCH
11450	----	----	0.124B/*0.101A	0.124B/*0.101A	----	0.131 + 0.016	.0224	----	----	----	----	4 UNCH
11500	0.110	0.110	0.121B/*0.099A	0.121B/*0.099A	----	0.127 + 0.015	.0217	----	----	6	----	1248 - 2
11550	0.100	0.100	0.118B/*0.090	0.118B/*0.090	----	0.124 + 0.015	.0211	----	----	2	----	6 - 1
11575	----	----	0.114B/*0.095A	0.114B/*0.095A	----	0.123 + 0.015	.0209	----	----	----	----	12 UNCH
11600	----	----	0.114B/*0.094A	0.114B/*0.094A	----	0.121 + 0.015	.0206	----	----	----	----	10 UNCH
11625	----	----	0.112B/*0.093A	0.112B/*0.093A	----	0.120 + 0.015	.0204	----	----	----	----	3 UNCH
11650	----	----	0.109B/*0.097A	0.109B/*0.097A	----	0.118 + 0.015	.0200	----	----	----	----	24 UNCH
11675	----	----	0.107B/*0.096A	0.107B/*0.096A	----	0.117 + 0.015	.0198	----	----	----	----	23 UNCH
11700	----	----	0.106B/*0.096A	0.106B/*0.096A	----	0.115 + 0.014	.0195	----	----	----	----	23 UNCH
11725	----	----	0.106B/*0.095A	0.106B/*0.095A	----	0.114 + 0.015	.0193	----	----	----	----	22 UNCH
11750	----	----	0.103B/*0.094A	0.103B/*0.094A	----	0.113 + 0.015	.0191	----	----	----	----	23 UNCH
11775	----	----	0.103B/*0.090A	0.103B/*0.090A	----	0.111 + 0.014	.0187	----	----	----	----	23 UNCH
11800	----	----	0.102B/*0.092A	0.102B/*0.092A	----	0.110 + 0.014	.0185	----	----	----	----	3 UNCH
11875	----	----	0.097B/*0.090A	0.097B/*0.090A	----	0.106 + 0.014	.0178	----	----	----	----	2 UNCH
11900	----	----	0.094B/*0.089A	0.094B/*0.089A	----	0.105 + 0.014	.0176	----	----	----	----	2 UNCH
11925	----	----	0.095B/*0.089A	0.095B/*0.089A	----	0.104 + 0.014	.0174	----	----	----	----	1 UNCH
11950	----	----	0.093B/----	0.093B/*0.088A	----	0.102 + 0.014	.0171	----	----	----	----	1 UNCH
12000	0.070	0.070	0.100/*0.070	0.100/*0.070	----	0.100 + 0.014	.0167	----	----	4	----	546 UNCH
12150	----	----	0.083B/----	0.083B/*0.081A	----	0.093 + 0.013	.0155	----	----	----	----	1 UNCH
12200	----	----	0.081B/----	0.081B/*0.080A	----	0.091 + 0.013	.0151	----	----	----	----	14 UNCH
12225	----	----	0.080B/----	0.080B/*0.080A	----	0.090 + 0.013	.0149	----	----	----	----	16 UNCH
12250	----	----	0.079B/----	0.079B/*0.078A	----	0.089 + 0.013	.0147	----	----	----	----	8 UNCH
12275	----	----	0.078B/----	0.078B/*0.078A	----	0.088 + 0.013	.0146	----	----	----	----	1 UNCH
12300	----	----	0.078B/----	0.078B/*0.077A	----	0.087 + 0.013	.0144	----	----	----	----	13 UNCH
12325	----	----	0.076B/----	0.076B/*0.076A	----	0.086 + 0.013	.0142	----	----	----	----	1 UNCH
12375	----	----	0.074B/----	0.074B/*0.075A	----	0.084 + 0.012	.0138	----	----	----	----	2 UNCH
12400	----	----	0.073B/----	0.073B/*0.074A	----	0.083 + 0.012	.0137	----	----	----	----	1 UNCH
12425	----	----	0.072B/----	0.072B/*0.073A	----	0.082 + 0.012	.0135	----	----	----	----	3 UNCH
12450	----	----	----	0.069B/*0.072A	----	0.081 + 0.012	.0133	----	----	----	----	1 UNCH
12475	----	----	----	0.068B/*0.072A	----	0.080 + 0.012	.0131	----	----	----	----	3 UNCH
12500	----	----	0.068B/----	0.068B/*0.070A	----	0.080 + 0.013	.0131	----	----	----	----	101 UNCH
12575	----	----	----	0.064B/*0.071A	----	0.077 + 0.012	.0126	----	----	----	----	2 UNCH
12600	----	----	0.065B/----	0.065B/*0.068A	----	0.076 + 0.012	.0124	----	----	----	----	6 UNCH
12700	----	----	0.062B/----	0.062B/*0.066A	----	0.073 + 0.012	.0119	----	----	----	----	72 UNCH
12725	----	----	----	0.060B/*0.065A	----	0.072 + 0.011	.0117	----	----	----	----	2 UNCH
12800	----	----	----	0.058B/*0.063A	----	0.070 + 0.011	.0113	----	----	----	----	1 UNCH
13000	0.060	0.060	0.065/0.060	0.065/0.054A	----	0.064 + 0.010	.0103	----	----	3	----	2674 + 1
14000	0.027	0.027	0.046/*0.027	0.046/*0.027	----	0.044 + 0.008	.0068	----	----	8	----	861 - 1
14700	----	----	----	0.024B/0.041A	----	0.035 + 0.007	.0053	----	----	----	----	11 UNCH
15000	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.032 + 0.007	.0048	----	----	1	----	802 - 1
16000	----	----	0.020B/----	0.020B/0.022A	----	0.026 + 0.007	.0037	----	----	10	----	3797 UNCH
17000	----	----	----	0.008B/0.031A	----	0.022 + 0.007	.0030	----	----	----	----	22 UNCH
18000	----	----	0.015B/----	0.015B/0.027A	----	0.019 + 0.006	.0025	----	----	----	----	258 UNCH
19000	----	----	----	----/0.029A	----	0.018 + 0.007	.0023	----	----	----	----	79 UNCH
20000	0.015	0.015	0.015/*0.015	0.015/*0.014A	----	0.017 + 0.008	.0021	----	----	13	----	1218 + 2
21000	----	----	----	----/0.030A	----	0.015 + 0.007	.0018	----	----	----	----	427 UNCH
24000	----	----	----	----/0.026A	----	0.011 + 0.005	.0012	----	----	----	----	131 UNCH
25000	----	----	----	0.005B/0.014A	----	0.010 + 0.004	.0011	----	----	----	----	408 UNCH
27000	----	----	----	----/0.024A	----	0.008 + 0.003	.0008	----	----	----	----	5 UNCH
30000	----	----	----	----/0.012A	----	0.007 + 0.003	.0007	----	----	----	----	54 UNCH
32000	----	----	----	----/0.023A	----	0.007 + 0.003	.0007	----	----	----	----	4 UNCH
35000	----	----	----	----/0.007A	----	0.006 + 0.002	.0005	----	----	----	----	108 UNCH
TOTAL										1255	0	32374 + 93
AUG26												
5000	----	----	----/24.143A	25.066B/24.143A	----	26.544 + 0.991	.9790	----	----	----	----	2 UNCH
5400	----	----	----/20.292A	21.182B/20.292A	----	22.649 + 0.967	.9639	----	----	----	----	2 UNCH
5500	----	----	----/19.350A	20.224B/19.350A	----	21.688 + 0.959	.9584	----	----	----	----	1 UNCH
6300	----	----	----/12.299A	12.986B/12.299A	----	14.375 + 0.864	.8753	----	----	----	----	7 UNCH
6450	----	----	----/11.127A	11.763B/11.127A	----	13.124 + 0.835	.8489	----	----	----	----	1 UNCH
6500	----	----	----/10.746A	11.370B/10.746A	----	12.719 + 0.825	.8392	----	----	----	----	2 UNCH
6600	----	----	----/10.015A	10.696B/10.015A	----	11.929 + 0.802	.8186	----	----	----	----	2 UNCH
6800	----	----	10.107B/8.645A	10.107B/8.645A	----	10.435 + 0.752	.7725	----	----	2	----	7 UNCH
6875	8.124	8.124	9.589B/8.124	9.589B/8.124	----	9.909 + 0.733	.7536	----	----	1	----	5 UNCH
7000	----	----	8.771B/7.342A	8.771B/7.342A	----	9.075 + 0.700	.7206	----	----	----	----	132 UNCH
7025	----	----	8.613B/6.809A	8.613B/6.809A	----	8.915 + 0.693	.7138	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
AUG26													
7050	----	----	8.452B/6.752A	8.452B/6.752A	----	8.756	+ 0.685	.7069	----	----	----	----	4 UNCH
7100	----	----	8.175B/6.483A	8.175B/6.483A	----	8.446	+ 0.669	.6931	----	----	----	----	2 UNCH
7200	----	----	7.594B/5.756A	7.594B/5.756A	----	7.853	+ 0.634	.6648	----	----	----	----	1 UNCH
7250	----	----	7.317B/5.524A	7.317B/5.524A	----	7.570	+ 0.616	.6505	----	----	----	----	3 UNCH
7300	5.300	5.300	7.023B/5.297A	7.023B/5.297A	----	7.296	+ 0.598	.6361	----	----	3	----	4 + 3
7400	5.600	5.600	6.535B/4.912A	6.535B/4.912A	----	6.776	+ 0.565	.6072	----	----	3	----	7 + 3
7425	----	----	6.722B/4.829A	6.722B/4.829A	----	6.651	+ 0.557	.6000	----	----	----	----	14 UNCH
7450	5.042	5.042	6.406B/*4.714A	6.406B/4.714A	----	6.528	NEW	.5928	----	----	2	----	2 + 2
7475	4.941	4.941	6.479B/*4.627A	6.479B/4.627A	----	6.407	+ 0.542	.5856	----	----	3	----	6 UNCH
7500	4.875	4.875	6.424B/*4.543A	6.424B/4.543A	----	6.287	+ 0.535	.5784	----	----	37	----	248 + 14
7550	----	----	6.212B/*4.355A	6.212B/4.355A	----	6.054	+ 0.521	.5640	----	----	----	----	4 UNCH
7575	4.772	4.772	6.108B/*4.273A	6.108B/4.273A	----	5.940	NEW	.5569	----	----	1	----	1 + 1
7600	4.900	4.900	5.995B/*4.094	5.995B/4.094	----	5.828	+ 0.505	.5498	----	----	37	----	67 + 23
7625	----	----	5.882B/*4.111A	5.882B/*4.111A	----	5.718	+ 0.497	.5427	----	----	----	----	18 UNCH
7650	----	----	5.773B/*4.029A	5.773B/*4.029A	----	5.610	+ 0.488	.5356	----	----	----	----	1 UNCH
7700	----	----	5.560B/*3.875A	5.560B/*3.875A	----	5.402	+ 0.469	.5216	----	----	12	----	69 - 2
7725	----	----	5.456B/*3.793A	5.456B/*3.793A	----	5.301	+ 0.459	.5147	----	----	----	----	7 UNCH
7750	4.268	4.268	5.357B/*3.712A	5.357B/*3.712A	----	5.202	+ 0.451	.5078	----	----	9	----	7 + 2
7800	4.900	4.900	5.156B/*3.582A	5.156B/*3.582A	----	5.010	+ 0.439	.4942	----	----	8	----	213 + 1
7825	----	----	5.058B/*3.505A	5.058B/*3.505A	----	4.917	+ 0.433	.4875	----	----	----	----	1 UNCH
7850	----	----	4.966B/*3.431A	4.966B/*3.431A	----	4.825	+ 0.426	.4808	----	----	----	----	15 UNCH
7900	----	----	4.787B/*3.312A	4.787B/*3.312A	----	4.647	+ 0.411	.4676	----	----	----	----	45 UNCH
7925	----	----	4.688B/*3.168A	4.688B/*3.168A	----	4.560	+ 0.403	.4611	----	----	----	----	2 UNCH
7950	3.107	3.107	4.611B/*3.107	4.611B/*3.107	----	4.476	+ 0.396	.4547	----	----	1	----	17 + 1
8000	3.790	3.790	4.446B/2.990	4.446B/2.990	----	4.311	+ 0.379	.4420	----	----	23	----	607 + 18
8025	----	----	4.347B/*2.988A	4.347B/*2.988A	----	4.232	+ 0.372	.4358	----	----	----	----	1 UNCH
8050	2.878	2.878	4.278B/*2.878	4.278B/*2.878	----	4.154	+ 0.364	.4296	----	----	2	----	6 + 1
8075	2.823	2.823	4.187B/*2.823	4.187B/*2.823	----	4.078	NEW	.4235	----	----	1	----	1 + 1
8100	----	----	4.121B/*2.770A	4.121B/*2.770A	----	4.003	+ 0.351	.4174	----	----	----	----	32 UNCH
8125	----	----	4.039B/*2.765A	4.039B/*2.765A	----	3.930	+ 0.345	.4114	----	----	----	----	1 UNCH
8150	2.704	2.704	3.972B/*2.703A	3.972B/*2.703A	----	3.859	+ 0.339	.4056	----	----	25	----	60 + 25
8175	----	----	3.885B/*2.662A	3.885B/*2.662A	----	3.789	+ 0.334	.3997	----	----	----	----	2 UNCH
8200	----	----	3.824B/*2.614A	3.824B/*2.614A	----	3.720	+ 0.328	.3940	----	----	2	----	8 + 2
8225	----	----	3.743B/*2.567A	3.743B/*2.567A	----	3.653	+ 0.323	.3883	----	----	2	----	4 + 2
8250	----	----	3.682B/*2.518A	3.682B/*2.518A	----	3.587	+ 0.317	.3826	----	----	----	----	247 UNCH
8300	----	----	3.550B/*2.427A	3.550B/*2.427A	----	3.458	+ 0.304	.3716	----	----	----	----	53 UNCH
8325	----	----	3.476B/*2.381A	3.476B/*2.381A	----	3.396	NEW	.3662	----	----	1	----	1 + 1
8350	----	----	3.421B/*2.339A	3.421B/*2.339A	----	3.334	+ 0.291	.3608	----	----	----	----	3 UNCH
8375	----	----	3.349B/*2.302A	3.349B/*2.302A	----	3.273	+ 0.283	.3555	----	----	1	----	1 - 1
8400	2.962	2.962	3.334/*2.256A	3.334/*2.256A	----	3.213	+ 0.275	.3502	----	----	2	----	25 UNCH
8425	2.288	2.288	3.217B/*2.221A	3.217B/*2.221A	----	3.154	+ 0.269	.3450	----	----	1	----	1 UNCH
8450	----	----	3.184B/*2.176A	3.184B/*2.176A	----	3.096	+ 0.263	.3398	----	----	----	----	22 UNCH
8475	----	----	3.113B/*2.136A	3.113B/*2.136A	----	3.039	+ 0.258	.3348	----	----	----	----	2 UNCH
8500	----	----	3.068B/*2.105A	3.068B/*2.105A	----	2.984	+ 0.252	.3298	----	----	102	----	139 + 29
8550	----	----	2.960B/*2.034A	2.960B/*2.034A	----	2.877	+ 0.240	.3200	----	----	----	----	21 UNCH
8600	----	----	2.852B/*1.963A	2.852B/*1.963A	----	2.774	+ 0.228	.3105	----	----	----	----	203 UNCH
8650	----	----	2.754B/*1.892A	2.754B/*1.892A	----	2.677	+ 0.218	.3013	----	----	----	----	2 UNCH
8675	----	----	2.695B/*1.865A	2.695B/*1.865A	----	2.631	+ 0.213	.2969	----	----	----	----	1 UNCH
8700	----	----	2.657B/*1.830A	2.657B/*1.830A	----	2.585	+ 0.208	.2925	----	----	----	----	31 UNCH
8750	----	----	2.552B/*1.771A	2.552B/*1.771A	----	2.497	+ 0.199	.2839	----	----	----	----	45 UNCH
8775	----	----	2.511B/*1.751A	2.511B/*1.751A	----	2.454	+ 0.195	.2797	----	----	----	----	2 UNCH
8800	----	----	2.478B/*1.715A	2.478B/*1.715A	----	2.412	+ 0.190	.2756	----	----	----	----	8 UNCH
8825	----	----	2.424B/*1.694A	2.424B/*1.694A	----	2.371	+ 0.186	.2715	----	----	----	----	10 UNCH
8850	1.812	1.812	2.385B/*1.660A	2.385B/*1.660A	----	2.331	+ 0.182	.2676	----	----	1	----	10 UNCH
8875	----	----	2.348B/*1.643A	2.348B/*1.643A	----	2.292	+ 0.178	.2636	----	----	----	----	2 UNCH
8900	----	----	2.301B/*1.607A	2.301B/*1.607A	----	2.254	+ 0.174	.2598	----	----	----	----	19 UNCH
8925	1.715	1.715	2.256B/*1.583A	2.256B/*1.583A	----	2.216	+ 0.170	.2560	----	----	1	----	3 UNCH
8950	----	----	2.218B/*1.558A	2.218B/*1.558A	----	2.179	+ 0.166	.2522	----	----	----	----	7 UNCH
8975	----	----	2.191B/*1.535A	2.191B/*1.535A	----	2.143	+ 0.163	.2486	----	----	----	----	1 UNCH
9000	1.720	1.720	2.152B/*1.509A	2.152B/*1.509A	----	2.107	+ 0.158	.2449	----	----	279	----	934 + 28
9025	1.425	1.425	2.113B/*1.425	2.113B/*1.425	----	2.072	+ 0.155	.2413	----	----	3	----	3 UNCH
9050	----	----	2.082B/*1.469A	2.082B/*1.469A	----	2.038	+ 0.151	.2378	----	----	----	----	12 UNCH
9075	----	----	2.040B/*1.442A	2.040B/*1.442A	----	2.005	+ 0.148	.2344	----	----	----	----	2 UNCH
9100	----	----	2.010B/*1.421A	2.010B/*1.421A	----	1.972	+ 0.144	.2309	----	----	----	----	91 UNCH
9150	1.469	1.469	1.947B/*1.383A	1.947B/*1.383A	----	1.908	+ 0.137	.2243	----	----	1	----	11 UNCH
9175	----	----	1.918B/*1.360A	1.918B/*1.360A	----	1.877	+ 0.133	.2210	----	----	----	----	1 UNCH
9200	----	----	1.886B/*1.345A	1.886B/*1.345A	----	1.847	+ 0.130	.2178	----	----	----	----	9 UNCH
9225	----	----	1.852B/*1.321A	1.852B/*1.321A	----	1.818	+ 0.127	.2147	----	----	----	----	1 UNCH
9250	----	----	1.821B/*1.308A	1.821B/*1.308A	----	1.789	+ 0.124	.2116	----	----	35	----	174 + 35
9275	----	----	1.795B/*1.284A	1.795B/*1.284A	----	1.760	+ 0.120	.2086	----	----	----	----	2 UNCH
9300	----	----	1.771B/*1.273A	1.771B/*1.273A	----	1.733	+ 0.118	.2056	----	----	----	----	6 UNCH
9350	----	----	1.712B/*1.230A	1.712B/*1.230A	----	1.679	+ 0.111	.1998	----	----	----	----	1 UNCH
9375	----	----	1.685B/*1.215A	1.685B/*1.215A	----	1.653	+ 0.109	.1970	----	----	----	----	1 UNCH
9400	1.270	1.270	1.663B/*1.195A	1.663B/*1.195A	----	1.628	+ 0.106	.1942	----	----	2	----	133 + 1
9450	1.365	1.365	1.609B/*1.164A	1.609B/*1.164A	----	1.579	+ 0.101	.1889	----	----	2	----	9 + 1
9475	----	----	1.583B/*1.150A	1.583B/*1.150A	----	1.555	+ 0.098	.1862	----	----	----	----	29 UNCH
9500	1.307	1.307	1.562B/*1.131A	1.562B/*1.131A	----	1.532	+ 0.096	.1837	----	----	94	----	141 + 67
9550	1.505	1.505	1.513B/*1.103A	1.513B/*1.103A	----	1.487	NEW	.1786	----	----	1	----	1 + 1
9575	----	----	1.490B/*1.088A	1.490B/*1.088A	----	1.465	+ 0.089	.1762	----	----	----	----	1 UNCH
9600	----	----	1.461B/*1.069A	1.461B/*1.069A	----	1.444	+ 0.087	.1738	----	----	----	----	2 UNCH
9625	----	----	1.445B/*1.056A	1.445B/*1.056A	----	1.423	+ 0.085	.1714	----	----	----	----	1 UNCH
9700	----	----	1.377B/*1.012A	1.377B/*1.012A	----	1.362	+ 0.078	.1645	----	----	1	----	100 + 1
9725	----	----	1.358B/*1.000A	1.358B/*1.000A	----	1.343	+ 0.077	.1624	----	----	----	----	1 UNCH
9750	----	----	1.335B/*0.984A	1.335B/*0.984A	----	1.324	+ 0.075	.1602	----	----	2	----	19 + 2
9775	----	----	1.318B/*0.971A	1.318B/*0.971A	----	1.305	+ 0.073	.1580	----	----	----	----	1 UNCH
9850	----	----	1.265B/*0.934A	1.265B/*0.934A	----	1.251	+ 0.067	.1518	----	----	----	----	16 UNCH
9875	----	----	1.242B/*0.921A	1.242B/*0.921A	----	1.234	+ 0.066	.1499	----	----	----	----	5 UNCH
9900	----	----	1.229B/*0.908A	1.229B/*0.908A	----	1.217	+ 0.064	.1479	----	----	----	----	7 UNCH
9925	----	----	1.211B/*0.897A	1.211B/*0.897A	----	1.200	+ 0.062	.1459	----	----	----	----	5 UNCH
9950	----	----	1.194B/*0.885A	1.194B/*0.885A	----	1.184	+ 0.061	.1441	----	----	----	----	3 UNCH
10000	0.960	0.960	1.162B/*0.861A	1.162B/*0.861A	----	1.152	+ 0.058	.1403	----	----	52	----	524 - 10
10025	----	----	1.144B/*0.851A	1.144B/*0.851A	----	1.137	+ 0.057	.1386	----	----	----	----	1 UNCH
10100	1.080	1.080	1.100B/*0.819A	1.100B/*0.819A	----	1.092	+ 0.053	.1333	----	----	2	----	3 + 2
10150	----	----	1.067B/*0.799A	1.067B/*0.799A	----	1.063	+ 0.050	.1299	----	----	2	----	8 + 2
10200	----	----	1.044B/*0.779A	1.044B/*0.779A	----	1.036	+ 0.048	.1267	----	----	29	----	33 + 29
10250	----	----	1.015B/*0.760A	1.015B/*0.760A	----	1.009	+ 0.045	.1235	----	----	----	----	3 UNCH
10275	----	----	1.003B/*0.751A	1.003B/*0.751A	----	0.997	+ 0.045	.1221	----	----	----	----	22 UNCH
10300	----	----	0.988B/*0.742A	0.988B/*0.742A	----	0.984	+ 0.044	.1205	----	----	----	----	32 UNCH
10325	----	----	0.977B/*0.733A	0.977B/*0.733A	----	0.972	+ 0.043	.1191	----	----	----	----	11 UNCH
10350	----	----	0.964B/*0.724A	0.964B/*0.724A	----	0.959	+ 0.041	.1176	----	----	----	----	5 UNCH
10375	----	----	0.950B/*0.716A	0.950B/*0.716A	----	0.948	+ 0.041	.1162	----	----	----	----	1 UNCH
10400	----	----	0.942B/*0.708A	0.942B/*0.708A	----	0.936	+ 0.040	.1148	----	----	----	----	3 UNCH
10475	----	----	0.905B/*0.684A	0.905B/*0.684A	----	0.902	+ 0.038	.1107	----	----	----	----	6 UNCH
10500	0.653	0.653	0.889B/*0.653	0.889B/*0.653	----	0.891	+ 0.037	.1094	----	----	20	----	80 - 7
10650	----	----	0.830B/*0.633A	0.830B/*0.633A	----	0.831	+ 0.035	.1020	----	----	----	----	1 UNCH
10675	----	----	0.820B/*0.626A	0.820B/*0.626A	----	0.821	+ 0.034	.1008	----	----	----	----	4 UNCH
10700	----	----	0.810B/*0.619A	0.810B/*0.619A	----	0.812	+ 0.034	.0997	----	----	----	----	1 UNCH
10725	----	----	0.800B/*0.612A	0.800B/*0.612A	----	0.803	+ 0.033	.0986	----	----	----	----	1 UNCH
10775	----	----	0.781B/*0.600A	0.781B/*0.600A	----	0.785	+ 0.032	.0964	----	----	----	----	3 UNCH
10800	----	----	0.772B/*0.593A	0.772B/*0.593A	----	0.777	+ 0.033	.0954	----	----	----	----	5 UNCH
10825	----	----	0.762B/*0.587A	0.762B/*0.587A	----	0.768	+ 0.032	.0943	----	----	----	----	2 UNCH
10875	----	----	0.745B/*0.575A	0.745B/*0.575A	----	0.752	+ 0.032	.0923	----	----	----	----	5 UNCH
10900	----	----	0.736B/*0.570A	0.736B/*0.570A	----	0.744	+ 0.032	.0913	----	----	----	----	6 UNCH
10925	----	----	0.728B/*0.564A	0.728B/*0.564A	----	0.736	+ 0.031	.0903	----	----	----	----	4 UNCH
10950	----	----	0.721B/*0.558A	0.721B/*0.558A	----	0.728	+ 0.031	.0893	----	----	----	----	1 UNCH
10975	----	----	0.711B/*0.553A	0.711B/*0.553A	----	0.721	+ 0.031	.0884	----	----	----	----	7 UNCH
11000	----	----	0.703B/*0.547A	0.703B/*0.547A	----	0.713	+ 0.031	.0874	----	----	15	----	588 + 15
11075	----	----	0.680B/*0.552A	0.680B/*0.552A	----	0.691	+ 0.030	.0847	----	----	----	----	3 UNCH
11100	----	----	0.673B/*0.551A	0.673B/*0.551A	----	0.684	+ 0.030	.0838	----	----	----	----	25 UNCH
11150	----	----	0.658B/*0.549A	0.658B/*0.549A	----	0.669	+ 0.028	.0820	----	----	----	----	9 UNCH
11200	----	----	0.646B/*0.539A	0.646B/*0.539A	----	0.655	+ 0.027	.0802	----	----	----	----	2 UNCH
11225	----	----	0.637B/*0.534A	0.637B/*0.534A	----	0.648	+ 0.027	.0794	----	----	----	----	1 UNCH
11250	----	----	0.630B/*0.529A	0.630B/*0.529A	----	0.641	+ 0.026	.0785	----	----	----	----	3 UNCH
11275	----	----	0.624B/*0.525A	0.624B/*0.525A	----	0.635	+ 0.026	.0777	----	----	----	----	7 UNCH
11300	0.480	0.480	0.617B/*0.480	0.617B/*0.480	----	0.628	+ 0.025	.0769	----	----	1	----	1 UNCH
11400	----	----	0.593B/*0.501A	0.593B/*0.501A	----	0.602	+ 0.023	.0737	----	----	----	----	2 UNCH
11475	----	----	0.573B/*0.489A	0.573B/*0.489A	----	0.583	+ 0.021	.0714	----	----	----	----	1 UNCH
11500	----	----	0.567B/*0.484A	0.567B/*0.484A	----	0.577	+ 0.021	.0706	----	----	----	----	130 UNCH
11575	----	----	0.550B/*0.472A	0.550B/*0.472A	----	0.561	+ 0.021	.0686	----	----	----	----	1 UNCH
11650	----	----	0.532B/*0.462A	0.532B/*0.462A	----	0.545	+ 0.020	.0666	----	----	----	----	2 UNCH
11700	----	----	0.524B/*0.454A	0.524B/*0.454A	----	0.535	+ 0.020	.0653	----	----	----	----	2 UNCH
11850	----	----	0.493B/*0.432A	0.493B/*0.432A	----	0.510	+ 0.023	.0620	----	----	----	----	1 UNCH
12000	----	----	----/*0.411A	0.453B/*0.411A	----	0.488	+ 0.027	.0591	----	----	----	----	43 UNCH
12025	----	----	----/*0.408A	0.449B/*0.408A	----	0.484	+ 0.027	.0586	----	----	----	----	52 UNCH
12050	----	----	----/*0.405A	0.444B/*0.405A	----	0.481	+ 0.028	.0581	----	----	----	----	208 UNCH
12100	----	----	----/*0.398A	0.435B/*0.398A	----	0.474	+ 0.029	.0572	----	----	----	----	1 UNCH
12300	----	----	----/*0.374A	0.401B/*0.374A	----	0.449	+ 0.035	.0538	----	----	----	----	34 UNCH
12500	----	----	----/*0.300A	0.370B/*0.300A	----	0.423	+ 0.040	.0505	----	----	3	----	148 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 42

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
12550	----	----	----/*0.349A	0.360B/*0.349A	----	0.416 + 0.040	.0496	----	----	----	----	2 UNCH
12700	----	----	----/*0.334A	0.343B/*0.334A	----	0.395 + 0.041	.0471	----	----	----	----	1 UNCH
12725	----	----	----/*0.331A	0.339B/*0.331A	----	0.392 + 0.042	.0467	----	----	----	----	1 UNCH
12775	----	----	----/*0.326A	0.333B/*0.326A	----	0.385 + 0.042	.0458	----	----	----	----	13 UNCH
12800	----	----	----/*0.324A	0.330B/*0.324A	----	0.382 + 0.043	.0455	----	----	----	----	2 UNCH
13000	----	----	----/*0.307A	0.307B/*0.307A	----	0.355 + 0.041	.0422	----	----	9	----	3817 + 1
14000	----	----	----	0.209B/*0.235A	----	0.252 + 0.017	.0299	----	----	----	----	21 UNCH
15000	----	----	----/0.186A	0.142B/0.186A	----	0.184 - 0.003	.0218	----	----	----	----	96 UNCH
16000	----	----	----	0.098B/0.150A	----	0.138 + 0.002	.0163	----	----	----	----	9 UNCH
17000	----	----	----/*0.065A	0.080B/*0.065A	----	0.105 + 0.013	.0123	----	----	6	----	3179 + 1
18000	----	----	----	0.042B/0.104A	----	0.080 + 0.018	.0094	----	----	----	----	8 UNCH
19000	----	----	----	0.025B/0.112A	----	0.062 + 0.020	.0072	----	----	----	----	2 UNCH
20000	----	----	----	0.014B/2.477A	----	0.048 + 0.019	.0056	----	----	----	----	245 UNCH
25000	----	----	----	----/2.385A	----	0.015 + 0.007	.0017	----	----	----	----	21 UNCH
27000	----	----	----	----/2.380A	----	0.010 + 0.004	.0011	----	----	----	----	6 UNCH
30000	----	----	----	----/2.375A	----	0.005 UNCH	.0006	----	----	----	----	14 UNCH
32000	----	----	----	0.005B/2.373A	----	0.004 - 0.001	.0004	----	----	----	----	3 UNCH
35000	----	----	----	0.003B/0.020A	----	0.003 - 0.002	.0003	----	----	----	----	4 UNCH
TOTAL										842	0	13707 + 295
SEP26												
5025	----	----	----	16.453B/31.875A	----	26.419 NEW	.9630	----	----	1	----	1 + 1
5050	----	----	----	16.041B/31.722A	----	26.178 NEW	.9620	----	----	1	----	1 + 1
5100	----	----	----	15.658B/31.372A	----	25.698 + 0.977	.9597	----	----	----	----	1 UNCH
5900	----	----	----	8.293B/24.177A	----	18.311 + 0.895	.8972	----	----	----	----	2 UNCH
6000	----	----	----	7.526B/23.359A	----	17.446 + 0.884	.8847	----	----	----	----	7 UNCH
6700	----	----	11.612B/10.557A	11.612B/10.557A	----	11.994 + 0.747	.7639	----	----	----	----	1 UNCH
7000	----	----	9.719B/8.099A	9.719B/8.099A	----	10.073 + 0.668	.6969	----	----	----	----	268 UNCH
7125	----	----	9.017B/7.730A	9.017B/7.730A	----	9.354 + 0.624	.6675	----	----	----	----	75 UNCH
7300	----	----	8.103B/6.900A	8.103B/6.900A	----	8.433 + 0.562	.6259	----	----	----	----	145 UNCH
7400	----	----	7.623B/6.510A	7.623B/6.510A	----	7.953 + 0.534	.6021	----	----	----	----	104 UNCH
7500	----	----	7.177B/6.148A	7.177B/6.148A	----	7.504 + 0.509	.5786	----	----	2	----	27 + 1
7550	----	----	6.988B/6.035A	6.988B/6.035A	----	7.291 + 0.498	.5670	----	----	----	----	2 UNCH
7700	----	----	6.358B/*5.483A	6.358B/5.483A	----	6.691 + 0.468	.5329	----	----	----	----	1 UNCH
7900	----	----	5.639B/*4.908A	5.639B/*4.908A	----	5.974 + 0.430	.4895	----	----	----	----	8 UNCH
8000	5.098	5.098	5.800/4.728A	5.800/4.728A	----	5.645 + 0.408	.4688	----	----	15	----	258 + 11
8025	5.810	5.810	5.810/*4.658A	5.810/*4.658A	----	5.566 NEW	.4637	----	----	1	----	1 + 1
8100	----	----	5.024B/*4.428A	5.024B/*4.428A	----	5.335 + 0.386	.4488	----	----	----	----	25 UNCH
8200	5.000	5.000	5.000/*4.231A	5.000/*4.231A	----	5.043 + 0.364	.4294	----	----	5	----	35 + 5
8300	----	----	4.472B/*3.997A	4.472B/*3.997A	----	4.768 + 0.341	.4108	----	----	----	----	2 UNCH
8400	----	----	4.225B/*3.805A	4.225B/*3.805A	----	4.511 + 0.321	.3929	----	----	----	----	10 UNCH
8500	----	----	3.991B/*3.614A	3.991B/*3.614A	----	4.269 + 0.301	.3757	----	----	2	----	249 + 2
8600	----	----	3.771B/*3.430A	3.771B/*3.430A	----	4.042 + 0.282	.3592	----	----	----	----	76 UNCH
8675	----	----	3.616B/*3.346A	3.616B/*3.346A	----	3.882 + 0.270	.3474	----	----	----	----	5 UNCH
8700	----	----	3.567B/*3.275A	3.567B/*3.275A	----	3.830 + 0.266	.3435	----	----	----	----	104 UNCH
8800	----	----	----/*3.136A	3.359B/*3.136A	----	3.632 + 0.252	.3285	----	----	----	----	13 UNCH
8900	----	----	----/*2.980A	3.177B/*2.980A	----	3.448 + 0.241	.3143	----	----	----	----	4 UNCH
8925	----	----	----/*2.942A	3.138B/*2.942A	----	3.403 + 0.237	.3108	----	----	----	----	2 UNCH
8950	----	----	----/*2.905A	3.095B/*2.905A	----	3.360 + 0.235	.3074	----	----	----	----	2 UNCH
9000	----	----	----/2.833A	3.029B/2.833A	----	3.275 + 0.230	.3007	----	----	9	----	239 + 9
9025	----	----	----/*2.798A	2.971B/*2.798A	----	3.233 + 0.227	.2974	----	----	----	----	4 UNCH
9100	----	----	----/*2.696A	2.871B/*2.696A	----	3.113 + 0.220	.2877	----	----	----	----	12 UNCH
9200	----	----	----/*2.568A	2.726B/*2.568A	----	2.962 + 0.211	.2755	----	----	----	----	4 UNCH
9400	----	----	----/*2.336A	2.444B/*2.336A	----	2.689 + 0.195	.2528	----	----	----	----	20 UNCH
9500	----	----	----/*2.230A	2.320B/*2.230A	----	2.565 + 0.187	.2423	----	----	----	----	306 UNCH
9600	----	----	----/*2.132A	2.211B/*2.132A	----	2.449 + 0.179	.2323	----	----	----	----	37 UNCH
9750	----	----	----/*1.995A	2.056B/*1.995A	----	2.288 + 0.167	.2183	----	----	----	----	23 UNCH
9800	----	----	----/*1.953A	2.008B/*1.953A	----	2.237 + 0.163	.2139	----	----	2	----	130 - 2
9900	----	----	----/*1.873A	1.911B/*1.873A	----	2.141 + 0.156	.2054	----	----	----	----	85 UNCH
10000	1.750	1.750	2.001B/1.500	2.001B/1.500	----	2.050 + 0.148	.1973	----	----	86	----	424 - 10
10025	2.000	2.000	2.000/*1.778A	2.000/*1.778A	----	2.029 NEW	.1954	----	----	1	----	1 + 1
10100	----	----	----/*1.723A	1.745B/*1.723A	----	1.965 + 0.142	.1896	----	----	----	----	54 UNCH
10200	----	----	----/*1.656A	1.667B/*1.656A	----	1.884 + 0.135	.1823	----	----	----	----	54 UNCH
10300	----	----	----/*1.605A	1.594B/*1.605A	----	1.808 + 0.128	.1754	----	----	----	----	52 UNCH
10500	----	----	----/*1.509A	1.462B/*1.509A	----	1.668 + 0.117	.1625	----	----	----	----	233 UNCH
10800	----	----	----	1.286B/*1.385A	----	1.484 + 0.103	.1453	----	----	----	----	2 UNCH
11000	----	----	1.301B/----	1.301B/1.311A	----	1.376 + 0.096	.1352	----	----	----	----	243 UNCH
11100	----	----	----/*1.075A	1.109B/*1.075A	----	1.326 + 0.093	.1305	----	----	----	----	3 UNCH
11300	----	----	----/*0.991A	1.008B/*0.991A	----	1.232 + 0.086	.1215	----	----	----	----	60 UNCH
11500	----	----	----/*0.946A	0.959B/*0.946A	----	1.146 + 0.079	.1134	----	----	----	----	101 UNCH
12000	----	----	0.927B/*0.816A	0.927B/*0.816A	----	0.961 + 0.063	.0956	----	----	----	----	128 UNCH
12500	----	----	0.785B/*0.713A	0.785B/*0.713A	----	0.810 + 0.045	.0811	----	----	----	----	96 UNCH
12800	----	----	0.713B/*0.660A	0.713B/*0.660A	----	0.732 NEW	.0735	----	----	1	----	1 + 1
13000	----	----	0.671B/*0.628A	0.671B/*0.628A	----	0.686 + 0.028	.0691	----	----	1	----	204 + 1
14000	----	----	----	0.498B/0.504A	----	0.502 - 0.001	.0510	----	----	----	----	238 UNCH
15000	0.420	0.420	0.420/*0.420	0.420/*0.412A	----	0.398 - 0.002	.0401	----	----	1	----	426 UNCH
16000	----	----	----	0.294B/*0.345A	----	0.308 - 0.004	.0311	----	----	----	----	16 UNCH
17000	----	----	----	0.228B/*0.293A	----	0.243 - 0.004	.0246	----	----	----	----	27 UNCH
18000	----	----	----	0.180B/*0.255A	----	0.194 - 0.004	.0197	----	----	----	----	5 UNCH
19000	----	----	----	0.141B/*0.222A	----	0.156 - 0.005	.0158	----	----	----	----	14 UNCH
20000	----	----	----	0.112B/*0.150A	----	0.128 - 0.004	.0130	----	----	2	----	311 + 1
21000	----	----	----	0.088B/*0.177A	----	0.106 - 0.004	.0107	----	----	----	----	1 UNCH
23000	----	----	----	0.052B/*0.145A	----	0.075 - 0.004	.0076	----	----	----	----	44 UNCH
25000	----	----	----	0.041B/0.148A	----	0.067 - 0.004	.0066	----	----	----	----	39 UNCH
26000	----	----	----	0.001B/2.525A	----	0.064 - 0.004	.0062	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/2.438A	----	0.060 - 0.004	.0054	----	----	----	----	18 UNCH
35000	----	----	----	----/*0.051A	----	0.033 - 0.002	.0030	----	----	----	----	27 UNCH
TOTAL										130	0	5112 + 23
OCT26												
7000	----	----	11.034B/10.304A	11.034B/10.304A	----	11.495 + 0.537	.6991	----	----	----	----	2 UNCH
7100	----	----	10.475B/9.246A	10.475B/9.246A	----	10.928 + 0.534	.6788	----	----	----	----	1 UNCH
7500	----	----	8.675B/7.474A	8.675B/7.474A	----	8.949 + 0.527	.5970	----	----	----	----	2 UNCH
7650	----	----	8.193B/6.924A	8.193B/6.924A	----	8.312 + 0.483	.5670	----	----	----	----	1 UNCH
7875	----	----	7.424B/*6.237A	7.424B/6.237A	----	7.435 + 0.412	.5235	----	----	----	----	2 UNCH
8000	----	----	7.105B/5.801A	7.105B/5.801A	----	6.995 + 0.363	.5004	----	----	----	----	38 UNCH
8075	----	----	6.843B/*5.654A	6.843B/*5.654A	----	6.748 + 0.329	.4869	----	----	----	----	1 UNCH
8275	----	----	6.236B/*5.103A	6.236B/*5.103A	----	6.141 + 0.236	.4525	----	----	----	----	2 UNCH
8500	----	----	5.520B/*4.563A	5.520B/*4.563A	----	5.526 + 0.176	.4163	----	----	15	----	16 + 15
8550	----	----	5.482B/*4.455A	5.482B/*4.455A	----	5.396 + 0.171	.4086	----	----	----	----	1 UNCH
8700	----	----	5.030B/*4.150A	5.030B/*4.150A	----	5.027 + 0.166	.3861	----	----	----	----	4 UNCH
9000	----	----	4.481B/3.620A	4.481B/3.620A	----	4.382 + 0.146	.3450	----	----	----	----	1 UNCH
9100	----	----	4.304B/*3.464A	4.304B/*3.464A	----	4.196 + 0.129	.3325	----	----	----	----	23 UNCH
9500	----	----	3.640B/*2.930A	3.640B/*2.930A	----	3.566 + 0.041	.2882	----	----	----	----	122 UNCH
9900	----	----	3.113B/*2.498A	3.113B/*2.498A	----	3.066 - 0.015	.2513	----	----	----	----	1 UNCH
9975	----	----	3.013B/*2.441A	3.013B/*2.441A	----	2.983 - 0.016	.2451	----	----	----	----	0 UNCH
10000	2.515	2.515	2.996B/2.406A	2.996B/2.406A	----	2.955 - 0.016	.2430	----	----	33	----	93 - 4
10500	----	----	2.498B/*2.004A	2.498B/*2.004A	----	2.466 + 0.028	.2058	----	----	----	----	1 UNCH
10825	----	----	2.210B/*1.796A	2.210B/*1.796A	----	2.201 + 0.058	.1853	----	----	----	----	1 UNCH
10850	----	----	2.209B/*1.780A	2.209B/*1.780A	----	2.182 + 0.060	.1838	----	----	----	----	1 UNCH
10875	----	----	2.174B/*1.766A	2.174B/*1.766A	----	2.164 + 0.061	.1824	----	----	----	----	1 UNCH
10900	----	----	2.175B/*1.750A	2.175B/*1.750A	----	2.146 + 0.063	.1810	----	----	----	----	1 UNCH
10925	----	----	2.137B/*1.740A	2.137B/*1.740A	----	2.128 + 0.064	.1796	----	----	----	----	3 UNCH
10950	----	----	2.127B/*1.726A	2.127B/*1.726A	----	2.110 + 0.064	.1782	----	----	----	----	3 UNCH
10975	----	----	2.100B/*1.708A	2.100B/*1.708A	----	2.092 + 0.064	.1768	----	----	----	----	4 UNCH
11000	----	----	2.103B/1.694A	2.103B/1.694A	----	2.075 + 0.065	.1754	----	----	----	----	11 UNCH
11025	----	----	2.065B/*1.684A	2.065B/*1.684A	----	2.058 + 0.065	.1741	----	----	----	----	7 UNCH
11050	----	----	2.067B/*1.668A	2.067B/*1.668A	----	2.041 + 0.065	.1727	----	----	----	----	10 UNCH
11100	----	----	2.034B/*1.640A	2.034B/*1.640A	----	2.007 + 0.063	.1700	----	----	----	----	2 UNCH
11500	----	----	1.788B/*1.449A	1.788B/*1.449A	----	1.770 + 0.026	.1509	----	----	----	----	9 UNCH
11700	----	----	1.680B/*1.373A	1.680B/*1.373A	----	1.670 - 0.006	.1426	----	----	----	----	2 UNCH
12000	----	----	----/1.256A	1.533B/1.256A	----	1.535 - 0.037	.1314	----	----	----	----	76 UNCH
12675	----	----	1.253B/*1.046A	1.253B/*1.046A	----	1.277 + 0.057	.1098	----	----	----	----	7 UNCH
12700	----	----	1.253B/*1.054A	1.253B/*1.054A	----	1.269 + 0.061	.1091	----	----	----	----	7 UNCH
12725	----	----	1.236B/*1.048A	1.236B/*1.048A	----	1.261 + 0.064	.1084	----	----	----	----	7 UNCH
12750	----	----	1.232B/*1.041A	1.232B/*1.041A	----	1.253 + 0.067	.1077	----	----	----	----	7 UNCH
12775	----	----	1.214B/*1.036A	1.214B/*1.036A	----	1.245 + 0.070	.1071	----	----	----	----	7 UNCH
12800	----	----	1.215B/*1.028A	1.215B/*1.028A	----	1.237 + 0.072	.1064	----	----	----	----	7 UNCH
12825	----	----	1.203B/*1.022A	1.203B/*1.022A	----	1.230 + 0.076	.1058	----	----	----	----	7 UNCH
13000	----	----	1.148B/0.978A	1.148B/0.978A	----	1.180 + 0.092	.1015	----	----	----	----	92 UNCH
14000	----	----	0.893B/0.766A	0.893B/0.766A	----	0.954 + 0.106	.0816	----	----	----	----	2 UNCH
15000	0.620	0.620	0.758/*0.600A	0.758/*0.600A	----	0.765 + 0.053	.0656	----	----	8	----	180 UNCH
16000	----	----	----/0.549A	0.542B/0.549A	----	0.578 - 0.004	.0506	----	----	----	----	35 UNCH
17000	----	----	----	0.440B/0.511A	----	0.461 - 0.004	.0407	----	----	----	----	120 UNCH
18000	----	----	----	0.358B/0.445A	----	0.365 - 0.005	.0326	----	----	----	----	340 UNCH
20000	----	----	----	0.245B/0.356A	----	0.242 - 0.006	.0219	----	----	----	----	183 UNCH
TOTAL										56	0	1443 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
NOV26													
6500	----	----	14.810B/14.094A	14.810B/14.094A	----	15.347	+ 0.728	.7773	----	----	----	----	1 UNCH
7000	----	----	11.773B/11.271A	11.773B/11.271A	----	12.288	+ 0.624	.6893	----	----	----	----	14 UNCH
7100	----	----	11.240B/10.778A	11.240B/10.778A	----	11.744	+ 0.598	.6710	----	----	----	----	14 UNCH
7500	----	----	9.584B/9.046A	9.584B/9.046A	----	9.821	+ 0.498	.5979	----	----	----	----	1 UNCH
7900	----	----	----/*7.645A	7.797B/7.645A	----	8.288	+ 0.415	.5284	----	----	----	----	16 UNCH
8000	----	----	----/7.340A	7.459B/7.340A	----	7.955	+ 0.397	.5121	----	----	----	----	10 UNCH
8200	----	----	----/*6.775A	6.840B/*6.775A	----	7.337	+ 0.363	.4808	----	----	----	----	6 UNCH
9000	----	----	----/5.026A	4.924B/5.026A	----	5.380	+ 0.249	.3735	----	----	----	----	60 UNCH
9550	----	----	----/*4.167A	3.999B/*4.167A	----	4.422	+ 0.203	.3155	----	----	----	----	3 UNCH
9800	----	----	----/*3.845A	3.653B/*3.845A	----	4.068	+ 0.191	.2929	----	----	----	----	3 UNCH
10000	----	----	----/3.612A	3.405B/3.612A	----	3.814	+ 0.184	.2764	----	----	----	----	24 UNCH
11000	----	----	----	2.452B/2.719A	----	2.835	+ 0.163	.2103	----	----	----	----	94 UNCH
12000	----	----	----	1.829B/2.138A	----	2.176	+ 0.146	.1638	----	----	----	----	13 UNCH
12500	----	----	----	1.589B/*1.960A	----	1.924	+ 0.137	.1456	----	----	----	----	10 UNCH
13000	----	----	----	1.328B/1.806A	----	1.709	+ 0.127	.1300	----	----	----	----	1 UNCH
14000	----	----	1.288B/1.226A	1.288B/1.226A	----	1.366	+ 0.107	.1049	----	----	----	----	2 UNCH
15000	----	----	1.036B/----	1.036B/1.032A	----	1.107	+ 0.084	.0856	----	----	----	----	6 UNCH
16000	----	----	----	0.847B/0.886A	----	0.910	+ 0.063	.0708	----	----	----	----	14 UNCH
17000	----	----	----	0.703B/0.773A	----	0.760	+ 0.044	.0594	----	----	----	----	2 UNCH
20000	----	----	0.422B/----	0.422B/0.542A	----	0.489	+ 0.085	.0382	----	----	----	----	33 UNCH
21000	----	----	0.363B/----	0.363B/0.498A	----	0.436	+ 0.101	.0339	----	----	----	----	1 UNCH
30000	----	----	----	0.107B/0.263A	----	0.160	+ 0.040	.0125	----	----	1	----	6 + 1
TOTAL											1	0	334 + 1
DEC26													
3875	----	----	----	----	----	38.558	+ 1.019	.9828	----	----	----	----	1 UNCH
5000	----	----	----	8.526B/42.614A	----	27.797	+ 0.935	.9372	----	----	----	----	30 UNCH
5250	----	----	----	5.942B/40.907A	----	25.574	+ 0.913	.9180	----	----	----	----	50 UNCH
5500	----	----	----	3.777B/39.525A	----	23.410	+ 0.894	.8960	----	----	----	----	1 UNCH
6500	----	----	15.245B/14.803A	15.245B/14.803A	----	15.872	+ 0.676	.7661	----	----	----	----	600 UNCH
6900	----	----	----/12.596A	12.858B/12.596A	----	13.474	+ 0.589	.7004	----	----	----	----	1 UNCH
6950	----	----	----/12.345A	12.586B/12.345A	----	13.202	+ 0.581	.6920	----	----	----	----	220 UNCH
7000	----	----	----/12.100A	12.320B/12.100A	----	12.936	+ 0.573	.6835	----	----	----	----	120 UNCH
7025	----	----	----/11.980A	12.186B/11.980A	----	12.805	+ 0.570	.6793	----	----	----	----	1 UNCH
7075	----	----	----/11.373A	11.929B/11.373A	----	12.548	+ 0.563	.6708	----	----	----	----	5 UNCH
7100	----	----	----/11.391A	11.805B/11.391A	----	12.421	+ 0.559	.6666	----	----	----	----	15 UNCH
7375	----	----	----/10.433A	10.498B/10.433A	----	11.123	+ 0.519	.6202	----	----	----	----	2 UNCH
7500	----	----	10.170B/9.941A	10.170B/9.941A	----	10.587	+ 0.497	.5994	----	----	----	----	18 UNCH
7575	----	----	----/9.659A	9.651B/9.659A	----	10.279	+ 0.481	.5871	----	----	----	----	1 UNCH
7750	----	----	----/9.044A	8.975B/9.044A	----	9.604	+ 0.443	.5590	----	----	----	----	2 UNCH
7800	----	----	----/8.877A	8.792B/8.877A	----	9.422	+ 0.432	.5512	----	----	----	----	37 UNCH
7925	----	----	----/*8.479A	8.354B/8.479A	----	8.984	+ 0.404	.5320	----	----	----	----	2 UNCH
8000	----	----	----/8.252A	8.105B/8.252A	----	8.733	+ 0.387	.5208	----	----	----	----	134 UNCH
8100	----	----	----/7.961A	7.787B/7.961A	----	8.413	+ 0.365	.5061	----	----	----	----	1 UNCH
8200	----	----	----/*7.685A	7.485B/*7.685A	----	8.107	+ 0.345	.4919	----	----	----	----	21 UNCH
8400	----	----	----/*7.172A	6.924B/*7.172A	----	7.538	+ 0.310	.4645	----	----	----	----	50 UNCH
8500	----	----	----/6.933A	6.664B/6.933A	----	7.273	+ 0.294	.4514	----	----	----	----	165 UNCH
8550	----	----	----/6.855A	6.539B/6.855A	----	7.145	+ 0.287	.4450	----	----	----	----	25 UNCH
8600	----	----	----/*6.394A	6.417B/*6.394A	----	7.020	+ 0.280	.4387	----	----	----	----	47 UNCH
8800	----	----	----	5.958B/6.316A	----	6.548	+ 0.254	.4144	----	----	----	----	5 UNCH
8900	----	----	----/*6.082A	5.745B/*6.082A	----	6.329	+ 0.244	.4029	----	----	----	----	27 UNCH
8950	----	----	----	5.642B/*6.022A	----	6.223	+ 0.239	.3973	----	----	----	----	1 UNCH
9000	6.000	6.000	6.000/5.792A	6.000/5.792A	----	6.119	+ 0.233	.3917	----	----	1	----	249 - 1
9050	----	----	----	5.444B/*5.801A	----	6.018	+ 0.229	.3863	----	----	----	----	100 UNCH
9100	----	----	----	5.348B/*5.745A	----	5.919	+ 0.224	.3809	----	----	----	----	16 UNCH
9300	----	----	----	4.987B/*5.397A	----	5.546	+ 0.208	.3604	----	----	----	----	15 UNCH
9500	----	----	----	4.659B/5.062A	----	5.205	+ 0.194	.3412	----	----	----	----	10 UNCH
9700	----	----	----	4.358B/*4.792A	----	4.894	+ 0.183	.3233	----	----	----	----	1 UNCH
9800	----	----	----	4.217B/*4.656A	----	4.748	+ 0.177	.3148	----	----	2	----	74 + 2
9900	----	----	----	4.083B/*4.525A	----	4.609	+ 0.172	.3066	----	----	----	----	5 UNCH
10000	----	----	----	3.952B/4.389A	----	4.476	+ 0.167	.2987	----	----	22	----	855 + 2
10025	----	----	----	3.922B/*4.369A	----	4.443	+ 0.166	.2968	----	----	----	----	3 UNCH
10500	3.600	3.600	3.900/*3.599A	3.900/*3.599A	----	3.888	+ 0.145	.2631	----	----	2	----	101 + 1
10600	----	----	----	3.287B/*3.745A	----	3.784	+ 0.141	.2566	----	----	----	----	6 UNCH
10800	----	----	----	3.073B/*3.584A	----	3.589	+ 0.133	.2444	----	----	----	----	5 UNCH
11000	----	----	----	2.900B/3.393A	----	3.409	+ 0.125	.2331	----	----	----	----	210 UNCH
11350	----	----	----	2.628B/*3.136A	----	3.125	+ 0.111	.2149	----	----	----	----	5 UNCH
11400	----	----	----	2.592B/*3.087A	----	3.087	+ 0.108	.2124	----	----	----	----	1 UNCH
11600	----	----	----	2.454B/*2.960A	----	2.943	+ 0.101	.2031	----	----	----	----	1 UNCH
11800	----	----	----	2.327B/*2.822A	----	2.810	+ 0.094	.1944	----	----	----	----	27 UNCH
12000	----	----	----	2.209B/2.710A	----	2.685	+ 0.087	.1862	----	----	20	----	567 - 4
12200	----	----	----	2.097B/*2.596A	----	2.568	+ 0.081	.1784	----	----	----	----	1 UNCH
12300	----	----	----	2.044B/*2.538A	----	2.512	NEW	.1747	----	----	2	----	2 + 2
12500	----	----	----	1.945B/*2.449A	----	2.406	+ 0.072	.1676	----	----	2	----	45 UNCH
12800	----	----	----	1.806B/*2.341A	----	2.259	+ 0.065	.1578	----	----	----	----	2 UNCH
13000	1.850	1.850	2.101B/1.850	2.101B/1.850	----	2.168	+ 0.062	.1517	----	----	1	----	385 UNCH
13500	----	----	----	1.484B/*2.122A	----	1.962	+ 0.056	.1377	----	----	----	----	6 UNCH
14000	----	----	----	1.269B/2.001A	----	1.782	+ 0.053	.1255	----	----	----	----	96 UNCH
14200	----	----	----/*1.548A	1.236B/*1.548A	----	1.717	+ 0.053	.1211	----	----	----	----	1 UNCH
15000	----	----	----/1.361A	1.351B/1.361A	----	1.486	+ 0.056	.1052	----	----	1	----	1854 UNCH
16000	----	----	----/1.181A	1.118B/1.181A	----	1.253	+ 0.063	.0891	----	----	1	----	1609 UNCH
17000	----	----	----	0.942B/1.036A	----	1.068	+ 0.070	.0763	----	----	----	----	50 UNCH
18000	0.800	0.800	0.800/0.799A	0.800/0.799A	----	0.921	+ 0.078	.0660	----	----	1	----	83 + 1
19000	----	----	----	0.684B/0.826A	----	0.803	+ 0.083	.0576	----	----	----	----	1 UNCH
20000	0.680	0.680	0.680/0.590	0.680/0.590	----	0.709	+ 0.084	.0509	----	----	5	----	441 + 3
21000	0.555	0.555	0.555/*0.555	0.555/*0.555	----	0.635	+ 0.084	.0455	----	----	1	----	5 + 1
22000	----	----	----	0.443B/0.628A	----	0.576	+ 0.081	.0411	----	----	----	----	1 UNCH
23000	----	----	----	0.390B/0.578A	----	0.530	+ 0.078	.0376	----	----	----	----	35 UNCH
25000	0.400	0.400	0.400/0.400	0.400/0.400	----	0.462	+ 0.071	.0324	----	----	2	----	240 UNCH
26000	----	----	----	0.270B/0.475A	----	0.433	+ 0.067	.0302	----	----	----	----	3 UNCH
30000	----	----	----	0.169B/0.377A	----	0.313	+ 0.050	.0218	----	----	----	----	110 UNCH
32000	----	----	----	0.134B/0.348A	----	0.276	+ 0.043	.0191	----	----	----	----	1 UNCH
40000	0.140	0.140	0.140/*0.140	0.140/*0.140	----	0.204	+ 0.031	.0136	----	----	1	----	25 UNCH
90000	----	----	----	0.003B/0.400A	----	0.081	+ 0.012	.0048	----	----	----	----	2 UNCH
100000	----	----	----	0.003B/0.285A	----	0.077	+ 0.010	.0045	----	----	----	----	5 UNCH
TOTAL											64	0	8836 + 7
JAN27													
7550	----	----	----/11.075A	10.857B/11.075A	----	11.579	+ 0.447	.6059	----	----	----	----	1 UNCH
7650	----	----	11.105B/10.699A	11.105B/10.699A	----	11.172	+ 0.421	.5909	----	----	----	----	5 UNCH
8300	----	----	----	8.138B/8.759A	----	8.936	+ 0.282	.5004	----	----	----	----	22 UNCH
9000	----	----	----	6.397B/7.123A	----	7.163	+ 0.214	.4186	----	----	----	----	1 UNCH
9525	----	----	----	5.400B/*6.147A	----	6.151	+ 0.195	.3678	----	----	----	----	2 UNCH
10000	----	----	----	4.673B/*5.446A	----	5.407	+ 0.184	.3285	----	----	----	----	5 UNCH
11000	----	----	----	3.527B/*4.334A	----	4.219	+ 0.166	.2627	----	----	----	----	21 UNCH
12500	----	----	----	2.424B/*3.192A	----	3.036	+ 0.150	.1938	----	----	----	----	1 UNCH
13000	----	----	----	2.163B/2.910A	----	2.748	+ 0.147	.1764	----	----	----	----	7 UNCH
14000	----	----	----	1.735B/2.563A	----	2.291	+ 0.145	.1483	----	----	----	----	1 UNCH
14500	----	----	----	1.501B/*2.416A	----	2.081	+ 0.132	.1356	----	----	----	----	400 UNCH
15000	----	----	----	1.295B/*2.313A	----	1.899	+ 0.121	.1245	----	----	----	----	401 UNCH
TOTAL												0	867 0
FEB27													
7200	14.100	14.100	14.100/13.149A	14.100/13.149A	----	13.742	NEW	.6579	----	----	2	----	2 + 2
7500	----	----	----/11.938A	11.572B/11.938A	----	12.412	+ 0.458	.6147	----	----	----	----	1 UNCH
8500	----	----	----	8.200B/8.911A	----	9.055	+ 0.297	.4852	----	----	----	----	4 UNCH
9000	----	----	----	7.010B/7.829A	----	7.839	+ 0.237	.4316	----	----	----	----	1 UNCH
9500	----	----	----	6.032B/6.870A	----	6.841	+ 0.195	.3850	----	----	----	----	4 UNCH
10000	----	----	----	5.237B/6.141A	----	6.018	+ 0.168	.3446	----	----	----	----	0 UNCH
30000	----	----	----	0.356B/0.647A	----	0.583	+ 0.158	.0358	----	----	----	----	1 UNCH
TOTAL											2	0	13 + 2
MAR27													
8000	----	----	----	10.270B/*10.990A	----	11.137	+ 0.336	.5513	----	----	----	----	201 UNCH
8775	----	----	----	8.100B/*8.943A	----	8.922	+ 0.226	.4639	----	----	----	----	3 UNCH
9000	----	----	----	7.579B/*8.463A	----	8.404	+ 0.204	.4417	----	----	----	----	37 UNCH
9200	----	----	----	7.162B/*8.101A	----	7.983	+ 0.190	.4231	----	----	----	----	25 UNCH
10000	----	----	----	5.779B/6.781A	----	6.596	+ 0.155	.3587	----	----	----	----	2 UNCH
11000	----	----	----	4.527B/*5.500A	----	5.322	+ 0.140	.2960	----	----	----	----	1 UNCH
13000	----	----	----	2.954B/*3.884A	----	3.662	+ 0.153	.2099	----	----	----	----	105 UNCH
14000	----	----	----	2.440B/*3.338A	----	3.111	+ 0.168	.1801	----	----	----	----	105 UNCH
15000	----	----	----	2.054B/*2.970A	----	2.680	+ 0.184	.1563	----	----	----	----	25 UNCH
16000	----	----	----	1.661B/2.731A	----	2.337	+ 0.197	.1370	----	----	----	----	27 UNCH
25000	0.780	0.780	0.780/*0.780	0.810B/*0.780	----	0.986	NEW	.0583	----	----	1	----	1 + 1
30000	0.650	0.650	0.650/*0.570	0.650/*0.570	----	0.714	+ 0.067	.0421	----	----	3	----	7 + 3
TOTAL											4	0	539 + 4
APR27													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
APR27												
8525	10.625	10.625	#10.625/*10.625	#10.625/*10.482A	----	10.462 NEW	.5053	----	----	3	----	3 + 3
TOTAL										3	0	3 + 3
MAY27												
11000	----	----	----	----	----	7.491 + 0.339	.3505	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	59.234 + 1.064	.9969	----	----	----	----	1 UNCH
10000	----	----	----	----	----	10.384 + 0.431	.4352	----	----	----	----	1 UNCH
10300	----	----	----	----	----	9.893 + 0.413	.4174	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	41.457 + 0.989	.9300	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.590 + 0.235	.2403	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUL26												
2000	----	----	----	----/*0.005A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
2400	----	----	----	----/0.021A	----	0.001 UNCH	.0000	----	----	----	----	10 UNCH
2650	----	----	----	----/*0.022A	----	0.001 - 0.001	.0000	----	----	----	----	6 UNCH
2900	----	----	----	----/0.023A	----	0.002 - 0.001	.0002	----	----	----	----	2 UNCH
3000	----	----	----	----/0.011A	----	0.003 - 0.001	.0003	----	----	----	----	6 UNCH
3025	----	----	----	----/*0.024A	----	0.003 - 0.001	.0004	----	----	----	----	1 UNCH
3175	----	----	----	----/0.013A	----	0.004 - 0.002	.0005	----	----	----	----	10 UNCH
3275	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.005 NEW	.0006	----	----	1	----	1 + 1
3350	----	----	----	----/0.027A	----	0.006 - 0.003	.0008	----	----	----	----	2 UNCH
3400	----	----	----	----/*0.027A	----	0.007 - 0.003	.0009	----	----	----	----	55 UNCH
3475	----	----	----	----/0.028A	----	0.008 - 0.003	.0010	----	----	----	----	5 UNCH
3500	----	----	----	----/*0.015A	----	0.009 - 0.003	.0012	----	----	----	----	4 UNCH
3600	----	----	----	----/*0.030A	----	0.011 - 0.003	.0015	----	----	----	----	12 UNCH
3700	----	----	----	----/0.021A	----	0.014 - 0.002	.0019	----	----	----	----	94 UNCH
3800	----	----	----	----/0.030A	----	0.017 - 0.003	.0023	----	----	----	----	25 UNCH
3825	----	----	----	----/*0.031A	----	0.017 - 0.004	.0023	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/*0.031A	----	0.018 - 0.004	.0024	----	----	----	----	3 UNCH
3900	----	----	----/*0.022A	0.001B/*0.022A	----	0.020 - 0.003	.0027	----	----	----	----	11 UNCH
3950	----	----	----	0.003B/*0.032A	----	0.021 - 0.004	.0029	----	----	----	----	1 UNCH
4000	----	----	----/0.023A	0.020B/0.023A	----	0.023 - 0.004	.0032	----	----	----	----	85 UNCH
4075	----	----	----	0.007B/*0.031A	----	0.025 - 0.004	.0035	----	----	----	----	16 UNCH
4100	----	----	----	0.011B/*0.031A	----	0.026 - 0.004	.0036	----	----	----	----	6 UNCH
4175	----	----	----	0.014B/*0.033A	----	0.029 - 0.003	.0041	----	----	----	----	9 UNCH
4200	----	----	----/*0.030A	0.020B/*0.030A	----	0.029 - 0.003	.0041	----	----	----	----	27 UNCH
4225	----	----	----	0.016B/*0.035A	----	0.030 - 0.003	.0043	----	----	----	----	1 UNCH
4250	----	----	----	0.034B/*0.035A	----	0.031 - 0.003	.0045	----	----	----	----	21 UNCH
4300	----	----	----	0.019B/*0.037A	----	0.032 - 0.003	.0047	----	----	----	----	98 UNCH
4325	----	----	----	0.020B/*0.039A	----	0.033 - 0.003	.0048	----	----	----	----	17 UNCH
4375	----	----	----	0.022B/*0.041A	----	0.035 - 0.002	.0052	----	----	----	----	32 UNCH
4400	----	----	----	0.023B/*0.042A	----	0.035 - 0.003	.0052	----	----	----	----	34 UNCH
4450	----	----	----	0.025B/*0.045A	----	0.037 - 0.003	.0056	----	----	----	----	4 UNCH
4475	----	----	----	0.027B/*0.046A	----	0.037 - 0.004	.0056	----	----	----	----	16 UNCH
4500	----	----	----/0.037A	0.028B/0.037A	----	0.038 - 0.003	.0058	----	----	----	----	302 UNCH
4575	----	----	----	0.031B/*0.053A	----	0.040 - 0.004	.0062	----	----	----	----	75 UNCH
4600	----	----	----	0.033B/0.055A	----	0.041 - 0.004	.0064	----	----	----	----	101 UNCH
4650	----	----	----	0.035B/0.059A	----	0.042 - 0.005	.0067	----	----	----	----	40 UNCH
4675	----	----	----	0.037B/0.061A	----	0.043 - 0.005	.0069	----	----	----	----	12 UNCH
4700	----	----	----	0.039B/0.062A	----	0.044 - 0.005	.0071	----	----	----	----	154 UNCH
4725	----	----	----	0.039B/0.063A	----	0.044 - 0.006	.0071	----	----	----	----	3 UNCH
4750	----	----	----	0.041B/0.066A	----	0.045 - 0.006	.0073	----	----	----	----	55 UNCH
4775	----	----	----	0.042B/0.066A	----	0.046 - 0.007	.0075	----	----	----	----	8 UNCH
4800	----	----	----	0.044B/0.067A	----	0.047 - 0.007	.0077	----	----	----	----	15 UNCH
4825	----	----	----	0.045B/0.069A	----	0.047 - 0.008	.0078	----	----	----	----	26 UNCH
4850	----	----	----	0.047B/0.070A	----	0.048 - 0.008	.0080	----	----	----	----	2 UNCH
4875	----	----	----	0.050B/0.073A	----	0.049 - 0.009	.0083	----	----	----	----	23 UNCH
4900	----	----	----	0.052B/0.073A	----	0.050 - 0.009	.0085	----	----	----	----	170 UNCH
4975	----	----	----	0.059B/0.078A	----	0.053 - 0.010	.0092	----	----	----	----	2 UNCH
5000	0.070	0.070	0.070/0.050A	0.070/0.050A	----	0.054 - 0.011	.0094	----	----	17	----	957 - 1
5025	----	----	----	0.064B/*0.071A	----	0.055 - 0.012	.0096	----	----	----	----	1 UNCH
5050	----	----	----	0.067B/*0.071A	----	0.057 - 0.012	.0100	----	----	----	----	16 UNCH
5075	----	----	----	0.070B/*0.072A	----	0.058 - 0.012	.0103	----	----	----	----	11 UNCH
5100	----	----	----	0.072B/*0.073A	----	0.059 - 0.013	.0105	----	----	----	----	178 UNCH
5150	----	----	0.079B/----	0.079B/*0.077A	----	0.062 - 0.014	.0112	----	----	----	----	5 UNCH
5175	----	----	0.082B/----	0.082B/*0.079A	----	0.064 - 0.014	.0116	----	----	----	----	5 UNCH
5200	----	----	0.085B/----	0.085B/0.081A	----	0.065 - 0.016	.0118	----	----	----	----	109 UNCH
5225	----	----	0.088B/*0.081A	0.088B/*0.081A	----	0.067 - 0.016	.0123	----	----	----	----	9 UNCH
5250	----	----	0.091B/*0.082A	0.091B/*0.082A	----	0.069 - 0.017	.0127	----	----	----	----	225 UNCH
5275	----	----	0.095B/*0.084A	0.095B/*0.084A	----	0.071 - 0.017	.0131	----	----	----	----	2 UNCH
5300	----	----	0.098B/*0.086A	0.098B/*0.086A	----	0.072 - 0.019	.0134	----	----	----	----	124 UNCH
5325	----	----	0.102B/*0.088A	0.102B/*0.088A	----	0.075 - 0.019	.0140	----	----	----	----	11 UNCH
5350	----	----	0.106B/*0.091A	0.106B/*0.091A	----	0.077 - 0.020	.0145	----	----	----	----	26 UNCH
5375	----	----	0.109B/*0.093A	0.109B/*0.093A	----	0.079 - 0.021	.0149	----	----	----	----	17 UNCH
5400	----	----	0.113B/*0.095A	0.113B/*0.095A	----	0.081 - 0.022	.0154	----	----	----	----	76 UNCH
5425	----	----	0.117B/*0.097A	0.117B/*0.097A	----	0.084 - 0.022	.0160	----	----	----	----	49 UNCH
5450	----	----	0.122B/*0.101A	0.122B/*0.101A	----	0.086 - 0.024	.0165	----	----	----	----	38 UNCH
5475	----	----	0.126B/*0.103A	0.126B/*0.103A	----	0.089 - 0.025	.0171	----	----	----	----	53 UNCH
5500	----	----	0.130B/0.107A	0.130B/0.107A	----	0.092 - 0.025	.0178	----	----	----	----	1005 UNCH
5525	----	----	0.135B/*0.110A	0.135B/*0.110A	----	0.095 - 0.027	.0184	----	----	----	----	87 UNCH
5550	----	----	0.140B/*0.105A	0.140B/*0.105A	----	0.098 - 0.028	.0191	----	----	----	----	18 UNCH
5575	----	----	0.148B/*0.109A	0.148B/*0.109A	----	0.102 - 0.028	.0199	----	----	----	----	4 UNCH
5600	----	----	0.154B/*0.113A	0.154B/*0.113A	----	0.105 - 0.030	.0206	----	----	----	----	46 UNCH
5625	0.160	0.160	0.160/*0.116A	0.160/*0.116A	----	0.109 - 0.031	.0214	----	----	7	----	30 + 6
5650	----	----	0.165B/*0.121A	0.165B/*0.121A	----	0.113 - 0.033	.0223	----	----	1	----	30 + 1
5675	----	----	0.171B/*0.125A	0.171B/*0.125A	----	0.117 - 0.034	.0231	----	----	----	----	45 UNCH
5700	0.170	0.170	0.178B/*0.120	0.178B/*0.120	----	0.122 - 0.035	.0242	----	----	10	----	309 UNCH
5725	----	----	0.188B/*0.134A	0.188B/*0.134A	----	0.127 - 0.036	.0252	----	----	----	----	4 UNCH
5750	----	----	0.194B/*0.140A	0.194B/*0.140A	----	0.132 - 0.038	.0263	----	----	----	----	52 UNCH
5775	----	----	0.205B/*0.144A	0.205B/*0.144A	----	0.137 - 0.039	.0273	----	----	----	----	3 UNCH
5800	0.200	0.200	0.214B/*0.149A	0.214B/*0.149A	----	0.142 - 0.042	.0284	----	----	1	----	28 - 1
5825	----	----	0.224B/*0.155A	0.224B/*0.155A	----	0.148 - 0.043	.0297	----	----	----	----	4 UNCH
5850	----	----	0.235B/0.161A	0.235B/0.161A	----	0.154 - 0.045	.0309	----	----	----	----	114 UNCH
5875	----	----	0.246B/*0.169A	0.246B/*0.169A	----	0.161 - 0.047	.0324	----	----	----	----	4 UNCH
5900	----	----	0.257B/*0.174A	0.257B/*0.174A	----	0.168 - 0.049	.0338	----	----	----	----	11 UNCH
5925	----	----	0.273B/*0.184A	0.273B/*0.184A	----	0.175 - 0.051	.0353	----	----	----	----	2 UNCH
5950	0.354	0.354	0.354/*0.190A	0.354/*0.190A	----	0.183 - 0.053	.0369	----	----	1	----	3 + 1
5975	----	----	0.335B/*0.198A	0.335B/*0.198A	----	0.191 - 0.056	.0385	----	----	1	----	10 + 1
6000	0.349	0.349	0.416/0.188	0.416/0.188	----	0.199 - 0.059	.0402	----	----	81	----	784 + 5
6050	----	----	0.399B/*0.225A	0.399B/*0.225A	----	0.218 - 0.064	.0440	----	----	----	----	22 UNCH
6075	----	----	0.423B/*0.238A	0.423B/*0.238A	----	0.228 - 0.067	.0460	----	----	----	----	1 UNCH
6100	----	----	0.447B/0.247A	0.447B/0.247A	----	0.239 - 0.070	.0482	----	----	----	----	301 UNCH
6125	----	----	0.474B/*0.259A	0.474B/*0.259A	----	0.250 - 0.073	.0504	----	----	----	----	1 UNCH
6150	----	----	0.501B/*0.269A	0.501B/*0.269A	----	0.262 - 0.077	.0528	----	----	1	----	25 + 1
6175	----	----	0.531B/0.282A	0.531B/0.282A	----	0.275 - 0.080	.0553	----	----	----	----	16 UNCH
6200	0.400	0.400	0.561B/*0.278	0.561B/*0.278	----	0.289 - 0.083	.0580	----	----	35	----	192 + 12
6225	----	----	0.592B/*0.310A	0.592B/*0.310A	----	0.303 - 0.087	.0607	----	----	1	----	3 + 1
6250	0.560	0.560	0.675/0.323A	0.675/0.323A	----	0.318 - 0.091	.0636	----	----	18	----	24 - 6
6275	----	----	0.663B/*0.340A	0.663B/*0.340A	----	0.334 - 0.095	.0666	----	----	----	----	10 UNCH
6300	----	----	0.695B/*0.355A	0.695B/*0.355A	----	0.351 - 0.099	.0698	----	----	----	----	320 UNCH
6325	----	----	0.738B/*0.371A	0.738B/*0.371A	----	0.368 - 0.105	.0730	----	----	----	----	27 UNCH
6350	0.412	0.412	0.779B/*0.389A	0.779B/*0.389A	----	0.387 - 0.109	.0766	----	----	2	----	136 + 1
6375	----	----	0.821B/0.408A	0.821B/0.408A	----	0.407 - 0.114	.0802	----	----	----	----	13 UNCH
6400	----	----	0.855B/0.428A	0.855B/0.428A	----	0.428 - 0.119	.0840	----	----	10	----	211 + 10
6425	0.700	0.700	0.904B/*0.434A	0.904B/*0.434A	----	0.450 - 0.125	.0880	----	----	2	----	21 + 1
6450	0.753	0.753	0.957B/*0.457A	0.957B/*0.457A	----	0.473 - 0.131	.0922	----	----	2	----	34 + 2
6475	----	----	1.007B/0.481A	1.007B/0.481A	----	0.498 - 0.137	.0966	----	----	----	----	7 UNCH
6500	0.955	0.955	1.056B/0.507A	1.056B/0.507A	----	0.524 - 0.143	.1011	----	----	107	----	1135 + 56
6525	----	----	1.114B/0.534A	1.114B/0.534A	----	0.551 - 0.150	.1058	----	----	----	----	5 UNCH
6550	0.960	0.960	1.164B/0.563A	1.164B/0.563A	----	0.580 - 0.156	.1108	----	----	2	----	84 - 1
6575	----	----	1.226B/0.594A	1.226B/0.594A	----	0.610 - 0.163	.1159	----	----	1	----	18 UNCH
6600	1.050	1.050	1.281B/0.626A	1.281B/0.626A	----	0.642 - 0.170	.1212	----	----	24	----	62 - 13
6625	0.965	0.965	1.355B/0.659A	1.355B/0.659A	----	0.675 - 0.178	.1267	----	----	1	----	8 + 1
6650	1.160	1.160	1.421B/0.694A	1.421B/0.694A	----	0.710 - 0.186	.1324	----	----	1	----	134 UNCH
6675	1.020	1.020	1.483B/0.731A	1.483B/0.731A	----	0.747 - 0.194	.1384	----	----	1	----	9 + 1
6700	1.406	1.406	1.559B/0.771A	1.559B/0.771A	----	0.786 - 0.202	.1446	----	----	20	----	77 + 10
6725	1.165	1.165	1.630B/0.809A	1.630B/0.809A	----	0.827 - 0.210	.1510	----	----	1	----	3 + 1
6750	0.836	0.836	1.714B/0.836	1.714B/0.836	----	0.869 - 0.219	.1575	----	----	10	----	49 + 10
6775	1.280	1.280	1.752B/0.892A	1.752B/0.892A	----	0.914 - 0.227	.1644	----	----	1	----	15 - 1
6800	1.341	1.341	1.873B/0.936A	1.873B/0.936A	----	0.960 - 0.237	.1714	----	----	8	----	347 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
6825	1.404	1.404	1.960B/0.983A	1.960B/0.983A	----	1.009 - 0.245	.1786	----	----	2	----	7 UNCH
6850	----	----	2.040B/1.031A	2.040B/1.031A	----	1.060 - 0.255	.1861	----	----	----	----	17 UNCH
6875	1.539	1.539	2.141B/1.080A	2.141B/1.080A	----	1.114 - 0.263	.1938	----	----	1	----	113 - 1
6900	1.701	1.701	2.234B/1.135A	2.234B/1.135A	----	1.169 - 0.274	.2016	----	----	16	----	159 + 7
6925	1.686	1.686	2.315B/1.191A	2.315B/1.191A	----	1.228 - 0.282	.2098	----	----	1	----	46 + 1
6950	1.892	1.892	2.402B/1.250A	2.402B/1.250A	----	1.288 - 0.292	.2180	----	----	2	----	120 + 1
6975	----	----	2.502B/1.310A	2.502B/1.310A	----	1.351 - 0.302	.2265	----	----	8	----	10 + 7
7000	1.882	1.882	2.615B/1.370A	2.615B/1.370A	----	1.417 - 0.312	.2352	----	----	55	----	1082 - 19
7025	----	----	2.731B/1.435A	2.731B/1.435A	----	1.485 - 0.322	.2440	----	----	----	----	210 UNCH
7050	2.292	2.292	2.842B/1.509A	2.842B/1.509A	----	1.556 - 0.332	.2531	----	----	5	----	12 + 3
7075	----	----	2.955B/1.579A	2.955B/1.579A	----	1.629 - 0.343	.2623	----	----	----	----	7 UNCH
7100	2.232	2.232	2.976B/1.646A	2.976B/1.646A	----	1.706 - 0.353	.2717	----	----	16	----	74 + 6
7125	----	----	3.194B/1.729A	3.194B/1.729A	----	1.785 - 0.363	.2812	----	----	----	----	11 UNCH
7150	----	----	3.311B/1.801A	3.311B/1.801A	----	1.867 - 0.374	.2909	----	----	----	----	112 UNCH
7175	----	----	3.440B/1.885A	3.440B/1.885A	----	1.951 - 0.385	.3007	----	----	----	----	33 UNCH
7200	2.425	2.425	3.562B/1.953	3.562B/1.953	----	2.039 - 0.395	.3106	----	----	18	----	145 + 5
7225	----	----	3.682B/2.058A	3.682B/2.058A	----	2.130 - 0.406	.3207	----	----	----	----	4 UNCH
7250	3.707	3.707	3.826B/2.145A	3.826B/2.145A	----	2.223 - 0.417	.3309	----	----	3	----	202 UNCH
7275	----	----	3.971B/2.241A	3.971B/2.241A	----	2.319 - 0.428	.3411	----	----	----	----	3 UNCH
7300	2.895	2.895	4.117B/2.332A	4.117B/2.332A	----	2.419 - 0.438	.3515	----	----	34	----	76 - 5
7325	----	----	4.264B/2.434A	4.264B/2.434A	----	2.521 - 0.449	.3620	----	----	----	----	14 UNCH
7350	3.867	3.867	4.401B/2.536A	4.401B/2.536A	----	2.626 - 0.461	.3725	----	----	3	----	10 UNCH
7375	3.563	3.563	4.562B/2.639A	4.562B/2.639A	----	2.735 - 0.471	.3831	----	----	14	----	120 + 3
7400	3.697	3.697	4.711B/2.746A	4.711B/2.746A	----	2.846 - 0.482	.3937	----	----	16	----	136 UNCH
7425	3.753	3.753	4.876B/2.858A	4.876B/2.858A	----	2.960 - 0.493	.4043	----	----	15	----	27 + 15
7450	3.952	3.952	5.028B/2.967A	5.028B/2.967A	----	3.078 - 0.504	.4150	----	----	6	----	98 + 5
7475	4.114	4.114	5.183B/3.089A	5.183B/3.089A	----	3.198 - 0.515	.4257	----	----	1	----	13 UNCH
7500	4.340	4.340	5.271B/3.206A	5.271B/3.206A	----	3.321 - 0.526	.4364	----	----	5	----	211 + 1
7525	----	----	5.230B/3.330A	5.230B/3.330A	----	3.448 - 0.536	.4471	----	----	----	----	26 UNCH
7550	----	----	5.021B/3.455A	5.021B/3.455A	----	3.577 - 0.547	.4578	----	----	5	----	37 + 5
7575	3.754	3.754	5.192B/3.582A	5.192B/3.582A	----	3.709 - 0.558	.4685	----	----	14	----	23 + 14
7600	4.300	4.300	5.328B/3.712A	5.328B/3.712A	----	3.844 - 0.569	.4791	----	----	17	----	44 + 14
7625	----	----	5.495B/3.845A	5.495B/3.845A	----	3.983 - 0.578	.4896	----	----	----	----	40 UNCH
7650	----	----	5.664B/3.982A	5.664B/3.982A	----	4.123 - 0.590	.5001	----	----	----	----	67 UNCH
7675	----	----	5.836B/4.121A	5.836B/4.121A	----	4.267 - 0.601	.5106	----	----	----	----	37 UNCH
7700	----	----	6.017B/4.266A	6.017B/4.266A	----	4.414 - 0.611	.5209	----	----	5	----	238 + 5
7725	----	----	6.188B/4.410A	6.188B/4.410A	----	4.563 - 0.622	.5312	----	----	----	----	35 UNCH
7750	----	----	6.374B/4.559A	6.374B/4.559A	----	4.716 - 0.632	.5414	----	----	----	----	24 UNCH
7775	----	----	6.555B/4.710A	6.555B/4.710A	----	4.870 - 0.643	.5514	----	----	----	----	5 UNCH
7800	6.184	6.184	6.739B/4.860A	6.739B/4.860A	----	5.028 - 0.652	.5614	----	----	9	----	110 + 6
7825	5.005	5.005	6.926B/5.005	6.926B/5.005	----	5.188 - 0.663	.5713	----	----	2	----	27 + 2
7850	----	----	7.114B/5.179A	7.114B/5.179A	----	5.351 - 0.672	.5810	----	----	----	----	35 UNCH
7875	----	----	7.305B/5.340A	7.305B/5.340A	----	5.516 - 0.682	.5906	----	----	----	----	26 UNCH
7900	----	----	7.498B/5.503A	7.498B/5.503A	----	5.684 - 0.691	.6000	----	----	----	----	28 UNCH
7925	----	----	7.693B/5.668A	7.693B/5.668A	----	5.854 - 0.701	.6094	----	----	----	----	2 UNCH
7950	----	----	7.890B/5.838A	7.890B/5.838A	----	6.026 - 0.711	.6186	----	----	----	----	4 UNCH
7975	----	----	8.088B/6.009A	8.088B/6.009A	----	6.201 - 0.720	.6276	----	----	----	----	5 UNCH
8000	7.592	7.592	8.419B/6.147	8.419B/6.147	----	6.378 - 0.728	.6365	----	----	3	----	273 - 2
8050	7.978	7.978	8.825B/6.569A	8.825B/6.569A	----	6.739 - 0.745	.6539	----	----	1	----	1 UNCH
8075	----	----	8.895B/6.746A	8.895B/6.746A	----	6.922 - 0.754	.6622	----	----	----	----	10 UNCH
8100	----	----	9.102B/6.931A	9.102B/6.931A	----	7.108 - 0.762	.6705	----	----	----	----	48 UNCH
8125	----	----	9.311B/7.112A	9.311B/7.112A	----	7.296 - 0.769	.6787	----	----	----	----	7 UNCH
8150	----	----	9.522B/7.299A	9.522B/7.299A	----	7.486 - 0.776	.6866	----	----	----	----	2 UNCH
8175	----	----	9.734B/7.487A	9.734B/7.487A	----	7.677 - 0.784	.6944	----	----	----	----	4 UNCH
8200	----	----	9.953B/7.681A	9.953B/7.681A	----	7.871 - 0.792	.7020	----	----	----	----	23 UNCH
8225	----	----	10.162B/7.874A	10.162B/7.874A	----	8.066 - 0.800	.7094	----	----	1	----	17 UNCH
8250	----	----	10.378B/8.072A	10.378B/8.072A	----	8.263 - 0.809	.7168	----	----	1	----	90 + 1
8275	----	----	10.596B/8.267A	10.596B/8.267A	----	8.462 - 0.817	.7239	----	----	----	----	15 UNCH
8300	----	----	10.814B/8.458A	10.814B/8.458A	----	8.663 - 0.824	.7308	----	----	----	----	130 UNCH
8325	----	----	11.034B/8.663A	11.034B/8.663A	----	8.865 - 0.830	.7376	----	----	----	----	1 UNCH
8350	----	----	11.255B/8.864A	11.255B/8.864A	----	9.068 - 0.836	.7443	----	----	----	----	20 UNCH
8375	----	----	11.477B/9.068A	11.477B/9.068A	----	9.274 - 0.840	.7507	----	----	----	----	4 UNCH
8400	----	----	11.701B/9.270A	11.701B/9.270A	----	9.480 - 0.846	.7571	----	----	----	----	13 UNCH
8425	----	----	11.925B/9.478A	11.925B/9.478A	----	9.689 - 0.851	.7632	----	----	----	----	4 UNCH
8450	----	----	12.150B/9.683A	12.150B/9.683A	----	9.898 - 0.857	.7692	----	----	----	----	33 UNCH
8475	----	----	12.376B/9.892A	12.376B/9.892A	----	10.109 - 0.862	.7751	----	----	----	----	1 UNCH
8500	----	----	12.604B/10.103A	12.604B/10.103A	----	10.321 - 0.868	.7808	----	----	----	----	168 UNCH
8525	----	----	12.831B/10.307A	12.831B/10.307A	----	10.535 - 0.873	.7864	----	----	----	----	4 UNCH
8550	----	----	13.060B/10.525A	13.060B/10.525A	----	10.749 - 0.879	.7918	----	----	----	----	37 UNCH
8575	----	----	13.290B/10.739A	13.290B/10.739A	----	10.965 - 0.884	.7971	----	----	----	----	1 UNCH
8600	----	----	13.520B/10.949A	13.520B/10.949A	----	11.182 - 0.889	.8022	----	----	2	----	75 - 2
8625	----	----	13.751B/11.172A	13.751B/11.172A	----	11.400 - 0.894	.8073	----	----	----	----	7 UNCH
8650	----	----	13.983B/11.385A	13.983B/11.385A	----	11.619 - 0.898	.8121	----	----	----	----	1 UNCH
8675	----	----	14.215B/11.607A	14.215B/11.607A	----	11.840 - 0.901	.8168	----	----	----	----	1 UNCH
8700	----	----	14.448B/11.829A	14.448B/11.829A	----	12.061 - 0.905	.8215	----	----	2	----	11 UNCH
8725	----	----	14.682B/12.047A	14.682B/12.047A	----	12.283 - 0.909	.8259	----	----	----	----	1 UNCH
8800	----	----	15.387B/12.717A	15.387B/12.717A	----	12.955 - 0.920	.8386	----	----	----	----	59 UNCH
8850	----	----	15.859B/13.164A	15.859B/13.164A	----	13.407 - 0.927	.8465	----	----	----	----	1 UNCH
8900	----	----	16.333B/13.617A	16.333B/13.617A	----	13.863 - 0.933	.8539	----	----	----	----	2 UNCH
8975	----	----	17.048B/14.302A	17.048B/14.302A	----	14.551 - 0.943	.8642	----	----	----	----	2 UNCH
9000	----	----	17.287B/14.533A	17.287B/14.533A	----	14.782 - 0.945	.8674	----	----	----	----	320 UNCH
9025	----	----	17.527B/14.762A	17.527B/14.762A	----	15.014 - 0.948	.8705	----	----	----	----	1 UNCH
9175	----	----	18.970B/16.156A	18.970B/16.156A	----	16.416 - 0.960	.8874	----	----	----	----	1 UNCH
9200	----	----	19.211B/16.391A	19.211B/16.391A	----	16.652 - 0.961	.8901	----	----	----	----	11 UNCH
9250	----	----	19.695B/16.862A	19.695B/16.862A	----	17.124 - 0.964	.8950	----	----	----	----	1 UNCH
9275	----	----	19.938B/17.095A	19.938B/17.095A	----	17.360 - 0.966	.8973	----	----	----	----	1 UNCH
9300	----	----	20.180B/17.331A	20.180B/17.331A	----	17.597 - 0.968	.8996	----	----	----	----	5 UNCH
9400	----	----	21.153B/18.281A	21.153B/18.281A	----	18.547 - 0.975	.9084	----	----	----	----	1 UNCH
9450	----	----	21.640B/18.757A	21.640B/18.757A	----	19.023 - 0.979	.9125	----	----	----	----	12 UNCH
9500	21.423	21.423	22.128B/19.235A	22.128B/19.235A	----	19.500 - 0.983	.9165	----	----	1	----	217 UNCH
9600	----	----	23.106B/20.205A	23.106B/20.205A	----	20.459 - 0.990	.9239	----	----	----	----	50 UNCH
9775	----	----	24.823B/21.896A	24.823B/21.896A	----	22.156 - 0.991	.9335	----	----	----	----	5 UNCH
9900	----	----	26.053B/23.111A	26.053B/23.111A	----	23.375 - 0.990	.9393	----	----	----	----	6 UNCH
9950	----	----	26.545B/23.598A	26.545B/23.598A	----	23.863 - 0.990	.9416	----	----	----	----	5 UNCH
10000	----	----	27.038B/24.087A	27.038B/24.087A	----	24.351 - 0.991	.9437	----	----	----	----	225 UNCH
10275	----	----	29.222B/26.778A	29.222B/26.778A	----	27.042 - 0.998	.9542	----	----	----	----	7 UNCH
10500	----	----	31.449B/28.983A	31.449B/28.983A	----	29.257 - 0.998	.9606	----	----	----	----	3 UNCH
10600	----	----	32.441B/29.977A	32.441B/29.977A	----	30.244 - 0.998	.9630	----	----	----	----	9 UNCH
10800	----	----	34.424B/31.951A	34.424B/31.951A	----	32.221 - 0.998	.9672	----	----	----	----	1 UNCH
11000	----	----	36.493B/33.921A	36.493B/33.921A	----	34.199 - 1.000	.9710	----	----	1	----	250 UNCH
11300	----	----	39.396B/36.900A	39.396B/36.900A	----	37.173 - 1.001	.9756	----	----	----	----	10 UNCH
11500	----	----	41.391B/38.885A	41.391B/38.885A	----	39.159 - 1.001	.9782	----	----	----	----	1 UNCH
12000	----	----	46.369B/43.969A	46.369B/43.969A	----	44.131 - 1.004	.9832	----	----	----	----	19 UNCH
13000	----	----	56.352B/53.935A	56.352B/53.935A	----	54.099 - 1.010	.9896	----	----	----	----	1 - 4
TOTAL										653	0	15544 + 172
AUG26												
3300	----	----	----	0.001B/0.199A	----	0.039 - 0.001	.0040	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/0.099A	----	0.046 - 0.001	.0057	----	----	----	----	1 UNCH
4000	----	----	----	0.001B/0.091A	----	0.047 - 0.001	.0060	----	----	----	----	1 UNCH
4175	----	----	----	0.032B/*0.113A	----	0.057 - 0.004	.0074	----	----	----	----	1 UNCH
4300	----	----	----	0.041B/0.118A	----	0.066 - 0.006	.0087	----	----	----	----	1 UNCH
4350	----	----	----	0.045B/*0.121A	----	0.069 - 0.008	.0092	----	----	----	----	1 UNCH
4375	----	----	----	0.047B/*0.111A	----	0.071 - 0.009	.0095	----	----	----	----	160 UNCH
4400	----	----	----	0.051B/*0.113A	----	0.073 - 0.009	.0098	----	----	----	----	1 UNCH
4450	----	----	----	0.057B/*0.119A	----	0.077 - 0.011	.0104	----	----	----	----	1 UNCH
4500	----	----	----	0.062B/0.102A	----	0.082 - 0.011	.0111	----	----	----	----	7 UNCH
4600	----	----	----	0.074B/*0.135A	----	0.091 - 0.015	.0125	----	----	----	----	4 UNCH
4625	----	----	----	0.078B/*0.139A	----	0.094 - 0.016	.0129	----	----	----	----	1 UNCH
4700	----	----	----	0.089B/*0.149A	----	0.102 - 0.019	.0141	----	----	----	----	9 UNCH
4775	----	----	----	0.102B/*0.160A	----	0.111 - 0.022	.0155	----	----	----	----	2 UNCH
4800	----	----	----	0.106B/0.164A	----	0.115 - 0.022	.0160	----	----	----	----	10 UNCH
4825	----	----	----	0.111B/*0.168A	----	0.118 - 0.024	.0165	----	----	----	----	1 UNCH
5000	0.140	0.140	0.140/*0.120	0.151B/*0.120	----	0.147 - 0.031	.0208	----	----	101	----	46 - 62
5275	----	----	----	0.241B/*0.267A	----	0.212 - 0.046	.0302	----	----	----	----	1 UNCH
5300	----	----	----	0.252B/*0.275A	----	0.219 - 0.048	.0312	----	----	----	----	2 UNCH
5400	----	----	----	0.299B/0.308A	----	0.252 - 0.055	.0359	----	----	----	----	4 UNCH
5425	----	----	----	0.312B/*0.318A	----	0.261 - 0.057	.0372	----	----	----	----	1 UNCH
5500	0.328	0.328	0.359B/*0.305	0.359B/*0.305	----	0.291 - 0.062	.0414	----	----	3	----	165 + 2
5600	----	----	0.431B/*0.352A	0.431B/*0.352A	----	0.336 - 0.070	.0476	----	----	----	----	1 UNCH
5675	----	----	0.485B/*0.392A	0.485B/*0.392A	----	0.375 - 0.076	.0529	----	----	----	----	9 UNCH
5700	----	----	0.506B/*0.403A	0.506B/*0.403A	----	0.389 - 0.078	.0547	----	----	----	----	7 UNCH
5750	----	----	0.643B/*0.432A	0.643B/*0.432A	----	0.419 - 0.083	.0587	----	----	----	----	2 UNCH
5775	----	----	0.670B/*0.450A	0.670B/*0.450A	----	0.434 - 0.086	.0607	----	----	----	----	2 UNCH
5800	----	----	0.699B/*0.466A	0.699B/*0.466A	----	0.451 - 0.088	.0630	----	----	3	----	13 + 3
5850	----	----	0.757B/*0.498A	0.757B/*0.498A	----	0.485 - 0.093	.0674	----	----	----	----	7 UNCH
5875	----	----	0.786B/*0.516A	0.786B/*0.516A	----	0.503 - 0.097	.0698	----	----	----	----	4 UNCH
5900	0.702	0.702	0.816B/*0.537A	0.816B/*0.537A	----	0.522 - 0.099	.0722	----	----	1	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
5925	----	----	0.837B/*0.559A	0.837B/*0.559A	----	0.542 - 0.102	.0748	----	----	----	----	6 UNCH
5950	----	----	0.891B/*0.577A	0.891B/*0.577A	----	0.563 - 0.105	.0774	----	----	----	----	10 UNCH
6000	----	----	0.966B/0.620A	0.966B/0.620A	----	0.607 - 0.111	.0830	----	----	3	----	287 + 2
6025	0.806	0.806	1.006B/*0.645A	1.006B/*0.645A	----	0.630 NEW	.0858	----	----	5	----	4 + 4
6050	0.886	0.886	1.027B/*0.669A	1.027B/*0.669A	----	0.655 - 0.117	.0889	----	----	1	----	25 UNCH
6100	----	----	1.134B/*0.710A	1.134B/*0.710A	----	0.706 - 0.125	.0951	----	----	16	----	59 + 16
6125	0.852	0.852	1.177B/*0.738A	1.177B/*0.738A	----	0.734 NEW	.0985	----	----	6	----	5 + 5
6150	1.018	1.018	1.225B/0.765A	1.225B/0.765A	----	0.762 - 0.132	.1018	----	----	1	----	28 - 1
6175	----	----	1.273B/0.793A	1.273B/0.793A	----	0.792 - 0.135	.1053	----	----	----	----	12 UNCH
6200	----	----	1.322B/0.825A	1.322B/0.825A	----	0.823 - 0.139	.1089	----	----	5	----	216 UNCH
6225	----	----	1.373B/0.853A	1.373B/0.853A	----	0.855 - 0.142	.1127	----	----	----	----	10 UNCH
6250	----	----	1.426B/0.887A	1.426B/0.887A	----	0.889 - 0.146	.1165	----	----	----	----	113 UNCH
6275	1.228	1.228	1.480B/0.920A	1.480B/0.920A	----	0.923 - 0.150	.1204	----	----	1	----	2 + 1
6300	1.360	1.360	1.535B/0.954A	1.535B/0.954A	----	0.959 - 0.154	.1244	----	----	22	----	152 + 14
6325	1.432	1.432	1.594B/0.991A	1.594B/0.991A	----	0.997 - 0.158	.1286	----	----	1	----	1 UNCH
6350	1.375	1.375	1.653B/1.028A	1.653B/1.028A	----	1.035 - 0.163	.1328	----	----	1	----	34 UNCH
6375	1.428	1.428	1.715B/1.066A	1.715B/1.066A	----	1.075 NEW	.1372	----	----	1	----	1 + 1
6400	1.484	1.484	1.777B/1.106A	1.777B/1.106A	----	1.117 - 0.171	.1417	----	----	3	----	95 + 1
6425	1.652	1.652	1.839B/1.151A	1.839B/1.151A	----	1.160 - 0.176	.1463	----	----	2	----	7 + 1
6450	1.561	1.561	1.907B/1.192A	1.907B/1.192A	----	1.204 - 0.181	.1509	----	----	2	----	36 + 1
6475	1.620	1.620	1.976B/1.232A	1.976B/1.232A	----	1.250 NEW	.1557	----	----	1	----	1 + 1
6500	1.836	1.836	2.049B/1.276A	2.049B/1.276A	----	1.297 - 0.192	.1606	----	----	15	----	194 - 11
6525	----	----	2.124B/1.329A	2.124B/1.329A	----	1.346 - 0.197	.1656	----	----	----	----	2 UNCH
6550	1.399	1.399	2.196B/1.375A	2.196B/1.375A	----	1.396 - 0.203	.1706	----	----	1	----	1 - 1
6575	2.005	2.005	2.272B/1.430A	2.272B/1.430A	----	1.449 - 0.208	.1759	----	----	40	----	51 + 39
6600	----	----	2.355B/1.478A	2.355B/1.478A	----	1.502 - 0.215	.1811	----	----	----	----	66 UNCH
6625	2.003	2.003	2.434B/1.540A	2.434B/1.540A	----	1.558 - 0.220	.1866	----	----	1	----	2 + 1
6650	1.812	1.812	2.522B/1.589A	2.522B/1.589A	----	1.615 - 0.227	.1920	----	----	2	----	10 + 1
6675	----	----	2.612B/1.648A	2.612B/1.648A	----	1.675 - 0.232	.1977	----	----	----	----	1 UNCH
6700	2.434	2.434	2.702B/1.708A	2.702B/1.708A	----	1.736 - 0.239	.2034	----	----	22	----	25 + 18
6725	2.518	2.518	2.791B/1.771A	2.791B/1.771A	----	1.799 - 0.245	.2092	----	----	5	----	11 + 3
6750	2.605	2.605	2.872B/1.835A	2.872B/1.835A	----	1.864 - 0.251	.2151	----	----	1	----	7 + 1
6775	2.694	2.694	2.979B/1.907A	2.979B/1.907A	----	1.931 - 0.258	.2211	----	----	1	----	16 + 1
6800	----	----	3.080B/1.969A	3.080B/1.969A	----	2.001 - 0.263	.2273	----	----	90	----	152 + 64
6825	----	----	3.130B/2.038A	3.130B/2.038A	----	2.072 - 0.270	.2335	----	----	----	----	10 UNCH
6850	----	----	3.285B/2.109A	3.285B/2.109A	----	2.145 - 0.276	.2398	----	----	----	----	2 UNCH
6875	----	----	3.384B/2.182A	3.384B/2.182A	----	2.221 - 0.282	.2462	----	----	2	----	2 + 2
6900	----	----	3.473B/2.257A	3.473B/2.257A	----	2.299 - 0.288	.2526	----	----	2	----	21 + 2
6950	----	----	3.706B/2.419A	3.706B/2.419A	----	2.461 - 0.302	.2658	----	----	----	----	32 UNCH
6975	----	----	3.823B/2.505A	3.823B/2.505A	----	2.545 - 0.308	.2724	----	----	----	----	5 UNCH
7000	2.880	2.880	3.930B/2.586A	3.930B/2.586A	----	2.631 - 0.316	.2792	----	----	125	----	388 + 72
7050	----	----	4.169B/2.760A	4.169B/2.760A	----	2.810 - 0.331	.2928	----	----	----	----	13 UNCH
7075	----	----	4.282B/2.852A	4.282B/2.852A	----	2.903 - 0.338	.2997	----	----	----	----	12 UNCH
7100	3.948	3.948	4.411B/2.942A	4.411B/2.942A	----	2.998 - 0.346	.3067	----	----	6	----	22 + 4
7125	----	----	4.544B/3.042A	4.544B/3.042A	----	3.095 - 0.355	.3137	----	----	----	----	20 UNCH
7150	----	----	4.668B/3.133A	4.668B/3.133A	----	3.194 - 0.364	.3207	----	----	----	----	5 UNCH
7175	----	----	4.801B/3.238A	4.801B/3.238A	----	3.296 - 0.372	.3278	----	----	----	----	10 UNCH
7200	----	----	4.930B/3.335A	4.930B/3.335A	----	3.399 - 0.382	.3349	----	----	----	----	101 UNCH
7225	----	----	5.079B/3.443A	5.079B/3.443A	----	3.505 - 0.391	.3421	----	----	----	----	11 UNCH
7250	----	----	5.208B/3.547A	5.208B/3.547A	----	3.614 - 0.400	.3492	----	----	----	----	9 UNCH
7275	----	----	5.350B/3.656A	5.350B/3.656A	----	3.725 - 0.408	.3564	----	----	----	----	10 UNCH
7300	4.553	4.553	5.494B/3.763A	5.494B/3.763A	----	3.838 - 0.417	.3636	----	----	1	----	111 UNCH
7325	5.212	5.212	5.639B/3.880A	5.639B/3.880A	----	3.954 NEW	.3709	----	----	1	----	1 + 1
7350	----	----	5.782B/3.987A	5.782B/3.987A	----	4.071 - 0.434	.3781	----	----	----	----	8 UNCH
7400	----	----	6.079B/4.225A	6.079B/4.225A	----	4.313 - 0.450	.3926	----	----	----	----	25 UNCH
7425	----	----	6.231B/4.350A	6.231B/4.350A	----	4.437 - 0.458	.3998	----	----	----	----	1 UNCH
7450	----	----	6.388B/4.473A	6.388B/4.473A	----	4.563 - 0.465	.4070	----	----	----	----	1 UNCH
7475	5.516	5.516	6.556B/4.598A	6.556B/4.598A	----	4.690 - 0.473	.4142	----	----	6	----	6 + 5
7500	5.909	5.909	6.696B/4.721A	6.696B/4.721A	----	4.819 - 0.481	.4214	----	----	1	----	112 UNCH
7525	----	----	6.857B/4.855A	6.857B/4.855A	----	4.950 - 0.488	.4286	----	----	----	----	11 UNCH
7550	----	----	7.013B/4.986A	7.013B/4.986A	----	5.083 - 0.495	.4357	----	----	----	----	18 UNCH
7575	6.524	6.524	7.177B/5.119A	7.177B/5.119A	----	5.218 - 0.502	.4429	----	----	2	----	2 + 1
7600	----	----	7.350B/5.256A	7.350B/5.256A	----	5.355 - 0.510	.4500	----	----	----	----	6 UNCH
7625	----	----	7.515B/5.392A	7.515B/5.392A	----	5.494 - 0.518	.4571	----	----	----	----	1 UNCH
7650	----	----	7.686B/5.530A	7.686B/5.530A	----	5.635 - 0.527	.4641	----	----	----	----	16 UNCH
7675	----	----	7.857B/5.674A	7.857B/5.674A	----	5.779 - 0.535	.4711	----	----	----	----	44 UNCH
7700	7.315	7.315	8.029B/5.817A	8.029B/5.817A	----	5.924 - 0.546	.4781	----	----	2	----	163 + 2
7725	----	----	8.199B/5.962A	8.199B/5.962A	----	6.072 - 0.556	.4850	----	----	----	----	56 UNCH
7750	7.316	7.316	8.116B/6.110A	8.116B/6.110A	----	6.222 - 0.564	.4919	----	----	1	----	1 UNCH
7775	7.481	7.481	8.297B/6.260A	8.297B/6.260A	----	6.374 - 0.570	.4988	----	----	1	----	1 - 1
7800	----	----	8.480B/6.411A	8.480B/6.411A	----	6.528 - 0.575	.5055	----	----	----	----	25 UNCH
7825	----	----	8.657B/6.566A	8.657B/6.566A	----	6.683 - 0.582	.5123	----	----	----	----	1 UNCH
7850	----	----	8.650B/6.718A	8.650B/6.718A	----	6.840 - 0.589	.5189	----	----	----	----	18 UNCH
7875	7.050	7.050	8.668B/6.877A	8.668B/6.877A	----	6.999 NEW	.5256	----	----	1	----	1 + 1
7900	----	----	8.676B/7.027A	8.676B/7.027A	----	7.160 - 0.603	.5321	----	----	----	----	9 UNCH
7925	----	----	8.661B/7.182A	8.661B/7.182A	----	7.322 - 0.611	.5386	----	----	----	----	2 UNCH
7950	----	----	9.032B/7.348A	9.032B/7.348A	----	7.486 - 0.619	.5451	----	----	----	----	61 UNCH
7975	----	----	9.008B/7.507A	9.008B/7.507A	----	7.652 - 0.627	.5514	----	----	----	----	2 UNCH
8000	----	----	9.390B/7.674A	9.390B/7.674A	----	7.819 - 0.636	.5578	----	----	----	----	296 UNCH
8025	----	----	9.992B/7.844A	9.992B/7.844A	----	7.988 - 0.643	.5640	----	----	----	----	1 UNCH
8100	----	----	10.159B/8.352A	10.159B/8.352A	----	8.506 - 0.664	.5823	----	----	----	----	10 UNCH
8125	----	----	10.117B/8.521A	10.117B/8.521A	----	8.682 - 0.670	.5883	----	----	----	----	1 UNCH
8150	----	----	10.538B/8.703A	10.538B/8.703A	----	8.859 - 0.676	.5942	----	----	----	----	14 UNCH
8175	----	----	10.558B/8.879A	10.558B/8.879A	----	9.038 - 0.681	.6000	----	----	----	----	1 UNCH
8200	----	----	10.928B/9.056A	10.928B/9.056A	----	9.218 - 0.687	.6058	----	----	----	----	10 UNCH
8225	----	----	10.886B/9.382A	10.886B/9.382A	----	9.400 - 0.692	.6115	----	----	----	----	4 UNCH
8250	----	----	11.316B/9.546A	11.316B/9.546A	----	9.583 - 0.697	.6171	----	----	----	----	10 UNCH
8275	----	----	11.273B/9.618A	11.273B/9.618A	----	9.767 - 0.703	.6227	----	----	----	----	5 UNCH
8300	----	----	11.454B/9.803A	11.454B/9.803A	----	9.952 - 0.710	.6282	----	----	----	----	1 UNCH
8325	----	----	11.670B/10.395A	11.670B/10.395A	----	10.138 - 0.717	.6336	----	----	----	----	5 UNCH
8400	----	----	12.262B/10.976A	12.262B/10.976A	----	10.702 - 0.739	.6496	----	----	----	----	1 UNCH
8425	----	----	12.452B/11.170A	12.452B/11.170A	----	10.892 - 0.746	.6548	----	----	----	----	1 UNCH
8475	----	----	12.854B/11.561A	12.854B/11.561A	----	11.275 - 0.756	.6650	----	----	----	----	1 UNCH
8500	----	----	13.067B/11.410A	13.067B/11.410A	----	11.468 - 0.762	.6700	----	----	----	----	22 UNCH
8600	----	----	13.904B/12.268A	13.904B/12.268A	----	12.254 - 0.786	.6893	----	----	----	----	3 UNCH
8650	----	----	14.301B/12.964A	14.301B/12.964A	----	12.655 - 0.796	.6984	----	----	----	----	1 UNCH
8700	----	----	14.753B/13.354A	14.753B/13.354A	----	13.060 - 0.806	.7073	----	----	----	----	2 UNCH
8825	----	----	15.822B/14.409A	15.822B/14.409A	----	14.091 - 0.828	.7282	----	----	----	----	4 UNCH
8850	----	----	16.048B/14.630A	16.048B/14.630A	----	14.300 - 0.832	.7322	----	----	----	----	1 UNCH
8900	----	----	16.466B/15.048A	16.466B/15.048A	----	14.720 - 0.841	.7400	----	----	----	----	24 UNCH
9000	----	----	17.403B/15.902A	17.403B/15.902A	----	15.569 - 0.856	.7549	----	----	----	----	63 UNCH
9025	----	----	17.577B/16.122A	17.577B/16.122A	----	15.783 - 0.860	.7585	----	----	----	----	4 UNCH
9150	----	----	18.686B/17.213A	18.686B/17.213A	----	16.864 - 0.878	.7755	----	----	----	----	4 UNCH
9175	----	----	18.912B/17.434A	18.912B/17.434A	----	17.082 - 0.881	.7788	----	----	----	----	1 UNCH
9200	----	----	19.139B/17.654A	19.139B/17.654A	----	17.301 - 0.884	.7819	----	----	----	----	1 UNCH
9225	----	----	19.367B/17.875A	19.367B/17.875A	----	17.520 - 0.888	.7850	----	----	----	----	1 UNCH
9275	----	----	19.822B/18.318A	19.822B/18.318A	----	17.961 - 0.894	.7912	----	----	----	----	5 UNCH
9300	----	----	20.051B/18.541A	20.051B/18.541A	----	18.183 - 0.897	.7941	----	----	----	----	1 UNCH
9325	----	----	20.283B/18.766A	20.283B/18.766A	----	18.404 - 0.901	.7970	----	----	----	----	11 UNCH
9350	----	----	20.510B/18.989A	20.510B/18.989A	----	18.627 - 0.903	.7999	----	----	----	----	4 UNCH
9500	----	----	21.925B/----	21.925B/21.201A	----	19.974 - 0.919	.8161	----	----	----	----	31 UNCH
9975	----	----	26.376B/----	26.376B/25.666A	----	24.343 - 0.955	.8576	----	----	----	----	1 UNCH
10000	----	----	26.617B/----	26.617B/25.902A	----	24.576 - 0.957	.8594	----	----	----	----	7 UNCH
10025	----	----	26.853B/----	26.853B/26.139A	----	24.810 - 0.958	.8612	----	----	----	----	1 UNCH
10175	----	----	28.293B/----	28.293B/27.563A	----	26.218 - 0.966	.8714	----	----	----	----	15 UNCH
TOTAL										508	0	4061 + 194
SEP26												
2500	----	----	----	----/0.386A	----	0.004 UNCH	.0004	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/0.351A	----	0.014 - 0.002	.0016	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/0.235A	----	0.041 - 0.006	.0046	----	----	----	----	74 UNCH
4000	----	----	----	0.052B/0.154A	----	0.092 - 0.011	.0103	----	----	----	----	45 UNCH
4500	----	----	----	0.134B/*0.229A	----	0.174 - 0.022	.0197	----	----	----	----	10 UNCH
4525	----	----	----	0.140B/*0.235A	----	0.179 - 0.023	.0203	----	----	----	----	3 UNCH
4800	----	----	----/*0.270A	0.219B/*0.270A	----	0.247 NEW	.0282	----	----	2	----	2 + 2
5000	----	----	----	0.301B/*0.372A	----	0.311 - 0.038	.0357	----	----	----	----	237 UNCH
5100	----	----	----	0.351B/*0.412A	----	0.349 - 0.043	.0401	----	----	----	----	1 UNCH
5200	----	----	----	0.410B/*0.454A	----	0.392 NEW	.0450	----	----	1	----	1 + 1
5400	----	----	0.561B/----	0.561B/*0.566A	----	0.498 - 0.060	.0569	----	----	1	----	2 + 1
5475	----	----	0.633B/----	0.633B/*0.615A	----	0.545 - 0.066	.0621	----	----	----	----	3 UNCH
5500	----	----	0.657B/----	0.657B/*0.633A	----	0.562 - 0.068	.0639	----	----	----	----	232 UNCH
5600	----	----	0.748B/*0.706A	0.748B/*0.706A	----	0.636 - 0.076	.0719	----	----	----	----	3 UNCH
5700	----	----	----/*0.792A	0.749B/*0.792A	----	0.722 - 0.084	.0808	----	----	----	----	7 UNCH
5750	----	----	----/*0.839A	0.750B/*0.839A	----	0.769 - 0.090	.0857	----	----	----	----	1 UNCH
5800	----	----	----/*0.886A	0.826B/*0.886A	----	0.822 - 0.099	.0910	----	----	----	----	8 UNCH
5850	----	----	----	0.908B/1.115A	----	0.881 - 0.111	.0967	----	----	----	----	1 UNCH
5900	----	----	----	1.014B/1.171A	----	0.942 - 0.122	.1025	----	----	----	----	50 UNCH
6000	1.200	1.200	1.329B/1.076	1.329B/1.076	----	1.074 - 0.132	.1150	----	----	20	----	861 + 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
6050	----	----	1.357B/----	1.357B/1.385A	----	1.145 - 0.136	.1216	----	----	----	----	15 UNCH
6200	----	----	1.582B/----	1.582B/1.569A	----	1.387 - 0.157	.1433	----	----	----	----	40 UNCH
6300	----	----	1.811B/1.609A	1.811B/1.609A	----	1.575 - 0.177	.1594	----	----	----	----	5 UNCH
6400	----	----	2.103B/----	2.103B/2.000A	----	1.787 - 0.201	.1767	----	----	----	----	4 UNCH
6425	----	----	2.138B/----	2.138B/2.059A	----	1.844 - 0.206	.1813	----	----	----	----	3 UNCH
6450	----	----	2.208B/----	2.208B/2.120A	----	1.902 - 0.213	.1859	----	----	----	----	1 UNCH
6500	----	----	2.600B/----	2.600B/2.249A	----	2.024 - 0.225	.1953	----	----	----	----	152 UNCH
6550	----	----	2.543B/2.383A	2.543B/2.383A	----	2.153 - 0.236	.2050	----	----	----	----	15 UNCH
6700	----	----	3.147B/2.824A	3.147B/2.824A	----	2.583 - 0.268	.2358	----	----	----	----	5 UNCH
6750	3.777	3.777	3.777/2.986A	3.777/2.986A	----	2.741 NEW	.2465	----	----	1	----	1 + 1
6800	3.695	3.695	3.695/3.158A	3.695/3.158A	----	2.907 - 0.289	.2574	----	----	1	----	12 + 1
6850	----	----	3.734B/3.336A	3.734B/3.336A	----	3.079 - 0.302	.2685	----	----	----	----	2 UNCH
6900	----	----	4.016B/3.507A	4.016B/3.507A	----	3.260 - 0.314	.2798	----	----	----	----	24 UNCH
7000	3.950	3.950	4.950/3.900A	4.950/3.900A	----	3.643 - 0.345	.3028	----	----	4	----	139 UNCH
7025	----	----	4.557B/4.005A	4.557B/4.005A	----	3.743 - 0.354	.3086	----	----	----	----	1 UNCH
7100	----	----	4.986B/4.315A	4.986B/4.315A	----	4.057 - 0.380	.3262	----	----	----	----	18 UNCH
7125	----	----	5.055B/4.433A	5.055B/4.433A	----	4.165 - 0.390	.3322	----	----	----	----	25 UNCH
7175	----	----	5.318B/4.658A	5.318B/4.658A	----	4.388 - 0.409	.3440	----	----	----	----	20 UNCH
7200	----	----	5.580B/4.776A	5.580B/4.776A	----	4.503 - 0.417	.3500	----	----	----	----	77 UNCH
7300	----	----	6.147B/5.263A	6.147B/5.263A	----	4.982 - 0.451	.3738	----	----	----	----	171 UNCH
7400	----	----	6.683B/5.770A	6.683B/5.770A	----	5.495 - 0.480	.3975	----	----	----	----	26 UNCH
7500	----	----	7.297B/6.316A	7.297B/6.316A	----	6.039 - 0.504	.4211	----	----	----	----	17 UNCH
7550	----	----	7.551B/6.588A	7.551B/6.588A	----	6.323 - 0.514	.4327	----	----	----	----	44 UNCH
7600	----	----	7.955B/6.879A	7.955B/6.879A	----	6.613 - 0.525	.4442	----	----	3	----	26 UNCH
7650	----	----	8.225B/7.173A	8.225B/7.173A	----	6.910 NEW	.4556	----	----	5	----	5 + 5
7700	----	----	8.626B/7.469A	8.626B/7.469A	----	7.213 - 0.544	.4668	----	----	----	----	9 UNCH
7775	----	----	9.093B/7.934A	9.093B/7.934A	----	7.678 - 0.559	.4834	----	----	----	----	5 UNCH
7800	----	----	9.252B/8.088A	9.252B/8.088A	----	7.836 - 0.563	.4888	----	----	----	----	26 UNCH
7900	----	----	9.521B/8.737A	9.521B/8.737A	----	8.481 - 0.583	.5102	----	----	----	----	1 UNCH
8000	----	----	10.250B/9.398A	10.250B/9.398A	----	9.145 - 0.605	.5309	----	----	----	----	93 UNCH
8100	----	----	10.947B/10.092A	10.947B/10.092A	----	9.828 - 0.627	.5509	----	----	----	----	1 UNCH
8200	----	----	11.698B/10.791A	11.698B/10.791A	----	10.529 - 0.649	.5702	----	----	----	----	1 UNCH
8300	----	----	12.443B/11.525A	12.443B/11.525A	----	11.248 - 0.671	.5889	----	----	----	----	1 UNCH
8400	----	----	13.216B/12.272A	13.216B/12.272A	----	11.983 - 0.693	.6068	----	----	----	----	42 UNCH
8500	----	----	14.034B/13.041A	14.034B/13.041A	----	12.735 - 0.712	.6240	----	----	----	----	228 UNCH
8700	----	----	15.624B/14.600A	15.624B/14.600A	----	14.283 - 0.746	.6562	----	----	----	----	101 UNCH
9000	----	----	18.145B/17.052A	18.145B/17.052A	----	16.708 - 0.783	.6990	----	----	----	----	74 UNCH
9300	----	----	20.737B/19.597A	20.737B/19.597A	----	19.236 - 0.810	.7359	----	----	----	----	1 UNCH
9400	----	----	21.623B/20.464A	21.623B/20.464A	----	20.098 - 0.818	.7469	----	----	----	----	15 UNCH
10150	----	----	----	20.724B/33.824A	----	26.791 - 0.875	.8138	----	----	----	----	1 UNCH
10300	----	----	----	22.131B/35.313A	----	28.168 - 0.884	.8243	----	----	----	----	1 UNCH
11000	----	----	----	28.882B/42.496A	----	34.703 NEW	.8645	----	----	1	----	1 + 1
TOTAL										39	0	3072 + 23
OCT26												
2675	----	----	----	0.001B/2.470A	----	0.061 - 0.005	.0047	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.100 - 0.010	.0084	----	----	----	----	1 UNCH
4000	----	----	----	0.078B/*0.228A	----	0.177 - 0.018	.0165	----	----	----	----	3 UNCH
4500	----	----	----	0.194B/*0.337A	----	0.268 - 0.029	.0263	----	----	----	----	3 UNCH
5000	----	----	----	0.423B/*0.533A	----	0.442 - 0.046	.0441	----	----	----	----	6 UNCH
5050	----	----	----	0.456B/*0.560A	----	0.466 - 0.049	.0465	----	----	----	----	1 UNCH
5150	----	----	----	0.528B/*0.617A	----	0.520 - 0.054	.0518	----	----	----	----	5 UNCH
6300	2.041	2.041	2.528B/*2.035A	2.528B/2.035A	----	2.045 - 0.201	.1728	----	----	6	----	9 + 6
6500	----	----	3.153B/*2.538A	3.153B/2.538A	----	2.551 - 0.274	.2058	----	----	----	----	174 UNCH
6625	----	----	3.580B/*2.901A	3.580B/*2.901A	----	2.915 - 0.338	.2281	----	----	----	----	1 UNCH
6700	----	----	3.880B/3.134A	3.880B/3.134A	----	3.153 - 0.378	.2420	----	----	----	----	1 UNCH
6725	----	----	3.965B/*3.215A	3.965B/3.215A	----	3.236 - 0.391	.2467	----	----	----	----	1 UNCH
6750	----	----	4.080B/3.300A	4.080B/3.300A	----	3.320 - 0.404	.2514	----	----	----	----	1 UNCH
6800	----	----	4.289B/3.468A	4.289B/3.468A	----	3.494 - 0.427	.2610	----	----	----	----	2 UNCH
6850	----	----	4.502B/3.649A	4.502B/3.649A	----	3.674 - 0.448	.2707	----	----	----	----	1 UNCH
7000	----	----	5.188B/4.223A	5.188B/4.223A	----	4.257 - 0.485	.3005	----	----	----	----	89 UNCH
7025	----	----	5.287B/*4.326A	5.287B/4.326A	----	4.361 - 0.486	.3056	----	----	----	----	1 UNCH
7050	----	----	5.424B/4.427A	5.424B/4.427A	----	4.466 - 0.487	.3107	----	----	----	----	1 UNCH
7225	----	----	6.295B/5.209A	6.295B/5.209A	----	5.253 - 0.477	.3464	----	----	----	----	87 UNCH
7300	----	----	6.737B/5.571A	6.737B/5.571A	----	5.618 - 0.472	.3618	----	----	----	----	8 UNCH
7350	5.803	5.803	7.017B/5.803	7.017B/5.803	----	5.869 NEW	.3721	----	----	1	----	1 + 1
7500	----	----	7.891B/6.604A	7.891B/6.604A	----	6.667 - 0.493	.4026	----	----	----	----	28 UNCH
7600	----	----	8.494B/7.154A	8.494B/7.154A	----	7.228 - 0.522	.4227	----	----	----	----	13 UNCH
7700	----	----	9.144B/7.728A	9.144B/7.728A	----	7.809 - 0.551	.4424	----	----	----	----	1 UNCH
7950	----	----	10.825B/9.264A	10.825B/9.264A	----	9.344 - 0.635	.4901	----	----	----	----	10 UNCH
8000	----	----	11.169B/9.581A	11.169B/9.581A	----	9.667 - 0.657	.4992	----	----	----	----	10 UNCH
8200	----	----	12.621B/10.930A	12.621B/10.930A	----	11.015 - 0.750	.5344	----	----	----	----	6 UNCH
8375	----	----	13.659B/12.149A	13.659B/12.149A	----	12.250 - 0.818	.5635	----	----	----	----	1 UNCH
8400	----	----	14.135B/12.324A	14.135B/12.324A	----	12.429 - 0.825	.5675	----	----	----	----	6 UNCH
9100	----	----	19.141B/18.268A	19.141B/18.268A	----	17.772 - 0.890	.6671	----	----	----	----	1 UNCH
10000	----	----	26.963B/25.936A	26.963B/25.936A	----	25.461 - 1.035	.7567	----	----	----	----	40 UNCH
TOTAL										7	0	520 + 7
NOV26												
4500	----	----	----	0.293B/0.472A	----	0.285 - 0.041	.0275	----	----	----	----	1 UNCH
4550	----	----	----	0.316B/*0.492A	----	0.308 - 0.043	.0296	----	----	----	----	1 UNCH
4800	----	----	----	0.461B/*0.616A	----	0.442 - 0.059	.0412	----	----	----	----	1 UNCH
5000	----	----	----	0.614B/*0.742A	----	0.580 - 0.075	.0526	----	----	----	----	12 UNCH
5200	----	----	----	0.819B/*0.891A	----	0.752 - 0.092	.0664	----	----	----	----	1 UNCH
5400	----	----	----	0.907B/*1.083A	----	0.961 - 0.115	.0826	----	----	3	----	9 + 3
5600	----	----	----	1.076B/1.595A	----	1.212 - 0.142	.1012	----	----	6	----	12 + 6
5950	----	----	----	1.817B/2.137A	----	1.783 - 0.198	.1407	----	----	----	----	1 UNCH
6000	----	----	----	1.932B/2.227A	----	1.882 NEW	.1472	----	----	3	----	3 + 3
6425	----	----	----	3.165B/3.327A	----	2.945 - 0.279	.2098	----	----	----	----	1 UNCH
6700	----	----	----	4.186B/4.271A	----	3.867 - 0.327	.2565	----	----	----	----	50 UNCH
7000	----	----	5.517B/----	5.517B/5.501A	----	5.068 - 0.394	.3102	----	----	----	----	41 UNCH
7025	----	----	5.638B/----	5.638B/5.613A	----	5.177 - 0.400	.3148	----	----	----	----	6 UNCH
7400	----	----	7.647B/7.470A	7.647B/7.470A	----	6.997 - 0.496	.3835	----	----	----	----	24 UNCH
7500	----	----	8.236B/8.024A	8.236B/8.024A	----	7.544 - 0.520	.4016	----	----	----	----	7 UNCH
7700	----	----	9.459B/9.168A	9.459B/9.168A	----	8.711 - 0.563	.4372	----	----	----	----	50 UNCH
8500	----	----	15.122B/14.583A	15.122B/14.583A	----	14.123 - 0.702	.5623	----	----	----	----	60 UNCH
9000	----	----	19.137B/18.410A	19.137B/18.410A	----	17.936 - 0.768	.6261	----	----	----	----	5 UNCH
9050	----	----	19.779B/18.808A	19.779B/18.808A	----	18.332 - 0.773	.6319	----	----	----	----	3 UNCH
10000	----	----	27.602B/26.767A	27.602B/26.767A	----	26.269 - 0.834	.7231	----	----	----	----	1 UNCH
11000	----	----	----/35.694A	35.021B/35.694A	----	35.202 - 0.856	.7893	----	----	----	----	1 UNCH
TOTAL										12	0	290 + 12
DEC26												
1500	----	----	----	----/0.050A	----	0.002 - 0.001	.0001	----	----	----	----	180 UNCH
2000	----	----	----	----/0.100A	----	0.009 - 0.002	.0007	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/2.838A	----	0.020 - 0.003	.0018	----	----	----	----	32 UNCH
3000	----	----	----	0.001B/2.960A	----	0.042 - 0.007	.0039	----	----	----	----	93 UNCH
3100	----	----	----	0.002B/0.246A	----	0.049 - 0.008	.0046	----	----	----	----	1 UNCH
3150	----	----	----	0.003B/0.250A	----	0.056 - 0.009	.0052	----	----	----	----	1 UNCH
3500	----	----	----	0.047B/*0.291A	----	0.119 - 0.018	.0104	----	----	----	----	45 UNCH
3850	----	----	----	0.116B/*0.374A	----	0.188 - 0.027	.0165	----	----	----	----	1 UNCH
3925	----	----	----	0.136B/*0.396A	----	0.206 - 0.029	.0180	----	----	----	----	1 UNCH
4000	----	----	----	0.159B/0.419A	----	0.225 - 0.033	.0197	----	----	----	----	75 UNCH
4500	----	----	----	0.378B/0.616A	----	0.416 - 0.055	.0357	----	----	----	----	35 UNCH
4600	----	----	----	0.441B/*0.670A	----	0.467 - 0.062	.0398	----	----	----	----	4 UNCH
4800	----	----	----	0.593B/*0.796A	----	0.588 - 0.075	.0495	----	----	----	----	241 UNCH
5000	0.800	0.800	0.800/*0.800	0.800/*0.800	----	0.762 - 0.093	.0624	----	----	1	----	377 - 1
5250	----	----	----	0.947B/*1.193A	----	1.034 - 0.112	.0815	----	----	----	----	50 UNCH
5300	----	----	----	0.916B/*1.250A	----	1.092 - 0.115	.0856	----	----	----	----	250 UNCH
5400	----	----	----	0.945B/1.720A	----	1.218 - 0.121	.0942	----	----	----	----	100 UNCH
5500	----	----	----	1.153B/1.847A	----	1.357 - 0.129	.1036	----	----	----	----	229 UNCH
5600	----	----	----	1.358B/1.985A	----	1.511 - 0.140	.1136	----	----	----	----	8 UNCH
5650	----	----	----	1.738B/2.131A	----	1.594 - 0.147	.1189	----	----	----	----	12 UNCH
5800	----	----	----	1.829B/2.351A	----	1.869 - 0.173	.1358	----	----	----	----	2 UNCH
5950	----	----	----/*2.370A	2.186B/2.370A	----	2.184 - 0.204	.1542	----	----	----	----	5 UNCH
6000	----	----	----	2.325B/2.751A	----	2.298 - 0.216	.1607	----	----	----	----	136 UNCH
6200	----	----	----	2.885B/3.288A	----	2.805 - 0.265	.1882	----	----	----	----	13 UNCH
6300	----	----	----	3.181B/3.585A	----	3.090 - 0.291	.2027	----	----	----	----	25 UNCH
6500	----	----	----	3.890B/4.237A	----	3.727 - 0.341	.2334	----	----	----	----	738 UNCH
6650	----	----	----	4.478B/4.797A	----	4.264 - 0.378	.2575	----	----	----	----	5 UNCH
6725	----	----	----	4.829B/5.093A	----	4.553 - 0.394	.2698	----	----	----	----	4 UNCH
6750	----	----	----	4.904B/5.198A	----	4.652 - 0.400	.2739	----	----	----	----	6 UNCH
6800	----	----	----	5.160B/5.405A	----	4.856 - 0.409	.2823	----	----	----	----	79 UNCH
6850	----	----	----	5.387B/5.621A	----	5.065 - 0.419	.2906	----	----	----	----	78 UNCH
6900	----	----	----	5.620B/5.839A	----	5.280 - 0.428	.2990	----	----	----	----	1 UNCH
6950	----	----	----	5.860B/6.064A	----	5.502 - 0.435	.3075	----	----	----	----	121 UNCH
7000	----	----	----	6.105B/6.297A	----	5.729 - 0.443	.3159	----	----	----	----	230 UNCH
7075	----	----	----	6.483B/6.652A	----	6.081 - 0.454	.3286	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 48

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
7100	----	----	----	6.612B/6.773A	----	6.202 -	0.457 .3329	----	----	----	----	2 UNCH
7200	----	----	----	7.140B/7.270A	----	6.697 -	0.471 .3498	----	----	----	----	14 UNCH
7250	----	----	----	7.413B/7.527A	----	6.953 -	0.478 .3583	----	----	----	----	48 UNCH
7500	----	----	8.853B/----	8.853B/8.889A	----	8.314 -	0.519 .4000	----	----	----	----	22 UNCH
7550	----	----	9.157B/----	9.157B/9.176A	----	8.602 -	0.528 .4082	----	----	----	----	1 UNCH
7800	----	----	10.748B/10.675A	10.748B/10.675A	----	10.109 -	0.583 .4483	----	----	----	----	20 UNCH
7850	----	----	11.079B/10.980A	11.079B/10.980A	----	10.424 -	0.595 .4560	----	----	----	----	10 UNCH
7875	----	----	11.247B/11.145A	11.247B/11.145A	----	10.583 -	0.601 .4598	----	----	----	----	1 UNCH
7900	----	----	11.415B/11.300A	11.415B/11.300A	----	10.743 -	0.606 .4637	----	----	----	----	19 UNCH
8000	----	----	12.097B/11.952A	12.097B/11.952A	----	11.394 -	0.628 .4787	----	----	----	----	58 UNCH
8100	----	----	12.795B/12.630A	12.795B/12.630A	----	12.061 -	0.649 .4933	----	----	----	----	1 UNCH
8200	----	----	13.505B/13.317A	13.505B/13.317A	----	12.742 -	0.670 .5076	----	----	----	----	35 UNCH
8350	----	----	14.599B/14.365A	14.599B/14.365A	----	13.790 -	0.697 .5283	----	----	----	----	9 UNCH
8400	----	----	14.958B/14.728A	14.958B/14.728A	----	14.146 -	0.706 .5350	----	----	----	----	50 UNCH
8500	----	----	15.718B/15.448A	15.718B/15.448A	----	14.868 -	0.721 .5481	----	----	----	----	166 UNCH
8550	----	----	16.101B/15.823A	16.101B/15.823A	----	15.234 -	0.728 .5545	----	----	----	----	25 UNCH
8600	----	----	16.495B/16.195A	16.495B/16.195A	----	15.602 -	0.736 .5608	----	----	----	----	2 UNCH
8800	----	----	18.041B/17.685A	18.041B/17.685A	----	17.105 -	0.761 .5850	----	----	----	----	12 UNCH
8900	----	----	18.837B/18.456A	18.837B/18.456A	----	17.873 -	0.772 .5966	----	----	----	----	30 UNCH
9000	----	----	19.643B/19.257A	19.643B/19.257A	----	18.651 -	0.782 .6078	----	----	----	----	3 UNCH
9050	----	----	20.050B/19.631A	20.050B/19.631A	----	19.043 -	0.787 .6132	----	----	----	----	100 UNCH
9500	----	----	23.737B/23.282A	23.737B/23.282A	----	22.676 -	0.821 .6583	----	----	----	----	2 UNCH
9850	----	----	26.726B/26.220A	26.726B/26.220A	----	25.608 -	0.841 .6888	----	----	----	----	8 UNCH
9950	----	----	27.592B/27.088A	27.592B/27.088A	----	26.461 -	0.846 .6969	----	----	----	----	1 UNCH
10025	----	----	28.247B/27.725A	28.247B/27.725A	----	27.104 -	0.850 .7027	----	----	----	----	3 UNCH
10125	----	----	29.123B/28.574A	29.123B/28.574A	----	27.966 -	0.855 .7103	----	----	----	----	1 UNCH
10700	----	----	34.246B/33.653A	34.246B/33.653A	----	33.024 -	0.879 .7491	----	----	----	----	5 UNCH
10800	----	----	35.150B/34.530A	35.150B/34.530A	----	33.918 -	0.883 .7551	----	----	----	----	2 UNCH
11000	----	----	36.969B/36.345A	36.969B/36.345A	----	35.718 -	0.892 .7665	----	----	----	----	2 UNCH
11500	----	----	----/40.898A	39.995B/40.898A	----	40.276 -	0.912 .7918	----	----	----	----	1 UNCH
12000	----	----	----	27.610B/62.014A	----	44.903 -	0.931 .8134	----	----	----	----	1 UNCH
12100	----	----	----	28.611B/62.634A	----	45.835 -	0.935 .8173	----	----	----	----	1 UNCH
12300	----	----	----	30.099B/64.564A	----	47.706 -	0.941 .8248	----	----	----	----	1 UNCH
15000	----	----	----	58.656B/90.599A	----	73.523 -	0.970 .8944	----	----	----	----	1 UNCH
19000	----	----	----	91.956B/129.958A	----	112.813 -	0.983 .9422	----	----	----	----	1 UNCH
TOTAL										1	0	3866 - 1
JAN27												
3800	----	----	----	0.120B/0.461A	----	0.276 -	0.035 .0209	----	----	----	----	1 UNCH
6500	----	----	----	4.153B/4.789A	----	4.150 -	0.335 .2336	----	----	----	----	2 UNCH
6925	----	----	----	6.025B/6.518A	----	5.839 -	0.422 .2975	----	----	----	----	24 UNCH
7000	----	----	----	6.389B/6.863A	----	6.176 -	0.438 .3090	----	----	----	----	35 UNCH
7100	----	----	----	6.848B/7.344A	----	6.643 -	0.462 .3245	----	----	----	----	20 UNCH
7125	----	----	----	6.977B/7.466A	----	6.763 -	0.468 .3284	----	----	----	----	1 UNCH
8600	----	----	----/16.620A	16.640B/16.620A	----	15.863 -	0.782 .5361	----	----	----	----	1 UNCH
8850	----	----	18.610B/18.474A	18.610B/18.474A	----	17.716 -	0.803 .5646	----	----	----	----	9 UNCH
TOTAL											0	93 0
FEB27												
6500	----	----	----	4.685B/5.330A	----	4.624 -	0.400 .2404	----	----	----	----	1 UNCH
8150	----	----	----	13.961B/14.176A	----	13.386 -	0.673 .4721	----	----	----	----	10 UNCH
8225	----	----	----	14.446B/14.682A	----	13.893 -	0.685 .4814	----	----	----	----	10 UNCH
8250	----	----	----	14.670B/14.853A	----	14.064 -	0.689 .4845	----	----	----	----	10 UNCH
TOTAL											0	31 0
MAR27												
5500	----	----	----	2.141B/2.810A	----	2.210 -	0.234 .1283	----	----	----	----	1 UNCH
6000	----	----	----	3.319B/4.083A	----	3.415 -	0.309 .1824	----	----	----	----	50 UNCH
6500	----	----	----	5.155B/5.849A	----	5.119 -	0.371 .2464	----	----	----	----	20 UNCH
6825	----	----	----	6.570B/7.251A	----	6.494 -	0.421 .2907	----	----	----	----	2 UNCH
7500	----	----	----	10.281B/10.763A	----	9.942 -	0.578 .3831	----	----	----	----	3 UNCH
8100	----	----	----	14.196B/14.497A	----	13.631 -	0.703 .4601	----	----	----	----	6 UNCH
8300	----	----	----	15.611B/15.851A	----	14.976 -	0.736 .4837	----	----	----	----	50 UNCH
8500	----	----	----	17.051B/17.253A	----	16.372 -	0.764 .5062	----	----	----	----	3 UNCH
8975	----	----	----	20.584B/20.752A	----	19.867 -	0.815 .5551	----	----	----	----	1 UNCH
10500	----	----	33.185B/32.683A	33.185B/32.683A	----	32.304 -	0.878 .6740	----	----	----	----	10 UNCH
TOTAL											0	146 0
APR27												
4000	----	----	----	0.405B/0.809A	----	0.562 -	0.072 .0356	----	----	----	----	1 UNCH
8725	----	----	----	18.904B/19.202A	----	18.321	NEW .5142	----	----	1	----	1 + 1
TOTAL										1	0	2 + 1
DEC27												
7175	----	----	----	----	----	12.581 -	0.339 .3128	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
JUN26												
7350	2.440	2.440	3.635B/*1.802A	3.635B/*1.802A	----	3.520 +	0.558 .6982	----	----	1	----	11 + 1
7400	2.170	2.170	3.286B/*1.594A	3.286B/*1.594A	----	3.185 +	0.515 .6625	----	----	6	----	6 + 5
7500	1.650	1.650	2.646B/*1.266A	2.646B/*1.266A	----	2.576 +	0.429 .5860	----	----	8	----	20 + 5
7550	----	----	2.421B/*1.155A	2.421B/*1.155A	----	2.303 +	0.387 .5461	----	----	----	----	15 UNCH
7600	1.085	1.085	2.212/*1.012A	2.212/*1.012A	----	2.052	NEW .5059	----	----	11	----	11 + 11
7700	0.790	0.790	1.703B/*0.788A	1.703B/*0.788A	----	1.615	NEW .4266	----	----	13	----	13 + 13
7800	1.000	1.000	1.321B/*0.658A	1.321B/*0.658A	----	1.261	NEW .3524	----	----	1	----	1 + 1
7850	----	----	1.160B/*0.591A	1.160B/*0.591A	----	1.113 +	0.189 .3182	----	----	----	----	2 UNCH
7950	----	----	0.892B/*0.471A	0.892B/*0.471A	----	0.865 +	0.145 .2569	----	----	----	----	10 UNCH
8000	0.405	0.405	0.777B/*0.405	0.777B/*0.405	----	0.764 +	0.128 .2301	----	----	10	----	8 - 7
8100	----	----	0.598B/*0.325A	0.598B/*0.325A	----	0.597 +	0.098 .1836	----	----	----	----	111 UNCH
8200	0.297	0.297	0.464B/*0.285A	0.464B/*0.285A	----	0.470	NEW .1462	----	----	1	----	1 + 1
8300	----	----	0.365B/*0.252A	0.365B/*0.252A	----	0.374 +	0.060 .1167	----	----	----	----	162 UNCH
8400	0.190	0.190	0.287B/*0.190	0.287B/*0.190	----	0.301	NEW .0936	----	----	1	----	1 + 1
8500	----	----	0.229B/*0.192A	0.229B/*0.192A	----	0.246 +	0.041 .0757	----	----	----	----	10 UNCH
8600	----	----	0.181B/----	0.181B/*0.172A	----	0.202 +	0.033 .0615	----	----	----	----	3 UNCH
9000	----	----	0.080B/----	0.080B/0.112A	----	0.091 +	0.013 .0264	----	----	----	----	112 UNCH
9500	----	----	----	0.031B/0.076A	----	0.037 +	0.003 .0099	----	----	----	----	160 UNCH
11500	----	----	----	0.002B/*0.052A	----	0.002	UNCH .0003	----	----	----	----	1 UNCH
TOTAL										52	0	658 + 31
SO1 PUT		SILVER OPTIONS										
JUN26												
6100	----	----	0.043B/----	0.043B/*0.090A	----	0.064	NEW .0150	----	----	2	----	2 + 2
6400	0.150	0.150	0.150/*0.126A	0.150/*0.126A	----	0.102 +	0.005 .0269	----	----	1	----	6 + 1
6500	----	----	0.173B/----	0.173B/*0.150A	----	0.122 -	0.010 .0334	----	----	----	----	8 UNCH
6600	----	----	0.258B/*0.174A	0.258B/*0.174A	----	0.149	NEW .0421	----	----	1	----	1 + 1
6700	0.560	0.560	0.560/0.214A	0.560/0.214A	----	0.187 -	0.057 .0542	----	----	1	----	9 - 1
6800	----	----	0.559B/*0.261A	0.559B/*0.261A	----	0.238 -	0.092 .0704	----	----	----	----	1 UNCH
6900	0.600	0.600	0.783B/*0.323A	0.783B/*0.323A	----	0.310 -	0.136 .0926	----	----	1	----	2 + 1
6950	1.000	1.000	#1.000/*0.366A	1.000/*0.366A	----	0.355	NEW .1062	----	----	2	----	2 + 2
7000	0.440	0.440	1.078B/*0.416A	1.078B/*0.416A	----	0.408 -	0.191 .1219	----	----	1	----	27 + 1
7100	1.250	1.250	1.445B/0.540A	1.445B/0.540A	----	0.542 -	0.257 .1602	----	----	10	----	28 + 8
7150	1.350	1.350	1.625B/*0.618A	1.625B/*0.618A	----	0.626 -	0.294 .1832	----	----	2	----	3 + 2
7200	----	----	1.881B/0.708A	1.881B/0.708A	----	0.724 -	0.332 .2090	----	----	5	----	14 + 5
7250	----	----	2.101B/0.809A	2.101B/0.809A	----	0.836 -	0.373 .2373	----	----	----	----	1 UNCH
7300	0.940	0.940	2.398B/0.928A	2.398B/0.928A	----	0.964 -	0.415 .2683	----	----	5	----	12 + 2
7350	1.740	1.740	2.633B/1.064A	2.633B/1.064A	----	1.110 -	0.458 .3017	----	----	1	----	11 + 1
7400	----	----	2.691B/1.215A	2.691B/1.215A	----	1.274 -	0.502 .3374	----	----	----	----	1 UNCH
7450	----	----	2.773B/1.392A	2.773B/1.392A	----	1.459 -	0.545 .3749	----	----	----	----	2 UNCH
7500	----	----	2.841B/1.586A	2.841B/1.586A	----	1.664 -	0.588 .4139	----	----	2	----	4 + 2
7550	----	----	3.090B/1.800A	3.090B/1.800A	----	1.891 -	0.629 .4538	----	----	----	----	17 UNCH
7600	2.232	2.232	3.440B/2.012	3.440B/2.012	----	2.140 -	0.668 .4940	----	----	7	----	7 + 7
7650	----	----	3.808B/2.288A	3.808B/2.288A	----	2.410 -	0.706 .5341	----	----	----	----	1 UNCH
7700	----	----	4.193B/2.565A	4.193B/2.565A	----	2.702 -	0.741 .5733	----	----	----	----	13 UNCH
8000	----	----	6.779B/4.696A	6.779B/4.696A	----	4.849	NEW .7698	----	----	1	----	1 + 1
8600	----	----	----/10.057A	11.234B/10.057A	----	10.284	NEW .9384	----	----	1	----	1 + 1
TOTAL										43	0	174 + 36
SO2 CALL		SILVER OPTIONS										
JUN26												
7500	----	----	3.266B/*1.922A	3.266B/*1.922A	----	3.265 +	0.431 .5712	----	----	----	----	10 UNCH
7650	----	----	2.605B/*1.532A	2.605B/*1.532A	----	2.546 +	0.341 .4838	----	----	----	----	0 UNCH
8000	----	----	1.385B/*0.875A	1.385B/*0.875A	----	1.377 +	0.181 .3024	----	----	6	----	6 + 5
8100	----	----	1.152B/*0.756A	1.152B/*0.756A	----	1.151 +	0.148 .2604	----	----	----	----	1 UNCH
8200	----	----	0.959B/*0.654A	0.959B/*0.654A	----	0.964 +	0.121 .2235	----	----	----	----	15 UNCH
8700	0.360	0.360	0.408B/*0.325A	0.408B/*0.325A	----	0.424	NEW .1040	----	----	1	----	1 + 1
9000	----	----	0.254B/----	0.254B/*0.251A	----	0.279 +	0.029 .0683	----	----	----	----	5 UNCH
10000	----	----	----	0.062B/*0.123A	----	0.075 +	0.006 .0178	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 49

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
TOTAL										7	0	40 + 6
SO2 PUT		SILVER OPTIONS										
JUN26												
5250	----	----	----	0.004B/0.101A	----	0.017 -	0.003 .0036	----	----	----	----	2 UNCH
6750	----	----	0.862B/*0.446A	0.862B/*0.446A	----	0.434 -	0.161 .1052	----	----	----	----	1 UNCH
6800	0.950	0.950	1.006B/*0.492A	1.006B/*0.492A	----	0.486	NEW .1171	----	----	2	----	0 UNCH
6900	----	----	1.302B/*0.616A	1.302B/*0.616A	----	0.612 -	0.222 .1450	----	----	----	----	1 UNCH
7300	2.773	2.773	3.052B/1.527A	3.052B/1.527A	----	1.541	NEW .3155	----	----	2	----	2 + 2
7700	----	----	4.482B/3.354A	4.482B/3.354A	----	3.424 -	0.702 .5445	----	----	----	----	1 UNCH
TOTAL										4	0	7 + 2
SO4 CALL		SILVER OPTIONS										
JUN26												
7800	----	----	----	#2.953B/*3.509A	----	4.336 +	0.849 .4835	----	----	----	----	2 UNCH
8000	----	----	----	#2.268B/*3.858A	----	3.820 +	0.891 .4288	----	----	----	----	4 UNCH
8200	----	----	----/*2.248A	#1.738B/*2.248A	----	3.360 +	0.894 .3806	----	----	----	----	1 UNCH
8300	----	----	----/*2.020A	#1.523B/*2.020A	----	3.135 +	0.870 .3580	----	----	----	----	1 UNCH
9000	----	----	----/*0.639A	#0.614B/*0.639A	----	1.296 +	0.044 .1886	----	----	----	----	2 UNCH
TOTAL											0	10 0
SO4 PUT		SILVER OPTIONS										
JUN26												
7000	----	----	----/*1.532A	#1.086B/*1.532A	----	1.633 -	0.352 .2381	----	----	----	----	1 UNCH
7100	----	----	----/*1.819A	#1.351B/*1.819A	----	1.971 -	0.331 .2726	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO5 CALL		SILVER OPTIONS										
MAY26												
7220	1.850	1.850	#4.010B/*1.390A	#4.010B/*1.390A	----	3.789	NEW .9820	----	----	2	----	2 + 2
7280	----	----	#3.428B/*1.131A	#3.428B/*1.131A	----	3.221 +	0.723 .9678	----	----	----	----	1 UNCH
7470	0.895	0.895	#1.721B/*0.396A	1.721B/*0.396A	----	1.613	NEW .7852	----	----	1	----	1 + 1
7500	0.455	0.455	1.496B/*0.314A	1.496B/*0.314A	----	1.404 +	0.322 .7255	----	----	5	----	10 + 5
7550	0.271	0.271	1.146B/*0.218A	1.146B/*0.218A	----	1.092 +	0.231 .6091	----	----	3	----	8 + 3
7600	0.555	0.555	0.928B/*0.141	0.928B/*0.141	----	0.830 +	0.153 .4813	----	----	20	----	29 + 15
7640	----	----	#0.715B/*0.159A	0.715B/*0.159A	----	0.656 +	0.101 .3808	----	----	----	----	10 UNCH
7650	0.280	0.280	0.723B/*0.138A	0.723B/*0.138A	----	0.617 +	0.090 .3568	----	----	5	----	28 + 2
7680	----	----	0.541B/*0.130A	0.541B/*0.130A	----	0.513 +	0.060 .2896	----	----	----	----	4 UNCH
7700	0.276	0.276	0.480B/*0.100	0.480B/*0.100	----	0.452 +	0.044 .2490	----	----	14	----	19 - 4
7750	0.090	0.090	0.338B/*0.090	0.338B/*0.090	----	0.328 +	0.012 .1650	----	----	1	----	18 + 1
7780	----	----	----/*0.101A	0.268B/*0.101A	----	0.270	NEW .1263	----	----	1	----	1 + 1
7800	0.150	0.150	0.250/*0.095A	0.250/*0.095A	----	0.237 -	0.007 .1049	----	----	11	----	12 + 6
7820	0.216	0.216	0.216/*0.090A	0.216/*0.090A	----	0.208 -	0.013 .0867	----	----	1	----	6 UNCH
7850	----	----	----/*0.082A	0.165B/*0.082A	----	0.172 -	0.018 .0650	----	----	----	----	10 UNCH
7900	0.110	0.110	0.147/*0.072A	0.147/*0.072A	----	0.126 -	0.023 .0398	----	----	8	----	6 UNCH
7910	0.038	0.038	0.099B/*0.038	0.099B/*0.038	----	0.119	NEW .0362	----	----	1	----	1 + 1
7950	----	----	----/*0.065A	0.078B/*0.065A	----	0.094 -	0.025 .0245	----	----	----	----	2 UNCH
8000	0.055	0.055	0.055/*0.034A	0.055/*0.034A	----	0.072 -	0.024 .0154	----	----	3	----	48 - 1
8100	----	----	----/*0.052A	0.016B/*0.052A	----	0.046 -	0.020 .0067	----	----	1	----	1 - 1
8130	0.030	0.030	#0.030/*0.030	0.030/*0.030	----	0.041	NEW .0053	----	----	1	----	1 + 1
8150	----	----	----/*0.049A	0.010B/*0.049A	----	0.038 -	0.018 .0046	----	----	----	----	30 UNCH
8200	----	----	----/*0.046A	0.002B/*0.046A	----	0.031 -	0.017 .0031	----	----	----	----	32 UNCH
8250	----	----	----	0.001B/*0.043A	----	0.023 -	0.017 .0018	----	----	----	----	5 UNCH
8300	----	----	----	----/*0.040A	----	0.018 -	0.016 .0011	----	----	----	----	1 UNCH
8400	----	----	----	----/*0.036A	----	0.011 -	0.015 .0004	----	----	----	----	3 UNCH
8500	----	----	----	----/0.033A	----	0.007 -	0.014 .0002	----	----	----	----	43 UNCH
8600	----	----	----	----/*0.038A	----	0.005 -	0.013 .0001	----	----	----	----	3 UNCH
8700	----	----	----	0.010B/*0.034A	----	0.004 -	0.012 .0000	----	----	----	----	2 UNCH
8800	----	----	----	0.010B/*0.032A	----	0.003 -	0.010 .0000	----	----	----	----	2 UNCH
8850	----	----	----	----/0.104A	----	0.002 -	0.008 .0000	----	----	----	----	1 UNCH
9500	----	----	----	----/0.299A	----	0.001	UNCH ----	----	----	----	----	4 UNCH
TOTAL										78	0	344 + 32
SO5 PUT		SILVER OPTIONS										
MAY26												
6200	----	----	----	----/0.042A	----	0.001	UNCH ----	----	----	----	----	3 UNCH
6700	----	----	----/*0.011A	0.003B/*0.011A	----	0.002 -	0.012 .0000	----	----	----	----	30 UNCH
6750	0.070	0.070	0.070/*0.040A	0.070/*0.040A	----	0.003	NEW .0000	----	----	1	----	1 + 1
6800	----	----	0.059B/----	0.059B/*0.042A	----	0.005 -	0.022 .0001	----	----	----	----	2 UNCH
6850	----	----	0.080B/----	0.080B/*0.045A	----	0.007 -	0.031 .0002	----	----	----	----	1 UNCH
6900	0.170	0.170	0.170/*0.030	0.170/*0.030	----	0.011 -	0.041 .0005	----	----	3	----	20 - 1
6950	----	----	0.198B/*0.051A	0.198B/*0.051A	----	0.017 -	0.053 .0011	----	----	----	----	1 UNCH
7000	0.360	0.360	0.364B/*0.024	0.364B/*0.024	----	0.025 -	0.068 .0022	----	----	15	----	15 + 8
7100	----	----	0.576B/*0.065A	0.576B/*0.065A	----	0.045 -	0.114 .0063	----	----	----	----	1 UNCH
7150	0.206	0.206	0.724B/*0.076A	0.724B/*0.076A	----	0.056 -	0.150 .0096	----	----	1	----	13 + 1
7180	0.362	0.362	#0.841B/*0.081A	#0.841B/*0.081A	----	0.064	NEW .0124	----	----	10	----	10 + 10
7200	0.950	0.950	0.950/*0.088A	0.950/*0.088A	----	0.070 -	0.196 .0147	----	----	28	----	112 - 8
7210	1.200	1.200	#1.200/*0.090A	#1.200/*0.090A	----	0.074	NEW .0163	----	----	1	----	1 + 1
7250	----	----	1.150B/*0.106A	1.150B/*0.106A	----	0.091 -	0.254 .0237	----	----	----	----	4 UNCH
7300	1.000	1.000	1.288B/*0.130	1.288B/*0.130	----	0.124 -	0.324 .0397	----	----	26	----	107 + 20
7350	1.220	1.220	1.220/*0.169A	1.220/*0.169A	----	0.173 -	0.407 .0670	----	----	2	----	2 UNCH
7370	0.572	0.572	#1.221B/*0.189A	#1.221B/*0.189A	----	0.199	NEW .0826	----	----	1	----	1 + 1
7400	0.705	0.705	1.368/*0.222	1.368/*0.222	----	0.246 -	0.499 .1121	----	----	25	----	32 + 24
7430	1.650	1.650	#1.650/*0.226	#1.650/*0.226	----	0.304 -	0.558 .1500	----	----	3	----	2 + 1
7450	----	----	1.362B/*0.305A	1.362B/*0.305A	----	0.349 -	0.598 .1801	----	----	----	----	6 UNCH
7500	1.230	1.230	1.729B/*0.362	1.729B/*0.362	----	0.492 -	0.695 .2744	----	----	22	----	88 + 8
7510	----	----	#1.808B/*0.443A	#1.808B/*0.443A	----	0.526 -	0.714 .2962	----	----	----	----	1 UNCH
7520	0.508	0.508	#1.888B/*0.471A	#1.888B/*0.471A	----	0.561	NEW .3186	----	----	1	----	1 + 1
7530	0.507	0.507	#1.970B/*0.501A	#1.970B/*0.501A	----	0.599 -	0.751 .3421	----	----	2	----	11 + 1
7540	0.516	0.516	#2.053B/*0.516	#2.053B/*0.516	----	0.639	NEW .3662	----	----	2	----	1 + 1
7550	----	----	2.137B/*0.569A	2.137B/*0.569A	----	0.680 -	0.786 .3908	----	----	----	----	7 UNCH
7600	1.255	1.255	2.574B/0.773A	2.574B/0.773A	----	0.918 -	0.864 .5186	----	----	4	----	24 + 4
7610	----	----	#2.664B/*0.821A	#2.664B/*0.821A	----	0.971 -	0.878 .5442	----	----	----	----	5 UNCH
7630	----	----	#2.847B/*0.920A	#2.847B/*0.920A	----	1.084 -	0.904 .5946	----	----	----	----	15 UNCH
7640	----	----	#2.939B/*0.973A	#2.939B/*0.973A	----	1.144 -	0.915 .6191	----	----	----	----	10 UNCH
7650	----	----	3.032B/1.026A	3.032B/1.026A	----	1.205 -	0.927 .6431	----	----	----	----	16 UNCH
7660	----	----	#3.126B/*1.085A	#3.126B/*1.085A	----	1.269 -	0.937 .6662	----	----	----	----	5 UNCH
7670	----	----	#3.220B/*1.141A	#3.220B/*1.141A	----	1.334 -	0.947 .6887	----	----	----	----	15 UNCH
7700	----	----	3.507B/1.407A	3.507B/1.407A	----	1.540 -	0.973 .7509	----	----	----	----	22 UNCH
7750	----	----	3.994B/1.755A	3.994B/1.755A	----	1.915 -	1.005 .8349	----	----	----	----	2 UNCH
7870	----	----	#5.180B/2.733A	#5.180B/2.733A	----	2.939 -	1.038 .9463	----	----	----	----	6 UNCH
7950	----	----	#5.976B/3.456A	#5.976B/3.456A	----	3.682 -	1.041 .9754	----	----	----	----	1 UNCH
8000	----	----	----/3.923A	4.817B/3.923A	----	4.160 -	1.040 .9845	----	----	1	----	2 UNCH
8100	----	----	----/4.887A	5.263B/4.887A	----	5.133 -	1.037 .9932	----	----	1	----	1 UNCH
8170	----	----	----/*5.570A	5.984B/*5.570A	----	5.822 -	1.035 .9960	----	----	1	----	1 UNCH
8300	----	----	----/6.852A	#7.105B/6.852A	----	7.105 -	1.032 .9988	----	----	----	----	2 UNCH
8400	----	----	----/7.844A	#8.102B/7.844A	----	8.098 -	1.031 .9995	----	----	----	----	5 UNCH
8500	----	----	----/8.838A	9.100B/8.838A	----	9.095 -	1.029 .9998	----	----	----	----	4 UNCH
8600	----	----	----/9.834A	10.098B/9.834A	----	10.093 -	1.028 .9999	----	----	1	----	1 UNCH
TOTAL										151	0	610 + 73
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	1.395	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7430	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.395	UNCH ----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.105	UNCH ----	----	----	----	----	0 UNCH
7540	----	----	----	----	----	0.505	UNCH ----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.605	UNCH ----	----	----	----	----	0 UNCH
7570	----	----	----	----	----	0.805	UNCH ----	----	----	----	----	0 UNCH
7590	----	----	----	----	----	1.005	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	1.105	UNCH ----	----	----	----	----	0 UNCH
7610	----	----	----	----	----	1.205	UNCH ----	----	----	----	----	0 UNCH
7620	----	----	----	----	----	1.305	UNCH ----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	1.605	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	2.105	UNCH ----	----	----	----	----	0 UNCH
7740	----	----	----	----	----	2.505	UNCH ----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7820	----	----	----	----	----	3.305	UNCH ----	----	----	----	----	0 UNCH
7840	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7850	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7880	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
7950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	6.105 UNCH	----	----	----	----	----	0 UNCH
8180	----	----	----	----	----	6.905 UNCH	----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	10.105 UNCH	----	----	----	----	----	0 UNCH
8800	----	----	----	----	----	13.105 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
JUN26												
5250	----	----	----	0.003B/0.109A	----	0.005 - 0.002	.0013	----	----	----	----	5 UNCH
6700	0.497	0.497	#0.971B/*0.497	#0.971B/*0.497	----	0.543 - 0.158	.1170	----	----	1	----	1 UNCH
6800	----	----	0.355B/*0.178A	0.355B/*0.178A	----	0.148 - 0.070	.0475	----	----	----	----	1 UNCH
6800	----	----	0.843B/*0.417A	0.843B/*0.417A	----	0.391 - 0.147	.1020	----	----	----	----	3 UNCH
6900	----	----	0.545B/*0.216A	0.545B/*0.216A	----	0.192 - 0.112	.0639	----	----	----	----	1 UNCH
7000	----	----	0.808B/*0.276A	0.808B/*0.276A	----	0.254 - 0.168	.0872	----	----	----	----	3 UNCH
7100	0.370	0.370	1.144B/*0.359A	1.144B/*0.359A	----	0.344 - 0.240	.1202	----	----	1	----	5 + 1
7200	0.520	0.520	1.563B/*0.448A	1.563B/*0.448A	----	0.477 - 0.325	.1666	----	----	1	----	2 + 1
7250	----	----	1.683B/0.561A	1.683B/0.561A	----	0.564 - 0.372	.1955	----	----	----	----	0 UNCH
7300	0.770	0.770	1.729B/0.608A	1.729B/0.608A	----	0.669 - 0.421	.2288	----	----	4	----	4 UNCH
7400	1.649	1.649	1.938B/0.897A	1.938B/0.897A	----	0.937 NEW	.3072	----	----	25	----	25 + 25
7430	1.747	1.747	#2.039B/*0.986A	#2.039B/*0.986A	----	1.035 NEW	.3336	----	----	15	----	15 + 15
7430	1.675	1.675	#2.723B/*1.675	#2.723B/*1.170A	----	2.647 NEW	.6663	----	----	12	----	12 + 12
7500	----	----	2.367B/1.228A	2.367B/1.228A	----	1.298 - 0.624	.3991	----	----	----	----	0 UNCH
7550	----	----	2.709B/1.433A	2.709B/1.433A	----	1.517 - 0.671	.4483	----	----	----	----	10 UNCH
7600	1.320	1.320	1.762B/*0.740A	1.762B/*0.740A	----	1.673 + 0.300	.5016	----	----	12	----	10 + 8
7600	2.010	2.010	3.074B/1.659A	3.074B/1.659A	----	1.761 - 0.717	.4983	----	----	2	----	0 - 2
7650	----	----	2.340B/*1.319A	2.340B/*1.319A	----	2.310 + 0.359	.4789	----	----	----	----	1 UNCH
7700	----	----	1.298B/*0.570A	1.298B/*0.570A	----	1.242 + 0.221	.4034	----	----	----	----	1 UNCH
7810	0.381	0.381	#0.898B/*0.381	#0.898B/*0.381	----	0.879 NEW	.3054	----	----	1	----	1 + 1
7820	0.370	0.370	#0.868B/*0.370	#0.868B/*0.370	----	0.852 NEW	.2973	----	----	1	----	1 + 1
7900	----	----	1.420B/*0.841A	1.420B/*0.841A	----	1.430 + 0.234	.3329	----	----	----	----	1 UNCH
8000	0.330	0.330	0.470B/*0.248A	0.470B/*0.248A	----	0.480 + 0.081	.1772	----	----	4	----	4 UNCH
8100	----	----	#7.558B/5.277A	#7.558B/5.277A	----	5.439 - 0.955	.8686	----	----	----	----	4 UNCH
8100	----	----	0.337B/*0.217A	0.337B/*0.217A	----	0.353 + 0.060	.1313	----	----	----	----	1 UNCH
8160	----	----	----	#8.143B/*5.811A	----	5.982 NEW	.8900	----	----	1	----	1 + 1
8250	----	----	0.210B/*0.176A	0.210B/*0.176A	----	0.231 + 0.043	.0847	----	----	----	----	2 UNCH
8350	----	----	0.157B/----	0.157B/*0.151A	----	0.180 + 0.037	.0645	----	----	----	----	1 UNCH
8500	----	----	0.104B/----	0.104B/*0.132A	----	0.130 + 0.032	.0444	----	----	----	----	4 UNCH
8750	----	----	----	0.053B/0.107A	----	0.087 + 0.029	.0270	----	----	----	----	1 UNCH
8800	----	----	----	----/27.522A	----	12.164 - 0.987	.9750	----	----	----	----	1 UNCH
9750	----	----	----	0.003B/*0.061A	----	0.017 + 0.007	.0039	----	----	----	----	5 UNCH
TOTAL										80	0	126 + 63
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
JUN26												
5250	----	----	----	0.003B/0.102A	----	0.006 - 0.003	.0015	----	----	----	----	5 UNCH
6500	----	----	----	0.046B/0.121A	----	0.024 - 0.050	.0072	----	----	----	----	3 UNCH
6750	0.164	0.164	0.182B/*0.155A	0.182B/*0.155A	----	0.061 NEW	.0210	----	----	1	----	1 + 1
6800	----	----	0.267B/0.157A	0.267B/0.157A	----	0.073 - 0.113	.0258	----	----	----	----	4 UNCH
6900	----	----	0.427B/*0.190A	0.427B/*0.190A	----	0.107 - 0.149	.0394	----	----	----	----	9 UNCH
7000	----	----	0.671B/*0.229A	0.671B/*0.229A	----	0.158 - 0.195	.0602	----	----	----	----	1 UNCH
7100	----	----	0.992B/*0.281A	0.992B/*0.281A	----	0.236 - 0.254	.0918	----	----	----	----	3 UNCH
7150	0.360	0.360	1.158B/*0.360	1.158B/*0.360	----	0.288 NEW	.1126	----	----	1	----	1 + 1
7200	----	----	1.400B/0.448A	1.400B/0.448A	----	0.351 - 0.328	.1373	----	----	----	----	1 UNCH
7300	3.221	3.221	3.221/1.958A	3.221/1.958A	----	1.834 NEW	.3306	----	----	1	----	1 + 1
7500	----	----	1.983B/1.174A	1.983B/1.174A	----	1.106 - 0.617	.3876	----	----	----	----	2 UNCH
7600	----	----	2.656B/1.590A	2.656B/1.590A	----	1.554 - 0.717	.5010	----	----	----	----	20 UNCH
7650	----	----	4.464B/3.562A	4.464B/3.562A	----	3.400 - 0.650	.5111	----	----	----	----	1 UNCH
7700	----	----	1.852B/*1.066A	1.852B/*1.066A	----	1.969 + 0.310	.4429	----	----	6	----	9 - 1
7750	----	----	0.723B/*0.427A	0.723B/*0.427A	----	0.857 + 0.174	.3323	----	----	----	----	2 UNCH
7750	----	----	2.268B/*1.518A	2.268B/*1.518A	----	2.393 + 0.314	.4371	----	----	----	----	1 UNCH
7800	----	----	4.898B/4.034A	4.898B/4.034A	----	3.693 - 0.761	.6199	----	----	----	----	1 UNCH
7800	----	----	0.585B/*0.358A	0.585B/*0.358A	----	0.708 + 0.140	.2832	----	----	----	----	26 UNCH
7830	0.475	0.475	#0.483B/*0.302A	0.483B/*0.302A	----	0.643 NEW	.2583	----	----	10	----	10 + 10
7990	----	----	#6.131B/----	#6.131B/*6.359A	----	4.371 NEW	.8450	----	----	1	----	1 + 1
8000	----	----	6.381B/----	6.381B/6.488A	----	4.459 - 0.917	.8499	----	----	----	----	9 UNCH
8000	----	----	----/*0.155A	0.170B/*0.155A	----	0.373 + 0.100	.1500	----	----	----	----	20 UNCH
8100	----	----	----/*0.525A	0.631B/*0.525A	----	0.844 + 0.132	.2242	----	----	----	----	11 UNCH
8200	----	----	----	0.120B/*0.153A	----	0.204 + 0.064	.0787	----	----	----	----	4 UNCH
8250	----	----	----	0.088B/*0.146A	----	0.178 + 0.058	.0675	----	----	----	----	2 UNCH
8350	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.137 NEW	.0501	----	----	1	----	1 + 1
8500	----	----	----/*0.274A	0.248B/*0.274A	----	0.359 + 0.050	.1027	----	----	----	----	3 UNCH
8500	----	----	----	----/25.917A	----	9.183 - 0.977	.9661	----	----	----	----	1 UNCH
8500	----	----	----	0.011B/*0.123A	----	0.099 + 0.040	.0338	----	----	----	----	4 UNCH
9000	----	----	----	0.087B/*0.183A	----	0.156 + 0.018	.0436	----	----	----	----	3 UNCH
9700	----	----	----	0.004B/*0.124A	----	0.082 + 0.007	.0201	----	----	----	----	11 UNCH
TOTAL										21	0	171 + 14

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
JUN26												
450	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
500	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
500	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
575	----	----	----/*0.0105A	0.0095B/*0.0105	----	0.0070 - 0.0045	.0366	----	----	----	----	1 UNCH
580	----	----	----	0.0035B/*0.0090	----	0.0030 - 0.0025	.0190	----	----	----	----	1 UNCH
595	----	----	----	----/0.0070A	----	0.0005 - 0.0025	.0003	----	----	----	----	1 UNCH
600	----	----	0.4250B/0.2570A	0.4250B/0.2570A	----	0.4265 + 0.0825	.9987	----	----	----	----	1 UNCH
610	----	----	0.3260B/0.1660A	0.3260B/0.1660A	----	0.3270 + 0.0780	.9908	----	----	----	----	1 UNCH
613	----	----	----/0.0080A	0.0100B/0.0080A	----	0.0015 - 0.0100	.0144	----	----	----	----	1 UNCH
616	----	----	#0.0165B/0.0085	#0.0165B/0.0085	----	0.0025 - 0.0125	.0249	----	----	----	----	1 UNCH
618	----	----	#0.0220B/*0.009	#0.0220B/*0.009	----	0.0030 - 0.0145	.0311	----	----	----	----	10 UNCH
620	0.0300	0.0300	0.0300/*0.0055	0.0300/*0.0055	----	0.0035 NEW	.0379	----	----	2	----	0 UNCH
625	0.0100	0.0100	0.0520B/*0.0090	0.0520B/*0.0090	----	0.0070 NEW	.0786	----	----	15	----	15 + 15
630	----	----	0.2055B/*0.1170	0.2055B/*0.1170	----	0.2080 + 0.0465	.6574	----	----	----	----	7 UNCH
630	----	----	0.1580B/*0.0845	0.1580B/*0.0845	----	0.0820 NEW	.3421	----	----	7	----	7 + 7
634	0.0770	0.0770	#0.0850B/*0.025	#0.0850B/*0.025	----	0.0210 - 0.0445	.2330	----	----	1	----	1 UNCH
635	----	----	0.1895B/*0.1040	0.1895B/*0.1040	----	0.1015 - 0.0455	.3992	----	----	----	----	56 UNCH
635	----	----	0.1585B/*0.0730	0.1585B/*0.0730	----	0.0680 - 0.0465	.3702	----	----	----	----	1 UNCH
636	0.0290	0.0290	#0.0855B/*0.029	#0.0855B/*0.029	----	0.0265 NEW	.2864	----	----	1	----	1 + 1
637	0.0310	0.0310	#0.0870B/*0.031	#0.0870B/*0.031	----	0.0295 NEW	.3149	----	----	2	----	2 + 2
640	----	----	0.1610B/*0.0450	0.1610B/*0.0450	----	0.0400 - 0.0600	.4081	----	----	----	----	1 UNCH
640	----	----	0.0610B/*0.0195	0.0610B/*0.0195	----	0.0660 + 0.0260	.5917	----	----	----	----	5 UNCH
640	----	----	0.1495B/*0.0815	0.1495B/*0.0815	----	0.1505 + 0.0345	.5410	----	----	----	----	1 UNCH
642	0.0585	0.0585	0.0585/*0.0175A	0.0585/*0.0175A	----	0.0550 NEW	.5241	----	----	1	----	1 + 1
643	0.0575	0.0575	0.0575/*0.0575	0.0925B/*0.0575	----	0.0540 NEW	.5100	----	----	1	----	1 + 1
650	0.0100	0.0100	0.0190/*0.0100	0.0190/*0.0100	----	0.0230 + 0.0070	.2649	----	----	5	----	5 UNCH
650	----	----	0.1050B/*0.0575	0.1050B/*0.0575	----	0.1055 NEW	.4239	----	----	7	----	7 + 7
650	----	----	0.2995B/0.1820A	0.2995B/0.1820A	----	0.1795 - 0.0625	.5755	----	----	----	----	3 UNCH
660	----	----	----	0.0020B/*0.0080	----	0.0065 + 0.0005	.0779	----	----	----	----	2 UNCH
665	----	----	----	0.0005B/*0.0070	----	0.0035 UNCH	.0399	----	----	----	----	24 UNCH
675	----	----	----	----/0.0065A	----	0.0010 - 0.0005	.0097	----	----	----	----	1 UNCH
725	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
775	----	----	----	----/*0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										42		206 + 34
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
MAY26												
600	----	----	----	----/*0.0025A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
610	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
618	----	----	----	0.0010B/*0.0055	----	0.0000 - 0.0025	----	----	----	----	----	0 - 20
620	----	----	----	0.0025B/0.0050A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 2
621	----	----	#0.0055B/----	0.0055B/0.0055A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 2
625	----	----	0.0230B/*0.0050	0.0230B/*0.0050	----	0.0000 - 0.0095	----	----	----	----	----	0 - 10
629	----	----	#0.0500B/*0.005	0.0500B/*0.0055	----	0.0000 - 0.0190	----	----	----	----	----	0 - 2
629	0.0250	0.0250	0.1320B/*0.0185	0.1320B/*0.0185	----	0.1360 NEW	----	----	----	1	----	0 UNCH
630	0.0125	0.0125	0.0580B/*0.0050	0.0580B/*0.0050	----	0.0000 - 0.0225	----	----	----	1	----	0 - 3
630	0.0310	0.0310	0.1220B/*0.0100	0.1220B/*0.0100	----	0.1260 NEW	----	----	----	11	----	0 UNCH
632	0.0005	0.0005	#0.0750B/*0.000	#0.0750B/*0.000	----	0.0000 - 0.0300	----	----	----	3	----	0 - 1
633	----	----	#0.0835B/*0.005	#0.0835B/*0.005	----	0.0000 - 0.0340	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 51

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
MAY26												
633	----	----	0.0920B/*0.0115	0.0920B/*0.0115	----	0.0960 + 0.0520	----	----	----	----	----	0 - 1
634	----	----	#0.0925B/*0.005	#0.0925B/*0.005	----	0.0000 NEW	----	----	----	1	----	0 UNCH
635	0.0205	0.0205	0.1020B/*0.0010	0.1020B/*0.0010	----	0.0000 - 0.0440	----	----	----	2	----	0 - 1
635	0.0060	0.0060	0.0720B/*0.0060	0.0720B/*0.0060	----	0.0760 + 0.0420	----	----	----	18	----	0 - 28
636	0.0015	0.0015	#0.1115B/*0.001	#0.1115B/*0.001	----	0.0000 - 0.0495	----	----	----	2	----	0 - 2
637	0.0015	0.0015	#0.1210B/*0.001	#0.1210B/*0.001	----	0.0000 - 0.0555	----	----	----	1	----	0 - 1
637	0.0075	0.0075	0.0520B/*0.0075	0.0520B/*0.0075	----	0.0560 NEW	----	----	----	25	----	0 UNCH
638	0.0380	0.0380	0.0420B/*0.0090	0.0420B/*0.0090	----	0.0460 + 0.0240	----	----	----	2	----	0 - 2
639	----	----	#0.1405B/*0.005	#0.1405B/*0.005	----	0.0000 - 0.0685	----	----	----	----	----	0 - 1
640	----	----	0.1500B/*0.0055	0.1500B/*0.0055	----	0.0000 - 0.0760	----	----	----	----	----	0 - 2
640	----	----	0.0220B/*0.0080	0.0220B/*0.0080	----	0.0260 + 0.0100	----	----	----	----	----	0 - 1
641	----	----	#0.1600B/*0.005	#0.1600B/*0.005	----	0.0000 - 0.0835	----	----	----	----	----	0 - 1
643	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0000 NEW	----	----	----	2	----	0 UNCH
650	----	----	----	----/*0.0050A	----	0.0000 - 0.0025	----	----	----	1	----	0 - 1
657	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
658	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
662	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
670	----	----	----	----/*0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
680	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
685	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
700	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 20
TOTAL										70		0 - 136
JUN26												
575	----	----	----	----/*0.0075A	----	0.0005 - 0.0015	.0032	----	----	----	----	1 UNCH
600	0.0345	0.0345	#0.0495B/*0.033	0.0495B/*0.0335	----	0.0285 NEW	.1287	----	----	1	----	1 + 1
615	0.0125	0.0125	0.0390B/*0.0125	0.0390B/*0.0125	----	0.0125 NEW	.0948	----	----	15	----	15 + 15
620	0.0880	0.0880	#0.1215B/*0.072	#0.1215B/*0.072	----	0.0675 NEW	.2657	----	----	1	----	1 + 1
625	----	----	0.1180B/*0.0570	0.1180B/*0.0570	----	0.0540 - 0.0340	.2684	----	----	----	----	20 UNCH
625	----	----	#0.1475B/*0.087	#0.1475B/*0.087	----	0.0825 - 0.0390	.3105	----	----	----	----	2 UNCH
630	0.1070	0.1070	0.1930B/*0.1045	0.1930B/*0.1045	----	0.1955 + 0.0455	.6729	----	----	1	----	1 UNCH
630	----	----	0.1210B/*0.0720	0.1210B/*0.0720	----	0.1620 + 0.0480	.7425	----	----	----	----	8 UNCH
630	----	----	0.1100B/*0.0415	0.1100B/*0.0415	----	0.0360 - 0.0380	.2572	----	----	----	----	8 UNCH
635	----	----	0.1770B/*0.0915	0.1770B/*0.0915	----	0.0885 - 0.0470	.3900	----	----	----	----	20 UNCH
635	----	----	0.1950B/*0.1195	0.1950B/*0.1195	----	0.1975 + 0.0365	.5899	----	----	----	----	1 UNCH
640	----	----	0.2120B/0.1140A	0.2120B/0.1140A	----	0.1105 - 0.0540	.4558	----	----	----	----	78 UNCH
640	----	----	0.1360B/*0.0700	0.1360B/*0.0700	----	0.1365 + 0.0320	.5437	----	----	----	----	37 UNCH
645	----	----	0.1115B/*0.0570	0.1115B/*0.0570	----	0.1125 + 0.0260	.4773	----	----	----	----	9 UNCH
665	0.0125	0.0125	0.0140B/*0.0120	0.0140B/*0.0120	----	0.0180 NEW	.1430	----	----	15	----	15 + 15
700	----	----	----/*0.0215A	0.0190B/*0.0215	----	0.0235 - 0.0005	.1071	----	----	----	----	1 UNCH
TOTAL										33		218 + 32
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week1										
JUN26												
450	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
500	----	----	----	----/0.0060A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
550	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0020 - 0.0020	.0107	----	----	1	----	1 UNCH
590	0.0210	0.0210	0.0255B/*0.0175	0.0255B/*0.0175	----	0.0145 - 0.0090	.0737	----	----	1	----	1 UNCH
595	----	----	0.0165B/*0.0120	0.0165B/*0.0120	----	0.0090 - 0.0060	.0551	----	----	----	----	1 UNCH
610	0.0150	0.0150	0.0220/*0.0095A	0.0220/*0.0095A	----	0.0030 NEW	.0266	----	----	2	----	2 + 2
610	----	----	0.0455B/*0.0210	0.0455B/*0.0210	----	0.0180 - 0.0155	.1129	----	----	----	----	1 UNCH
615	----	----	0.0615B/*0.0270	0.0615B/*0.0270	----	0.0235 - 0.0205	.1458	----	----	----	----	1 UNCH
618	0.0135	0.0135	#0.0325B/*0.012	#0.0325B/*0.012	----	0.0065 NEW	.0614	----	----	1	----	1 + 1
620	0.0085	0.0085	0.0395B/*0.0085	0.0395B/*0.0085	----	0.0080 NEW	.0759	----	----	1	----	1 + 1
620	----	----	0.0805B/*0.0350	0.0805B/*0.0350	----	0.0315 - 0.0265	.1895	----	----	----	----	1 UNCH
625	----	----	0.2160B/*0.1140	0.2160B/*0.1140	----	0.2185 + 0.0530	.7558	----	----	----	----	1 UNCH
630	0.0500	0.0500	0.1430B/0.0500	0.1430B/0.0500	----	0.1480 NEW	.7978	----	----	4	----	4 + 4
630	----	----	0.1800B/*0.0925	0.1800B/*0.0925	----	0.1825 + 0.0455	.6921	----	----	----	----	1 UNCH
635	----	----	0.1945B/0.1105A	0.1945B/0.1105A	----	0.1075 - 0.0470	.4027	----	----	----	----	31 UNCH
640	----	----	0.1575B/*0.0870	0.1575B/*0.0870	----	0.1565 + 0.0330	.5402	----	----	----	----	20 UNCH
640	----	----	0.2005B/*0.1000	0.2005B/*0.1000	----	0.0965 - 0.0540	.4523	----	----	----	----	6 UNCH
640	0.0440	0.0440	0.0730B/0.0275A	0.0730B/0.0275A	----	0.0785 NEW	.5741	----	----	5	----	5 + 5
646	----	----	#0.0435B/*0.019	0.0435B/*0.0195	----	0.0485 NEW	.4126	----	----	3	----	3 + 3
650	----	----	0.1130B/*0.0615	0.1130B/*0.0615	----	0.1120 + 0.0220	.4284	----	----	----	----	10 UNCH
650	----	----	0.0760B/*0.0360	0.0760B/*0.0360	----	0.0775 + 0.0195	.3983	----	----	----	----	2 UNCH
652	----	----	#0.0230B/*0.015	0.0230B/*0.0150	----	0.0285 NEW	.2673	----	----	1	----	1 + 1
660	0.0090	0.0090	0.0090/*0.0085	0.0090/*0.0085	----	0.0125 + 0.0025	.1271	----	----	15	----	15 + 15
670	----	----	----	0.0010B/0.0095A	----	0.0045 + 0.0005	.0450	----	----	----	----	5 UNCH
670	----	----	0.0245B/*0.0160	0.0245B/*0.0160	----	0.0260 + 0.0030	.1651	----	----	----	----	47 UNCH
685	----	----	----	----/0.0070A	----	0.0010 UNCH	.0087	----	----	----	----	3 UNCH
750	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
TOTAL										34		202 + 32
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
628	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0400 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0100 UNCH	----	----	----	----	----	0 UNCH
636	----	----	----	----	----	0.0200 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0300 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
638	----	----	----	----	----	0.0400 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0600 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
641	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0800 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
652	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
465	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
470	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
490	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
500	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
555	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
570	0.0115	0.0115	0.0115/*0.0110A	0.0115/*0.0110A	----	0.0070 - 0.0040	.0349	----	----	1	----	1 UNCH
585	----	----	----/*0.0105A	0.0100B/*0.0105	----	0.0070 NEW	.0401	----	----	4	----	4 + 4
595	----	----	0.4765B/0.3110A	0.4765B/0.3110A	----	0.4775 + 0.0820	.9853	----	----	----	----	5 UNCH
595	----	----	----	0.0035B/*0.0085	----	0.0020 - 0.0040	.0145	----	----	----	----	5 UNCH
600	----	----	0.4270B/0.2655A	0.4270B/0.2655A	----	0.4285 + 0.0805	.9805	----	----	----	----	1 UNCH
600	----	----	0.0275B/*0.0160	0.0275B/*0.0160	----	0.0130 - 0.0090	.0773	----	----	----	----	2 UNCH
605	----	----	0.0375B/*0.0195	0.0375B/*0.0195	----	0.0165 NEW	.0981	----	----	4	----	4 + 4
606	----	----	0.0125B/*0.0105	0.0125B/*0.0105	----	0.0040 - 0.0075	.0324	----	----	----	----	1 UNCH
610	----	----	0.3295B/0.1810A	0.3295B/0.1810A	----	0.3315 + 0.0765	.9543	----	----	----	----	8 UNCH
614	----	----	0.0290B/*0.0135	0.0290B/*0.0135	----	0.0075 - 0.0130	.0634	----	----	----	----	1 UNCH
618	0.0120	0.0120	0.0420B/*0.0120	0.0420B/*0.0120	----	0.0110 NEW	.0921	----	----	15	----	15 + 15
620	----	----	0.2360B/0.1115A	0.2360B/0.1115A	----	0.2390 + 0.0675	.8885	----	----	----	----	1 UNCH
625	----	----	0.0730B/*0.0250	0.0730B/*0.0250	----	0.0205 - 0.0250	.1657	----	----	----	----	160 UNCH
636	----	----	0.1245B/*0.0525	0.1245B/*0.0525	----	0.0480 - 0.0445	.3498	----	----	----	----	1 UNCH
640	----	----	0.0850B/0.0355A	0.0850B/0.0355A	----	0.0895 + 0.0340	.5640	----	----	----	----	2 UNCH
640	----	----	0.2070B/0.1075A	0.2070B/0.1075A	----	0.1040 - 0.0515	.4543	----	----	----	----	1 UNCH
642	0.0300	0.0300	0.0745B/0.0300	0.0745B/0.0300	----	0.0785 + 0.0305	.5190	----	----	2	----	2 + 1
650	----	----	0.0400B/*0.0195	0.0400B/*0.0195	----	0.0445 + 0.0180	.3419	----	----	----	----	15 UNCH
660	----	----	0.0160B/*0.0120	0.0160B/*0.0120	----	0.0200 + 0.0075	.1717	----	----	----	----	8 UNCH
660	----	----	0.0515B/*0.0270	0.0515B/*0.0270	----	0.0525 + 0.0100	.2814	----	----	----	----	5 UNCH
662	0.0100	0.0100	#0.0100/*0.0100	#0.0100/*0.0100	----	0.0175 NEW	.1499	----	----	15	----	15 + 15
675	----	----	----	0.0025B/*0.0080	----	0.0070 + 0.0020	.0584	----	----	----	----	2 UNCH
705	----	----	----	----/0.0060A	----	0.0005 UNCH	.0036	----	----	----	----	7 UNCH
710	----	----	----	----/*0.0060A	----	0.0005 UNCH	.0019	----	----	----	----	2 UNCH
725	----	----	----	----/0.0055A	----	0.0005 UNCH	.0002	----	----	----	----	7 UNCH
725	----	----	----	0.0075B/*0.0105	----	0.0100 - 0.0005	.0479	----	----	----	----	14 UNCH
750	----	----	----	----/*0.0050A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
800	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
TOTAL										41		318 + 39
JUL26												
460	----	----	----	----/0.0070A	----	0.0005 UNCH	.0010	----	----	----	----	23 UNCH
510	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0035 NEW	.0123	----	----	19	----	19 + 19
565	----	----	----/*0.0185A	0.0140B/*0.0185	----	0.0145 - 0.0050	.0540	----	----	----	----	6 UNCH
568	----	----	----/*0.0200A	0.0165B/*0.0200	----	0.0160 - 0.0055	.0594	----	----	----	----	6 UNCH
581	----	----	----/*0.0280A	0.0310B/*0.0280	----	0.0240 - 0.0090	.0876	----	----	----	----	1 UNCH
585	----	----	#0.6375B/----	#0.6375B/0.5945	----	0.6610 + 0.0755	.9001	----	----	----	----	6 UNCH
585	----	----	----/*0.0315A	0.0370B/*0.0315	----	0.0275 - 0.0105	.0992	----	----	----	----	6 UNCH
592	----	----	0.0500B/*0.0390	0.0500B/*0.0390	----	0.0350 - 0.0140	.1231	----	----	----	----	1 UNCH
600	----	----	0.5075B/0.3895A	0.5075B/0.3895A	----	0.5300 + 0.0685	.8429	----	----	----	----	12 UNCH
600	----	----	0.0690B/*0.0500	0.0690B/*0.0500	----	0.0460 - 0.0180	.1562	----	----	----	----	1 UNCH
611	----	----	0.1035B/*0.0715	0.1035B/*0.0715	----	0.0680 - 0.0225	.2150	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUL26												
612	----	----	#0.4135B/----	#0.4135B/0.3810	----	0.4340 + 0.0625	.7787	----	----	----	----	5 UNCH
612	----	----	0.1075B/*0.0740	0.1075B/*0.0740	----	0.0700 - 0.0235	.2204	----	----	----	----	6 UNCH
613	----	----	0.1110B/*0.0760	0.1110B/*0.0760	----	0.0725 - 0.0240	.2265	----	----	----	----	3 UNCH
621	----	----	0.3485B/0.2575A	0.3485B/0.2575A	----	0.3690 + 0.0570	.7210	----	----	----	----	1 UNCH
622	----	----	0.1495B/*0.1015	0.1495B/*0.1015	----	0.0975 - 0.0295	.2849	----	----	----	----	5 UNCH
625	----	----	0.3395B/0.2365A	0.3395B/0.2365A	----	0.3420 + 0.0545	.6930	----	----	----	----	22 UNCH
630	----	----	0.3075B/0.2125A	0.3075B/0.2125A	----	0.3100 + 0.0510	.6567	----	----	----	----	5 UNCH
635	----	----	0.2180B/*0.1500	0.2180B/*0.1500	----	0.1455 - 0.0385	.3799	----	----	----	----	5 UNCH
645	----	----	0.2285B/0.1525A	0.2285B/0.1525A	----	0.2270 NEW	.5424	----	----	1	----	1 + 1
650	0.1325	0.1325	0.2050B/0.1250	0.2050B/0.1250	----	0.2035 + 0.0365	.5041	----	----	3	----	5 UNCH
675	----	----	0.1150B/0.0770A	0.1150B/0.0770A	----	0.1140 + 0.0195	.3289	----	----	1	----	1 + 1
680	----	----	0.1015B/0.0690A	0.1015B/0.0690A	----	0.1010 NEW	.2988	----	----	1	----	1 + 1
700	----	----	0.0610B/0.0455A	0.0610B/0.0455A	----	0.0615 + 0.0075	.1984	----	----	----	----	5 UNCH
710	----	----	0.0470B/*0.0380	0.0470B/*0.0380	----	0.0485 + 0.0050	.1610	----	----	----	----	5 UNCH
720	0.0420	0.0420	0.0420/*0.0320A	0.0420/*0.0320A	----	0.0385 + 0.0030	.1306	----	----	1	----	0 - 1
TOTAL										26		173 + 21
AUG26												
599	----	----	----	----	----	0.6220 + 0.0600	.7532	----	----	----	----	10 UNCH
630	----	----	0.4260B/0.3355A	0.4260B/0.3355A	----	0.4285 + 0.0470	.6131	----	----	----	----	13 UNCH
630	----	----	0.3110B/0.2505A	0.3110B/0.2505A	----	0.2445 - 0.0385	.3852	----	----	----	----	15 UNCH
640	----	----	0.3740B/0.2935A	0.3740B/0.2935A	----	0.3770 + 0.0420	.5653	----	----	----	----	1 UNCH
650	----	----	0.3275B/0.2565A	0.3275B/0.2565A	----	0.3305 + 0.0375	.5178	----	----	----	----	14 UNCH
TOTAL												53
SEP26												
750	0.1450	0.1450	0.1450/*0.1220A	0.1450/*0.1220A	----	0.1480 + 0.0135	.2417	----	----	3	----	2 - 3
TOTAL										3		2 - 3
HX CALL		COMEX COPPER OPTIONS										
JUL26												
500	----	----	1.4045B/----	1.4045B/1.3600A	----	1.4270 + 0.0865	.9909	----	----	----	----	9 - 1
510	----	----	----	----	----	1.3275 + 0.0860	.9887	----	----	----	----	1 UNCH
520	----	----	----	----	----	1.2280 + 0.0855	.9863	----	----	----	----	2 UNCH
525	----	----	----	----	----	1.1780 + 0.0850	.9843	----	----	----	----	1 UNCH
530	----	----	1.1065B/----	1.1065B/1.0625A	----	1.1285 + 0.0845	.9821	----	----	----	----	6 UNCH
540	----	----	1.0080B/----	1.0080B/0.9640A	----	1.0300 + 0.0840	.9759	----	----	----	----	18 UNCH
545	----	----	----	----	----	0.9810 + 0.0835	.9733	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.9320 + 0.0830	.9675	----	----	----	----	4 UNCH
555	----	----	0.8610B/----	0.8610B/0.8185A	----	0.8835 + 0.0830	.9629	----	----	----	----	116 UNCH
560	----	----	----/0.6855A	0.6680B/0.6855A	----	0.8350 + 0.0820	.9567	----	----	----	----	1 UNCH
570	----	----	0.7295B/0.5930A	0.7295B/0.5930A	----	0.7390 + 0.0800	.9403	----	----	----	----	157 UNCH
574	----	----	0.6935B/0.5575A	0.6935B/0.5575A	----	0.7010 + 0.0790	.9322	----	----	----	----	5 UNCH
575	----	----	0.6815B/0.5485A	0.6815B/0.5485A	----	0.6915 + 0.0785	.9301	----	----	----	----	19 UNCH
580	----	----	0.6355B/0.5050A	0.6355B/0.5050A	----	0.6450 + 0.0770	.9180	----	----	----	----	123 UNCH
585	----	----	0.5945B/0.4625A	0.5945B/0.4625A	----	0.5985 + 0.0740	.9029	----	----	----	----	318 UNCH
590	----	----	0.5445B/0.4215A	0.5445B/0.4215A	----	0.5535 + 0.0720	.8847	----	----	----	----	103 UNCH
591	----	----	0.5340B/0.4140A	0.5340B/0.4140A	----	0.5450 + 0.0715	.8810	----	----	----	----	3 UNCH
593	----	----	0.5170B/0.3980A	0.5170B/0.3980A	----	0.5270 + 0.0705	.8724	----	----	----	----	1 UNCH
594	----	----	0.5085B/0.3905A	0.5085B/0.3905A	----	0.5185 + 0.0700	.8686	----	----	----	----	2 UNCH
595	----	----	0.5010B/0.3830A	0.5010B/0.3830A	----	0.5100 + 0.0695	.8637	----	----	----	----	29 UNCH
597	----	----	0.4825B/0.3675A	0.4825B/0.3675A	----	0.4925 + 0.0680	.8549	----	----	----	----	1 UNCH
598	----	----	0.4740B/0.3605A	0.4740B/0.3605A	----	0.4845 + 0.0680	.8489	----	----	----	----	1 UNCH
599	----	----	0.4655B/0.3530A	0.4655B/0.3530A	----	0.4760 + 0.0675	.8439	----	----	----	----	2 UNCH
600	----	----	0.4655B/0.3290A	0.4655B/0.3290A	----	0.4675 + 0.0665	.8389	----	----	----	----	543 UNCH
602	----	----	0.4425B/0.3315A	0.4425B/0.3315A	----	0.4510 + 0.0655	.8279	----	----	----	----	83 UNCH
603	----	----	0.4330B/0.3245A	0.4330B/0.3245A	----	0.4430 + 0.0650	.8228	----	----	----	----	3 UNCH
605	----	----	0.4185B/0.2950A	0.4185B/0.2950A	----	0.4265 + 0.0630	.8108	----	----	----	----	41 UNCH
610	0.3665	0.3665	0.3845B/0.2640A	0.3845B/0.2640A	----	0.3875 + 0.0595	.7787	----	----	120	----	231 - 94
615	0.3510	0.3510	0.3525B/0.2350A	0.3525B/0.2350A	----	0.3505 + 0.0560	.7441	----	----	100	----	1409 - 11
620	0.3060	0.3060	0.3170B/0.2035A	0.3170B/0.2035A	----	0.3155 + 0.0520	.7061	----	----	2	----	186 - 1
625	----	----	0.2845B/0.1795A	0.2845B/0.1795A	----	0.2825 + 0.0475	.6658	----	----	1	----	359 + 1
630	0.1775	0.1775	0.2545B/0.1575A	0.2545B/0.1575A	----	0.2520 + 0.0430	.6237	----	----	13	----	396 - 5
635	0.1765	0.1765	0.2275B/0.1380A	0.2275B/0.1380A	----	0.2240 + 0.0385	.5805	----	----	28	----	201 + 23
640	0.1590	0.1590	0.2020B/0.1205A	0.2020B/0.1205A	----	0.1980 + 0.0345	.5368	----	----	146	----	1434 - 117
645	0.1090	0.1090	0.1820/0.1055A	0.1820/0.1055A	----	0.1750 + 0.0305	.4934	----	----	90	----	507 + 22
650	0.1185	0.1185	0.1595/0.0920A	0.1595/0.0920A	----	0.1535 + 0.0265	.4507	----	----	201	120	1783 - 107
655	0.1225	0.1225	0.1400/0.0800A	0.1400/0.0800A	----	0.1345 + 0.0230	.4095	----	----	12	----	366 + 1
660	0.1100	0.1100	0.1220B/0.0700A	0.1220B/0.0700A	----	0.1175 + 0.0195	.3701	----	----	3	----	1338 - 1
665	0.1050	0.1050	0.1060B/0.0610A	0.1060B/0.0610A	----	0.1025 + 0.0165	.3330	----	----	10	----	138 - 8
670	0.0540	0.0540	0.0930B/0.0535A	0.0930B/0.0535A	----	0.0890 + 0.0135	.2981	----	----	180	----	699 + 121
675	0.0510	0.0510	0.0810/0.0465A	0.0810/0.0465A	----	0.0770 + 0.0105	.2656	----	----	41	----	2061 + 14
679	----	----	----	#0.0715B/*0.042	----	0.0685 NEW	.2414	----	----	15	----	15 + 15
680	0.0550	0.0550	0.0710/0.0410A	0.0710/0.0410A	----	0.0665 + 0.0080	.2356	----	----	5	----	232 - 5
681	0.0505	0.0505	#0.0675B/*0.050	#0.0675B/*0.040	----	0.0645 NEW	.2298	----	----	4	----	4 + 4
684	0.0500	0.0500	#0.0630B/*0.045	#0.0630B/*0.037	----	0.0595 NEW	.2143	----	----	28	----	28 + 28
685	0.0485	0.0485	0.0600B/0.0360A	0.0600B/0.0360A	----	0.0575 + 0.0055	.2086	----	----	27	----	130 + 27
686	0.0475	0.0475	#0.0595B/*0.043	#0.0595B/*0.035	----	0.0560 NEW	.2038	----	----	22	----	22 + 22
689	0.0435	0.0435	#0.0535B/*0.040	#0.0535B/*0.033	----	0.0515 NEW	.1895	----	----	28	----	28 + 28
690	0.0425	0.0425	0.0525B/0.0320A	0.0525B/0.0320A	----	0.0500 + 0.0040	.1848	----	----	171	----	521 + 43
691	0.0410	0.0410	#0.0505B/*0.038	#0.0505B/*0.031	----	0.0485 NEW	.1801	----	----	20	----	20 + 20
694	0.0380	0.0380	#0.0465B/*0.035	#0.0465B/*0.029	----	0.0445 NEW	.1670	----	----	7	----	7 + 7
695	0.0370	0.0370	0.0450B/0.0285A	0.0450B/0.0285A	----	0.0435 + 0.0025	.1634	----	----	74	----	137 + 20
700	0.0300	0.0300	0.0395B/0.0255A	0.0395B/0.0255A	----	0.0380 + 0.0015	.1447	----	----	285	120	1033 - 30
705	0.0270	0.0270	0.0360B/0.0230A	0.0360B/0.0230A	----	0.0330 + 0.0005	.1275	----	----	5	----	57 + 3
710	0.0230	0.0230	0.0310/0.0205A	0.0310/0.0205A	----	0.0290 UNCH	.1130	----	----	7	----	675 + 7
715	----	----	----/0.0180A	0.0265B/0.0180A	----	0.0255 - 0.0010	.1002	----	----	1	----	188 - 1
720	----	----	----/0.0165A	0.0230B/0.0165A	----	0.0225 - 0.0010	.0889	----	----	----	----	281 - 5
725	----	----	----/0.0150A	0.0205B/0.0150A	----	0.0200 - 0.0015	.0793	----	----	31	----	1416 + 10
730	----	----	----/0.0140A	0.0180B/0.0140A	----	0.0180 - 0.0015	.0713	----	----	----	----	271 UNCH
735	----	----	----/*0.0125A	0.0160B/*0.0125	----	0.0160 - 0.0020	.0636	----	----	----	----	84 UNCH
740	----	----	----/*0.0125A	0.0145B/*0.0125	----	0.0145 - 0.0020	.0575	----	----	----	----	310 UNCH
750	0.0105	0.0105	0.0120B/0.0105	0.0120B/0.0105	----	0.0120 - 0.0020	.0472	----	----	1	----	1255 UNCH
760	----	----	----/*0.0095A	0.0100B/*0.0095	----	0.0100 - 0.0020	.0391	----	----	1	----	67 UNCH
770	----	----	----/*0.0085A	0.0080B/*0.0085	----	0.0085 - 0.0020	.0328	----	----	----	----	28 UNCH
775	----	----	----/0.0080A	0.0075B/0.0080A	----	0.0080 - 0.0015	.0306	----	----	1	----	109 UNCH
780	----	----	----/0.0075A	0.0070B/0.0075A	----	0.0075 - 0.0015	.0284	----	----	----	----	41 UNCH
800	0.0055	0.0055	0.0055/0.0055	0.0055/0.0055	----	0.0055 - 0.0015	.0204	----	----	2	----	2387 - 1
825	----	----	----	0.0040B/0.0065A	----	0.0045 - 0.0010	.0158	----	----	----	----	13 UNCH
850	----	----	----	0.0025B/0.0050A	----	0.0040 UNCH	.0132	----	----	----	----	330 UNCH
875	----	----	----	----/0.0045A	----	0.0035 UNCH	.0110	----	----	----	----	6 UNCH
900	----	----	----	0.0015B/0.0035A	----	0.0035 + 0.0005	.0102	----	----	----	----	2151 UNCH
925	----	----	----	----/0.0050A	----	0.0035 + 0.0015	.0096	----	----	----	----	16 UNCH
950	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0035 + 0.0020	.0091	----	----	1	----	52 + 1
975	----	----	----	----/*0.0020A	----	0.0025 + 0.0015	.0066	----	----	----	----	18 UNCH
1000	----	----	----	0.0005B/0.0015A	----	0.0015 + 0.0010	.0040	----	----	----	----	6 UNCH
TOTAL									240	1683		24639 + 30
AUG26												
500	----	----	1.4515B/----	1.4515B/1.4425A	----	1.4920 + 0.0835	.9706	----	----	----	----	8 UNCH
550	----	----	----	----	----	1.0125 + 0.0785	.9195	----	----	----	----	3 UNCH
580	----	----	0.7400B/----	0.7400B/0.6825A	----	0.7510 + 0.0705	.8415	----	----	----	----	253 UNCH
585	----	----	0.6715B/----	0.6715B/0.6745A	----	0.7105 + 0.0685	.8239	----	----	----	----	11 UNCH
590	----	----	0.6320B/0.5355A	0.6320B/0.5355A	----	0.6710 + 0.0660	.8052	----	----	----	----	17 UNCH
595	----	----	0.5760B/0.5020A	0.5760B/0.5020A	----	0.6330 + 0.0640	.7854	----	----	----	----	1 UNCH
600	----	----	0.5775B/0.4700A	0.5775B/0.4700A	----	0.5960 + 0.0620	.7642	----	----	----	----	4 UNCH
610	----	----	0.5235B/0.4105A	0.5235B/0.4105A	----	0.5265 + 0.0575	.7187	----	----	----	----	2 UNCH
615	----	----	0.4910B/0.3830A	0.4910B/0.3830A	----	0.4935 + 0.0550	.6948	----	----	----	----	2 UNCH
620	----	----	0.4600B/0.3525A	0.4600B/0.3525A	----	0.4625 + 0.0530	.6701	----	----	----	----	28 UNCH
625	----	----	0.4300B/0.3270A	0.4300B/0.3270A	----	0.4325 + 0.0505	.6450	----	----	----	----	96 UNCH
630	----	----	0.4040B/0.3040A	0.4040B/0.3040A	----	0.4040 + 0.0480	.6193	----	----	----	----	57 UNCH
635	----	----	0.3780B/0.2820A	0.3780B/0.2820A	----	0.3770 + 0.0455	.5934	----	----	----	----	3 UNCH
640	----	----	0.3530B/0.2615A	0.3530B/0.2615A	----	0.3515 + 0.0425	.5675	----	----	----	----	161 UNCH
645	----	----	0.3285B/0.2430A	0.3285B/0.2430A	----	0.3275 + 0.0400	.5417	----	----	----	----	3 UNCH
650	----	----	0.3065B/0.2250A	0.3065B/0.2250A	----	0.3045 + 0.0365	.5160	----	----	----	----	818 UNCH
655	0.2700	0.2700	0.2855B/0.2090A	0.2855B/0.2090A	----	0.2830 + 0.0340	.4907	----	----	2	----	461 + 2
660	----	----	0.2650B/0.1935A	0.2650B/0.1935A	----	0.2630 + 0.0310	.4658	----	----	----	----	110 UNCH
665	----	----	0.2460B/0.1795A	0.2460B/0.1795A	----	0.2440 + 0.0280	.4415	----	----	----	----	1 UNCH
670	----	----	0.2285B/0.1660A	0.2285B/0.1660A	----	0.2260 + 0.0255	.4177	----	----	----	----	411 UNCH
675	----	----	0.2120B/0.1540A	0.2120B/0.1540A	----	0.2095 + 0.0230	.3947	----	----	----	----	1354 UNCH
680	----	----	0.1960B/0.1425A	0.1960B/0.1425A	----	0.1940 + 0.0210	.3725	----	----	----	----	120 UNCH
685	----	----	0.1810B/0.1320A	0.1810B/0.1320A	----	0.1795 + 0.0190	.3510	----	----	----	----	2 UNCH
690	0.1300	0.1300	0.1670B/0.1220A	0.1670B/0.1220A	----	0.1660 + 0.0175	.3304	----	----	76	----	223 + 1
695	----	----	0.1545B/0.1135A	0.1545B/0.1135A	----	0.1535 + 0.0155	.3106	----	----	----	----	2 UNCH
700	0.1000	0.1000	0.1450/0.1000	0.1450/0.1000	----	0.1420 + 0.0145	.2918	----	----	357	----	3180 + 196
710	----	----	0.1220B/0.0905A	0.1220B/0.0905A	----	0.1215 + 0.0115	.2570	----	----	----	----	103 UNCH
720	----	----	0.1050B/0.0780A	0.1050B/0.0780A	----	0.1040 + 0.0090	.2257	----	----	----	----	6 UNCH
725	----	----	0.0970B/0.0725A	0.0970B/0.0725A	----	0.0960 + 0.0075	.2111	----	----	----	----	1325 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
730	----	----	0.0900B/0.0675A	0.0900B/0.0675A	----	0.0890 + 0.0065	.1978	----	----	1	----	3 + 1
735	----	----	0.0830B/0.0630A	0.0830B/0.0630A	----	0.0825 + 0.0055	.1852	----	----	----	----	1 UNCH
740	----	----	0.0770B/*0.0590	0.0770B/*0.0590	----	0.0765 NEW	.1734	----	----	1	----	1 + 1
750	----	----	0.0660B/0.0505A	0.0660B/0.0505A	----	0.0660 + 0.0030	.1521	----	----	----	----	574 UNCH
775	----	----	0.0460B/0.0365A	0.0460B/0.0365A	----	0.0465 + 0.0010	.1105	----	----	----	----	162 UNCH
800	0.0330	0.0330	0.0330/0.0275A	0.0330/0.0275A	----	0.0335 UNCH	.0811	----	----	3	----	405 + 1
825	----	----	----/*0.0215A	0.0245B/0.0215A	----	0.0245 - 0.0010	.0602	----	----	----	----	5 UNCH
850	0.0200	0.0200	0.0200/*0.0170A	0.0200/0.0170A	----	0.0190 - 0.0010	.0465	----	----	3	----	13 UNCH
875	----	----	----/*0.0140A	0.0145B/0.0140A	----	0.0145 - 0.0010	.0356	----	----	----	----	14 UNCH
900	----	----	----	0.0110B/0.0125A	----	0.0115 - 0.0010	.0281	----	----	----	----	141 UNCH
925	0.0085	0.0085	0.0085/*0.0085	0.0085/0.0085	----	0.0095 - 0.0010	.0230	----	----	1	----	2 + 1
950	0.0090	0.0090	0.0090/*0.0090	0.0090/0.0090	----	0.0080 - 0.0005	.0191	----	----	6	----	62 + 6
975	----	----	----	0.0025B/0.0110A	----	0.0060 - 0.0005	.0145	----	----	----	----	59 UNCH
TOTAL										450		10207 + 209
SEP26												
495	----	----	----	----	----	1.5485 + 0.0825	.9555	----	----	----	----	2 UNCH
500	----	----	1.4565B/----	1.4565B/1.4570A	----	1.5005 + 0.0820	.9521	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.4055 + 0.0810	.9422	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.1755 + 0.0780	.9066	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.9225 + 0.0745	.8365	----	----	----	----	1 UNCH
575	----	----	0.7990B/----	0.7990B/0.8105A	----	0.8445 + 0.0725	.8070	----	----	----	----	100 UNCH
590	----	----	0.7245B/0.6025A	0.7245B/0.6025A	----	0.7320 + 0.0650	.7591	----	----	----	----	5 UNCH
595	----	----	0.6925B/0.5715A	0.6925B/0.5715A	----	0.6965 + 0.0625	.7418	----	----	----	----	5 UNCH
600	----	----	0.6615B/0.5420A	0.6615B/0.5420A	----	0.6620 + 0.0595	.7237	----	----	----	----	222 UNCH
610	----	----	0.5950B/0.4865A	0.5950B/0.4865A	----	0.5970 + 0.0545	.6859	----	----	----	----	31 UNCH
615	----	----	0.5645B/0.4605A	0.5645B/0.4605A	----	0.5660 + 0.0515	.6663	----	----	----	----	9 UNCH
620	----	----	0.5385B/0.4305A	0.5385B/0.4305A	----	0.5370 + 0.0495	.6462	----	----	----	----	187 UNCH
625	----	----	0.5115B/0.4070A	0.5115B/0.4070A	----	0.5090 + 0.0470	.6259	----	----	----	----	632 UNCH
630	----	----	0.4820B/0.3860A	0.4820B/0.3860A	----	0.4825 + 0.0450	.6054	----	----	----	----	51 UNCH
635	----	----	0.4565B/0.3635A	0.4565B/0.3635A	----	0.4570 + 0.0430	.5850	----	----	----	----	66 UNCH
640	----	----	0.4350B/0.3445A	0.4350B/0.3445A	----	0.4330 + 0.0415	.5645	----	----	----	----	1052 UNCH
645	----	----	0.4105B/0.3250A	0.4105B/0.3250A	----	0.4100 + 0.0395	.5442	----	----	----	----	200 UNCH
650	----	----	0.3890B/0.3070A	0.3890B/0.3070A	----	0.3880 + 0.0380	.5241	----	----	10	----	331 + 5
655	----	----	0.3660B/0.2890A	0.3660B/0.2890A	----	0.3670 + 0.0360	.5042	----	----	----	----	24 UNCH
660	----	----	0.3470B/0.2735A	0.3470B/0.2735A	----	0.3470 + 0.0345	.4847	----	----	----	----	104 UNCH
665	----	----	0.3280B/0.2575A	0.3280B/0.2575A	----	0.3280 + 0.0325	.4655	----	----	----	----	2 UNCH
670	0.2700	0.2700	0.3105B/0.2430A	0.3105B/0.2430A	----	0.3100 + 0.0305	.4467	----	----	47	----	127 - 12
675	0.2870	0.2870	0.2940B/0.2290A	0.2940B/0.2290A	----	0.2930 + 0.0290	.4284	----	----	27	----	600 + 25
680	----	----	0.2780B/0.2160A	0.2780B/0.2160A	----	0.2765 + 0.0270	.4104	----	----	----	----	1392 UNCH
685	----	----	0.2605B/0.2040A	0.2605B/0.2040A	----	0.2610 NEW	.3930	----	----	30	----	30 + 30
690	----	----	0.2475B/0.1925A	0.2475B/0.1925A	----	0.2465 + 0.0235	.3761	----	----	----	----	455 UNCH
695	----	----	0.2320B/0.1815A	0.2320B/0.1815A	----	0.2325 + 0.0215	.3596	----	----	----	----	2 UNCH
700	----	----	0.2205B/0.1710A	0.2205B/0.1710A	----	0.2195 + 0.0200	.3437	----	----	69	80	10654 + 80
705	----	----	0.2080B/0.1620A	0.2080B/0.1620A	----	0.2070 + 0.0180	.3283	----	----	----	----	402 UNCH
710	----	----	0.1960B/0.1520A	0.1960B/0.1520A	----	0.1950 + 0.0165	.3132	----	----	----	----	1000 UNCH
715	----	----	0.1835B/0.1440A	0.1835B/0.1440A	----	0.1840 + 0.0150	.2989	----	----	----	----	1 UNCH
720	----	----	0.1730B/0.1360A	0.1730B/0.1360A	----	0.1735 + 0.0135	.2851	----	----	----	----	7 UNCH
725	----	----	0.1625B/0.1280A	0.1625B/0.1280A	----	0.1635 + 0.0120	.2717	----	----	----	----	133 UNCH
730	----	----	0.1535B/0.1210A	0.1535B/0.1210A	----	0.1540 + 0.0110	.2588	----	----	----	----	1 UNCH
740	----	----	0.1370B/*0.1075	0.1370B/*0.1075	----	0.1370 + 0.0090	.2348	----	----	3	----	950 UNCH
750	0.1075	0.1075	0.1205B/0.0955A	0.1205B/0.0955A	----	0.1220 + 0.0075	.2129	----	----	13	----	235 + 10
775	----	----	0.0910B/0.0730A	0.0910B/0.0730A	----	0.0915 + 0.0050	.1663	----	----	----	80	9180 + 80
800	----	----	0.0675B/0.0565A	0.0675B/0.0565A	----	0.0690 + 0.0030	.1296	----	----	----	----	1000 UNCH
825	----	----	0.0520B/0.0445A	0.0520B/0.0445A	----	0.0530 + 0.0030	.1019	----	----	----	----	131 UNCH
850	----	----	0.0400B/*0.0365	0.0400B/0.0365A	----	0.0410 + 0.0020	.0804	----	----	----	----	2 UNCH
875	----	----	0.0315B/*0.0300	0.0315B/0.0300A	----	0.0320 + 0.0015	.0638	----	----	----	----	1 UNCH
900	----	----	0.0240B/----	0.0240B/0.0255A	----	0.0245 + 0.0010	.0499	----	----	----	----	79 UNCH
975	----	----	0.0125B/----	0.0125B/0.0170A	----	0.0115 UNCH	.0245	----	----	----	----	14 UNCH
TOTAL									160	199		29428 + 218
OCT26												
500	----	----	----	----	----	1.5970 + 0.0770	.9401	----	----	----	----	2 UNCH
575	----	----	----	----	----	0.9540 + 0.0620	.8027	----	----	----	----	2 UNCH
600	----	----	0.7745B/0.6590A	0.7745B/0.6590A	----	0.7790 + 0.0550	.7284	----	----	----	----	40 UNCH
605	----	----	0.7420B/0.6300A	0.7420B/0.6300A	----	0.7470 + 0.0535	.7125	----	----	----	----	2 UNCH
615	----	----	0.6805B/0.5755A	0.6805B/0.5755A	----	0.6855 + 0.0505	.6796	----	----	----	----	5 UNCH
620	----	----	0.6510B/0.5500A	0.6510B/0.5500A	----	0.6560 + 0.0485	.6627	----	----	----	----	1 UNCH
625	----	----	0.6230B/0.5235A	0.6230B/0.5235A	----	0.6275 + 0.0465	.6458	----	----	----	----	16 UNCH
650	----	----	0.4970B/0.4140A	0.4970B/0.4140A	----	0.4995 + 0.0370	.5600	----	----	----	----	106 UNCH
665	----	----	0.4315B/0.3585A	0.4315B/0.3585A	----	0.4335 + 0.0315	.5092	----	----	----	----	1 UNCH
670	----	----	0.4115B/0.3415A	0.4115B/0.3415A	----	0.4135 + 0.0300	.4927	----	----	----	----	1 UNCH
675	----	----	0.3925B/0.3255A	0.3925B/0.3255A	----	0.3945 + 0.0285	.4765	----	----	----	----	77 UNCH
690	----	----	0.3390B/0.2810A	0.3390B/0.2810A	----	0.3415 + 0.0240	.4293	----	----	----	----	1 UNCH
700	----	----	0.3040B/0.2590A	0.3040B/0.2590A	----	0.3100 + 0.0215	.3994	----	----	----	----	151 UNCH
720	----	----	0.2490B/0.2140A	0.2490B/0.2140A	----	0.2550 NEW	.3439	----	----	3	----	3 + 3
730	----	----	0.2255B/0.1935A	0.2255B/0.1935A	----	0.2310 NEW	.3183	----	----	3	----	3 + 3
740	----	----	0.2055B/0.1730A	0.2055B/0.1730A	----	0.2095 + 0.0130	.2944	----	----	----	----	10 UNCH
750	0.1495	0.1495	0.1835B/0.1495	0.1835B/0.1495	----	0.1895 + 0.0105	.2717	----	----	1	----	63 + 1
775	----	----	----/0.1270A	0.1420B/0.1270A	----	0.1480 + 0.0055	.2216	----	----	----	----	84 UNCH
800	----	----	----/0.0990A	0.1115B/0.0990A	----	0.1175 + 0.0035	.1816	----	----	----	----	2 UNCH
825	----	----	----/0.0795A	0.0875B/0.0795A	----	0.0930 + 0.0025	.1481	----	----	----	----	1 UNCH
850	----	----	----/0.0655A	0.0690B/0.0655A	----	0.0750 + 0.0015	.1219	----	----	----	----	30 UNCH
875	----	----	----/0.0550A	0.0550B/0.0550A	----	0.0610 + 0.0010	.1008	----	----	----	----	3 UNCH
900	----	----	----/0.0465A	0.0440B/0.0465A	----	0.0500 + 0.0005	.0838	----	----	----	----	3 UNCH
975	----	----	----	0.0240B/0.0305A	----	0.0295 - 0.0005	.0505	----	----	----	----	7 UNCH
TOTAL										7		614 + 7
NOV26												
535	----	----	----	----	----	1.3030 + 0.0735	.8714	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.2215 + 0.0720	.8517	----	----	----	----	1 UNCH
580	----	----	0.9080B/0.8340A	0.9080B/0.8340A	----	0.9600 + 0.0665	.7679	----	----	----	----	2 UNCH
585	----	----	0.9195B/0.8030A	0.9195B/0.8030A	----	0.9260 + 0.0655	.7543	----	----	----	----	1 UNCH
595	----	----	0.8535B/0.7435A	0.8535B/0.7435A	----	0.8605 + 0.0635	.7263	----	----	----	----	2 UNCH
600	----	----	0.8220B/0.7150A	0.8220B/0.7150A	----	0.8290 + 0.0625	.7119	----	----	----	----	2 UNCH
610	----	----	0.7615B/0.6605A	0.7615B/0.6605A	----	0.7685 + 0.0595	.6825	----	----	----	----	14 UNCH
640	----	----	0.6005B/0.5180A	0.6005B/0.5180A	----	0.6070 + 0.0505	.5920	----	----	----	----	1 UNCH
650	----	----	0.5535B/0.4770A	0.5535B/0.4770A	----	0.5600 + 0.0480	.5617	----	----	----	----	1 UNCH
655	----	----	0.5310B/0.4575A	0.5310B/0.4575A	----	0.5375 + 0.0460	.5467	----	----	----	----	1 UNCH
660	----	----	0.5095B/0.4385A	0.5095B/0.4385A	----	0.5160 + 0.0450	.5317	----	----	----	----	1 UNCH
665	----	----	0.4890B/0.4205A	0.4890B/0.4205A	----	0.4950 + 0.0435	.5169	----	----	----	----	1 UNCH
670	----	----	0.4685B/0.4035A	0.4685B/0.4035A	----	0.4750 + 0.0420	.5023	----	----	----	----	14 UNCH
675	----	----	0.4495B/0.3865A	0.4495B/0.3865A	----	0.4555 + 0.0405	.4879	----	----	----	----	62 UNCH
680	----	----	0.4305B/0.3705A	0.4305B/0.3705A	----	0.4370 + 0.0390	.4737	----	----	----	----	1 UNCH
695	----	----	0.3785B/0.3260A	0.3785B/0.3260A	----	0.3850 + 0.0350	.4323	----	----	1	----	1 UNCH
700	----	----	0.3625B/0.3125A	0.3625B/0.3125A	----	0.3690 + 0.0340	.4190	----	----	----	----	27 UNCH
705	----	----	0.3470B/0.2995A	0.3470B/0.2995A	----	0.3535 + 0.0325	.4060	----	----	1	----	1 UNCH
725	----	----	0.2910B/0.2525A	0.2910B/0.2525A	----	0.2975 + 0.0275	.3564	----	----	----	----	48 UNCH
740	----	----	0.2545B/0.2220A	0.2545B/0.2220A	----	0.2615 + 0.0240	.3223	----	----	----	----	1 UNCH
750	----	----	0.2325B/0.2040A	0.2325B/0.2040A	----	0.2395 + 0.0215	.3009	----	----	----	----	26 UNCH
800	----	----	0.1480B/0.1350A	0.1480B/0.1350A	----	0.1560 + 0.0140	.2117	----	----	----	----	1 UNCH
850	----	----	----/0.0930A	0.0950B/0.0930A	----	0.1040 + 0.0090	.1491	----	----	----	----	2 UNCH
900	----	----	----	0.0625B/0.0675A	----	0.0720 + 0.0065	.1069	----	----	----	----	1 UNCH
975	----	----	----	0.0355B/0.0455A	----	0.0440 + 0.0040	.0673	----	----	----	----	4 UNCH
TOTAL										2		217
DEC26												
520	----	----	----	----	----	1.4485 + 0.0745	.8819	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.4070 + 0.0740	.8738	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.3255 + 0.0720	.8553	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.2085 + 0.0690	.8249	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.1710 + 0.0685	.8139	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.0985 + 0.0675	.7908	----	----	----	----	45 UNCH
575	----	----	0.9760B/0.9085A	0.9760B/0.9085A	----	1.0290 + 0.0665	.7665	----	----	----	----	123 UNCH
585	----	----	0.9530B/0.8475A	0.9530B/0.8475A	----	0.9630 + 0.0655	.7411	----	----	----	----	1 UNCH
590	----	----	0.9210B/0.8185A	0.9210B/0.8185A	----	0.9310 + 0.0645	.7281	----	----	----	----	200 UNCH
595	----	----	0.8900B/0.7900A	0.8900B/0.7900A	----	0.9000 + 0.0640	.7148	----	----	----	----	163 UNCH
600	0.8500	0.8500	0.8700/0.7625A	0.8700/0.7625A	----	0.8695 + 0.0630	.7014	----	----	3	----	495 UNCH
610	----	----	0.8010B/0.7095A	0.8010B/0.7095A	----	0.8115 + 0.0615	.6742	----	----	----	----	200 UNCH
620	----	----	0.7460B/0.6600A	0.7460B/0.6600A	----	0.7560 + 0.0585	.6467	----	----	----	----	366 UNCH
625	----	----	0.7195B/0.6360A	0.7195B/0.6360A	----	0.7295 + 0.0575	.6328	----	----	----	----	39 UNCH
630	----	----	0.6935B/0.6135A	0.6935B/0.6135A	----	0.7040 + 0.0565	.6189	----	----	----	----	391 UNCH
635	----	----	0.6685B/0.5910A	0.6685B/0.5910A	----	0.6790 + 0.0550	.6051	----	----	----	----	1 UNCH
640	----	----	0.6440B/0.5695A	0.6440B/0.5695A	----	0.6545 + 0.0530	.5912	----	----	----	----	29 UNCH
650	0.6080	0.6080	0.6120/0.5285A	0.6120/0.5285A	----	0.6080 + 0.0495	.5635	----	----	3	----	745 UNCH
660	----	----	0.5540B/0.4900A	0.5540B/0.4900A	----	0.5645 + 0.0465	.5361	----	----	----	----	300 UNCH
670	----	----	0.5130B/0.4540A	0.5130B/0.4540A	----	0.5235 + 0.0430	.5092	----	----	----	----	4 UNCH
675	----	----	0.4935B/0.4370A	0.4935B/0.4370A	----	0.5040 + 0.0410	.4959	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
680	----	----	0.4750B/0.4210A	0.4750B/0.4210A	----	0.4855 + 0.0400	.4829	----	----	----	----	3 UNCH
690	----	----	0.4390B/0.3900A	0.4390B/0.3900A	----	0.4495 + 0.0365	.4573	----	----	----	----	1 UNCH
700	----	----	0.4055B/0.3610A	0.4055B/0.3610A	----	0.4165 + 0.0345	.4326	----	----	----	----	909 UNCH
705	----	----	0.3900B/0.3475A	0.3900B/0.3475A	----	0.4005 + 0.0330	.4204	----	----	----	----	2 UNCH
725	----	----	0.3320B/0.2980A	0.3320B/0.2980A	----	0.3430 + 0.0290	.3743	----	----	----	----	129 UNCH
730	----	----	0.3190B/0.2870A	0.3190B/0.2870A	----	0.3300 + 0.0280	.3634	----	----	----	----	4 UNCH
750	----	----	0.2710B/0.2465A	0.2710B/0.2465A	----	0.2820 + 0.0240	.3218	----	----	----	----	426 UNCH
775	----	----	0.2210B/0.2045A	0.2210B/0.2045A	----	0.2320 + 0.0195	.2755	----	----	----	----	211 UNCH
800	----	----	0.1805B/0.1705A	0.1805B/0.1705A	----	0.1920 + 0.0165	.2356	----	----	----	----	162 UNCH
825	----	----	0.1475B/0.1435A	0.1475B/0.1435A	----	0.1595 + 0.0140	.2015	----	----	----	----	49 UNCH
850	----	----	----	0.1210B/0.1215A	----	0.1335 + 0.0120	.1727	----	----	----	----	304 UNCH
900	----	----	----	0.0825B/0.0905A	----	0.0950 + 0.0085	.1276	----	----	----	----	645 UNCH
925	----	----	----	0.0685B/0.0790A	----	0.0810 + 0.0070	.1104	----	----	----	----	6 UNCH
950	----	----	----	0.0575B/0.0700A	----	0.0700 + 0.0065	.0963	----	----	----	----	104 UNCH
975	----	----	----	0.0480B/0.0625A	----	0.0605 + 0.0055	.0840	----	----	----	----	13 UNCH
1000	----	----	----	0.0405B/0.0565A	----	0.0530 + 0.0050	.0740	----	----	1	----	5 + 1
TOTAL										7		6220 + 1
JAN27												
500	----	----	----	----	----	1.7215 + 0.0745	.9039	----	----	----	----	1 UNCH
900	----	----	----	----/231.0153A	----	0.1455 + 0.0125	.1676	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----/115.9920A	----	0.8960 + 0.0525	.6589	----	----	----	----	1 UNCH
TOTAL												1
MAR27												
680	----	----	----	----/*154.2787A	----	0.6580 + 0.0415	.5232	----	----	----	----	30 UNCH
950	----	----	----	----/154.0143A	----	0.1650 + 0.0130	.1675	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUL26												
330	----	----	----	----/0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	84 UNCH
350	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
380	----	----	----	----/0.0035A	----	0.0005 UNCH	.0009	----	----	----	----	2 UNCH
390	----	----	----	----/*0.0035A	----	0.0010 + 0.0005	.0023	----	----	----	----	6 UNCH
395	----	----	----	----/*0.0035A	----	0.0010 + 0.0005	.0023	----	----	----	----	1 UNCH
400	----	----	----	----/*0.0030A	----	0.0010 + 0.0005	.0024	----	----	----	----	566 UNCH
405	----	----	----	----/*0.0030A	----	0.0015 + 0.0005	.0034	----	----	----	----	1 UNCH
415	----	----	----	----/0.0030A	----	0.0015 + 0.0005	.0036	----	----	----	----	52 UNCH
420	----	----	----	----/0.0025A	----	0.0015 + 0.0005	.0037	----	----	----	----	4 UNCH
425	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0015 + 0.0005	.0038	----	----	1	----	51 UNCH
430	----	----	----	----/0.0015A	----	0.0015 + 0.0005	.0039	----	----	----	----	10 UNCH
435	----	----	----	----/0.0040A	----	0.0015 + 0.0005	.0040	----	----	----	----	5 UNCH
440	----	----	----	----/0.0040A	----	0.0015 + 0.0005	.0041	----	----	----	----	4 UNCH
445	----	----	----	----/*0.0040A	----	0.0020 + 0.0010	.0054	----	----	----	----	3 UNCH
450	----	----	----	----/0.0020A	----	0.0020 + 0.0010	.0055	----	----	----	----	1909 UNCH
455	----	----	----	----/0.0040A	----	0.0020 + 0.0010	.0057	----	----	----	----	14 UNCH
460	----	----	----	----/0.0035A	----	0.0025 + 0.0015	.0070	----	----	----	----	6 UNCH
465	----	----	----	----/*0.0045A	----	0.0025 + 0.0015	.0072	----	----	----	----	1 UNCH
470	----	----	----	----/0.0050A	----	0.0025 + 0.0015	.0074	----	----	----	----	3 UNCH
475	----	----	----	----/0.0050A	----	0.0025 + 0.0015	.0077	----	----	----	----	512 UNCH
480	----	----	----	0.0010B/0.0025A	----	0.0025 + 0.0015	.0079	----	----	----	----	78 UNCH
485	----	----	----	----/*0.0055A	----	0.0025 + 0.0010	.0081	----	----	----	----	2 UNCH
490	----	----	----	----/*0.0055A	----	0.0025 + 0.0010	.0084	----	----	----	----	542 UNCH
495	----	----	----	----/*0.0060A	----	0.0025 + 0.0005	.0087	----	----	----	----	104 UNCH
500	0.0055	0.0055	0.0080/0.0055	0.0080/0.0055	----	0.0025 + 0.0005	.0090	----	----	80	----	3303 - 33
505	----	----	----	0.0010B/*0.0065	----	0.0030 + 0.0005	.0108	----	----	----	----	3 UNCH
510	----	----	----	0.0010B/*0.0070	----	0.0030 UNCH	.0111	----	----	----	----	213 UNCH
515	----	----	----	0.0015B/0.0070A	----	0.0035 UNCH	.0130	----	----	----	----	6 UNCH
520	0.0040	0.0040	0.0050B/*0.0040	0.0050B/*0.0040	----	0.0035 - 0.0005	.0135	----	----	5	----	377 UNCH
525	0.0040	0.0040	0.0055B/*0.0040	0.0055B/*0.0040	----	0.0040 - 0.0010	.0156	----	----	5	----	653 + 5
530	----	----	0.0065B/*0.0055	0.0065B/*0.0055	----	0.0045 - 0.0015	.0178	----	----	----	----	3199 UNCH
533	----	----	0.0070B/*0.0060	0.0070B/*0.0060	----	0.0050 - 0.0015	.0197	----	----	----	----	1 UNCH
534	----	----	0.0070B/*0.0060	0.0070B/*0.0060	----	0.0050 - 0.0015	.0199	----	----	----	----	2 UNCH
535	----	----	0.0075B/*0.0060	0.0075B/*0.0060	----	0.0050 - 0.0020	.0201	----	----	----	----	4 UNCH
536	----	----	0.0075B/*0.0060	0.0075B/*0.0060	----	0.0050 - 0.0020	.0202	----	----	----	----	5 UNCH
538	----	----	0.0080B/*0.0065	0.0080B/*0.0065	----	0.0055 - 0.0020	.0221	----	----	----	----	3 UNCH
539	----	----	0.0085B/*0.0065	0.0085B/*0.0065	----	0.0055 - 0.0020	.0223	----	----	----	----	2 UNCH
540	----	----	0.0085B/*0.0065	0.0085B/*0.0065	----	0.0060 - 0.0020	.0240	----	----	1	----	910 + 1
541	----	----	0.0090B/*0.0070	0.0090B/*0.0070	----	0.0060 - 0.0020	.0242	----	----	----	----	2 UNCH
542	----	----	0.0095B/*0.0070	0.0095B/*0.0070	----	0.0060 - 0.0025	.0244	----	----	----	----	2 UNCH
543	----	----	0.0095B/*0.0070	0.0095B/*0.0070	----	0.0065 - 0.0020	.0261	----	----	----	----	4 UNCH
545	----	----	0.0105B/*0.0075	0.0105B/*0.0075	----	0.0065 - 0.0025	.0266	----	----	----	----	5 UNCH
546	----	----	0.0105B/*0.0075	0.0105B/*0.0075	----	0.0070 - 0.0025	.0284	----	----	----	----	3 UNCH
547	----	----	0.0110B/*0.0080	0.0110B/*0.0080	----	0.0070 - 0.0025	.0286	----	----	----	----	9 UNCH
548	----	----	0.0115B/*0.0080	0.0115B/*0.0080	----	0.0075 - 0.0025	.0304	----	----	----	----	17 UNCH
549	----	----	0.0120B/*0.0085	0.0120B/*0.0085	----	0.0075 - 0.0025	.0306	----	----	----	----	1 UNCH
550	0.0100	0.0100	0.0120B/*0.0080	0.0120B/*0.0080	----	0.0080 - 0.0025	.0324	----	----	23	----	1055 + 1
551	----	----	0.0125B/*0.0085	0.0125B/*0.0085	----	0.0080 - 0.0030	.0327	----	----	----	----	2 UNCH
552	----	----	0.0130B/*0.0090	0.0130B/*0.0090	----	0.0085 - 0.0025	.0345	----	----	----	----	2 UNCH
553	----	----	0.0135B/*0.0090	0.0135B/*0.0090	----	0.0085 - 0.0030	.0348	----	----	----	----	2 UNCH
554	----	----	0.0140B/*0.0095	0.0140B/*0.0095	----	0.0090 - 0.0030	.0366	----	----	----	----	50 UNCH
555	0.0110	0.0110	0.0140B/*0.0095	0.0140B/*0.0095	----	0.0090 - 0.0030	.0369	----	----	1	----	96 UNCH
556	----	----	0.0145B/*0.0100	0.0145B/*0.0100	----	0.0095 - 0.0030	.0387	----	----	----	----	65 UNCH
557	----	----	0.0150B/*0.0100	0.0150B/*0.0100	----	0.0095 - 0.0035	.0391	----	----	----	----	1 UNCH
558	----	----	0.0155B/*0.0105	0.0155B/*0.0105	----	0.0100 - 0.0035	.0409	----	----	----	----	104 UNCH
559	----	----	0.0160B/*0.0110	0.0160B/*0.0110	----	0.0100 - 0.0040	.0413	----	----	----	----	9 UNCH
560	0.0105	0.0105	0.0170B/*0.0105	0.0170B/*0.0105	----	0.0105 - 0.0040	.0432	----	----	1	----	307 UNCH
561	----	----	0.0175B/*0.0115	0.0175B/*0.0115	----	0.0110 - 0.0040	.0450	----	----	----	----	7 UNCH
562	----	----	0.0180B/*0.0120	0.0180B/*0.0120	----	0.0110 - 0.0045	.0455	----	----	----	----	2 UNCH
563	----	----	0.0185B/*0.0120	0.0185B/*0.0120	----	0.0115 - 0.0045	.0474	----	----	----	----	17 UNCH
564	----	----	0.0195B/*0.0125	0.0195B/*0.0125	----	0.0120 - 0.0045	.0493	----	----	----	----	5 UNCH
565	----	----	0.0200B/*0.0130	0.0200B/*0.0130	----	0.0120 - 0.0050	.0498	----	----	----	----	19 UNCH
566	----	----	0.0210B/*0.0130	0.0210B/*0.0130	----	0.0125 - 0.0050	.0517	----	----	----	----	14 UNCH
567	----	----	0.0215B/*0.0135	0.0215B/*0.0135	----	0.0130 - 0.0050	.0537	----	----	----	----	14 UNCH
568	----	----	0.0220B/*0.0140	0.0220B/*0.0140	----	0.0135 - 0.0055	.0556	----	----	----	----	7 UNCH
569	----	----	0.0230B/*0.0145	0.0230B/*0.0145	----	0.0140 - 0.0055	.0576	----	----	----	----	12 UNCH
570	----	----	0.0240B/*0.0150	0.0240B/*0.0150	----	0.0145 - 0.0055	.0596	----	----	5	----	311 - 4
571	----	----	0.0245B/*0.0155	0.0245B/*0.0155	----	0.0150 - 0.0060	.0616	----	----	----	----	19 UNCH
572	----	----	0.0255B/*0.0160	0.0255B/*0.0160	----	0.0155 - 0.0060	.0636	----	----	----	----	5 UNCH
573	----	----	0.0270B/*0.0165	0.0270B/*0.0165	----	0.0160 - 0.0065	.0656	----	----	----	----	18 UNCH
574	----	----	0.0280B/*0.0170	0.0280B/*0.0170	----	0.0165 - 0.0070	.0677	----	----	----	----	17 UNCH
575	----	----	0.0290B/*0.0175	0.0290B/*0.0175	----	0.0170 - 0.0070	.0698	----	----	2	----	273 - 2
576	----	----	0.0305B/*0.0180	0.0305B/*0.0180	----	0.0175 - 0.0075	.0719	----	----	----	----	24 UNCH
577	----	----	0.0315B/*0.0185	0.0315B/*0.0185	----	0.0180 - 0.0080	.0740	----	----	----	----	6 UNCH
578	0.0225	0.0225	0.0325B/*0.0190	0.0325B/*0.0190	----	0.0185 - 0.0085	.0761	----	----	1	----	41 UNCH
579	----	----	0.0340B/*0.0200	0.0340B/*0.0200	----	0.0195 - 0.0085	.0796	----	----	----	----	21 UNCH
580	0.0265	0.0265	0.0350B/*0.0200	0.0350B/*0.0200	----	0.0200 - 0.0095	.0818	----	----	34	----	1975 - 2
581	----	----	0.0365B/*0.0215	0.0365B/*0.0215	----	0.0210 - 0.0095	.0853	----	----	----	----	15 UNCH
582	0.0220	0.0220	0.0380B/*0.0220	0.0380B/*0.0220	----	0.0215 - 0.0100	.0875	----	----	12	----	48 + 12
583	0.0230	0.0230	0.0390B/*0.0225	0.0390B/*0.0225	----	0.0225 - 0.0105	.0911	----	----	15	----	44 + 15
584	0.0240	0.0240	0.0410B/*0.0235	0.0410B/*0.0235	----	0.0230 - 0.0110	.0934	----	----	4	----	7 + 4
585	0.0245	0.0245	0.0425B/*0.0245	0.0425B/*0.0245	----	0.0240 - 0.0115	.0970	----	----	21	----	918 UNCH
586	0.0255	0.0255	0.0440B/*0.0255	0.0440B/*0.0255	----	0.0250 - 0.0120	.1005	----	----	20	----	47 + 20
587	0.0265	0.0265	0.0460B/*0.0260	0.0460B/*0.0260	----	0.0255 - 0.0125	.1030	----	----	3	----	12 + 3
588	0.0275	0.0275	0.0475B/*0.0270	0.0475B/*0.0270	----	0.0265 - 0.0130	.1066	----	----	3	----	10 + 3
589	0.0285	0.0285	0.0495B/*0.0285	0.0495B/*0.0285	----	0.0275 - 0.0135	.1103	----	----	20	----	29 + 20
590	0.0475	0.0475	0.0510B/*0.0295	0.0510B/*0.0295	----	0.0290 - 0.0135	.1151	----	----	39	----	972 + 29
591	0.0305	0.0305	0.0530B/*0.0305	0.0530B/*0.0305	----	0.0300 - 0.0145	.1188	----	----	12	----	17 + 12
592	0.0320	0.0320	0.0555B/*0.0320	0.0555B/*0.0320	----	0.0310 - 0.0150	.1226	----	----	3	----	7 + 3
593	0.0330	0.0330	0.0575B/*0.0330	0.0575B/*0.0330	----	0.0325 - 0.0150	.1274	----	----	20	----	25 + 19
594	----	----	0.0595B/*0.0345	0.0595B/*0.0345	----	0.0335 - 0.0160	.1312	----	----	----	----	2 UNCH
595	----	----	0.0615B/*0.0355	0.0615B/*0.0355	----	0.0350 - 0.0165	.1361	----	----	6	----	199 - 1
596	0.0380	0.0380	0.0640B/*0.0370	0.0640B/*0.0370	----	0.0365 - 0.0170	.1411	----	----	3	----	4 + 2
597	----	----	0.0665B/*0.0385	0.0665B/*0.0385	----	0.0375 - 0.0175	.1450	----	----	----	----	34 UNCH
598	----	----	0.0690B/*0.0400	0.0690B/*0.0400	----	0.0395 - 0.0180	.1509	----	----	----	----	21 UNCH
599	----	----	0.0710B/*0.0415	0.0710B/*0.0415	----	0.0410 - 0.0185	.1559	----	----	----	----	51 UNCH
600	0.0455	0.0455	0.0735B/*0.0430	0.0735B/*0.0430	----	0.0425 - 0.0190	.1609	----	----	5	----	910 + 3
601	0.0465	0.0465	0.0765B/*0.0440	0.0765B/*0.0440	----	0.0440 - 0.0200	.1659	----	----	4	----	25 + 2
602	0.0460	0.0460	0.0795B/*0.0460	0.0795B/*0.0460	----	0.0460 - 0.0205	.1719	----	----	1	----	23 + 1
603	----	----	0.0820B/*0.0485	0.0820B/*0.0485	----	0.0475 - 0.0215	.1770	----	----	6	----	17 + 6
605	0.0895	0.0895	0.0895/*0.0520A	0.0895/*0.0520A	----	0.0515 - 0.0225	.1891	----	----	22	----	225 + 12
610	0.0935	0.0935	0.1070B/*0.0620	0.1070B/*0.0620	----	0.0625 - 0.0260	.2211	----	----	5	----	562 - 5
615	0.1165	0.1165	0.1270B/*0.0750	0.1270B/*0.0750	----	0.0750 - 0.0300	.2557	----	----	15	----	173 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
620	0.1370	0.1370	0.1510B/*0.0895	0.1510B/*0.0895	----	0.0900 - 0.0340	.2938	----	----	7	----	331 + 1
625	0.1645	0.1645	0.1755B/*0.1065	0.1755B/*0.1065	----	0.1070 - 0.0385	.3340	----	----	12	----	148 + 1
630	0.1720	0.1720	0.2050B/*0.1265	0.2050B/*0.1265	----	0.1265 - 0.0425	.3762	----	----	63	----	416 + 13
635	0.1985	0.1985	0.2340B/*0.1475	0.2340B/*0.1475	----	0.1480 - 0.0470	.4193	----	----	6	----	232 + 6
640	0.1755	0.1755	0.2650B/0.1725A	0.2650B/0.1725A	----	0.1720 - 0.0515	.4630	----	----	5	----	133 + 5
645	0.2005	0.2005	0.2995B/0.1995A	0.2995B/0.1995A	----	0.1985 - 0.0555	.5065	----	----	80	----	98 + 43
650	----	----	0.3360B/0.2285A	0.3360B/0.2285A	----	0.2275 - 0.0590	.5492	----	----	2	----	124 UNCH
655	----	----	0.3745B/0.2595A	0.3745B/0.2595A	----	0.2585 - 0.0625	.5904	----	----	----	----	49 UNCH
660	----	----	0.4145B/0.2925A	0.4145B/0.2925A	----	0.2910 - 0.0665	.6297	----	----	2	----	10 - 2
665	----	----	0.4290B/0.3290A	0.4290B/0.3290A	----	0.3260 - 0.0695	.6668	----	----	----	----	2 UNCH
670	----	----	0.4715B/0.3650A	0.4715B/0.3650A	----	0.3620 - 0.0730	.7017	----	----	----	----	60 UNCH
675	----	----	0.5145B/0.4025A	0.5145B/0.4025A	----	0.4000 - 0.0755	.7343	----	----	----	----	26 UNCH
700	----	----	0.7430B/0.6320A	0.7430B/0.6320A	----	0.6105 - 0.0845	.8552	----	----	----	----	2 UNCH
705	----	----	0.7905B/0.6770A	0.7905B/0.6770A	----	0.6555 - 0.0855	.8724	----	----	----	----	1 UNCH
TOTAL										575		23219 + 196
AUG26												
330	----	----	----	----/0.0055A	----	0.0005 UNCH	.0006	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0065A	----	0.0030 - 0.0005	.0063	----	----	----	----	3 UNCH
420	----	----	----	0.0005B/*0.0065	----	0.0035 - 0.0005	.0077	----	----	----	----	1 UNCH
440	----	----	----	0.0015B/*0.0080	----	0.0050 - 0.0010	.0113	----	----	----	----	5 UNCH
450	----	----	----	0.0025B/*0.0085	----	0.0060 - 0.0010	.0136	----	----	----	----	8 UNCH
460	----	----	----	0.0035B/*0.0095	----	0.0065 - 0.0015	.0153	----	----	----	----	3 UNCH
465	----	----	----	0.0035B/*0.0100	----	0.0070 - 0.0015	.0166	----	----	----	----	1 UNCH
470	----	----	----	0.0040B/*0.0105	----	0.0075 - 0.0020	.0179	----	----	----	----	3 UNCH
475	----	----	----	0.0045B/0.0110A	----	0.0080 - 0.0020	.0194	----	----	----	----	15 UNCH
480	----	----	----	0.0055B/*0.0115	----	0.0090 - 0.0020	.0217	----	----	----	----	8 UNCH
485	----	----	----	0.0065B/*0.0120	----	0.0095 - 0.0020	.0232	----	----	----	----	1 UNCH
500	----	----	----/*0.0130A	0.0105B/*0.0130	----	0.0115 - 0.0025	.0292	----	----	----	----	11 UNCH
505	----	----	----/*0.0140A	0.0120B/*0.0140	----	0.0125 - 0.0025	.0319	----	----	----	----	1 UNCH
510	----	----	----/*0.0150A	0.0135B/*0.0150	----	0.0135 - 0.0030	.0348	----	----	----	----	2 UNCH
520	----	----	----/*0.0170A	0.0190B/*0.0170	----	0.0160 - 0.0035	.0418	----	----	----	----	308 UNCH
525	----	----	----/*0.0185A	0.0205B/*0.0185	----	0.0175 - 0.0040	.0459	----	----	----	----	1 UNCH
530	----	----	----/*0.0205A	0.0235B/*0.0205	----	0.0195 - 0.0045	.0511	----	----	----	----	43 UNCH
535	----	----	----/*0.0230A	0.0265B/*0.0230	----	0.0220 - 0.0050	.0573	----	----	----	----	9 UNCH
540	0.0270	0.0270	0.0270/*0.0260A	0.0305B/*0.0260	----	0.0245 - 0.0060	.0637	----	----	1	----	9 - 1
545	----	----	0.0350B/*0.0290	0.0350B/*0.0290	----	0.0280 - 0.0065	.0719	----	----	----	----	3 UNCH
550	----	----	0.0400B/*0.0330	0.0400B/*0.0330	----	0.0315 - 0.0075	.0803	----	----	1	----	156 UNCH
555	----	----	0.0465B/*0.0370	0.0465B/*0.0370	----	0.0360 - 0.0085	.0904	----	----	2	----	11 + 2
560	----	----	0.0530B/*0.0420	0.0530B/*0.0420	----	0.0410 - 0.0095	.1015	----	----	1	----	68 + 1
565	----	----	0.0610B/*0.0475	0.0610B/*0.0475	----	0.0465 - 0.0110	.1135	----	----	----	----	3 UNCH
570	0.0685	0.0685	0.0700B/*0.0520	0.0700B/*0.0520	----	0.0535 - 0.0120	.1276	----	----	86	----	162 + 86
575	0.0760	0.0760	0.0805B/*0.0610	0.0805B/*0.0610	----	0.0605 - 0.0140	.1420	----	----	86	----	109 + 86
580	----	----	0.0925B/*0.0695	0.0925B/*0.0695	----	0.0690 - 0.0155	.1583	----	----	25	----	373 - 25
585	----	----	0.1060B/0.0790A	0.1060B/0.0790A	----	0.0785 - 0.0175	.1759	----	----	2	----	65 + 1
590	----	----	0.1205B/0.0895A	0.1205B/0.0895A	----	0.0890 - 0.0190	.1946	----	----	2	----	18 + 2
595	----	----	0.1365B/0.1010A	0.1365B/0.1010A	----	0.1005 NEW	.2144	----	----	1	----	1 + 1
600	0.1215	0.1215	0.1535B/0.1145A	0.1535B/0.1145A	----	0.1135 - 0.0235	.2356	----	----	3	----	821 + 1
605	0.1275	0.1275	0.1730B/0.1275	0.1730B/0.1275	----	0.1275 - 0.0260	.2576	----	----	2	----	322 UNCH
610	----	----	0.1935B/0.1445A	0.1935B/0.1445A	----	0.1435 - 0.0280	.2810	----	----	251	----	380 + 190
620	----	----	0.2390B/0.1800A	0.2390B/0.1800A	----	0.1790 - 0.0325	.3297	----	----	----	----	29 UNCH
625	----	----	0.2645B/0.2000A	0.2645B/0.2000A	----	0.1985 - 0.0350	.3548	----	----	----	----	6 UNCH
630	----	----	0.2900B/0.2210A	0.2900B/0.2210A	----	0.2200 - 0.0375	.3804	----	----	----	----	5 UNCH
635	----	----	0.3175B/0.2445A	0.3175B/0.2445A	----	0.2430 - 0.0400	.4063	----	----	----	----	10 UNCH
640	----	----	0.3485B/0.2680A	0.3485B/0.2680A	----	0.2670 - 0.0430	.4322	----	----	----	----	257 UNCH
650	----	----	0.4105B/0.3210A	0.4105B/0.3210A	----	0.3195 - 0.0490	.4838	----	----	----	----	50 UNCH
660	----	----	0.4750B/0.3790A	0.4750B/0.3790A	----	0.3775 - 0.0545	.5339	----	----	----	----	2 UNCH
670	----	----	0.5475B/0.4410A	0.5475B/0.4410A	----	0.4400 - 0.0600	.5820	----	----	----	----	310 UNCH
TOTAL										463		3596 + 344
SEP26												
400	----	----	----	0.0020B/0.0115A	----	0.0060 UNCH	.0109	----	----	----	----	1 UNCH
440	----	----	----	0.0055B/0.0155A	----	0.0100 - 0.0005	.0193	----	----	----	----	4 UNCH
445	----	----	----	0.0065B/0.0160A	----	0.0110 - 0.0005	.0212	----	----	----	----	5 UNCH
450	----	----	----	0.0070B/0.0170A	----	0.0115 - 0.0005	.0224	----	----	----	----	805 UNCH
460	----	----	----	0.0095B/0.0165A	----	0.0130 - 0.0005	.0258	----	----	----	----	12 UNCH
470	----	----	----	0.0115B/0.0175A	----	0.0150 - 0.0010	.0301	----	----	----	----	3 UNCH
475	----	----	----	0.0130B/0.0190A	----	0.0160 - 0.0015	.0323	----	----	----	----	71 UNCH
480	----	----	----	0.0150B/0.0205A	----	0.0170 - 0.0020	.0347	----	----	----	----	7 UNCH
485	----	----	----	0.0165B/0.0220A	----	0.0180 - 0.0025	.0371	----	----	----	----	1 UNCH
490	----	----	----	0.0185B/0.0225A	----	0.0195 - 0.0030	.0403	----	----	----	----	11 UNCH
500	----	----	----/0.0265A	0.0235B/0.0265A	----	0.0230 - 0.0040	.0477	----	----	----	----	627 UNCH
510	----	----	----/0.0320A	0.0305B/0.0320A	----	0.0280 - 0.0045	.0575	----	----	----	----	2 UNCH
515	----	----	----/0.0345A	0.0345B/0.0345A	----	0.0310 - 0.0050	.0633	----	----	----	----	1 UNCH
520	----	----	----/0.0370A	0.0385B/0.0370A	----	0.0340 - 0.0060	.0692	----	----	----	----	7 UNCH
525	----	----	----/0.0405A	0.0435B/0.0405A	----	0.0380 - 0.0065	.0765	----	----	----	----	327 UNCH
530	----	----	----/0.0450A	0.0495B/0.0450A	----	0.0425 - 0.0070	.0844	----	----	----	----	2 UNCH
535	----	----	0.0555B/0.0500A	0.0555B/0.0500A	----	0.0475 - 0.0075	.0931	----	----	----	----	350 UNCH
540	----	----	0.0625B/0.0550A	0.0625B/0.0550A	----	0.0530 - 0.0080	.1025	----	----	----	----	403 UNCH
545	----	----	0.0705B/0.0610A	0.0705B/0.0610A	----	0.0595 - 0.0085	.1130	----	----	----	----	1 UNCH
550	0.0785	0.0785	0.0790B/0.0675	0.0790B/0.0675	----	0.0665 - 0.0090	.1242	----	----	80	----	327 + 75
560	----	----	0.0995B/0.0830A	0.0995B/0.0830A	----	0.0835 - 0.0100	.1496	----	----	----	----	5 UNCH
565	----	----	0.1110B/0.0920A	0.1110B/0.0920A	----	0.0930 - 0.0110	.1632	----	----	1	----	2 + 1
570	----	----	0.1235B/0.1020A	0.1235B/0.1020A	----	0.1035 - 0.0115	.1778	----	----	----	----	124 UNCH
575	0.1250	0.1250	0.1370B/0.1125	0.1370B/0.1125	----	0.1145 - 0.0130	.1927	----	----	210	----	406 + 189
580	----	----	0.1520B/0.1245A	0.1520B/0.1245A	----	0.1260 - 0.0150	.2081	----	----	----	----	686 UNCH
585	----	----	0.1680B/0.1375A	0.1680B/0.1375A	----	0.1380 - 0.0175	.2240	----	----	----	----	8 UNCH
590	----	----	0.1855B/0.1510A	0.1855B/0.1510A	----	0.1510 - 0.0205	.2406	----	----	----	----	369 UNCH
595	----	----	0.2040B/0.1665A	0.2040B/0.1665A	----	0.1650 - 0.0230	.2579	----	----	----	----	8 UNCH
600	----	----	0.2240B/0.1820A	0.2240B/0.1820A	----	0.1805 - 0.0255	.2760	----	----	----	----	1167 UNCH
610	----	----	0.2670B/0.2175A	0.2670B/0.2175A	----	0.2145 - 0.0315	.3138	----	----	----	----	1100 UNCH
615	----	----	0.2905B/0.2375A	0.2905B/0.2375A	----	0.2335 - 0.0340	.3334	----	----	----	----	1 UNCH
620	----	----	0.3160B/0.2575A	0.3160B/0.2575A	----	0.2540 - 0.0360	.3535	----	----	----	----	1002 UNCH
625	----	----	0.3420B/0.2790A	0.3420B/0.2790A	----	0.2755 - 0.0385	.3737	----	----	----	----	1151 UNCH
630	----	----	0.3690B/0.3025A	0.3690B/0.3025A	----	0.2990 - 0.0400	.3943	----	----	30	----	34 + 30
635	----	----	0.3965B/0.3260A	0.3965B/0.3260A	----	0.3230 - 0.0425	.4147	----	----	----	----	496 UNCH
640	----	----	0.4265B/0.3515A	0.4265B/0.3515A	----	0.3485 - 0.0440	.4352	----	----	----	----	390 UNCH
645	----	----	0.4565B/0.3780A	0.4565B/0.3780A	----	0.3750 - 0.0460	.4555	----	----	----	----	37 UNCH
650	----	----	0.4880B/0.4055A	0.4880B/0.4055A	----	0.4030 - 0.0475	.4756	----	----	----	----	83 UNCH
655	----	----	0.5205B/0.4330A	0.5205B/0.4330A	----	0.4315 - 0.0495	.4955	----	----	----	----	53 UNCH
660	----	----	0.5540B/0.4640A	0.5540B/0.4640A	----	0.4615 - 0.0510	.5150	----	----	----	----	1 UNCH
670	----	----	0.6215B/0.5260A	0.6215B/0.5260A	----	0.5235 - 0.0545	.5530	----	----	----	----	210 UNCH
685	----	----	0.7320B/0.6260A	0.7320B/0.6260A	----	0.6235 - 0.0600	.6067	----	----	----	----	11 UNCH
695	----	----	0.8090B/0.6990A	0.8090B/0.6990A	----	0.6945 - 0.0635	.6401	----	----	----	----	2 UNCH
700	----	----	0.8485B/0.7355A	0.8485B/0.7355A	----	0.7310 - 0.0655	.6560	----	----	----	----	7 UNCH
725	----	----	1.0070B/0.9280A	1.0070B/0.9280A	----	0.9235 - 0.0730	.7280	----	----	----	----	2 UNCH
TOTAL										321		10322 + 295
OCT26												
300	----	----	----	----/*0.0080A	----	0.0015 UNCH	.0023	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/0.0130A	----	0.0070 - 0.0010	.0107	----	----	----	----	2 UNCH
400	----	----	----	0.0040B/*0.0155	----	0.0095 - 0.0010	.0150	----	----	----	----	1 UNCH
450	----	----	----	0.0115B/0.0225A	----	0.0170 - 0.0030	.0287	----	----	----	----	1 UNCH
470	----	----	----	0.0175B/0.0280A	----	0.0220 - 0.0050	.0379	----	----	----	----	1 UNCH
475	----	----	----	0.0165B/0.0310A	----	0.0235 - 0.0055	.0406	----	----	----	----	3 UNCH
500	----	----	----/*0.0415A	0.0305B/0.0415A	----	0.0345 - 0.0090	.0596	----	----	----	----	20 UNCH
530	----	----	----/0.0675A	0.0630B/0.0675A	----	0.0600 - 0.0130	.0984	----	----	----	----	1 UNCH
570	----	----	----/0.1340A	0.1455B/0.1340A	----	0.1265 - 0.0215	.1835	----	----	----	----	4 UNCH
600	----	----	0.2530B/0.2170A	0.2530B/0.2170A	----	0.2115 - 0.0295	.2712	----	----	----	----	13 UNCH
605	----	----	0.2735B/0.2340A	0.2735B/0.2340A	----	0.2285 - 0.0310	.2872	----	----	----	----	1 UNCH
745	----	----	1.1830B/1.0740A	1.1830B/1.0740A	----	1.0685 - 0.0730	.7166	----	----	----	----	1 UNCH
750	----	----	1.1895B/1.1225A	1.1895B/1.1225A	----	1.1085 - 0.0740	.7279	----	----	----	----	5 UNCH
TOTAL												54
NOV26												
400	----	----	----	0.0065B/*0.0215	----	0.0140 - 0.0005	.0201	----	----	----	----	10 UNCH
475	----	----	----	0.0285B/*0.0415	----	0.0340 - 0.0035	.0520	----	----	----	----	2 UNCH
480	----	----	----	0.0315B/*0.0440	----	0.0365 - 0.0035	.0558	----	----	----	----	2 UNCH
500	----	----	----	0.0490B/0.0580A	----	0.0505 - 0.0055	.0756	----	----	----	----	16 UNCH
520	----	----	----/*0.0785A	0.0750B/0.0785A	----	0.0710 - 0.0090	.1024	----	----	----	----	4 UNCH
550	----	----	0.1355B/*0.1275	0.1355B/0.1275A	----	0.1200 - 0.0135	.1586	----	----	1	----	1 UNCH
560	----	----	0.1625B/0.1495A	0.1625B/0.1495A	----	0.1415 - 0.0155	.1811	----	----	1	----	1 UNCH
590	----	----	0.2640B/0.2345A	0.2640B/0.2345A	----	0.2270 - 0.0205	.2592	----	----	----	----	1 UNCH
645	----	----	0.5315B/0.4700A	0.5315B/0.4700A	----	0.4615 - 0.0355	.4227	----	----	----	----	1 UNCH
735	----	----	1.1535B/1.0485A	1.1535B/1.0485A	----	1.0415 - 0.0590	.6662	----	----	----	----	2 UNCH
TOTAL										2		40
DEC26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 56

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
380	----	----	----	0.0045B/0.0250A	----	0.0145 - 0.0025	.0190	----	----	----	----	2 UNCH
385	----	----	----	0.0050B/*0.0260	----	0.0155 - 0.0025	.0203	----	----	----	----	1 UNCH
395	----	----	----	0.0070B/0.0275A	----	0.0170 - 0.0030	.0226	----	----	----	----	3 UNCH
400	----	----	----	0.0075B/*0.0285	----	0.0180 - 0.0030	.0241	----	----	----	----	18 UNCH
420	----	----	----	0.0115B/*0.0325	----	0.0220 - 0.0040	.0302	----	----	----	----	2 UNCH
460	----	----	----	0.0265B/*0.0460	----	0.0355 - 0.0070	.0499	----	----	----	----	2 UNCH
475	----	----	----	0.0370B/*0.0545	----	0.0440 - 0.0090	.0614	----	----	----	----	76 UNCH
480	0.0550	0.0550	0.0550/0.0550	0.0550/0.0550	----	0.0475 - 0.0095	.0660	----	----	2	----	12 - 2
490	----	----	----	0.0515B/*0.0665	----	0.0555 - 0.0100	.0761	----	----	----	----	5 UNCH
500	0.0580	0.0580	0.0580/*0.0580	0.0635B/*0.0580	----	0.0655 - 0.0100	.0882	----	----	1	----	104 + 1
520	----	----	----	0.0950B/0.1020A	----	0.0915 - 0.0100	.1176	----	----	1	----	2 + 1
525	----	----	----/*0.1100A	0.1045B/0.1100A	----	0.0990 - 0.0115	.1258	----	----	----	----	1 UNCH
540	----	----	----/*0.1375A	0.1375B/0.1375A	----	0.1270 - 0.0140	.1540	----	----	----	----	3 UNCH
545	----	----	----/*0.1480A	0.1500B/0.1480A	----	0.1375 - 0.0150	.1642	----	----	----	----	1 UNCH
550	----	----	----/0.1595A	0.1635B/0.1595A	----	0.1485 - 0.0160	.1746	----	----	----	----	79 UNCH
560	----	----	0.1925B/0.1845A	0.1925B/0.1845A	----	0.1735 - 0.0170	.1970	----	----	----	----	300 UNCH
570	----	----	0.2250B/0.2130A	0.2250B/0.2130A	----	0.2015 - 0.0175	.2207	----	----	----	----	5 UNCH
575	----	----	0.2425B/0.2280A	0.2425B/0.2280A	----	0.2165 - 0.0185	.2330	----	----	----	----	20 UNCH
580	----	----	0.2610B/0.2440A	0.2610B/0.2440A	----	0.2325 - 0.0185	.2456	----	----	----	----	23 UNCH
600	0.3050	0.3050	0.3420B/0.3050	0.3420B/0.3050	----	0.3040 - 0.0215	.2980	----	----	2	----	178 UNCH
630	----	----	0.4875B/0.4465A	0.4875B/0.4465A	----	0.4345 - 0.0285	.3805	----	----	----	----	18 UNCH
650	----	----	0.6000B/0.5480A	0.6000B/0.5480A	----	0.5360 - 0.0345	.4360	----	----	----	----	4 UNCH
665	----	----	0.6910B/0.6315A	0.6910B/0.6315A	----	0.6195 - 0.0400	.4769	----	----	----	----	1 UNCH
750	----	----	1.3075B/1.2075A	1.3075B/1.2075A	----	1.1975 - 0.0600	.6777	----	----	----	----	1 UNCH
TOTAL										6		861
JAN27												
400	----	----	----	----	----	0.0255 - 0.0030	.0298	----	----	----	----	8 UNCH
800	----	----	----	----	----	1.5835 - 0.0615	.7190	----	----	----	----	1 UNCH
TOTAL												9
FEB27												
400	----	----	----	----	----	0.0350 - 0.0040	.0369	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0145 - 0.0010	.0122	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
605	----	----	0.3745B/0.2050A	0.3745B/0.2050A	----	0.3765 + 0.0810	.0000	----	----	----	----	0 UNCH
610	----	----	0.3250B/0.1580A	0.3250B/0.1580A	----	0.3265 + 0.0800	.0000	----	----	----	----	5 UNCH
615	----	----	0.2750B/0.1135A	0.2750B/0.1135A	----	0.2765 + 0.0780	.0000	----	----	----	----	1 UNCH
625	----	----	0.1760B/*0.0480	0.1760B/0.0480A	----	0.1770 + 0.0665	.9965	----	----	----	----	1 UNCH
630	----	----	0.1275B/*0.0295	0.1275B/*0.0295	----	0.1295 + 0.0545	.9747	----	----	----	----	13 UNCH
633	----	----	#0.1000B/*0.021	0.1000B/*0.0215	----	0.1030 + 0.0455	.9311	----	----	----	----	1 UNCH
635	0.0340	0.0340	0.0865/*0.0175A	0.0865/*0.0175A	----	0.0865 + 0.0390	.8801	----	----	50	----	2 - 9
637	----	----	0.0660B/*0.0145	0.0660B/*0.0145	----	0.0705 + 0.0315	.8130	----	----	7	----	0 - 7
638	0.0320	0.0320	0.0585B/*0.0135	0.0585B/*0.0135	----	0.0630 + 0.0275	.7701	----	----	1	----	1 UNCH
639	----	----	0.0515B/*0.0135	0.0515B/*0.0135	----	0.0560 + 0.0240	.7201	----	----	----	----	1 UNCH
640	0.0190	0.0190	0.0450B/*0.0125	0.0450B/*0.0125	----	0.0495 + 0.0205	.6643	----	----	151	----	173 - 96
641	----	----	0.0385B/*0.0120	0.0385B/*0.0120	----	0.0435 + 0.0170	.6038	----	----	----	----	1 UNCH
642	0.0290	0.0290	0.0330B/*0.0115	0.0330B/*0.0115	----	0.0380 NEW	.5405	----	----	5	----	5 + 5
645	----	----	0.0185B/*0.0100	0.0185B/*0.0100	----	0.0250 + 0.0075	.3541	----	----	8	----	91 + 7
650	----	----	----/*0.0065A	0.0040B/*0.0065	----	0.0125 + 0.0030	.1419	----	----	30	----	30 + 11
655	----	----	----	0.0005B/*0.0065	----	0.0070 + 0.0025	.0549	----	----	----	----	12 UNCH
660	----	----	----	0.0015B/*0.0060	----	0.0045 + 0.0020	.0238	----	----	----	----	252 UNCH
665	----	----	----	----/*0.0040A	----	0.0020 + 0.0010	.0065	----	----	----	----	100 UNCH
670	----	----	----	----/*0.0050A	----	0.0005 UNCH	.0007	----	----	----	----	17 UNCH
680	----	----	----	----/*0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
TOTAL										252		709 - 89
JUN26												
550	----	----	----	----	----	0.9875 + 0.0840	.9815	----	----	----	----	1 UNCH
620	----	----	0.2455B/*0.1270	0.2455B/*0.1270	----	0.2475 + 0.0630	.8464	----	----	----	----	0 UNCH
620	0.1855	0.1855	0.2610B/*0.1570	0.2610B/*0.1570	----	0.2725 NEW	.7705	----	----	3	----	3 + 3
630	0.0825	0.0825	0.1320B/*0.0785	0.1320B/*0.0785	----	0.1685 + 0.0500	.7242	----	----	3	----	3 + 2
630	----	----	0.1995B/*0.1105	0.1995B/*0.1105	----	0.2015 + 0.0450	.6646	----	----	----	----	2 UNCH
635	----	----	0.1325B/*0.0610	0.1325B/*0.0610	----	0.1350 NEW	.6428	----	----	1	----	1 + 1
640	----	----	0.1030B/*0.0460	0.1030B/*0.0460	----	0.1060 + 0.0350	.5540	----	----	----	----	16 UNCH
645	0.0580	0.0580	0.0785B/*0.0350	0.0785B/*0.0350	----	0.0815 NEW	.4632	----	----	1	----	1 + 1
645	----	----	0.1195B/*0.0625	0.1195B/*0.0625	----	0.1200 + 0.0285	.4797	----	----	----	----	16 UNCH
650	0.0625	0.0625	0.0625/*0.0270A	0.0625/*0.0270A	----	0.0610 + 0.0200	.3750	----	----	1	----	2 + 1
650	----	----	0.0985B/*0.0510	0.0985B/*0.0510	----	0.0990 + 0.0235	.4187	----	----	----	----	1 UNCH
650	----	----	0.1720B/----	0.1720B/0.1600A	----	0.1835 + 0.0320	.5013	----	----	----	----	1 UNCH
655	----	----	0.0415B/*0.0205	0.0415B/*0.0205	----	0.0445 + 0.0135	.2936	----	----	----	----	2 UNCH
660	----	----	0.0285B/*0.0165	0.0285B/*0.0165	----	0.0320 + 0.0080	.2233	----	----	----	----	1 UNCH
670	0.0140	0.0140	0.0140/*0.0115A	0.0140/*0.0115A	----	0.0160 + 0.0015	.1202	----	----	15	----	117 + 15
675	----	----	----/*0.0105A	0.0075B/*0.0105	----	0.0110 - 0.0005	.0849	----	----	----	----	5 UNCH
680	----	----	----	0.0045B/*0.0095	----	0.0080 - 0.0010	.0617	----	----	----	----	1 UNCH
680	----	----	0.0255B/*0.0185	0.0255B/*0.0185	----	0.0280 + 0.0030	.1481	----	----	----	----	1 UNCH
690	----	----	----	0.0020B/*0.0080	----	0.0040 - 0.0015	.0308	----	----	----	----	1 UNCH
690	----	----	----/*0.0140A	0.0160B/*0.0140	----	0.0180 + 0.0005	.0991	----	----	----	----	4 UNCH
700	----	----	----	----/*0.0075A	----	0.0020 - 0.0015	.0151	----	----	----	----	2 UNCH
700	----	----	----/*0.0115A	0.0100B/*0.0115	----	0.0120 UNCH	.0671	----	----	----	----	1 UNCH
700	----	----	----	0.0385B/0.0515A	----	0.0475 + 0.0020	.1728	----	----	----	----	2 UNCH
725	----	----	----	0.0030B/*0.0080	----	0.0050 - 0.0005	.0276	----	----	----	----	1 UNCH
750	----	----	----	----/0.0055A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
750	----	----	----	0.0065B/0.0220A	----	0.0135 - 0.0010	.0533	----	----	----	----	1 UNCH
TOTAL										24		187 + 23
HXE PUT		COPPER OPTIONS										
MAY26												
580	----	----	----	----/*0.0050A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
600	----	----	----	----/*0.0060A	----	0.0005 - 0.0030	----	----	----	----	----	21 UNCH
605	----	----	----	----/0.0060A	----	0.0005 - 0.0050	----	----	----	----	----	23 UNCH
610	----	----	----/0.0065A	0.0010B/0.0065A	----	0.0005 - 0.0065	----	----	----	----	----	23 UNCH
615	----	----	----/*0.0065A	0.0040B/*0.0065	----	0.0005 - 0.0080	.0000	----	----	----	----	10 UNCH
620	----	----	0.0155B/*0.0070	0.0155B/*0.0070	----	0.0005 - 0.0120	.0003	----	----	----	----	10 UNCH
625	----	----	0.0375B/*0.0075	0.0375B/*0.0075	----	0.0010 - 0.0195	.0034	----	----	----	----	1 UNCH
626	----	----	#0.0435B/*0.007	#0.0435B/*0.007	----	0.0015 - 0.0215	.0063	----	----	1	----	1 UNCH
627	0.0005	0.0005	#0.0495B/*0.000	#0.0495B/*0.000	----	0.0020 NEW	.0099	----	----	2	----	2 + 2
630	----	----	0.0700B/*0.0090	0.0700B/*0.0090	----	0.0035 - 0.0315	.0252	----	----	1	----	27 UNCH
631	----	----	#0.0775B/*0.010	#0.0775B/*0.010	----	0.0045 - 0.0340	.0364	----	----	----	----	1 UNCH
632	----	----	#0.0850B/*0.010	#0.0850B/*0.010	----	0.0055 - 0.0375	.0493	----	----	----	----	1 UNCH
634	0.0355	0.0355	#0.1010B/*0.013	#0.1010B/*0.013	----	0.0085 - 0.0435	.0907	----	----	1	----	1 UNCH
635	0.0195	0.0195	0.1095B/*0.0140	0.1095B/*0.0140	----	0.0105 NEW	.1197	----	----	25	----	25 + 25
636	0.0150	0.0150	#0.1180B/*0.015	#0.1180B/*0.015	----	0.0125 - 0.0505	.1517	----	----	1	----	2 + 1
637	0.0165	0.0165	#0.1270B/*0.016	#0.1270B/*0.016	----	0.0145 - 0.0545	.1869	----	----	2	----	3 + 2
640	0.0240	0.0240	0.1545B/*0.0230	0.1545B/*0.0230	----	0.0235 - 0.0655	.3356	----	----	26	----	26 + 25
642	0.0325	0.0325	#0.1730B/*0.032	#0.1730B/*0.032	----	0.0320 - 0.0720	.4594	----	----	3	----	3 + 2
665	----	----	0.4000B/0.2270A	0.4000B/0.2270A	----	0.2260 - 0.0850	.9935	----	----	----	----	1 UNCH
TOTAL										62		182 + 57
JUN26												
500	0.0005	0.0005	#0.0005/*0.0005	#0.0005/*0.0005	----	0.0005 UNCH	.0022	----	----	26	----	26 + 26
560	----	----	----	0.0010B/0.0070A	----	0.0020 + 0.0010	.0097	----	----	----	----	1 UNCH
600	----	----	0.0145B/*0.0115	0.0145B/*0.0115	----	0.0075 - 0.0065	.0495	----	----	----	----	105 UNCH
600	----	----	0.0360B/*0.0200	0.0360B/*0.0200	----	0.0170 - 0.0120	.0930	----	----	----	----	11 UNCH
600	----	----	----/*0.0460A	0.0405B/*0.0460	----	0.0370 - 0.0150	.1389	----	----	----	----	1 UNCH
610	0.0130	0.0130	0.0315B/*0.0130	0.0315B/*0.0130	----	0.0120 NEW	.0838	----	----	15	----	15 + 15
610	----	----	0.0625B/*0.0310	0.0625B/*0.0310	----	0.0285 - 0.0185	.1488	----	----	----	----	5 UNCH
620	----	----	0.0655B/*0.0250	0.0655B/*0.0250	----	0.0220 - 0.0225	.1534	----	----	----	----	39 UNCH
620	----	----	0.1010B/*0.0495	0.1010B/*0.0495	----	0.0470 - 0.0290	.2290	----	----	----	----	10 UNCH
625	----	----	0.0895B/*0.0345	0.0895B/*0.0345	----	0.0305 - 0.0290	.2072	----	----	----	----	3 UNCH
625	----	----	0.1250B/*0.0625	0.1250B/*0.0625	----	0.0600 - 0.0345	.2791	----	----	----	----	2 UNCH
635	----	----	0.1835B/*0.0980	0.1835B/*0.0980	----	0.0950 - 0.0470	.3948	----	----	----	----	5 UNCH
TOTAL										41		223 + 41

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 57

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUL26												
1390	----	----	----/*38.60A	59.80B/*38.60A	----	53.10 - 15.20	.5360	----	----	----	----	4 UNCH
1440	----	----	----/*25.60A	37.20B/*25.60A	----	33.40 - 11.00	.3825	----	----	----	----	1 UNCH
1450	25.00	25.00	25.00/*23.80A	33.80B/*23.80A	----	30.50 NEW	.3555	----	----	5	----	5 + 5
1500	----	----	----/*17.10A	21.10B/*17.10A	----	20.00 - 6.70	.2454	----	----	----	----	10 UNCH
1550	----	----	----/*12.90A	13.70B/*12.90A	----	13.80 - 4.50	.1718	----	----	----	----	76 UNCH
1600	----	----	----/*10.10A	9.00B/*10.10A	----	9.90 - 3.20	.1230	----	----	----	----	85 UNCH
1720	----	----	----	2.70B/*6.50A	----	4.70 - 1.60	.0575	----	----	----	----	6 UNCH
1800	----	----	----	0.70B/*5.40A	----	2.80 - 0.90	.0343	----	----	----	----	49 UNCH
TOTAL										5		236 + 5
AUG26												
1500	----	----	----/*34.30A	42.40B/*34.30A	----	41.30 - 7.40	.3324	----	----	----	----	10 UNCH
1550	----	----	----/*27.60A	32.20B/*27.60A	----	32.30 - 5.70	.2664	----	----	----	----	10 UNCH
1600	----	----	----/*22.80A	24.90B/*22.80A	----	25.80 - 4.40	.2155	----	----	----	----	100 UNCH
1700	----	----	----/*16.20A	15.70B/*16.20A	----	17.30 - 2.80	.1454	----	----	----	----	20 UNCH
1800	----	----	----/*12.10A	9.80B/*12.10A	----	11.90 - 2.10	.1003	----	----	----	----	100 UNCH
1900	----	----	----/*9.50A	5.90B/*9.50A	----	8.30 - 1.50	.0703	----	----	----	----	400 UNCH
TOTAL												640 0
SEP26												
1275	----	----	----/*135.20A	167.50B/*135.20	----	160.60 - 18.00	.7360	----	----	----	----	0 - 1
1300	----	----	----/*121.50A	150.70B/*121.50	----	144.70 - 17.30	.6954	----	----	----	----	1 UNCH
1400	----	----	----/*79.50A	97.90B/*79.50A	----	93.50 - 13.90	.5267	----	----	----	----	75 UNCH
1450	----	----	----/*64.60A	78.70B/*64.60A	----	75.10 - 11.90	.4481	----	----	----	----	50 UNCH
1575	----	----	----/*40.20A	45.60B/*40.20A	----	45.20 - 7.40	.2940	----	----	----	----	25 UNCH
1600	----	----	----/*37.00A	41.10B/*37.00A	----	41.20 - 6.70	.2707	----	----	----	----	151 UNCH
1625	----	----	----/*34.10A	37.10B/*34.10A	----	37.60 - 6.10	.2493	----	----	----	----	20 UNCH
1665	----	----	----/*30.20A	31.60B/*30.20A	----	32.70 - 5.30	.2193	----	----	----	----	9 UNCH
1700	----	----	----/*27.30A	27.70B/*27.30A	----	29.10 - 4.70	.1966	----	----	----	----	60 UNCH
1800	----	----	----/*21.00A	19.30B/*21.00A	----	21.30 - 3.50	.1459	----	----	----	----	11 UNCH
1875	----	----	----/*17.70A	14.80B/*17.70A	----	17.10 - 2.80	.1180	----	----	----	----	25 UNCH
1885	----	----	----/*17.30A	14.30B/*17.30A	----	16.60 - 2.80	.1147	----	----	----	----	100 UNCH
1900	----	----	----/*16.70A	13.50B/*16.70A	----	15.90 - 2.70	.1100	----	----	----	----	22 UNCH
2000	----	----	----/*13.80A	9.40B/*13.80A	----	12.20 - 2.10	.0847	----	----	----	----	50 UNCH
2100	----	----	----	6.40B/*11.70A	----	9.80 - 1.60	.0676	----	----	----	----	30 UNCH
2200	----	----	----	4.30B/*10.20A	----	7.90 - 1.40	.0543	----	----	----	----	5 UNCH
2400	----	----	----	1.70B/*8.30A	----	5.50 - 0.90	.0372	----	----	----	----	15 UNCH
2550	----	----	----	0.60B/*7.40A	----	4.20 - 0.70	.0282	----	----	----	----	50 UNCH
TOTAL												699 - 1
DEC26												
1800	----	----	----	----	----	43.00 - 5.90	.2218	----	----	----	----	50 UNCH
2000	----	----	----	----	----	27.70 - 3.90	.1468	----	----	----	----	1 UNCH
3000	----	----	----	----	----	6.60 - 1.00	.0349	----	----	----	----	1 UNCH
TOTAL												52 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUL26												
1200	----	----	3.90B/----	3.90B/6.60A	----	3.50 + 1.30	.0531	----	----	----	----	4 UNCH
1250	14.00	14.00	14.00/11.00	14.00/9.80A	----	8.60 NEW	.1161	----	----	20	----	20 + 20
1280	13.00	13.00	16.00B/*13.00	16.00B/13.00	----	13.20 NEW	.1681	----	----	1	----	1 + 1
1285	----	----	17.20B/----	17.20B/13.80A	----	14.10 + 4.30	.1779	----	----	----	----	9 UNCH
1300	----	----	21.40B/----	21.40B/16.20A	----	16.90 + 4.70	.2085	----	----	----	----	165 UNCH
1350	----	----	41.30B/----	41.30B/28.30A	----	30.50 + 6.80	.3380	----	----	----	----	10 UNCH
1400	----	----	71.60B/----	71.60B/48.50A	----	52.70 + 10.20	.4962	----	----	----	----	31 UNCH
1450	----	----	110.10B/----	110.10B/77.70A	----	84.70 + 14.40	.6444	----	----	----	----	30 UNCH
TOTAL										21		270 + 21
AUG26												
1200	----	----	12.00B/----	12.00B/12.90A	----	11.90 + 3.70	.1176	----	----	----	----	20 UNCH
1400	----	----	93.10B/----	93.10B/71.30A	----	76.30 + 11.90	.4830	----	----	----	----	1 UNCH
TOTAL												21 0
SEP26												
1200	----	----	20.90B/----	20.90B/21.80A	----	20.40 + 4.30	.1564	----	----	----	----	5 UNCH
1250	----	----	35.20B/----	35.20B/32.10A	----	32.80 + 5.70	.2253	----	----	----	----	7 UNCH
1300	----	----	55.40B/----	55.40B/47.50A	----	49.60 + 7.10	.3043	----	----	----	----	43 UNCH
1375	----	----	96.30B/----	96.30B/80.90A	----	83.80 + 9.50	.4312	----	----	----	----	100 UNCH
1460	----	----	146.40B/----	146.40B/131.70A	----	135.80 + 12.90	.5662	----	----	----	----	75 UNCH
1465	----	----	146.90B/----	146.90B/135.00A	----	139.30 + 13.10	.5735	----	----	----	----	150 UNCH
1550	----	----	226.30B/----	226.30B/196.30A	----	203.10 + 16.30	.6798	----	----	----	----	100 UNCH
1575	----	----	247.60B/----	247.60B/215.90A	----	223.40 + 17.10	.7057	----	----	----	----	25 UNCH
1650	----	----	314.00B/----	314.00B/278.00A	----	287.20 + 18.90	.7695	----	----	----	----	50 UNCH
1925	----	----	572.80B/----	572.80B/529.50A	----	541.40 + 22.10	.8967	----	----	----	----	75 UNCH
TOTAL												630 0
DEC26												
1300	----	----	----	----	----	84.50 + 7.00	.3204	----	----	----	----	100 UNCH
1400	----	----	----	----	----	130.70 + 9.60	.4336	----	----	----	----	150 UNCH
1500	----	----	----	----	----	192.60 + 12.10	.5408	----	----	----	----	40 UNCH
TOTAL												290 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week5										
MAY26												
1850	----	----	6.90B/----	6.90B/*2.60A	----	0.90 - 1.60	.0087	----	----	----	----	7 UNCH
1950	----	----	#71.40B/33.20A	71.40B/33.20A	----	32.50 - 4.00	.7466	----	----	----	----	2 UNCH
2000	----	----	----/*2.60A	2.60B/*2.60A	----	2.00 - 2.60	.0257	----	----	----	----	11 UNCH
TOTAL												20 0
JUN26												
1900	38.00	38.00	51.20B/30.20A	51.20B/30.20A	----	29.10 NEW	.3801	----	----	2	----	2 + 2
1925	----	----	#67.50B/41.60A	#67.50B/41.60A	----	40.60 - 2.20	.4804	----	----	----	----	26 UNCH
1950	----	----	----/*18.40A	34.80B/*18.40A	----	31.90 - 3.00	.4202	----	----	----	----	2 UNCH
1950	----	----	#85.80B/55.40A	#85.80B/55.40A	----	54.50 - 2.40	.5797	----	----	----	----	53 UNCH
2000	10.80	10.80	10.80/*10.00A	18.30B/*10.00A	----	16.60 - 3.00	.2487	----	----	20	----	40 + 20
2100	----	----	----/*4.20A	3.70B/*4.20A	----	4.20 - 1.70	.0690	----	----	----	----	100 UNCH
2300	----	----	----	----/*2.30A	----	0.40 - 0.30	.0057	----	----	----	----	100 UNCH
TOTAL										22		323 + 22
PO CALL		PLATINUM OPTIONS										
JUL26												
1500	----	----	433.30B/381.40A	433.30B/381.40A	----	427.30 - 0.70	.9984	----	----	----	----	50 UNCH
1680	----	----	----	----	----	250.50 - 1.30	.9535	----	----	----	----	50 UNCH
1700	----	----	237.70B/189.50A	237.70B/189.50A	----	231.80 - 1.40	.9395	----	----	----	----	1 UNCH
1800	----	----	150.10B/*110.10	150.10B/*110.10	----	145.00 - 1.70	.8112	----	----	----	----	113 UNCH
1850	----	----	112.40B/*79.10A	112.40B/*79.10A	----	108.30 - 1.80	.7080	----	----	----	----	1 UNCH
1900	----	----	80.90B/*54.90A	80.90B/*54.90A	----	77.70 - 2.00	.5859	----	----	----	----	3 UNCH
1935	----	----	62.90B/*41.70A	62.90B/*41.70A	----	60.20 - 2.10	.4965	----	----	----	----	23 UNCH
1945	----	----	58.30B/*38.50A	58.30B/*38.50A	----	55.70 - 2.20	.4712	----	----	----	----	1 UNCH
1950	50.00	50.00	56.10B/*36.90A	56.10B/*36.90A	----	53.60 - 2.20	.4587	----	----	1	----	1 + 1
1960	----	----	51.90B/*34.00A	51.90B/*34.00A	----	49.50 - 2.30	.4338	----	----	----	----	3 UNCH
1965	----	----	----/*32.60A	49.90B/*32.60A	----	47.60 - 2.30	.4217	----	----	----	----	56 UNCH
1970	----	----	----/*31.30A	48.00B/*31.30A	----	45.70 - 2.30	.4096	----	----	----	----	2 UNCH
1975	----	----	----/*30.00A	46.10B/*30.00A	----	43.90 - 2.30	.3977	----	----	----	----	11 UNCH
1980	----	----	----/*28.80A	44.30B/*28.80A	----	42.10 - 2.40	.3858	----	----	----	----	2 UNCH
2000	24.50	24.50	24.50/*24.40A	37.50B/*24.40A	----	35.70 - 2.40	.3405	----	----	42	----	290 + 42
2005	25.10	25.10	25.10/*23.40A	36.00B/*23.40A	----	34.20 NEW	.3296	----	----	15	----	15 + 15
2010	23.10	23.10	23.10/*22.50A	34.50B/*22.50A	----	32.80 NEW	.3190	----	----	15	----	15 + 15
2015	22.20	22.20	22.20/*21.50A	33.10B/*21.50A	----	31.40 NEW	.3084	----	----	15	----	15 + 15
2020	21.30	21.30	21.30/*20.70A	31.70B/*20.70A	----	30.10 NEW	.2982	----	----	15	----	15 + 15
2025	20.40	20.40	20.40/*19.80A	30.30B/*19.80A	----	28.80 NEW	.2881	----	----	15	----	15 + 15
2030	19.60	19.60	19.60/*19.00A	29.00B/*19.00A	----	27.60 NEW	.2784	----	----	15	----	15 + 15
2035	18.50	18.50	18.50/*18.30A	27.80B/*18.30A	----	26.40 NEW	.2687	----	----	15	----	15 + 15
2050	----	----	----/*16.10A	24.40B/*16.10A	----	23.20 - 2.30	.2417	----	----	----	----	1 UNCH
2085	----	----	----/*12.20A	17.70B/*12.20A	----	17.10 - 2.10	.1867	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
2090	----	----	----/*11.70A	16.90B/*11.70A	----	16.30 - 2.10	.1794	----	----	----	----	34 UNCH
2095	----	----	----/*11.30A	16.10B/*11.30A	----	15.60 - 2.10	.1727	----	----	----	----	45 UNCH
2100	----	----	----/*10.80A	15.40B/*10.80A	----	14.90 - 2.10	.1661	----	----	----	----	426 + 1
2105	----	----	----/*10.40A	14.70B/*10.40A	----	14.30 - 2.00	.1600	----	----	----	----	30 UNCH
2110	----	----	----/*10.00A	14.00B/*10.00A	----	13.70 - 1.90	.1541	----	----	----	----	31 UNCH
2115	----	----	----/*9.70A	13.30B/*9.70A	----	13.10 - 1.90	.1481	----	----	----	----	30 UNCH
2120	----	----	----/*9.30A	12.70B/*9.30A	----	12.50 - 1.90	.1422	----	----	----	----	15 UNCH
2125	----	----	----/*9.00A	12.10B/*9.00A	----	12.00 - 1.80	.1370	----	----	----	----	15 UNCH
2150	----	----	----/*7.50A	9.40B/*7.50A	----	9.60 - 1.60	.1122	----	----	----	----	18 UNCH
2160	----	----	----/*7.10A	8.40B/*7.10A	----	8.80 - 1.50	.1036	----	----	----	----	1 UNCH
2170	----	----	----/*6.60A	7.60B/*6.60A	----	8.00 - 1.40	.0952	----	----	----	----	4 UNCH
2200	----	----	----/*5.60A	5.40B/*5.60A	----	6.20 - 1.20	.0750	----	----	----	----	461 UNCH
2250	----	----	----/*4.50A	2.90B/*4.50A	----	4.10 - 0.90	.0506	----	----	----	----	117 UNCH
2275	5.00	5.00	5.00/*4.10A	5.00/*4.10A	----	3.50 NEW	.0430	----	----	10	----	10 + 10
2300	----	----	----	1.70B/*3.80A	----	3.00 - 0.60	.0366	----	----	----	----	255 UNCH
2350	----	----	----	1.00B/*3.40A	----	2.20 - 0.50	.0266	----	----	----	----	160 UNCH
2400	----	----	----	0.50B/*2.00A	----	1.70 - 0.30	.0202	----	----	----	----	904 UNCH
2450	----	----	----	0.20B/*2.80A	----	1.30 - 0.30	.0152	----	----	----	----	50 UNCH
2480	----	----	----	----/*2.70A	----	1.10 - 0.30	.0128	----	----	----	----	50 UNCH
2500	----	----	----	----/2.60A	----	1.00 - 0.30	.0115	----	----	----	----	649 UNCH
2600	----	----	----	----/2.30A	----	0.70 - 0.20	.0077	----	----	1	----	360 - 1
2650	----	----	----	----/*2.10A	----	0.60 - 0.10	.0064	----	----	----	----	1 UNCH
2700	----	----	----	----/*2.00A	----	0.50 - 0.10	.0052	----	----	1	----	111 - 1
2800	----	----	----	----/1.90A	----	0.30 - 0.10	.0031	----	----	----	----	350 UNCH
2850	----	----	----	----/*1.80A	----	0.30 - 0.10	.0030	----	----	----	----	58 UNCH
2900	----	----	----	----/*1.80A	----	0.20 - 0.10	.0020	----	----	----	----	183 UNCH
3000	----	----	----	----/*1.70A	----	0.20 UNCH	.0019	----	----	----	----	574 UNCH
3100	----	----	----	----/*1.60A	----	0.10 - 0.10	.0009	----	----	----	----	159 UNCH
3200	----	----	----	----/*2.70A	----	0.10 UNCH	.0004	----	----	----	----	18 UNCH
3300	----	----	----	----/*2.70A	----	0.10 UNCH	.0002	----	----	----	----	30 UNCH
3400	----	----	----	----/*2.60A	----	0.10 UNCH	.0001	----	----	----	----	32 UNCH
3500	----	----	----	----/*2.60A	----	0.10 UNCH	.0000	----	----	----	----	274 UNCH
3600	----	----	----	----/*2.60A	----	0.10 UNCH	.0000	----	----	----	----	300 UNCH
3800	----	----	----	----/*1.40A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3900	----	----	----	----/*1.40A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
4000	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
TOTAL										160		6739 + 157
AUG26												
1950	----	----	104.10B/*82.60A	104.10B/*82.60A	----	103.30 - 0.70	.5227	----	----	----	----	3 UNCH
2000	----	----	----/*65.80A	83.40B/*65.80A	----	83.10 - 0.70	.4485	----	----	----	----	1 UNCH
2050	----	----	----/*52.30A	66.30B/*52.30A	----	66.30 - 0.80	.3795	----	----	----	----	30 UNCH
2100	55.00	55.00	55.00/*41.60A	55.00/*41.60A	----	52.60 - 0.90	.3173	----	----	2	----	52 UNCH
2150	----	----	----/*33.20A	41.20B/*33.20A	----	41.70 - 1.00	.2632	----	----	----	----	1 UNCH
2175	----	----	----/*29.70A	36.60B/*29.70A	----	37.20 - 1.00	.2393	----	----	----	----	30 UNCH
2200	----	----	----/*26.60A	32.40B/*26.60A	----	33.20 - 0.90	.2173	----	----	----	----	15 UNCH
2250	----	----	----/*21.50A	25.50B/*21.50A	----	26.50 - 0.90	.1789	----	----	----	----	60 UNCH
2275	----	----	----/*19.40A	22.60B/*19.40A	----	23.70 - 0.90	.1622	----	----	----	----	30 UNCH
2300	----	----	----/*17.50A	20.10B/*17.50A	----	21.20 - 0.90	.1470	----	----	----	----	352 UNCH
2350	----	----	----/*14.50A	15.70B/*14.50A	----	17.00 - 0.80	.1207	----	----	----	----	15 UNCH
2400	----	----	----/*12.10A	12.30B/*12.10A	----	13.70 - 0.80	.0991	----	----	----	----	84 UNCH
2500	----	----	----/*8.90A	7.80B/*8.90A	----	9.20 - 0.80	.0682	----	----	----	----	194 UNCH
2600	----	----	----/7.00A	5.10B/7.00A	----	6.60 - 0.50	.0491	----	----	----	----	545 UNCH
2750	----	----	----	2.90B/*5.50A	----	4.20 - 0.30	.0312	----	----	----	----	105 UNCH
3000	----	----	----	1.20B/*4.20A	----	2.00 - 0.20	.0149	----	----	----	----	54 UNCH
TOTAL										2		1571 0
SEP26												
2100	----	----	----/*71.00A	82.50B/*71.00A	----	84.40 + 0.30	.3742	----	----	----	----	36 UNCH
TOTAL												36 0
OCT26												
1720	----	----	----	----	----	286.20 + 1.10	.7638	----	----	----	----	1 UNCH
1800	----	----	234.30B/205.90A	234.30B/205.90A	----	235.30 + 1.30	.6881	----	----	----	----	1 UNCH
1900	162.00	162.00	168.00/*152.00	180.50B/*152.00	----	182.40 + 1.30	.5881	----	----	15	----	11 + 9
2000	116.00	116.00	138.50B/*116.00	138.50B/*116.00	----	140.80 + 1.30	.4912	----	----	6	----	4 - 6
2050	----	----	----/*107.00A	121.30B/*107.00	----	123.70 + 1.20	.4463	----	----	----	----	6 UNCH
2100	----	----	----/*94.10A	106.20B/*94.10A	----	108.70 + 1.20	.4043	----	----	----	----	3 UNCH
2125	----	----	----/*88.20A	99.40B/*88.20A	----	101.90 + 1.10	.3845	----	----	----	----	12 UNCH
2135	----	----	----/*85.80A	96.80B/*85.80A	----	99.30 + 1.10	.3768	----	----	----	----	12 UNCH
2200	----	----	----/*72.60A	81.40B/*72.60A	----	83.90 + 1.00	.3295	----	----	----	----	136 UNCH
2250	----	----	----/*63.80A	71.20B/*63.80A	----	73.60 + 0.80	.2965	----	----	----	----	1 UNCH
2300	----	----	----/*56.10A	62.20B/*56.10A	----	64.60 + 0.70	.2664	----	----	----	----	7 UNCH
2375	----	----	----/*46.20A	50.60B/*46.20A	----	53.10 + 0.60	.2262	----	----	----	----	50 UNCH
2400	----	----	----/*43.30A	47.30B/*43.30A	----	49.70 + 0.60	.2140	----	----	1	----	467 + 1
2500	----	----	----/*33.70A	35.80B/*33.70A	----	38.20 + 0.30	.1711	----	----	11	100	366 + 6
2600	----	----	----/*26.60A	27.20B/*26.60A	----	29.50 UNCH	.1366	----	----	----	----	23 UNCH
2635	----	----	----/*24.60A	24.70B/*24.60A	----	27.00 UNCH	.1264	----	----	----	----	200 UNCH
2650	----	----	----/*23.80A	23.70B/*23.80A	----	26.10 UNCH	.1225	----	----	----	----	25 UNCH
2700	----	----	----/*21.40A	20.70B/*21.40A	----	23.00 - 0.10	.1095	----	----	----	----	371 UNCH
2800	----	----	----/*17.60A	15.90B/*17.60A	----	18.20 - 0.10	.0885	----	----	----	----	39 UNCH
2850	----	----	----/*16.10A	14.00B/*16.10A	----	16.30 UNCH	.0799	----	----	----	----	155 UNCH
2900	----	----	----	12.30B/*14.80A	----	14.50 - 0.10	.0718	----	----	----	----	210 UNCH
2950	----	----	----	10.90B/*13.60A	----	13.00 - 0.10	.0649	----	----	----	----	55 UNCH
3000	----	----	----	9.70B/*12.70A	----	11.70 - 0.10	.0588	----	----	10	100	355 + 110
3200	----	----	----	6.20B/*10.00A	----	7.80 - 0.10	.0401	----	----	----	----	10 UNCH
3500	----	----	----	3.50B/*7.90A	----	4.70 UNCH	.0244	----	----	----	----	10 UNCH
4000	----	----	----	1.50B/*6.20A	----	2.90 UNCH	.0145	----	----	----	----	5 UNCH
TOTAL									200	43		2535 + 120
JAN27												
2360	----	----	----	----	----	119.40 UNCH	.3369	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUL26												
1400	----	----	----	----/*1.50A	----	0.10 UNCH	.0000	----	----	----	----	150 UNCH
1500	----	----	----	----/*1.80A	----	0.10 - 0.10	.0015	----	----	----	----	153 UNCH
1550	----	----	----	----/*2.10A	----	0.40 - 0.10	.0058	----	----	----	----	200 UNCH
1590	----	----	----	----/2.50A	----	0.80 - 0.30	.0114	----	----	----	----	10 UNCH
1600	----	----	----	0.30B/*2.60A	----	1.00 - 0.20	.0140	----	----	----	----	324 UNCH
1630	2.00	2.00	2.00/*2.00	2.00/*2.00	----	1.60 NEW	.0219	----	----	25	----	25 + 25
1635	----	----	----	1.60B/3.30A	----	1.70 - 0.40	.0233	----	----	----	----	10 UNCH
1650	----	----	----	2.40B/*3.70A	----	2.20 - 0.50	.0296	----	----	----	----	1 UNCH
1680	----	----	4.70B/----	4.70B/5.00A	----	3.60 - 0.60	.0464	----	----	----	----	50 UNCH
1700	----	----	6.80B/----	6.80B/6.10A	----	4.80 - 0.80	.0604	----	----	----	----	278 UNCH
1710	----	----	8.10B/----	8.10B/6.90A	----	5.60 - 0.80	.0692	----	----	----	----	1 UNCH
1725	----	----	10.30B/----	10.30B/8.20A	----	6.90 - 0.90	.0834	----	----	----	----	100 UNCH
1750	16.60	16.60	16.60/10.90A	16.60/10.90A	----	9.60 - 1.00	.1115	----	----	11	----	61 + 11
1800	----	----	27.30B/----	27.30B/19.10A	----	17.90 - 1.10	.1886	----	----	----	----	391 UNCH
1805	----	----	28.80B/----	28.80B/20.20A	----	19.00 - 1.00	.1980	----	----	----	----	45 UNCH
1810	----	----	30.50B/----	30.50B/21.30A	----	20.10 - 1.10	.2073	----	----	----	----	15 UNCH
1815	----	----	32.20B/----	32.20B/22.40A	----	21.30 - 1.00	.2171	----	----	----	----	30 UNCH
1820	----	----	34.00B/----	34.00B/23.60A	----	22.50 - 1.10	.2270	----	----	----	----	30 UNCH
1825	----	----	35.90B/----	35.90B/24.90A	----	23.80 - 1.10	.2373	----	----	----	----	85 UNCH
1830	----	----	37.80B/----	37.80B/26.20A	----	25.10 - 1.10	.2476	----	----	----	----	15 UNCH
1835	----	----	39.80B/----	39.80B/27.60A	----	26.50 - 1.10	.2583	----	----	----	----	15 UNCH
1840	----	----	41.90B/29.00A	41.90B/29.00A	----	28.00 - 1.10	.2694	----	----	----	----	15 UNCH
1850	----	----	46.20B/32.10A	46.20B/32.10A	----	31.10 - 1.10	.2919	----	----	----	----	40 UNCH
1900	----	----	72.10B/51.30A	72.10B/51.30A	----	50.40 - 1.30	.4140	----	----	----	----	245 UNCH
1950	----	----	104.10B/76.70A	104.10B/76.70A	----	76.30 - 1.50	.5412	----	----	----	----	8 UNCH
1980	----	----	----	----	----	94.70 - 1.70	.6141	----	----	----	----	48 UNCH
1990	----	----	----	----	----	101.40 - 1.70	.6370	----	----	----	----	23 UNCH
2000	----	----	141.50B/108.00A	141.50B/108.00A	----	108.20 - 1.70	.6593	----	----	----	----	53 UNCH
2015	----	----	----	----	----	119.00 - 1.70	.6914	----	----	----	----	25 UNCH
2030	----	----	----	----	----	130.10 - 1.70	.7215	----	----	----	----	23 UNCH
2035	----	----	----	----	----	134.00 - 1.60	.7311	----	----	----	----	46 UNCH
2075	----	----	205.00B/164.40A	205.00B/164.40A	----	166.10 - 1.50	.7989	----	----	----	----	1 UNCH
2085	----	----	----	----	----	174.50 - 1.40	.8131	----	----	----	----	1 UNCH
2100	----	----	227.50B/185.10A	227.50B/185.10A	----	187.40 - 1.30	.8338	----	----	----	----	225 UNCH
2130	----	----	----	----	----	213.80 - 1.10	.8687	----	----	----	----	23 UNCH
2135	----	----	----	----	----	218.30 - 1.00	.8731	----	----	----	----	190 UNCH
2165	----	----	----	----	----	245.70 - 0.80	.9005	----	----	----	----	20 UNCH
2350	----	----	470.00B/419.40A	470.00B/419.40A	----	424.40 + 0.30	.9733	----	----	----	----	5 UNCH
2400	----	----	519.70B/468.80A	519.70B/468.80A	----	473.80 + 0.40	.9797	----	----	----	----	300 UNCH
TOTAL										36		3280 + 36
AUG26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
AUG26												
1600	----	----	8.60B/----	8.60B/9.30A	----	8.20 - 0.10	.0645	----	----	----	----	1 UNCH
1800	50.00	50.00	52.80B/43.00A	52.80B/43.00A	----	41.60 NEW	.2513	----	----	1	----	1 + 1
2000	----	----	162.20B/135.40A	162.20B/135.40A	----	135.30 - 0.70	.5513	----	----	----	----	1 UNCH
TOTAL										1		3 + 1
SEP26												
1850	----	----	103.50B/----	103.50B/89.00A	----	88.20 + 0.70	.3503	----	----	----	----	16 UNCH
TOTAL												16 0
OCT26												
1300	----	----	----	3.20B/*7.80A	----	5.30 UNCH	.0282	----	----	----	----	4 UNCH
1500	----	----	17.50B/----	17.50B/19.50A	----	17.10 + 0.20	.0844	----	----	----	----	21 UNCH
1600	----	----	34.50B/----	34.50B/33.60A	----	31.20 + 0.50	.1405	----	----	----	----	28 UNCH
1700	----	----	61.80B/----	61.80B/56.30A	----	54.50 + 1.00	.2181	----	----	----	----	50 UNCH
1720	----	----	68.60B/----	68.60B/62.10A	----	60.50 + 1.10	.2359	----	----	----	----	2 UNCH
1820	----	----	110.70B/----	110.70B/98.10A	----	97.30 + 1.40	.3314	----	----	----	----	5 UNCH
1850	----	----	125.70B/----	125.70B/111.30A	----	110.60 + 1.30	.3614	----	----	----	----	200 UNCH
1950	----	----	183.00B/----	183.00B/162.70A	----	162.60 + 1.20	.4610	----	----	----	----	50 UNCH
2000	----	----	215.40B/----	215.40B/192.40A	----	192.70 + 1.20	.5084	----	----	----	----	1 UNCH
2100	----	----	286.50B/----	286.50B/258.90A	----	259.80 + 1.20	.5953	----	----	----	----	100 UNCH
2130	----	----	----	----	----	281.40 + 1.10	.6190	----	----	----	----	41 UNCH
2135	----	----	----	----	----	285.10 + 1.10	.6228	----	----	----	----	12 UNCH
2140	----	----	----	----	----	288.80 + 1.10	.6267	----	----	----	----	12 UNCH
2400	----	----	533.90B/496.60A	533.90B/496.60A	----	498.50 + 0.60	.7857	----	----	----	----	200 UNCH
2500	----	----	624.00B/584.30A	624.00B/584.30A	----	586.40 + 0.30	.8286	----	----	----	----	1 UNCH
TOTAL												727 0
JAN27												
1500	----	----	----	----	----	59.20 - 0.60	.1564	----	----	----	----	40 UNCH
1800	----	----	----	----	----	153.70 - 1.10	.3313	----	----	----	----	1 UNCH
1900	----	----	----	----	----	202.10 - 1.20	.3987	----	----	----	----	100 UNCH
2000	----	----	----	----	----	257.40 - 1.40	.4653	----	----	----	----	200 UNCH
TOTAL												341 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS			
JUL26	CALL			
OG		4500	0	126
OG		4920	0	250
OG		5200	0	280
TOTALS			0	656
AUG26	CALL			
OG		4600	0	55
OG		4650	0	400
OG		4700	0	1175
OG		4800	0	30
OG		4825	0	250
OG		5100	0	1175
TOTALS			0	3085
SEP26	CALL			
OG		4700	0	60
OG		4750	0	472
OG		4825	0	50
TOTALS			0	582
DEC26	CALL			
OG		4600	0	60
OG		4900	0	10
OG		5300	0	50
OG		5450	0	10
OG		5500	0	50
TOTALS			0	180
APR27	CALL			
OG		5800	0	50
TOTALS			0	50
OG PUT	COMEX GOLD OPTIONS			
JUL26	PUT			
OG		4155	0	250
OG		4350	0	250
OG		4500	0	400
TOTALS			0	900
AUG26	PUT			
OG		3900	0	880
OG		4100	0	200
OG		4200	0	225
OG		4280	0	250
OG		4450	0	625
TOTALS			0	2180
SEP26	PUT			
OG		4200	0	472
TOTALS			0	472
NOV26	PUT			
OG		3600	0	600
TOTALS			0	600
DEC26	PUT			
OG		4000	0	250
OG		4300	0	130
OG		4350	0	10
TOTALS			0	390
MAR27	PUT			
OG		3600	0	130
TOTALS			0	130
HX CALL	COMEX COPPER OPTIONS			
JUL26	CALL			
HX		650	0	120
HX		700	0	120
TOTALS			0	240
SEP26	CALL			
HX		700	0	80
HX		775	0	80
TOTALS			0	160
PO CALL	PLATINUM OPTIONS			
OCT26	CALL			
PO		2500	0	100
PO		3000	0	100
TOTALS			0	200
OG1 PUT	GOLD OPTIONS			
JUN26	PUT			
OG1		4425	0	100
TOTALS			0	100
OG5 PUT	GOLD OPTIONS			
MAY26	PUT			
OG5		4425	0	75
TOTALS			0	75
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1			
JUN26	CALL			
G1M		4550	0	125
TOTALS			0	125

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.